

DGT-Aff011(51)/3/2025-O/o DIR (TC) (E- 74688)

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,
चाणक्यपुरी, नई दिल्ली – 110023,
दिनांक : 23, दिसम्बर 2025

To

The State Director (Dealing with Craftsmen Training Scheme),
Directorate of Technical Education,
Rajasthan, W-6, Residency Jodhpur-342011

Subject: Minutes of the 25th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 13.11.2025 and 14.11.2025 - regarding

Madam/ Sir,

Please find the enclosed approved Minutes of the 25th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA) held on 13.11.2025 and 14.11.2025.

2. Any grievances regarding the decision outlined in these minutes may be raised through the NIMI portal (<https://nimionlineadmission.in/iti/GrievancePortal/register.php>) within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.
3. Furthermore, for the ITIs that have been given a final opportunity to show cause, these Minutes shall be treated as the final notice from DGT.
4. This issues with the approval of Competent Authority.

भवदीय ,

(उज्ज्वल विश्वास/Ujjwal Biswas)

निदेशक/ Director ,टीसी अनुभाग

Copy for information to:

1. Sr.PPS to DG, DGT Hqrs, New Delhi.
2. PPS to DDG(Affiliation)/SCAA Chairperson, DGT Hqrs, New Delhi.
3. The Regional Director, RDSDE Rajasthan.
4. The officer dealing with DGT MIS with a request to upload and update the order on DGT MIS portal.

(श्रमेव शर्मा / Shramev Sharma)

उप निदेशक /Deputy Director , टी . सी अनुभाग

DGT-Aff011(51)/3/2025-O/o DIR (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Date: 23.12.2025

Minutes of 25th Standing Committee on Accreditation and Affiliation meeting held on 13.11.2025 & 14.11.2025 at Kaushal Bhawan, Delhi

The 25th Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on 13.11.2025 and 14.11.2025 at Kaushal Bhawan, New Delhi. During the meeting, the committee discussed matters related to the affiliation and de-affiliation of ITIs recommended by the State Skill Development & Entrepreneurship Committee (SSDEC), Rajasthan in its 9th and 10th meetings which were held on 17.09.2025 and 23.09.2025, respectively. The list of participants who attended the meeting is attached at *Annexure - 1*.

At the outset, Shri Sunil Kumar Gupta, Deputy Director Genral, DGT, Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.

Agenda 1: Discussion on affiliation/de-affiliation matter of 16 Pvt ITIs recommended for affiliation/ de-affiliation in the 9th SSDEC of Rajasthan State held on 17.09.2025 vide agenda 1.1.

Joint Inspection of these 16 ITIs were conducted and Based on the findings of the joint inspection report, SSDEC Rajasthan vide agenda 1.1 of 9th SSDEC meeting, has recommended continuation of affiliation for 11 ITIs and de-affiliation for remaining 5 ITIs. Details of these ITIs including 25th SCAA remarks are available at *Annexure-2*.

Agenda 2: Affiliation/De-affiliation matters of 682 ITIs recommended for affiliation/de-affiliation under agenda 1.3 and 2.1 of the 9th SSDEC held on 17.09.2025 and agenda 1 of 10th SSDEC meeting held on 23.09.2025 of Rajasthan State.

The representative of the State Directorate of Rajasthan provided a brief chronology of the matter, and the SCAA noted the following:

- (i) A surprise inspection of all private ITIs in the State of Rajasthan was undertaken by the State on 24.12.2024.
- (ii) During the inspection, serious irregularities were observed in 682 Private ITIs.

- (iii) Subsequently, Show-Cause Notices (SCN) were issued to all these ITIs by the State Directorate.
- (iv) It was further decided to conduct joint inspections of these 682 ITIs in multiple phases.
- (v) Meanwhile, admissions for the 2025–26 session were restricted in 638 ITIs (36 ITIs were already de-affiliated on the NCVT MIS portal and 8 ITI were recommended for continuation of affiliation by the inspecting members during inspection conducted in the first phase) by SSDEC in its 8th meeting held on 12.06.2025, under Agenda 1.2, as per the provisions outlined in the DGT letter dated 30.05.2025. Notices were also issued to these 638 ITIs by the State.
- (vi) Further, joint inspections of these ITIs were conducted in multiple phases, and the findings were deliberated in the 9th and 10th SSDEC meetings held on 17.09.2025 and 23.09.2025, respectively.
- (vii) Based on the findings of the joint inspection findings, SSDEC provided recommendations regarding affiliation and de-affiliation of these ITIs under agenda 1.3 and 2.1 of the 9th SSDEC and agenda 1 of the 10th SSDEC.
- (viii) The recommendations of the SSDEC have been categorised into the following six categories, as detailed below:

Table 1: Category wise number of Cases discussed in 9th and 10th SSDEC meetings

Sr. No.	Category	No. of Cases discussed in 9 th SSDEC meeting	No. of Cases discussed in 10 th SSDEC meeting	Total
1.	ITI recommended for continuation of affiliation from session 2025-26.	97	170	267
2.	ITI not recommended for continuation of affiliation.	95	54	149
3.	ITIs not recommended for continuation of affiliation due to unauthorised shifting of premises.	18	15	33
4.	ITI not recommended for continuation of affiliation as ITI requested for self-closure.	18	8	26
5.	ITIs not recommended for continuation of affiliation as they were found closed during inspection.	34	20	54
6.	ITIs not recommended for continuation of affiliation as they refused to undergo inspection.	94	12	106
Total		356	279	635*

* 3 ITIs (PR08001385, PR08001284 and PR087000375) are already de-affiliated on NCVT MIS portal.

Thereafter, all the cases were discussed in detail, category-wise, during the meeting. Category wise recommendations of SCAA are provided below:

2.1: ITIs recommended by SSDEC for continuation of affiliation from session 2025-26.

- i. In reference to Agenda 1.2 of the 8th SSDEC, Agenda 2.1 of the 9th SSDEC, and Agenda 1 of the 10th SSDEC meetings, the SCAA noted that the SSDEC has restricted admissions in 635 ITIs due to severe deficiencies identified during the inspection conducted on 24.12.2024. This action has been taken in accordance with the instructions issued by the DGT vide letter dated 30.05.2025, wherein the SSDEC has been authorised to restrict admissions in ITIs where severe deficiencies have been observed and where continuation of training is likely to adversely affect the trainees' future.
- ii. Further, based on the report of joint inspection conducted by State and RDSDE, SSDEC has permitted continuation of affiliation and admissions for the 2025-26 session for 267 ITIs, which was communicated vide letter dated 25.09.2025 issued by the Rajasthan State Directorate. SSDEC has also recommended de-affiliation for the remaining 368 ITIs along with restriction of admission for the 2025-26 session (matter related to these 368 is discussed in subsequent agendas).
- iii. During the discussion, SCAA observed that, in the ITIs recommended by SSDEC for continuation of affiliation, certain deficiencies had been recorded by the inspecting members. Although these institutes were recommended for continuation of affiliation by the inspection teams and subsequently endorsed by SSDEC, SCAA is of the view that these ITIs must also rectify all deficiencies identified during the inspections.
- iv. SCAA also noted that, for some of the ITIs under these categories, discrepancies exist between the trades/units recommended for continuation of affiliation by SSDEC and those mapped on the NCVT MIS portal.
- v. Furthermore, it has been observed that all the trades/units of these ITIs have not been recommended for continuation of affiliation; however, de-affiliation recommendations for such trades/units were not provided by SSDEC.
- vi. Details of these 267 ITIs are available at **Annexure-3**.

25th SCAA decision:

- i. The State Directorates shall communicate the recorded deficiencies to the respective ITIs. The ITIs must rectify the deficiencies and inform State regarding the same. Further, State shall ensure that deficiencies are removed and ITIs are functioning as per norms. In case, if any ITI fails to remove the deficiencies within stipulated time period, fresh de-affiliation proceedings may be initiated against the institute by the State.
- ii. Additional SCAA remarks regarding discrepancy in recommendation, if any, are available at **Annexure-2**, against the name of the individual ITI. SSDEC will have to provide clarification regarding these ITIs.
- iii. Further, State and RDSDE are advised to use the manual batch facility available on the NIMI portal for conducting inspections in future, if any.

2.2: ITIs not recommended by SSDEC for continuation of affiliation.

In reference to Agenda 1.3 and 2.1 of the 9th SSDEC and Agenda 1 of the 10th SSDEC meetings, SCAA noted that SSDEC has restricted admissions for the 2025–26 session in 149 ITIs and has further recommended de-affiliation of these 149 ITIs based on the recommendations of the Joint Inspection, owing to the deficiencies observed. The Details of these 149 ITIs are available at **Annexure-4**.

25th SCAA Decision:

- i. SCAA is of the view that these 149 ITIs are liable to be de-affiliated, as the deficiencies identified significantly impact their ability to provide quality training to trainees.
- ii. However, in adherence to the principles of natural justice, the concerned ITIs are being granted a final opportunity to show cause as to why they should not be de-affiliated.
- iii. **These Minutes shall be treated as a notice issued by DGT.** The ITIs must submit a satisfactory reply, providing proper justification along with all relevant supporting documents, within 21 days from the issuance of these minutes to the official email ID tc-deaffiliation@dgt.gov.in. Failure to submit a satisfactory response along with the supporting documents within the stipulated period will result in the ITI being de-affiliated.

2.3: ITIs not recommended for continuation of affiliation due to unauthorised shifting of premises.

In reference to Agenda 2.1 of 9th SSDEC and Agenda 1 of 10th SSDEC meetings, SCAA noted that SSDEC has restricted admissions for the 2025–26 session in 33 ITIs and has further recommended de-affiliation of these 33 ITIs due to unauthorised shifting of premises of the ITI. The Details of these 33 ITIs are available at *Annexure – 5*.

25th SCAA Decision:

- i. The ITIs that were found to have shifted from their original approved location without obtaining due approval from both DGT and the State Government are liable to be de-affiliated as per clause 3.5 of the Affiliation Norms for ITIs, 2018.
- ii. However, in adherence to the principles of natural justice, the concerned ITIs are being granted a final opportunity to show cause as to why they should not be de-affiliated. **These Minutes shall be treated as a notice issued by DGT.** The ITIs must submit their reply within 21 days from the issuance of these Minutes to the official email ID tc-deaffiliation@dgt.gov.in
- iii. Failure to submit a satisfactory response within the stipulated time will result in de-affiliation of the ITI.

2.4: ITI not recommended for continuation of affiliation as ITI requested for self-closure.

In reference to agenda 2.1 of 9th SSDEC and agenda 1 of 10th SSDEC meetings, SCAA noted that SSDEC has recommended for de-affiliation of 26 ITIs on the request of the ITI for closure of the ITI. The Details of these 26 ITIs are available at *Annexure – 6*.

25th SCAA decision:

SCAA accepted the ITI's request for the closure of the ITI.

2.5: ITIs not recommended for continuation of affiliation as they were found closed during inspection.

In reference to agenda 2.1 of 9th SSDEC and agenda 1 of 10th SSDEC meetings, SCAA noted that SSDEC has restricted admissions for the 2025–26 session in 54 ITIs and has further recommended de-affiliation of these 54 ITIs as they were found to be closed during inspection. The Details of these 54 ITIs are available at *Annexure – 7*.

25th SCAA decision:

- i. SCAA observed that certain ITIs were found closed during inspections, even after prior intimation and issuance of a Show Cause Notice (SCN). Such closure indicates non-compliance with the fundamental requirements mandated under the affiliation norms and the guidelines prescribed in the DGT Training Manual.
- ii. It was also observed that no ITI-related activities—including training, administrative functioning, faculty presence, or trainee attendance—were found at the affiliated premises during inspections. This confirms that the concerned ITIs are not functioning as per the prescribed norms.
- iii. SCAA is of the view that repeated closure of an ITI reflects a non-serious approach towards operating the institution and constitutes non-compliance with basic requirements. As no ITI-related activities were found at these locations, the institutes are liable to be de-affiliated to ensure that only functional ITIs complying with prescribed norms are allowed to continue.
- iv. However, in adherence to the principles of natural justice, the concerned ITIs are granted a final opportunity to show cause as to why they should not be de-affiliated. **These Minutes shall be treated as a final notice from DGT.** The ITIs must submit their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in.
- iv. Failure to submit a satisfactory response within the stipulated time will result in de-affiliation of the ITI.

2.6: ITIs not recommended for continuation of affiliation as they refused to undergo inspection.

In reference to agenda 2.1 of 9th SSDEC and agenda 1 of 10th SSDEC meetings, SCAA noted that SSDEC has restricted admissions for the 2025–26 session in 106 ITIs and has further recommended de-affiliation of these 106 ITIs as they refused to undergo inspection during the de-affiliation proceedings despite being given sufficient opportunities. The Details of these 106 ITIs are available at *Annexure – 8*.

SCAA decision:

- i. SCAA observed that permitting inspection is an inherent requirement under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated.

This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through inspection. The Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Ors.), further clarified that no institution can claim a right to dictate the date or manner of inspection.

Collectively, these judicial pronouncements unequivocally support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework. Accordingly, SCAA held that these 106 ITIs are liable to be de-affiliated for refusal of inspection.

- ii. However, in adherence to the principles of natural justice, the concerned ITIs are being granted a final opportunity to show cause as to why they should not be de-affiliated. **These Minutes shall be treated as a final notice from DGT.** The ITIs must submit their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in .
- iii. Failure to submit a satisfactory response within the stipulated time will result in de-affiliation of the ITI.

Annexure -1

List of participants who attended the meeting:

1. Shri Sunil Kumar Gupta, Deputy Director General
2. Shri Ujjwal Biswas, Director, TC, DGT – Member
3. Shri Sugar Singh Meena, Director, State Directorate, Rajasthan
4. Shri Satish Kumar, Joint Director, TC Section, DGT
5. Shri Neeraj, Joint Director, State Directorate, Rajasthan
6. Shri Raju Kannam, Deputy Director, TC-Section, DGT
7. Shri. Shramev Sharma, Deputy Director, TC Section, DGT
8. Shri Rajesh Kumar, Deputy Director, TC-Section, DGT
9. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
10. Shri Rajesh Gupta, Deputy Director, State Directorate, Rajasthan
11. Shri Shailendra, Deputy Director, State Directorate, Rajasthan
12. Shri Himanshu Assistant Director, RDSDE Rajasthan
13. Smt Kanika Kalhan, Training Officer, TC-Section DGT

Annexure - 2 as referred in Agenda 1 regarding affiliation/de-affiliation matter of 16 Pvt ITIs recommended for affiliation/ de-affiliation in the 9th SSDEC of Rajasthan State held on 17.09.2025 vide agenda 1.1.

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	<p>Metro Private Insustrial Trainining Institute,</p> <p>Address - 636 Khora Bisal Dist Jaipur Rajasthan 302012</p> <p>MIS Code - PU08001371</p>	Electrician – 6 (3+3)	<ol style="list-style-type: none"> Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 17.04.2023. Further, a joint inspection was again conducted on 05.06.2025 by the RDSDE and State official. During inspection following were observed: <ol style="list-style-type: none"> Some of the machinery was in working condition. The workshops found in poor condition. No drawing room was found in the ITI. BCC not issued by the local authority. The electricity connection has not been in the name of the ITI. No fire safety certificate was provided by the ITI. The IT lab was poorly maintained and few laptops were arranged only for inspection. The amenities have been found inadequate. The building area not found matched with approved layout plan. The land area found in the ITI was less than the affiliation norms of 2018. No permanent signboard was displayed. There was a serious safety concern in case of fire due to improper ventilation. 	<p>SCAA agreed with the recommendation of SSDEC regarding de-affiliation. However, in adherence to the principles of natural justice, the concerned ITI is being granted a final opportunity to show cause as to why they should not be de-affiliated. These Minutes shall be treated as a final notice from DGT. The ITIs must submit their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in.</p>

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. The inspecting member recommended for de-affiliation of ITI. 5. The matter was discussed in the 9th SSDEC meeting held on 17.09.2025, and the SSDEC recommended de-affiliation.	
2.	Swami Vivekanand Private Industrial Training Institute Address - 124, Vivek Vihar, Jagatpura, Jaipur 302025 MIS Code - PR08001230	Electrician – 7 (3+2+2)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 06.06.2024. 2. Further, a joint inspection was again conducted on 03.06.2025 by the RDSDE and State official. 3. As per joint inspection, ITI denied for inspection vide letter dated 03.06.2025 due to strike declared by State-level ITI Association. 4. The inspecting member recommended for de-affiliation of ITI. 5. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended de- affiliation of ITI as ITI refused for inspection.	SCAA agreed with the recommendation of SSDEC regarding de-affiliation. However, in adherence to the principles of natural justice, the concerned ITI is being granted a final opportunity to show cause as to why they should not be de-affiliated. These Minutes shall be treated as a final notice from DGT. The ITIs must submit their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in .
3.	Shivam Private Insustrial Training Institute Address - Prem Nagar Foy Sagar Road Dist Ajmer Rajasthan MIS Code -PU08001365	1. Electrician – 04 (2+2) 2. Mechanic Diesel – 03 (1+1+1)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 23.08.2024. 2. The ITI did not reply to the SCN. 3. Further, a joint inspection was again conducted on 06.06.2025 by the RDSDE and State official. 4. As per joint inspection report, the ITI has submitted a letter dated 04.06.2025 regarding self-surrender of the ITI. The self -surrender request of ITI was also submitted to State Directorate vide letter dated 29.06.2023. The	SCAA agreed with the recommendation of SSDEC regarding de-affiliation. However, in adherence to the principles of natural justice, the concerned ITI is being granted a final opportunity to show cause as to why they should not be de-affiliated. These Minutes shall be treated as a final notice from DGT. The ITIs must submit

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			<p>inspecting member recommended for de-affiliation of ITI.</p> <p>5. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended de- affiliation of ITI as ITI refused for inspection.</p>	<p>their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in .</p>
4.	<p>Vansh Pvt ITI,</p> <p>Address - Vill Sikrai, Th. Sikrai, Dist. Dausa</p> <p>MIS Code - PR08001807</p>	<p>1. COPA – 1 (1+0)</p> <p>2. Electrician – 5 (2+1+2)</p> <p>3. Fitter – 1 (0+0+1)</p> <p>4. Health Sanitary Inspector – 3 (1+1+1)</p>	<p>1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 19.08.2024.</p> <p>2. The ITI did not reply to the SCN.</p> <p>3. Further, a joint inspection was again conducted on 06.06.2025 by the RDSDE and State official.</p> <p>4. During inspection the following were observed:</p> <p>a) ITI was found closed.</p> <p>b) The ITI management denied for inspection over the phone call and did not provide any written statement.</p> <p>c) A school was operating on the ITI premises.</p> <p>5. The inspecting member recommended for de-affiliation of ITI.</p> <p>6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended de- affiliation of ITI as ITI refused for inspection.</p>	<p>SCAA agreed with the recommendation of SSDEC regarding de-affiliation. However, in adherence to the principles of natural justice, the concerned ITI is being granted a final opportunity to show cause as to why they should not be de-affiliated. These Minutes shall be treated as a final notice from DGT. The ITIs must submit their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in .</p>
5.	<p>Om Shanti Private Industrial Training Institute</p> <p>Address -Mandawara Road, Hindaun City, Distt. Karauli 322230</p>	<p>Electrician – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official thereafter a SCN was issued to the ITI by the State on 28.10.2024.</p> <p>2. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official.</p> <p>3. During joint inspection, no deficiencies were observed and inspecting committee recommended affiliation for Electrician-2(1+1).</p>	<p>SCAA agreed with the recommendations of SSDEC</p>

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000643		4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended the affiliation for Electrician-2(1+1).	
6.	Gayatri Private Industrial Training Institute, (Vardhman Nagar), Baman Pura, Outside Railway Gate, Hindoun City (Karouli) MIS Code - PR08000010	Electrician – 6 (3+3)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. 2. Further, a joint inspection was again conducted on 18.06.2025 by the RDSDE and State official. 3. During inspection, it has been observed that the shop machinery of Electrician trade required maintenance. However, inspecting committee recommended for affiliation of Electrician-6(3+3) 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-6(3+3).	SCAA agreed with the recommendations of SSDEC
7.	Guru Kripa Private Industrial Training Institute Address - Baredi Ka Pura, Mahwa Road, Hindaun City, Dist.Karauli Rajasthan MIS Code - PR08000188	Electrician – 6 (2+2+2)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. 2. Further, a joint inspection was conducted on 20.06.2025 by the RDSDE and State official. 3. During joint inspection, no deficiencies were observed and inspecting committee recommended the trade/unit of Electrician-6(2+2+2) for affiliation. 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-6(2+2+2).	SCAA agreed with the recommendations of SSDEC

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
8.	Anand Private Industrial Training Institute, Bajan Phatak Road, Behind Agrasen Girls College, Hindaun City, Dist. Karauli – 322230 MIS Code - PR08000317	Electrician – 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. Further, a joint inspection was again conducted on 16.06.2025 by the RDSDE and State official. During inspection, it has been observed that the shop machinery of Electrician trade required maintenance. However, inspecting committee recommended for affiliation of Electrician-12(4+4+4). The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-12(4+4+4)). 	SCAA agreed with the recommendations of SSDEC
9.	Mother Teresa Private Industrial Training Institute, Gaddipura, Lahchoda Road, Hindauncity, Distt. Karauli-322230 MIS Code - PR08000666	Electrician – 2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. Further, a joint inspection was again conducted on 17.06.2025 by the RDSDE and State official. During inspection, it has been observed that the shop machinery of Electrician trade required maintenance. However, inspecting committee recommended for affiliation of Electrician-2(1+1). The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-2(1+1). 	SCAA agreed with the recommendations of SSDEC
10.	Saint Joseph Private Industrial Training Institute, Village Bichharas, Diet Road, Dist.Tonk Rajasthan	<ol style="list-style-type: none"> Draughtsman (Civil) – 1 (0+1+0) Electrician – 1(1+0) 	<ol style="list-style-type: none"> Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. Further, a joint inspection was again conducted on 17.06.2025 by the RDSDE and State official. 	SCAA agreed with the recommendation of SSDEC regarding de-affiliation. However, in adherence to the principles of natural justice, the concerned ITI is

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000520	3. Fitter – 2(1+0+1)	<p>3. During inspection the following were observed:</p> <p>a) The ITI found closed.</p> <p>b) The ITI informed vide its letter dated 11.06.2025 that the ITI has been closed since last 03 years and earlier it has also been informed by ITI to State Directorate. The self -surrender of ITI was also requested in the letter.</p> <p>4. The inspecting committee not recommended the ITI for affiliation.</p> <p>5. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation ITI for de-affiliation as ITI found closed.</p>	being granted a final opportunity to show cause as to why they should not be de-affiliated. These Minutes shall be treated as a final notice from DGT. The ITIs must submit their reply within 21 days from the issuance of these Minutes at the official email ID tc-deaffiliation@dgt.gov.in .
11.	<p>Vardhman Private Industrial Training Institute, Kota Lalsot Megha Highway, Vaishno Vihar Colony, Patan, Dist.Bundi Rajasthan-323601</p> <p>MIS Code - PR08000535</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024.</p> <p>2. Further, a joint inspection was again conducted on 17.06.2025 by the RDSDE and State official.</p> <p>3. During joint inspection, no deficiencies were observed and inspecting committee recommended affiliation for Electrician-6(2+2+2).</p> <p>4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-6(2+2+2).</p>	SCAA agreed with the recommendations of SSDEC
12.	<p>Maharaja Agrasen Private I.T.I.</p> <p>Address - Verdhman Nagar, Hindauncity, Distt. Karuli-322230</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024.</p> <p>2. Further, a joint inspection was conducted on 04.06.2025 by the RDSDE and State official.</p>	SCAA agreed with the recommendations of SSDEC

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000696		3. During joint inspection, no deficiencies were observed and inspecting committee recommended affiliation for Electrician-6 (2+2+2). 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-6 (2+2+2).	
13.	Radha Govind Private Industrial Training Institute, Address - V/P Dhindhoro, Teh.Hinduan City, Dist. Karauli Pin-322236 Rajasthan MIS Code - PR08000805	Electrician – 12 (4+4+4)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. 2. Further, a joint inspection was again conducted on 06.06.2025 by the RDSDE and State official. 3. During joint inspection, no deficiencies were observed and inspecting committee recommended affiliation for Electrician-12 (4+4+4). 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-12 (4+4+4).	SCAA agreed with the recommendations of SSDEC
14.	Karamsheel Pvt. ITI, Address - Dattatrey Chouraha, Jhareda Road, Hindaun City-322230 MIS Code- PR08000446	Electrician – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official due to which SCN was issued to the ITI by the State on 28.10.2024. 2. Further, a joint inspection was conducted on 05.06.2025 by the RDSDE and State official. 3. During joint inspection, no deficiencies were observed and inspecting committee recommended affiliation for Electrician-3 (1+1+1). 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-3 (1+1+1).	SCAA agreed with the recommendations of SSDEC

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter as provided by SSDEC	25 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
15.	Shree Agrasen Pvt. ITI, Address - Mandwara Road, Hindauncity, Distt. Karuli 322230 MIS Code - PR08000444	Electrician – 10 (5+5)	<ol style="list-style-type: none"> 1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. 2. Further, a joint inspection was again conducted on 05.06.2025 by the RDSDE and State official. 3. During joint inspection, no deficiencies were observed and inspecting committee recommended affiliation for Electrician-10(5+5). 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-10(5+5). 	SCAA agreed with the recommendations of SSDEC
16.	Marudhara Private Industrial Training Institute, Address - Mukundgarh Road, Lachhman Garh, Dist.Sikar Pin-332311 Rajasthan MIS Code - PR08000730	Electrician –12 (4+4+4)	<ol style="list-style-type: none"> 1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 13.01.2025. 2. Further, a joint inspection was again conducted on 17.06.2025 by the RDSDE and State official. 3. As per joint inspection 04 workshops were available in the ITI. However, the inspecting committee recommended the ITI for affiliation of Electrician -12 (4+4+4). 4. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation affiliation for Electrician-12(4+4+4). 	SCAA agreed with the recommendations of SSDEC

Annexure - 3 as referred in Agenda 2.1 regarding ITIs recommended by SSDEC for continuation of affiliation from session 2025-26.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Vivekanand Pvt ITI Plot No.-A-9-10, Baldev Colony, Sarwadi Gate Ke Bahar Sargaon, Kishnagarh, Dist.Ajmer Rajasthan-305802 (PU08001491)	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 20.01.2025 3. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. 4. Based on the findings of the joint inspection, SSDEC, in its meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician: 06 (2+2+2)	SCAA agreed with the recommendations of SSDEC
2.	Wagd Pvt. ITI, Address - Gowari (Dungarpur) - 314025 MIS Code - PR08001897	1. Electrician - 2 (1+1+0) 2. Wireman – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 & 30.01.2025. 3. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. 4. As per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 19.06.2025 i. Trainees present at the date of inspection were low in number,	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Wireman – 2 (1+1) 2. SSDEC to provide clarification regarding following points: i) Deficiencies regarding rental agreement of building has been pointed out by Joint Inspection committee. As per which Rent Agreement has not renewed since 2021.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Rental agreement of building was not renewed since 2021, trainee enrolment in wireman trade is zero for current session.</p> <p>5. However, Joint inspection committee has recommended affiliation for:</p> <p>i. Electrician: 2 (1+1+0) ii. Wireman: 2 (1+1+0)</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for</p> <p>i. Electrician: 2 (1+1+0) ii. Wireman: 2 (1+1+0)</p>	<p>ii) Recommendations are not provided for unit affiliated in the third shift of Wiremen Trade.</p>
3.	<p>Punit Private ITI, Pansal Road Opposite Hanuman Temple, Dist. Bhilwara (PU08001657)</p>	<p>1. Electrician - 2 (1+1+0) 2. Wireman – 2 (1+1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 17.01.2025</p> <p>3. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official.</p> <p>4. Based on the findings of the joint inspection, SSDEC has recommended continuation of affiliation for:</p> <p>a) Electrician - 2 (1+1+0) b) Wireman - 1 (1+0+0)</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Wireman – 1 (1+0)</p> <p>2. SSDEC to provide reasons for not recommending one unit in the second shift of the Wireman trade for continuation of affiliation.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Wireman Shift 2, unit 1 not recommended by 9th SSDEC meeting held on 17.09.2025 (It is mentioned on NCVT MIS Portal)	
4.	Metro Pvt. Industrial Training Institute, Eras Indu. Area, Bhilwara, Dist-Bhilwara Pin-311001 Rajasthan MIS Code - PU08001476	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official. 4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2).	SCAA agreed with the recommendations of SSDEC
5.	Cambridge Private Industrial Training Institute Baladev Nagar, Dist. Barmer, Rajasthan- 344001 (PU08001484)	Electrician – 6 (2+2+2) units	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025 3. Further, a joint inspection was conducted on 09.06.2025 & 10.06.2025 by the RDSDE and State official. 4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2) units.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
6.	Thar Private ITI, Nh-15, Village Dhorimana, Barmer Road, Barmer344704 (PR08001703)	1. Electrician – 3 (1+1+1) 2. Electronics Mechanic – 2 (1+1) 3. Fitter - 3 (1+1+1) 4. Wireman - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. 4. Following deficiencies have been identified during inspection conducted on 12.06.2025: i) Electrician: a. Fire extinguisher was found expired. b. Class room condition was not good. c. A few shortages of shop tools and equipment. d. Energy meter of DG set was not found. ii) Fitter: a. Lack of training activity. b. Less number of trainees were found taking training. c. Class room condition was not good. iii) Electronics Mechanic: a. Lack of training activity b. Class room condition was not good c. workshop condition was not good	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: In Fitter trade; no recommendations were provided for Shift 3, unit 1.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>iv) Wireman:</p> <ol style="list-style-type: none"> Lack of training activity and less numbers of trainees were found taking training. Fire extinguisher was found expired. Class room condition was not good. Workshop was not properly managed. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for:</p> <ol style="list-style-type: none"> Electrician - 3 (1+1+1) Electronics Mechanic - 2 (1+1) Fitter - 2 (1+1) Wireman - 2 (1+1) 	
7.	<p>Marudhara Pvt. ITI, Infront Of 33 Kv Gss, Nh-15, Barmer Road, Dhorimanna (Barmer)</p> <p>MIS Code - PR08001883</p>	<ol style="list-style-type: none"> Electrician – 6 (2+2+2) Health Sanitary Inspector – 3 (1+1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025 Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. However, the following deficiencies have been identified during inspection conducted on 12.06.2025: <ol style="list-style-type: none"> Electrician - 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on following points: In Health Sanitary Inspector trade; no recommendations were provided for Shift 3, unit 1.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> a. Lack of training activity and less quantity of trainee found taking training. b. Fire extinguisher was found expired. c. Class room condition was not good. d. A few shortages of shop tools and equipment. e. Energy meter of DG set was not found ii. Health Sanitary Inspector: <ul style="list-style-type: none"> a. Lack of training activity. b. Workshop was not found proper maintained. c. No trainee found taking training during inspection. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for:</p> <ul style="list-style-type: none"> i. Electrician – 6 (2+2+2) ii. Health Sanitary Inspector – 2 (1+1+0) 	
8.	Rajeev Gandhi Private Industrial Training Institute, Khasra No-19 & 23 Village-Barsingsar Distt -Bikaner 334401	<ul style="list-style-type: none"> 1. Electrician - 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Horticulture – 2 (1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 27.01.2025. 3. Further, a joint inspection was conducted on 09.06.2025 by the RDSDE and State official. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code -PR08001268		<p>4. However, the following deficiencies have been identified during inspection conducted on 09.06.2025:</p> <ul style="list-style-type: none"> i. Electrician – As per STL 95 to 97% T/E are available only. ii. Fitter – 5% T/E are not available iii. Welder – 7 to 8% tools & equipment are not available as per STL iv. Horticulture – 2% of new T/E are less as per STL. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for:</p> <ul style="list-style-type: none"> i. Electrician - 2 (1+1) ii. Fitter – 2 (1+1) iii. Welder – 2 (1+1) iv. Horticulture – 2 (1+1) 	
9.	<p>Gyan Ganga Private ITI,</p> <p>Address - Ambuja Cement Balupura, Dist. Pali</p> <p>MIS Code - PR08001631</p>	Mechanic Diesel – 2 (1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 22.01.2025</p> <p>3. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official.</p> <p>4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Mechanic Diesel – 2 (1+1)</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
10.	CLG Pvt. ITI, Address - Kesar Bagh, Jawai Bandh Road, Sumerpur (Pali) MIS Code - PU08001943	1. Mechanic Diesel - 2 (1+1) 2. Electrician - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 22.01.2025 3. Further, a joint inspection was conducted on 13.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: i. Electrician - 2 (1+1) ii. Mechanic Diesel – 1 (1+0) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for i. Electrician - 2 (1+1) ii. Mechanic Diesel – 1 (1+0)	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Mechanic Diesel – 1 (1+0). 2. SSDEC to provide clarification on following points: For Mechanic Diesel trade, 1 unit in second shift not recommended. However, no reasons have been provided.
11.	Sanskar Private Industrial Training Institute, Jala Ke Choki, Teh. Raipur, Distt. Pali- 302106 (PR08000677)	Electrician – 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 27.01.2025 3. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has found following deficiencies:	SSDEC to provide clarification on following points: Principal is not qualified as per DGT Norms

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>As per Annexure III Principal is not qualified as per DGT Norms.</p> <p>5. However, Joint inpection committee recommend continuation of affiliation of Electrician 4(2+2)</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2)</p>	
12.	Marwar Pvt. ITI, Jojawar Auwa Road, Marwar Junction (Pali) (PR08001927)	<p>1. Electrician – 2 (1+1)</p> <p>2. Wireman – 2 (1+1)</p> <p>3. Early Childhood Educator - 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 20.01.2025.</p> <p>3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official.</p> <p>4. Joint inpection committee has recommended:</p> <p>(i) Electrician – 2 (1+1)</p> <p>(ii) Wireman – 2 (1+1)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for:</p> <p>i. Electrician – 2 (1+1)</p> <p>ii. Wireman – 2 (1+1)</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Wireman – 2 (1+1).</p> <p>2. SSDEC to provide clarification on following points: No recommendations were provided for Early Childhood Educator trade However, this trade is affiliated on the NCVT MIS Portal.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
13.	<p>Shree Jee Private Industrial Training Institute,</p> <p>Address - Near Deeg Road, Choki Chungi, Ward No. 20, Nagar, (Bharatpur)-321205</p> <p>MIS Code - PR08001072</p>	<p>1. Electrician – 5 (2+2+1)</p> <p>2. Fitter - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 15.01.2025.</p> <p>3. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official.</p> <p>4. Following deficiencies have been found as per joint inspection conducted on 16.06.2025:</p> <ul style="list-style-type: none"> i. For Electrician trade: <ul style="list-style-type: none"> a. Meggar was not found in working condition b. only one CITS instructor appointed for trade. ii. For Fitter trade: <ul style="list-style-type: none"> a. No CITS instructor appointed for Fitter trade. b. Some of the machinery for the trade fitter (Sr. No.198, 197, 199, 202, 201, 203, 204) are not available as per syllabus. iii. IT lab not as per the norms. iv. Fire extinguisher were not found in working condition. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 5 (2+2+1) and</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection:</p> <p>Fitter – 2(1+1)</p> <p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			not recommended for affiliation of 2 units in Fitter Trade.	
14.	<p>Akash Private Industrial Training Institute,</p> <p>Prince Farm, Near By Pass Bridge, Ward No.29, Samod Road, Chomu, Dist.Jaipur Pin-303702 Rajasthan</p> <p>MIS Code - PU08001424)</p>	Electrician - 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2) 	SCAA agreed with the recommendations of SSDEC
15.	<p>Prince Private Industrial Training Institute,</p> <p>Khadi Bagh Road, Rawan Gate, Chomu, Dist.- Jaipur Rajasthan-303702</p>	Electrician - 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025. 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001552)		<p>3. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 12 (4+4+4)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4)</p>	
16.	<p>Shri Ganesh Private Industrial Training Institute,</p> <p>Udaipuria, Teh. -Chomu, Dist.-Jaipur Rajasthan-303807</p> <p>(PR08001535)</p>	Electrician – 5 (2+2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025</p> <p>3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 5 (2+2+1)</p> <p>5. However, the following deficiencies were found during the joint inspection conducted on 27.06.2025:</p> <ol style="list-style-type: none"> Only one Staff trained in CITS. Site Plan is not approved by the registered architect 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 5 (2+2+1)	
17.	Rajasthan Private Industrial Training Institute, Nh-8a, Infront Of Police Station, V/P.Chandwaji Tehsil.Amer Dist. Jaipur Rajasthan (PR08001470)	Electrician - 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 & 06.02.2025. 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 8 (4+4) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 8 (4+4)	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 8 (4+4). 2. SSDEC to provide clarification on following points: No recommendations have been provided for 4 units affiliated in the third shift of Electrician trade.
18.	Swabhimaan Private Industrial Training Institute, Khasra No.69/184, 69/3, Village-Harvanshpura Post-Jaisinghpura Tehsil-Sanganer Dist-Jaipur Rajasthan	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 & 06.02.2025. SCN replied dated 31.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official.	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 4 (2+2). 2. SSDEC to provide clarification on following points: No recommendations have been provided for 2 units affiliated in the third shift of Electrician trade.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(PU08001593)		<p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4 (2+2)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2)</p>	
19.	<p>Balaji Private Industrial Training Institute,</p> <p>Mozmabad Road, Dudu, Dist.Jaipur Rajasthan</p> <p>(PR08001359)</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025.</p> <p>3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2)</p>	SCAA agreed with the recommendations of SSDEC
20.	<p>Lokesh Private Industrial Training Institute,</p> <p>Sabrampura Mahehwa, Dist.Jaipur Rajasthan- 302012</p>	Electrician - 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(PR08001583)		<p>3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2)</p>	
21.	<p>B.S. Private Industrial Training Institute,</p> <p>At. Plot No.54,55 & 56 Janki Vihar Bagru Ricco Road, Bagru, Dist.Jaipur Rajasthan-303007</p> <p>(PR08001521)</p>	Electrician – 9 (3+3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025</p> <p>3. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (3+3+0) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation Electrician – 6 (3+3+0)</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 6 (3+3).</p> <p>2. SSDEC to provide clarification on following points: No recommendations have been provided for 3 units in the third shift of Electrician trade.</p>
22.	Vandana Private ITI,	Electrician – 2 (1+1) unit	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	SSDEC to provide clarification on following points:

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Opp. Global School Near Dudu Bus Stand, Malpura Road, Dudu, Dist. Jaipur-303008 (PU08001705)		2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2)	ITI has affiliation of Electrician – 2 (1+1) units only. However, SSDEC has recommended for 4 (2+2) units in Electrician trade.
23.	Guru Kripa Pvt. ITI, Near Jaipur-Ajmer Highway, Du Du (Jaipur) (PU08001885)	1. Electrician – 5 (2+2+1) 2. Wireman – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025 3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: (i) Electrician - 4 (2+2) (ii) Wiremen – 1 (1+0) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for:	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 4 (2+2) and Wireman – 1 (1+0). 2. SSDEC to provide clarification on following points: No recommendations have been provided for 1 unit in the third shift in Electrician trade.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			(i) Electrician - 4 (2+2) (ii) Wiremen – 1 (1+0)	
24.	Shri Ram Private Industrial Training Institute, 930, Nayla Jamwaramghar, Dist.Jaipur Rajasthan (PR08001445)	Electrician – 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 & 06.02.2025. SCN replied dated 24.01.2025 3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 12 (4+4+4) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 12 (4+4+4)	SCAA agreed with the recommendations of SSDEC.
25.	Krish Private Industrial Training Institute Address - Gopalpura Road, Kanak Vihar, Kotputli, Dist.Jaipur Pin-303108 Rajasthan (PU08001565)	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official.	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 , has recommended continuation of affiliation for: Electrician - 6 (2+2+2)</p>	
26.	<p>D.H. Private Industrial Training Institute,</p> <p>Plot No. 1,2,3&4 D.H. Vihar, Village Luniyawas, Teh.Sanganer, Dist.Jaipur Rajasthan</p> <p>(PR08001605)</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025</p> <p>3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2)</p>	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
27.	The Rajasthan Pvt. ITI, Jaipur Nahar Road, Narsingh Vihar, Paota, Dist. Jaipur-303106 (PU08001797)	1. Electrician - 5 (2+2+1) 2. Fire Technology & Industrial Safety Management - 3 (1+1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: (i) Electrician - 6 (2+2+2) (ii) Fire Technology & Industrial Safety Management - 3 (1+1+1) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: 1. Electrician - 6 (2+2+2) 2. Fire Technology & Industrial Safety Management - 3 (1+1+1)	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Fire Technology & Industrial Safety Management - 3 (1+1+1). 2. SSDEC to provide clarification on following points: ITI has affiliation of Electrician – 5 (2+2+1) units only. However, SSDEC has recommended for 6 (2+2+2) units in Electrician trade.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
28.	<p>K.G.R. Private Industrial Training Institute,</p> <p>Address - Village. Bhanpur Kalan, Teh.Jamwaramgarh, Dist.Jaipur Rajasthan- 302028</p> <p>MIS Code - PR08001538</p>	Electrician - 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 28.01.2025. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2). However, Major Machinery in second Lab in basement is not in working Condition, Poor fire safety arrangements second lab of electrician trade and insufficient Tools & Equipment for Unit 02. Not Recommended: Electrician- 06 (2+2+2) unit 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 6 (2+2+2). ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection. Electrician- 6 (2+2+2) units The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
29.	<p>Rajasthan Private Industrial Training Institute,</p> <p>Vpo Jamwaramgarh, Dist.-Jaipur Pin-303109 Rajasthan</p> <p>MIS Code - PR08001494</p>	Electrician - 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2). Major Machinery in second Lab on second floor is not in working Condition, Poor fire safety arrangements, insufficient tools and equipment for unit 02. Second floor was in tinned shade. Not Recommended Electrician - 6(2+2+2) 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 6 (2+2+2). ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Electrician- 06 (2+2+2) units. The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.
30.	<p>Mahipal Private Industrial Training Institute,</p> <p>Balesar Road, Tinwari, Dist.-Jodhpur Rajasthan</p>	Electrician – 5 (2+2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 24.01.2025 	<p>SSDEC to provide clarification on following points:</p> <p>Recommended units are more than already affiliated trade/units</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(PR08000226)		<p>3. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2).</p> <p>6. Recommended trade is more than already affiliated trade/units</p>	
31.	<p>SK Greenwood Private Industrial Training Institute,</p> <p>Sekh Basni, Deedwana, Dist. Nagore-341303</p> <p>(PR08000363)</p>	<p>1. Electrician - 2 (1+1)</p> <p>2. Plumber -1 (1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 24.01.2025.</p> <p>3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following observation that</p> <ol style="list-style-type: none"> For Electrician trade hand tools are shortage by 30% No tools and equipment found in plumber trade, recommended for de-affiliation. 	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection:</p> <p>Plumber- 1 (1+0)</p> <p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. However, they have recommended affiliation for Electrician - 2 (1+1) and de-affiliation for Plumber Trade.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1) and de-affiliation for Plumber trade.</p>	these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.
32.	<p>Dev Private Industrial Training Institute,</p> <p>Ward No.16, Rajgarh Road, Taranagar, Distt. Churu-331304</p> <p>(PR08001206)</p>	<p>1. Electrician – 5 (2+2+1)</p> <p>2. Mechanic Diesel – 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 18.01.2025.</p> <p>3. Further, a joint inspection was conducted on 08.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following observation that</p> <ol style="list-style-type: none"> Major and minor Machinery were less than 50% for Mechanic Diesel trade, tools and equipment were not in working condition. Class room, ED and Library were not as per norms, as per annexure 3 only one trainer for Electrician trade was present. Experience certificate and salary not mentioned in annexure 3. <p>5. Inspecting members have given recommendation for affiliation of</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC may provide clarification on no recommendation for 1 unit in third shift in electrician trade.</p> <p>3. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection:</p> <p>Mechanic Diesel – 3 (1+1+1)</p> <p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Electrician – 4 (2+2) and de-affiliation for Mechanic Diesel 3 (1+1+1).</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and de-affiliation for Mechanic Diesel trade.</p>	
33.	<p>Harsh Private ITI, F-67, Industrial Area Jodhpur Road, Phalodi, Dist. Jodhpur (PU08001634)</p>	Electrician - 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. SCN replied dated 06.02.2025.</p> <p>3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given recommendation for affiliation of Electrician – 12 (4+4+4).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4)</p>	SCAA agreed with the recommendations of SSDEC
	<p>Gramodaya Private ITI, Bilara, Jodhpur (PU08001868)</p>	<p>1. Electrician - 4 (2+2)</p> <p>2. Mechanic Diesel - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official.</p> <p>3. Inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) and Mechanic Diesel – 2 (1+1)</p> <p>4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and Mechanic Diesel – 2 (1+1).</p>	
35.	<p>Sarasawati I.T.C. Sardarsahar, Distt. Churu-331403</p> <p>(PR08001234)</p>	Electrician – 3 (2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 23.01.2025.</p> <p>3. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given recommendation for affiliation of Electrician – 3 (2+1)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 3 (2+1).</p>	SCAA agreed with the recommendations of SSDEC
36.	Gramotthan Private Industrial Training Institute,	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	1. SCAA agreed with the recommendations of SSDEC for

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Parihara, Tehsil-Ratangarh, Dist-Churu - 331505 (PR08000357)		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 08.01.2025 & 06.02.2025. SCN replied dated 31.01.2025. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. Inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2) 	<p>continuation of affiliation in Electrician – 4 (2+2).</p> <p>2. SSDEC to provide clarification on following points: No recommendation provided for affiliation/de-affiliation of 2 units in third of Electrician trade.</p>
37.	Chaudhary Private Industrial Training Institute, Tehsil Rajgarh, Dist. Churu – 331023 (PR08000365)	Electrician – 10 (4+4+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025 & 06.02.2025. SCN replied dated 07.02.2025. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. Inspecting members have given recommendation for affiliation of Electrician - 10 (4+4+2) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 10 (4+4+2) 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
38.	Chandgi Ram Private ITI, Chhota Bairasar, Rajgarh, Dist.Churu Rajasthan - 331023 (PR08000550)	Electrician - 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. 4. Inspecting members have given recommendation for affiliation of Electrician – 6 (2+2+2) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2) 	SCAA agreed with the recommendations of SSDEC
39.	Shri Gurukul Private Industrial Training Institute, Postal Address Post, Andhi, Dist, Jaipur Rajasthan (PR08000807)	Electrician - 3 (1+1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025. 3. Further, a joint inspection was conducted on 05.07.2025 by the RDSDE and State official. 4. Inspecting members have given recommendation for affiliation of Electrician – 3 (1+1+1) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 3 (1+1+1) 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
40.	Geetanjali Private Industrial Training Institute, Manpur Tealawala Diggi Road, Sangahor, Dist.Jaipur Rajasthan-303904 (PR08001576)	1. Electrician – 6 (2+2+2) 2. Wiremen -1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025. 3. Further, a joint inspection was conducted on 03.07.2025 by the RDSDE and State official. 4. Inspecting members have given recommendation for affiliation of Electrician – 6 (2+2+2) and not recommended for Wiremen trade as same has been surrendered by the ITI 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2) and de-affiliation of Wiremen trade 1 (1+0).	SCAA agreed with the recommendations of SSDEC
41.	Lalita Devi Pvt ITI, Balaji Vihar Opp.Aandhi Police Station, Near Andhi By Pass Tiraha Vpo Andhi, Jamwaragarh, Jaipur – 303001 (PR08001782)	1. Electrician – 12 (4+4+4) 2. Fitter – 2 (1+0+1) 3. Health Sanitary Inspector – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 17.01.2025. 3. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official. 4. Inspecting members have given recommendation for affiliation of Electrician – 12 (4+4+4), Fitter – 2 (1+0+1) and Health Sanitary Inspector – 2 (1+1)	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 12 (4+4+4), Fitter – 2 (1+0+1) and Health Sanitary Inspector – 2 (1+1)	
42.	Kishan Jankalyan Private Industrial Training Institute Paota, Kotputli, Jaipur, Rajasthan-303106 (PR08001815)	Electrician – 4 (2+2+0)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025. Further, a joint inspection was conducted on 02.07.2025 by the RDSDE and State official. Inspecting members have given recommendation for affiliation of Electrician – 4 (2+2) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2), Inspecting members have given observation that two machines (i.e. motorise bench grinder and pillar electric drill machine motorized) need maintenance. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
43.	Om Private Industrial Training Institute, Village & P.O. Khedi Milak Via Phulera, Dist. Jaipur Pin-303603 Rajasthan (PR08001561)	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official. Inspecting members have given recommendation for affiliation of Electrician – 5 (2+2+1) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has also given following comments: <ol style="list-style-type: none"> Incomplete Annex III. Principal is not qualified as per DGT Norms. Staff Details are not filled in Annex III. Only 01 no. of CITS instructor has been appointed for electrician trade and zero admissions for electrician trade in Shift 3, Unit 2. Conditional Recommendation on the basis of compliance for removing deficiency till next SSDEC meeting till then admission in session 2025-25 will be on hold. The matter was again discussed in the 10th SSDEC meeting held on 23.09.2025 and SSDEC recommended the ITI Electrician-5 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 5 (2+2+1). SSDEC to provide clarification on following points: No recommendation provided for affiliation/de-affiliation of 1 unit in third of Electrician trade.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			(2+2+1) as the ITI has removed all the defeciencies in the stipulated period.	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
44.	<p>Shri Ram Private Industrial Training Institute,</p> <p>Aambhar Road, Bhadarpura, Teh. Phulera, Dist. Jaipur Rajasthan</p> <p>(PU08001608)</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Mechanic Diesel - 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025.</p> <p>3. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following comments:</p> <p>a. Workshop of Mechanic Diesel not as per norms.</p> <p>b. School was also running in same building with partition of building, Machinery.</p> <p>c. S.No.179,181,190,195,203, etc not available for MD trade, CITS instructor needed to be appointed principal was not qualified as per DGT Norms, staff details were not filled in Annex III.</p> <p>5. However, inspecting members have given recommendation for affiliation of Electrician – 6 (2+2+2) and not recommended for Mechanic Diesel.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has given following comments:</p> <p>a. Conditional Recommendation for Electrician – 6 (2+2+2) on the basis</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 6 (2+2+2).</p> <p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Mechanic Diesel-3(1+1+1)</p> <p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>of compliance for removing deficiency till next SSDEC meeting till then admission in session 2025-25 will be on hold.</p> <p>b. Not recommended for Mechanic Diesel trade.</p> <p>7. The 9th SSDEC meeting held on 17.09.2025 also not recommended for Mechanic Diesel trade due to various defeciciencies observed in the joint inspection dated 04.07.2025.</p> <p>8. Therefore, the ITI was conditionally recommended for Electrician 6(2+2+2) on the basis of compliance for removing deficiency till next SSDEC meeting till then admission in session 2025-25 will be on hold.</p> <p>9. The matter was again discussed in the 10th SSDEC meeting held on 23.09.2025 and SSDEC recommended the Electrician-6(2+2+2) as the ITI has removed all the defeciciencies in the stipulated period.</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
45.	<p>Shri Shyam Private Industrial Training Institute,</p> <p>At-Near Shiv Shakti Hotel, Nh-8, Vill-Manohanpura, Teh. - Shahpura Dist.-Jaipur Rajasthan-303104</p> <p>(PR08001510)</p>	<p>1. Electrician - 9 (3+3+3)</p> <p>2. Fire safety and industrial Management – 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025.</p> <p>3. Further, a joint inspection was conducted on 02.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following comments:</p> <p>a. Only 02 CITS Instructor appointed for Electrician Trade against 09 units.</p> <p>b. No CITS Instructor appointed for Fire Tech & Safety Trade, equipment for Fire Tech & Industrial Management trade were not available.</p> <p>5. However, inspecting members have given recommendation for affiliation of Electrician – 6 (2+2+2) and Fire safety and industrial Management – 3 (1+1+1).</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician – 6 (2+2+2) and Fire safety and industrial Management – 3 (1+1+1).</p>	<p>ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>SSDEC to provide clarification on following points: No recommendations provided by SSDEC for Electrician 3(1+1+1)</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
46.	Hari Shankar Private ITI, Ganesh Nagar, Anah Sewar Road, Near Chamunda Mandir, Dist. Bharatpur-321001 (PU08001633)	1. Electrician - 2 (1+1+0) 2. Fitter - 3 (1+1+1) 3. Computer Operator and Programming Assistant - 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: i. Fitter – one instructor is less also documents provided by ITI are for two trade instructors only out of three required and illumination/lighting arrangement for third shift is not proper. ii. COPA Trade- No. of Desktop Computers are less than required as per latest NCVET trade syllabus, Desktop computers are not as per latest NCVET trade syllabus Specifications, most of Desktop computers are not in working condition 4. However, inspecting members have given recommendation for affiliation of Electrician - 2 (1+1+0) and Fitter – 2 (1+1) and not recommended for Fitter 1 (0+0+1) and Computer Operator and Programming Assistant – 3 (1+1+1)	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Fitter 2 (1+1). 2. SSDEC to provide clarification for no recommendations for 1 unit in the third shift of Fitter trade. 3. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Fitter 1 (0+0+1) and Computer Operator and Programming Assistant – 3 (1+1+1) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 2 (1+1+0) and Fitter – 2 (1+1).	
47.	Carrier Develop Private Industrial Training Institute, G-151, Brij Industrial Area, Bharatpur-321001 (PR08001018)	1. Electrician - 4 (2+2) 04 2. Fitter – 4 (2+2) 3. Mechanic Diesel – 2 (1+1) 4. Welder – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Mechanic Diesel trade: Shortage of tools equipment and machines as per latest trade tool list. b. Welder trade: Shortage of tools equipment and machines as per latest trade tool list. 5. However, inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) 04 and Fitter – 4 (2+2) 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 4 (2+2) and Fitter – 4 (2+2) and not	1. SSDEC to provide reasons for de-affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). 2. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended for affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0).	
48.	Maharaja Surajmal Private Industrial Training Institute, Nagla Maithna, Kumher, Dist.-Bharatpur Pin-321201 Rajasthan (PR08001458)	1. Electrician – 4 (2+2+0) 2. Fitter -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 16.01.2025. 3. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Fitter: Lathe and Drilling machine are not in working condition. There is shortage of Machinery, tool and equipment. b. Electrician: Unit consumptions are very less from last one year. 5. However, inspecting members have given recommendation for affiliation of Electrician – 4 (2+2+0) and not recommended for Fitter -2 (1+1). The recommendations in Electrician trade are subject to condition that as the unit consumptions are very less from last one year. The ITI has submitted their clarification about average bill due to improper function of meter. So, recommendation of electrician is only after	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 4 (2+2). 2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Fitter -2 (1+1) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>if meter report of unit generation is in favour of ITI by JVVNL.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician – 4 (2+2+0) unit subjected to condition as the unit consumptions are very less from last one year. As ITI has submitted their clarification about average bill due to improper function of meter. So, Recommendation of electrician is only after if meter report of unit generation is in favour of ITI by JVVNL. Not Recommended Fitter (1+1)02 unit as per Joint inspection report.</p>	
49.	<p>Mother Taresa Private Industrial Training Institute,</p> <p>Near K.D. Public School, Dehra Mode, Nadbai (Bharatpur) -321602</p> <p>(PR08001062)</p>	<p>1. Electrician - 4 (2+2)</p> <p>2. Fitter – 4 (2+2).</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025.</p> <p>3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following observations:</p> <p>a. For Fitter trade: One of Lathe machine is not of dimensions as per NCVET Latest syllabus i.e. centre height 150 mm and centre distance 1000 mm. Some machines are not in</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 4 (2+2).</p> <p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Fitter -4 (2+2)</p> <p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>working condition. There are shortage of machines, tools and equipment as per latest STL. Due to deficiency affiliation of fitter trade can't be continued.</p> <p>5. Inspecting members have recommended for affiliation of Electrician - 4 (2+2) and not recommended for Fitter – 4 (2+2)</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and not recommended for Fitter – 4 (2+2).</p>	these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.
50.	<p>Swami Vivakanand Pvt. ITI,</p> <p>Behins Sonalika Tractor Show Room, Joshi Ki Kothi, Lalsot Road, Dausa, Dist- Dausa, Pin- 303303, Rajasthan</p> <p>(PR08000875)</p>	<p>1. Electrician - 12 (4+4+4)</p> <p>2. Fitter - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 22.01.2025.</p> <p>3. Further, a joint inspection was conducted on 30.06.2025 to 05.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following observations:</p> <p>a. Electrician – Approx. 10% items short as per latest tools list, maintenance chart, log book was not maintained, labs were dusty and minor items not found in working condition</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b. Fitter – Lathe machine not found in working condition, 5% of total items missing and labs not updated as per latest tool list.</p> <p>5. Inspecting members have recommended for affiliation of Electrician - 12 (4+4+4) and Fitter – 2 (1+1)</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4) and Fitter – 2 (1+1).</p>	
51.	<p>Sorabh Private Industrial Training Institute,</p> <p>Infront Of Govardhan Temple, Agra Road, Khedli, Dausa-303303</p> <p>(PR08000877)</p>	<p>1. Electrician 16 (8+8+0)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025.</p> <p>3. Further, a joint inspection was conducted on 01.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following observations: Electrician – Approx. 05% items short as per latest tools list, approx. 15% machinery not found in working condition at the time of workshop visit like universal motor, DC series motor. labs condition wasn't found satisfactory, cleanliness issues and trainees record found ok.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Fitter – one Lathe machine not found in working condition and 5% of items short.</p> <p>5. Inspecting members have recommended for affiliation of Electrician - 16 (8+8) and Fitter – 2 (1+1)</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 16 (8+8) and Fitter – 2 (1+1).</p>	
52.	<p>Balaji Private Industrial Training Institute,</p> <p>Near S.B.B.J. Bank, New Bus Stand Geejraha Sikraya Dist-Dausa Rajasthan</p> <p>(PR08000758)</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025.</p> <p>3. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given following observations:</p> <ol style="list-style-type: none"> Electrician – minor electrician trade item missing earth plate, electrode etc., 105 of the machinery not found in working condition, instructors not having CITS qualification and building need maintenance. Instructors could not be verified as session was over <p>5. Inspecting members have recommended for affiliation of Electrician - 4 (2+2).</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide reasons for no recommendation for 2 units in third shift in Electrician trade.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2).	
53.	New Yashoda Private Industrial Training Institute, Infront Of LIC Office, Khan Bhankri Road, Collectorate Choraha, Dist-Dausa Rajasthan-303303 (PR08000240)	Electrician - 12 (4+4+4) unit	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025. Further, a joint inspection was conducted on 30.06.2025 by the RDSDE and State official. Inspecting members have given following observations: <ol style="list-style-type: none"> Electrician – staff room, office area not as per latest civil norms, approx. 8% of the items short on per latest tool list. Maintenance chart, log book was not maintained and 5% of the machinery not found in running condition at the time of visit. Inspecting members have recommended for affiliation of Electrician - 12 (4+4+4). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
54.	Sarvodaya Private ITI, Goverdan Vatika, Agra Road, Dist. Dausa (PR08001672)	1. Electrician - 2 (1+1) 2. Fitter - 3 (1+1+1) 3. Plumber - 2 (1+1) 4. Health Sanitary Inspector - 2 (1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 18.01.2025. 3. Further, a joint inspection was conducted on 30.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. Electrician – Staff room, office area and library not as per latest civil norms, no safety instructions, instructors not having CITS qualification, instructor could not be verified at the time of inspection as session was over and electricity consumption per trainee is low, supposed to be running on DG set for a longer time. b. Health Sanitary Inspector – refrigerator & water purification plant not found in working condition. c. Plumber- 5% tools found to be missing. 5. Inspecting members have recommended for affiliation of Electrician - 2 (1+1), Fitter - 3 (1+1+1), Plumber - 2 (1+1) and Health Sanitary Inspector - 2 (1+1).	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: In Plumber trade, 3 units have been recommended by SSDEC. However, only 2 units are affiliated as per NCVT MIS portal.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1), Fitter - 3 (1+1+1), Plumber - 3 (1+1+1) and Health Sanitary Inspector - 2 (1+1).	
55.	Sarswati Private ITI, Bhankari Road, Dist. Dausa (PU08001670)	Electrician - 4 (2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025. Further, a joint inspection was conducted on 03.07.2025 by the RDSDE and State official. Inspecting members have given following observations: <ol style="list-style-type: none"> Electrician – Approx. 10% machinery not running at the time of workshop, 5% items short as per latest tool list and instructor could not be verified at the time of inspection as session was over. Inspecting members have recommended for affiliation of Electrician - 4 (2+2) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
56.	Impulse Pvt. ITI, Agra Road, Dausa (PU08001944)	1. Electrician - 6 (2+2+2) 2. Fitter - 3 (1+1+1) 3. Health Sanitary Inspector - 2 (1+0+1) 4. Computer Operator and Programming Assistant - 3 (1+1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 30.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. Electrician – instructors not having CITS, minor items short as per NCVET approved syllabus tool list, i.e. earth tester, voltmeter and ammeter was not found in working condition, machines were not guarded & fire extinguisher not found and labs were tin shaded. b. Fitter – Labs not updated as per latest tool list and pneumatics & hydraulics missing 5. Inspecting members have recommended for affiliation of Electrician - 6 (2+2+2), Fitter - 3 (1+1+1) and not recommended for affiliation of Computer Operator and Programming Assistant and Health Sanitary Inspector trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: No recommendations were provided for Computer Operator & Programming Assistant and Health Sanitary Inspector trades /units.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			of affiliation for Electrician - 6 (2+2+2), Fitter - 3 (1+1+1).	
57.	<p>Survesh Private Industrial Training Institute,</p> <p>Munpur Tehsil-Rajgarh (Alwar)-301408</p> <p>(PR08001058)</p>	<p>1. Electrician - 8 (4+4)</p> <p>2. Mechanic Diesel - 4 (2+2)</p> <p>3. Fitter- 4 (2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 22.01.2025.</p> <p>3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have recommended for affiliation of Electrician - 8 (4+4), Mechanic Diesel - 3 (2+1) and Fitter - 5 (3+2).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 8 (4+4), Mechanic Diesel - 3 (2+1) and Fitter - 5 (3+2).</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 8 (4+4).</p> <p>2. SSDEC to provide clarification on following points:</p> <p>i. In Fitter trade, 5 units have been recommended by SSDEC whereas as per NCVT MIS portal only 4 units are affiliated.</p> <p>ii. In Mechanic Diesel trade, 3 units were recommended whereas 4 units are affiliated as per NCVT MIS portal.</p>
58.	<p>Vivekanand Private Industrial Training Institute,</p> <p>Thanarajajika, Th. Rajgarh (Alwar) 301408</p> <p>(PR08001154)</p>	<p>1. Electrician - 12 (4+4+4)</p> <p>2. Mechanic Diesel - 2 (1+1)</p> <p>3. Fitter - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025.</p> <p>3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have recommended for affiliation of Electrician - 12 (4+4+4),</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Mechanic Diesel - 2 (1+1) and Fitter - 2 (1+1) .</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4), Mechanic Diesel - 2 (1+1) and Fitter - 2 (1+1).</p>	
59.	<p>Rao Private Industrial Training Institute,</p> <p>Kothi Narayanpur Rajgarh, Distt. Alwar - 301408</p> <p>(PR08001244)</p>	<p>1. Electrician - 12 (4+4+4)</p> <p>2. Mechanic Diesel - 2 (1+1)</p> <p>3. Fitter - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025.</p> <p>3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have recommended for affiliation of Electrician - 12 (4+4+4), Mechanic Diesel - 2 (1+1) and Fitter - 2 (1+1).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4), Mechanic Diesel - 2 (1+1) and Fitter - 2 (1+1).</p>	SCAA agreed with the recommendations of SSDEC
60.	<p>Shri Ganesh Private Industrial Training Institute,</p>	<p>1. Electrician - 2 (1+1)</p> <p>2. Mechanic Diesel - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Pinan, Teh. Rajgarh, Diatt. Alwar-301423 (PR08000638)	3. Fitter - 2 (1+1)	2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 01.08.2025 by the RDSDE and State official. 4. Inspecting members have recommended for affiliation of Electrician - 2 (1+1), Mechanic Diesel - 2 (1+1) and Fitter - 2 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1), Mechanic Diesel - 2 (1+1) and Fitter - 2 (1+1).	
61.	Manvi Private Industrial Training Institute, Nathusar Thanagazi, Dist. Alwar Rajasthan (PR08000578)	Electrician – 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official. 4. inspecting members have recommended for affiliation of Electrician - 4 (2+2). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2).	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
62.	<p>Saraswati Private Industrial Training Institute, Reni(Alwar), Perbeni Road, Rajgarh Dist.- Alwar Rajasthan- 301409 (PR08001546)</p>	Electrician - 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025.</p> <p>3. Further, a joint inspection was conducted on 02.08.2025 by the RDSDE and State official.</p> <p>4. inspecting members have recommended for affiliation of Electrician - 6 (2+2+2).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2).</p>	SCAA agreed with the recommendations of SSDEC
63.	<p>Jai Durga Panchwati Private ITI , Alwar Vill. - Bhikampura, Post- Kishori, Teh. - Thanagazi, Rajasthan - 301022 (PR08001769)</p>	<p>1. Electrician - 6 (2+2+2)</p> <p>2. Fitter - 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025.</p> <p>3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official.</p> <p>3. Inspecting members have recommended for affiliation for Electrician - 6 (2+2+2) and Fitter - 3 (1+1+1)</p> <p>4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2) and Fitter - 3 (1+1+1)</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
64.	<p>Shri Nath Private Industrial Training Institute,</p> <p>46, Mohan Nagar, 160 Ft. Road, Near Naman Hotel, Alwar (Raj)-301001</p> <p>(PR08000855)</p>	Electrician - 2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025. Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official. Inspecting members have given following observations: <ol style="list-style-type: none"> As per the DGET affiliation order no. DGET-6/20/13/2007-TC dated 25.08.2025, ITI was granted 3(1+1+1) units. However, currently only 2(1+1) units are reflected on the NCVT MIS Portal. The affiliation order dated 25.08.2015 also includes an approved address change for the ITI. However, the NCVT MIS portal still displays the old address/location. However, inspecting members have recommended for affiliation of Electrician - 2 (1+1). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 2 (1+1). 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
65.	Shri Agrasen Private Industrial Training Institute, Near Anaj Mandi, Alwar Road, Barodameo, (Alwar) -301001 (PR08000429)	1. Electrician – 2 (1+1) 2. Mechanic Diesel – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. 4. Inspecting members have given following observations a. Major machinery in Mechanic Diesel trade not available. b. Tools of Trainee tool kit of Mechanic Diesel are less. c. Workshop Area Mechanic Diesel not as per approved plan 5. Inspecting members have recommended affiliation for Electrician – 2 (1+1) and not recommended for Mechanic Diesel – 2 (1+1). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for for Electrician – 2 (1+1) and not recommended for Mechanic Diesel – 2 (1+1).	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 2 (1+1). 2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Mechanic Diesel – 2 (1+1) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
66.	Matasya Private Industrial Training Institute, G & P Barodamev, The. Laxmangarh (Alwar)-321607 (PR08000465)	1. Electrician - 4 (2+2) 2. Fitter – 02 (1+1).	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have given following observation: a. Only 01 lathe machine (not working condition) available in place of required 02 in fitter trade. b. Major machine (pneumatic & Hydraulic) in fitter trade from sr. no 198-204 not available. c. Other tools from sr. no. 146-148, 150-151, 153,155-157,159-169, 172, 184,185 also not available in fitter trade 5. However, inspecting members have recommended affiliation for Electrician – 2 (1+1) and not recommended for Fitter trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 2 (1+1).	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1). 2. SSDEC to clarify on following points: No comments provided about Electrician – 2 (1+1) units. As per NCVT MIS portal 4 units are affiliated. However, only 2 units are recommended by SSDEC. 3. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Fitter -2 (1+1) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
67.	<p>Hasan Khan Mewati Private Industrial Training Institute,</p> <p>Opp. D Block, Surya Nagar, Mannaka, Alwar-301001</p> <p>(PR08000864)</p>	<p>1. Electrician - 3 (1+1+1)</p> <p>2. Fitter - 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 15.01.2025.</p> <p>3. Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have recommended affiliation for Electrician – 3 (1+1+1) and Fitter - 3 (1+1+1)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 3 (1+1+1) and Fitter - 3 (1+1+1)</p> <p>6. The affiliation order dated 16.09.2016 also includes an approved address change for the ITI. However, the NCVT MIS Portal still displays the old address/location.</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 3 (1+1+1) and Fitter - 3 (1+1+1).</p> <p>2. Further, Address of the ITI to be changed on the portal as per affiliation order dated 16.09.2016.</p>
68.	<p>Shri Krishna Private Industrial Training Institute,</p> <p>Sadari Road, Talera, Dist.-Bundi Rajasthan-323021</p> <p>(PR08000376)</p>	<p>Electrician – 6 (2+2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 30.12.2025. SCN replied dated 16.01.2025.</p> <p>3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have recommended affiliation for Electrician – 6 (2+2+2)</p>	<p>SCAA agreed with the recommendations of SSDEC</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 6 (2+2+2)	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
69.	Nainwa Private ITI, Near Phed Office, Bansi Road, Tehsi Nainwa, Dist. Bundi - 323801 (PR08001141)	Electrician – 17 (6+6+5)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2025. SCN replied dated 08.01.2025. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. Inspecting members have given following observations: <ol style="list-style-type: none"> During the inspection, 50–60% of hand tools were not found. 5 out of 6 labs were located in the basement, where around 2 feet of water logging was observed with no drainage arrangement, causing electricity supply failure. Due to these adverse conditions, inspection could not be carried out effectively. Additionally, the land is recorded as agricultural land and no land conversion documents were provided. Further, inspecting members have recommended continuation of affiliation for Electrician – 3 (1+1+1). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 3 (1+1+1). 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Electrician – 14 (5+5+4) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
70.	Shri Lal Bahadur Shastri Private Industrial Training Institute, Sector-1, Mahaveer Nagar Vistar Yojna, The. Ladpura, Kota-324009 (PR08001127)	Electrician - 12 (6+6)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2025. SCN replied dated 18.01.2025. Further, a joint inspection was conducted on 21.07.2025 to 26.07.2025 by the RDSDE and State official. Inspecting members have given following observations: <ol style="list-style-type: none"> Working machinery available for running (2+2) units only. Trainers are not CITS qualified. IT lab Computer systems are outdated. Electricity bill not in the name of ITI although Load distribution certificate available. ITI management society also running school in the same building Separate ITI entrance available. Further, inspecting members have recommended continuation of affiliation for Electrician – 4 (2+2) and not recommended for Electrician – 8 (4+4). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2) and not recommended for Electrician – 8 (4+4). 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 4 (2+2). ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Electrician – 8 (4+4) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
71.	Vivekanand Private Industrial Training Institute, 6/141, Vivekanand Colony, Panchyat Samittee Road, Dausa (PR08000459)	1. Electrician – 6 (2+2+2) 2. Mechanical Diesel – 2 (1+1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. 4. 9th SSDEC meeting held on 17.09.2025 has recommended. However, trade/units are not mentioned.	SSDEC to provide the clarification regarding trade units recommended for affiliation as no recommendations are mentioned in the Inspection report as well as in MoM of the SSDEC.
72.	Sidhi Vinayak Private ITI, J 65/1, J 66/1, Govind Nagar, Dist. Dausa (PU08001695)	1. Electrician – 12 (4+4+4) 2. Fitter – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN reply dated 25.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation. However, trade/units are not mentioned.	SSDEC to provide the clarification regarding trade units recommended for affiliation as no recommendations are mentioned in the Inspection report as well as in MoM of the SSDEC.
73.	Anand Private Industrial Training Institute,	1. Electrician – 4 (2+2) 2. Mechanic Diesel – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Sarmathura Road, Bari, Distt. Dholpur-328021 (PR08000633)		2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 15.01.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 4 (2+2) and Mechanic Diesel – 2 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and Mechanic Diesel – 2 (1+1).	
74.	Danteshwari Private Industrial Training Institute, Near New Bus Stand, Sirmathura, The. Baseri (Dhaulpur) (PR08000853)	Electrician - 3 (2+1) Mechanic Diesel – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. ITI denied inspection for Mechanic Diesel trade. b. Needs improvement in machinery installation 5. Further, inspecting members have recommended continuation of affiliation for Electrician – 3 (2+1).	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 3 (2+1). 2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Mechanic Diesel – 1 (1+0) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 3 (2+1) and not recommended for affiliation in Mechanic Diesel	
75.	Gandhi Private Industrial Training Institute, Dari Factory Campus, Station Road, Dhaulpur (PR08000972)	1. Electrician – 2 (1+1) 2. Computer Operator and Programming Assistant – 1 (1+0) 3. Fitter – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 16.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 2 (1+1) and Computer Operator and Programming Assistant – 1 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1) and Computer Operator and Programming Assistant – 1 (1+1).	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 2 (1+1). 2. SSDEC to provide clarification on following points: i. No recommendations were provided for units affiliated in the Fitter trade. ii. For COPA trade, 2 units have been recommended for continuation of affiliation. However, only one unit is affiliated as per NCVT MIS portal.
76.	Shri Narayan Private Industrial Training Institute, Agra Road, Rajakhera, (Dhaulpur) 328025	1. Electrician - 2 (1+1) 02 2. Fitter – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 22.01.2025.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(PR08000911)		<ol style="list-style-type: none"> Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official. Inspecting members have recommended affiliation for Electrician - 2 (1+1) and Fitter – 1 (1+0). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1) and Fitter – 1 (1+0). 	
77.	Maharaja Agresen Private Industrial Training Institute, Near Palace, Radha Bihari Mandir, Dholpur (PR08000636)	Electrician – 2 (2+2) Fitter -2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 22.01.2025. Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official. Inspecting members have given observations that ITI has requested to close Electrician 2 (1+1) units and Fitter 2 (1+1) units vide letter no. MAITC on dated 28.07.2025. Further, inspecting members have recommended for continuation of affiliation for Electrician - 2 (1+1). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 2 (1+1). SCAA accepted the recommendations of SSDEC for de-affiliation for Electrician 2 (1+1) units and Fitter 2 (1+1) units as per ITI's request.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1).	
78.	Sardar Vallabh Bhai Patel Private Industrial Training Institute, Bhadra (Hanumangarh) - 335501 (PR08000057)	Electrician – 4 (2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 11.02.2025. 3. Further, a joint inspection was conducted on 15.07.2025 by the RDSDE and State official. 4. Inspecting members have given observations that the electricity bill is in the Adhyaksh name. 10% Tools equipment Short. BED & PG degree college were also operating in the ITI campus at the entrance of the campus first BED degree college building and behind it is ITI & PG degree building. However, inspecting members have recommended affiliation for Electrician - 4 (2+2). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
79.	Keshav Pvt. ITI, Ward No. 23, Pilibanga, Dist- Hanumangarh, Pin- 335803, Rajasthan (PR08001191)	1. Electrician - 8 (4+4) 2. Computer Operator and Programming Assistant - 2 (1+1) 3. Plumber - 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 8 (4+4), Computer Operator and Programming Assistant – 2 (1+1) and Plumber – 2 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 8 (4+4), Computer Operator and Programming Assistant – 2 (1+1) and Plumber – 2 (1+1).	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 8 (4+4) and COPA - 2 (1+1). 2. SSDEC to provide clarification on following points: For plumbare trade, 2 units have been recommended by the SSDEC whereas only 1 unit is affiliated as per NCVT MIS portal.
80.	Ch. G. R Dhaka Private Industrial Training Institute, Chak 14hmmh, Mega High Way, Extention Gurusar Road, Kohla, Distt. Hanumangarh- 335513 (PR08001263)	Electrician – 8 (4+3+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 27.01.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. Inspecting members have given observation that Electrician trade workshop number two was found to have 30% of the major machinery not in working condition. The	SSDEC to provide clarification on following points: i. Discrepancy in units recommended for continuation of affiliation and units affiliated as per NCVT MIS portal. ii. As per Inspection members report major short commings were identified during the joint inspection.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>principal age is 74 years, agriculture engineering related examination centres operate on the ITI campus at the administrative building on the first floor, in the administrative building, the first floor serves as the examination centre for agriculture engineering.</p> <p>4. However, inspecting members have recommended for affiliation for Electrician – 8 (4+4).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 8 (4+4).</p>	
81.	<p>Nohar Private Industrial Training Institute,</p> <p>1 Nhr, Bhadra Road, Behind Nohar Degree College Nohar, Dist. Hanumangarh Raj. - 335523</p> <p>(PR08000490)</p>	Electrician – 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. Further, a joint inspection was conducted on 15.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have observed that BA and PG degree college were also operated on the ITI campus at the entrance of the campus first BA degree college building and behind it is ITI building.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. However, inspecting members have recommended affiliation for Electrician - 4 (2+2).</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2).</p>	
82.	<p>Adarsh Private Industrial Training Institute,</p> <p>VPO. Ramgarh, Tehsil Nohar, Dist. Hanumangarh Rajasthan</p> <p>(PR08000565)</p>	Electrician - 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 17.01.2025.</p> <p>3. Further, a joint inspection was conducted on 16.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given observation that Electricity bill is in the name of the Society. However, inspecting members have recommended affiliation for Electrician - 4 (2+2).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2).</p>	SCAA agreed with the recommendations of SSDEC
83.	<p>Adarsh Private Industrial Training Institute,</p> <p>Roop Rajat Circle, Jodhpur Road, Khimsar, Dist Nagour - 341025</p>	Electrician – 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(PR08001349)		3. Further, a joint inspection was conducted on 02.08.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 4 (2+2). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2).	
84.	Mahadev Private Industrial Training Institute, Osian Road, Khimsar Dist.Nagaur Rajasthan (PR08000224)	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 17.01.2025. 3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. 4. Inspecting members have given observation that minor maintenance is required and no major deficiencies are found. 5. Therefore, inspecting members have recommended affiliation for Electrician - 6 (2+2+2). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2).	SCAA agreed with the recommendations of SSDEC
85.	B.R. Chaudhary Private Industrial Training Institute,	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Killa No.21 & 21, Stone No.-33/244, Chack-19, Jrk Pakka Bhadva Goluwala Dist.- Hanumangarh Rajasthan (PR08000207)		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 20.01.2025. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. Inspecting members have recommended affiliation for Electrician - 6 (2+2+2). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2). 	
86.	Lakshay Private Industrial Training Institute, Near Police Station, Old Haryali Bazar, Teh. Goluwala, Dist.- Hanumangarh Pin - 335802 Rajasthan (PR08001351)	Electrician - 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 23.01.2025. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. Inspecting members have given observation that Tools, equipment and machinery were not sufficient for the Electrician trade 12 (4+4+4) and some major machinery not working, but the quantity of tools, equipment and machinery were sufficient for Electrician 6 (2+2+2). Therefore, inspecting members have recommended affiliation for Electrician - 6 (2+2+2). 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 6 (2+2+2). SSDEC to provide the clarification on following points: No recommendations have been provided for remaining units in Electrician - 6 (2+2+2).

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2).	
87.	Sanskar Private ITI, Hanumangarh Bhadra Hisar Road V.P.O. Suratpura Teh. Bhadhra Distt. Hanumangarh 335503 (PR08001737)	1. Electrician - 2 (1+1) 2. Fitter - 2 (1+1) 3. Plumber - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 2 (1+1), Fitter - 2 (1+1) and Plumber - 2 (1+1) units. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1), Fitter - 2 (1+1) and Plumber - 2 (1+1) units.	SCAA agreed with the recommendations of SSDEC
88.	Bright Future Private ITI, Near Goushala, Megahighway Road, Pallu, Hanumangarh- 335524 (PR08001752)	1. Electrician - 6 (2+2+2) 2. Wiremen -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Inspecting members have recommended affiliation for Electrician - 6 (2+2+2) and Wiremen – 2 (1+1).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2) and Wiremen – 2 (1+1).</p>	
89.	<p>Unique Private ITI, Bhadra, Near Bharat Sainik Public School, Ward No. 22, Tehsil Bhadra, Dist- Hanumangarh Rajasthan- 335501</p> <p>(PU08001768)</p>	<p>1. Electrician - 4 (2+2)</p> <p>2. Health Sanitary Inspector – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 28.01.2025.</p> <p>3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have recommended affiliation for Electrician - 4 (2+2) and Health Sanitary Inspector – 2 (1+1).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and Health Sanitary Inspector – 2 (1+1).</p>	SCAA agreed with the recommendations of SSDEC
90.	<p>Shiv Shakti Private Industrial Training Institute,</p> <p>Barli Road, Dist.Nagaur Rajasthan</p>	Electrician – 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 29.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(PR08000796)		3. Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 12 (4+4+4). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4).	
91.	Lakshay Private ITI, E-7, Industrial Area, Tehsil. Suratgarh, Dist. Sriganga Nagar Pin- 335804 Rajasthan (PR08001085)	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have given observation that 5 percent of tools and equipment are not available. 5. However, they have recommended affiliation for Electrician - 6 (2+2+2). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2).	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
92.	Navjeevan Private Industrial Training Institute,	Electrician – 6 (2+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	3 S.T.R., New Mandi, Gharsana (Shri Ganganagar) (PR08001149)		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 25.01.2025. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. Inspecting members have given observation that 2 % deficiencies have been noticed However, they have recommended affiliation for Electrician - 5 (1+4). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 5 (1+4). 	<ol style="list-style-type: none"> SSDEC to provide clarification on following points: ITI has affiliation for 6 units (2+4) in Electrician Trade as per NCVT MIS portal. However, recommendations have been provided for 5 units only.
93.	Thar Private Industrial Training Institute, Chak 16(A) Anupgarh Pin-335701 Rajasthan (PR08000593)	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 23.01.2025. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. Inspecting members have given observation that 5-7 percent of tools and equipment are not available. However, they have recommended affiliation for Electrician - 6 (2+2+2). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2) 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
94.	Maharaja Agarsen Private Industrial Training Institute, Industrial Area, Rawla, Teh.Gharsana, Dist.Sriganaganagar Pin-335707 Rajasthan (PR08000750)	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 25.01.2025. Further, a joint inspection was conducted on 28.07.2025 by the RDSDE and State official. Inspecting members have given observation that 5-7 percent of tools and equipment are not available. However, they have recommended affiliation for Electrician - 6 (2+2+2). Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
95.	Murti Devi Private ITI, Chak 4 S.D.S., Teh. - Sadul Shahr, Dist.-Shri Ganganagar Rajasthan (PR08000168)	<ol style="list-style-type: none"> Electrician - 12 (4+4+4) Plumber – 1 (1+0) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 22.01.2025. Further, a joint inspection was conducted on 14.07.2025 by the RDSDE and State official. Inspecting members have given observation that 90 percent of tools and equipment in Electrician are available and 5 percent of the tools and equipment are not in working condition. In Plumber trade, only 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Plumber – 1 (1+0)

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>10-20 % of tools and equipment are available.</p> <p>5. However, they have recommended continuation of affiliation for Electrician - 12 (4+4+4) and not recommended affiliation for Plumber trade due to deficiencies.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4) and not recommended affiliation for Plumber – 3 (1+1+1).</p>	<p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.</p>
96.	<p>Golden Rays Private Industrial Training Institute,</p> <p>Chak 1b Choti,3 Puli P.O.-Mohanpura, Dist.- Shri Ganga Nagar Rajasthan 335001</p> <p>(PR08000176)</p>	Electrician - 3 (1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 23.01.2025.</p> <p>3. Further, a joint inspection was conducted on 15.07.2025 by the RDSDE and State official.</p> <p>4. Inspecting members have given observation that 98 percent of tools and equipment are available. However, they have recommended affiliation for Electrician - 3 (1+1+1).</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 3 (1+1+1).</p>	<p>ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
97.	Shri Ram Private Industrial Training Institute, Near Truck Union Raisinghnagar, Dist.- Shri Ganganagar Rajasthan (PR08000177)	Electrician - 4 (2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 28.01.2025. 3. Further, a joint inspection was conducted on 16.07.2025 by the RDSDE and State official. 4. Inspecting members have given observation that only 2 percent of tools and equipment are not available. However, they have recommended affiliation for Electrician - 4 (2+2). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
98.	Khalsa Shikshan Sansthan Private ITI, VPO. Chunawadh, Dist. Sri Ganganagar (PR08001641)	Electrician - 2 (1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025 & 06.02.2025. SCN replied dated 10.02.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. 4. Inspecting members have given observation that only 90 percent of tools and equipment are present. However, they have 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended affiliation for Electrician - 2 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1).	
99	Balaji Private Industrial Training Institute, Address - Kansli, Tehsil- Kotputali (Jaipur)- 303108 (PR08000073)	1. Electrician - 4 (2+2) 2. Fitter - 3 (2+1) unit	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 13.01.2025. 3. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a. Electrician - 4 (2+2+0) b. Fitter – 2 (1+1) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025 a. IT lab system was outdated b. Hydraulic and pneumatic trainer kit for Fitter trade not available c. Gangway marking required. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: a. SSDEC recommended for continuation of affiliation for 2 units of Fitter trade whereas 3 units in Fitter trade are affiliated as per NCVT MIS portal. b. Contradictory remarks given in inspection report regarding recommendation for continuation for affiliation.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			23.09.2025, has recommended for continuation of the affiliation: a. Electrician - 4 (2+2) b. Fitter – 2 (1+1)	
100	Indian Private Industrial Training Institute, G & P Taksola, Via- Paota, The. Kotputali (Jaipur) 303106 MIS Code - PR08001173	1. Electrician – 5 (4+1+0) 2. Mechanic Diesel – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 03.02.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. As per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025 - i) Mechanic Diesel Workshop civil infra not as per norms only shed area available 92 sqm. ii) Major machinery of mechanic diesel not available iii) IT lab systems were outdated 6. However, Joint Inspection committee has recommended continuation of affiliation for Electrician – 5 (4+1+0) and not recommended Mechanic Diesel 2 (1+1) 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: a. No recommendation was provided for Mechanic Diesel – 2 (1+1) b. Contradictory remarks given in inspection report regarding recommendation for continuation for affiliation.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			continuation of the affiliation Electrician – 5 (4+1+0).	
101	<p>Basant Private Industrial Training Institute,</p> <p>Address - Opposite 220 KV Power House, N.H. 8, Putali , Kotputali (Jaipur) 303108</p> <p>MIS Code - PR08000142</p>	<p>1. Electrician - 6(3+3)</p> <p>2. Fitter -4(2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units:</p> <p>a. Electrician – 4(2+2+0)</p> <p>b. Fitter - 4(2+2+0)</p> <p>5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: -</p> <p>i) Gangway marking required in workshop</p> <p>ii) Electrician working machinery available for (2+2)</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation</p> <p>a. Electrician – 4(2+2+0)</p> <p>b. Fitter - 4(2+2+0)</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide clarification on following points:</p> <p>a. No recommendation was provided for Electrician – 2 (1+1)</p> <p>b. SSDEC to provide clarification on contradictory remarks given in inspection report regarding recommendation for continuation for affiliation.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
102	<p>New Tech. Group Private Industrial Training Institute,</p> <p>Address – Near Sankar Bharti College N.H. 8, Ajmer Road, Bagru, Dist. Jaipur - 303007</p> <p>MIS Code – PR08001291</p>	Electrician – 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 31.01.2025. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 10.09.2025: - <ol style="list-style-type: none"> Machinery maintenance required Gangway marking required Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation: Electrician – 6(2+2+2) 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on contradictory remarks given in inspection report regarding recommendation for continuation for affiliation.
103	<p>Shivaji Private Industrial Training Institute,</p> <p>Address - S.H. No. 8b, Near Bus Stand, Tankarda, Chomu, Distt. Jaipur - 303702</p>	Electrician 9(3+3+3)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 20.01.2025. 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on contradictory remarks given in inspection report regarding

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000284		<p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 9 (3+3+3)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: -</p> <p>a) Proper records of raw material consumption are not maintained.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 9 (3+3+3)</p>	recommendation for continuation for affiliation.
104	<p>Kuldeep Private Industrial Training Institute</p> <p>Address - Chhota Math, Bhainsaw. Dist.Jaipur</p> <p>MIS Code - PR08001410</p>	Electrician -3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units:</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Electrician – 3 (1+1+1) as no deficiencies have been identified during joint Inspection conducted on 18.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 3(1+1+1).</p>	
105	<p>Taj Memorial Private Industrial Training Institute</p> <p>Address - Village. Jagdishpura, Post. Sharud, Dist. Jaipur</p> <p>MIS Code -PR08001413</p>	Electrician-5(2+2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2) as no deficiencies have been identified during joint Inspection conducted on 16.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation-Electrician – 6 (2+2+2).</p>	<p>SSDEC to provide clarification on following points:</p> <p>Extra 1 unit in 3rd shift in Electrician trade recommended by SSDEC whereas as per NCVT MIS portal only 1 unit in 3rd shift in Electrician trade is affiliated.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
106	<p>Sagar Private Industrial Training Institute</p> <p>Bhonawas Road Paota, Tehsil Kotputali, Dist.Jaipur</p> <p>MIS Code - PR08001400</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Fitter – 2 (1+1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 11.01.2025.</p> <p>4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2) and Fitter – 2 (1+1+0) as no deficiencies have been identified during joint Inspection conducted on 16.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation:</p> <p>a. Electrician – 6 (2+2+2)</p> <p>b. Fitter – 2 (1+1+0)</p>	SCAA agreed with the recommendations of SSDEC
107	<p>Akshat Private Industrial Training Institute,</p> <p>Address - Mahesh Nagar, Near Railway Station, Kishangarh Renewal, Tehsil Phulera, Dist.- Jaipur, Rajasthan</p>	Electrician – 4 (2+ 2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001384		<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4 (2+2+0) as no deficiencies have been identified during joint Inspection conducted on 18.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 4 (2+2)</p>	
108	<p>Rajasthan Private Industrial Training Institute</p> <p>Address - Hare Krishna Nagar, Kunda, Tehsil Amer, Dist. Jaipur - 302028</p> <p>MIS Code - PU08001292</p>	Electrician-12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 02.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 02.09.2025:</p> <p>i) In IT lab some computers are in non-working condition.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 12 (4+4+4)	
109	<p>Jai Jagdish Private Industrial Training Institute</p> <p>Address - Heerawala, Tehsil, Bassi, Kanota, Distt.Jaipur - 303012</p> <p>MIS Code -PR08000301</p>	Electrician – 4 (1+1+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. Further, a joint inspection was conducted on 04.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 04.09.2025: <ol style="list-style-type: none"> Fire safety system was not as per norms Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 6 (2+2+2) 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on following points: Extra units have been recommended for Electrician trade as 6(2+2+2). Whereas on NCVT MIS Portal, the ITI is affiliated for 4 (1+1+2) in the Electrician trade. However, the Electrician 4(2+2) have been de-affiliated vide DGT order 17.01.2025 due to zero admission.
110	P.N.B. Private Industrial Training Institute	Electrician-8 (4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 	ITI to remove deficiencies as identified during joint inspection. State Directorate

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Ward No.12, Mukandpura Bhankrota, Distt. Jaipur - 302026 MIS Code -PU08001352		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 27.01.2025. Further, a joint inspection was conducted on 03.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (4+4+0) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 03.09.2025: <ol style="list-style-type: none"> Fire extinguisher was not as per norms. One machinery IGBT AC drive was in non-working condition. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 8 (4+4+0) 	must ensure that all the deficiencies are removed.
111	Solect Private Industrial Training Institute Address - Village Rampura, Dabdi, Nh-11, Near Teja Ji Temple, Jaipur	Electrician – 4 (2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 30.01.2025. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001407		<p>4. Further, a joint inspection was conducted on 01.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2+0)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 01.09.2025:</p> <p>i) In class room poor lighting was found.</p> <p>ii) No drinking water facility found.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 4 (2+2+0)</p>	
112	<p>Jai Hind Private Industrial Training Institute</p> <p>Address - Hanuman Nagar, Bhadar Pura Road, Phulera, Dist.Jaipur Pin-303338 Rajasthan</p> <p>MIS Code - PU08001568</p>	Electrician - 8 (4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 15.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 4 (2+2).</p> <p>2. SSDEC to provide clarification for following:</p> <p>i. As per NCVT MIS portal 8 unit are currently affiliated. However, recommendations have been provided for 4 units only. For rest of the units no</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>for following trade/units: Electrician – 4 (2+2+0)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:</p> <p>i) Major machinery of second lab in basement were not in working condition.</p> <p>ii) Poor fire safety arrangements in second lab of electrician trade.</p> <p>iii) Insufficient tools and equipment with respect of 12 units.</p> <p>iv) Conditions of class room and IT lab could be improved.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, SSDEC has recommended for continuation of the affiliation: Electrician – (2+2) 04 units</p> <p>8. Electrician – 4 (0+0+4) have been de-affiliated vide DGT order 17.01.2025 due to zero admission.</p>	<p>comments are provided by the SSDEC.</p>
113	<p>Ratandevi Private Industrial Training Institute</p> <p>Address - Ringus Road, Near Pulia, Opp. Petrol Pump, Choumu, (Jaipur) -.303702</p>	<p>1. Cosmetology - 1(1+0)</p> <p>2. Electrician- 2 (0+2)</p> <p>3. Mechanic Diesel - 1(0+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p>	<p>ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000049	4. Refrigeration and Air conditioning Technician- 2 (1+1)	<p>4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (0+2), Mechanic Diesel – 1 (0+1), Refrigeration and Air conditioning Technician - 2 (1+1) and Cosmetology – 1 (1+0)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 10.09.2025:</p> <ol style="list-style-type: none"> Minor deficiency like conditions of classrooms and IT labs could be improved. Classroom & IT lab may be shifted basement to ground floor better ventilation and safety aspects. <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation:</p> <ol style="list-style-type: none"> Cosmetology -1(1+0) Electrician -2(0+2) Mechanic Diesel-1 (0+1) Refrigeration and Air conditioning Technician-2 (1+1) 	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
114	Vinayak Private Industrial Training Institute, Address - Dadunagar, Phulera (Jaipur) MIS Code - PR08000151	1. Electrician-4(2+2) 2. Mechanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2) and Mechanic Diesel – 2 (1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: - i) Minor deficiency like conditions of classrooms and labs could be improved. 8. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation: i) Electrician – 04 (2+2+0) ii) Mechanic Diesel – 02 (1+1)	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
115	Sapience Private Industrial Training Institute,	Electrician – 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	B-17, madublana colony Dist. Jaipur MIS Code -PU08001408		3. The ITI replied to the SCN on 04.02.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: a. Minor deficiency like conditions of classrooms and labs could be improved. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 12 (4+4+4)	
116	A.N. Public Private Industrial Training Institute Address - Radha Sawami Bag, Chomu (Jaipur) MIS Code - PR08001065	1. Electrician - 2(1+1+0) 2. Mechanic Diesel - 2(1+1) 3. COPA - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2024 4. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1+0), Mechanic Diesel – 2 (1+1+0) and COPA – 1 (1+0+0) as no deficiencies have been identified during Joint Inspection conducted on 17.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation:</p> <p>i) Electrician – 2 (1+1+0)</p> <p>ii) Mech. Diesel – 2 (1+1)</p> <p>iii) COPA – 1(1+0)</p>	
117	<p>Newtech Private Industrial Training Institute,</p> <p>Address - Near Lamba Motor, 20 Dukan Nh-8, Ajmer Road, Baggru (Jaipur)-303007</p> <p>MIS Code - PR08000915</p>	<p>1. Electrician - 2(1+1)</p> <p>2. Mech Diesel - 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1) and Mech. Diesel – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 18.09.2025</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation i) Electrician – 2(1+1+0) ii) Mech. Diesel – 2(1+1)	
118	Ravi Private Industrial Training Institute, Address - Gram-Daduka, Post-Bhalogy, Tehsil- Kotputali (Jaipur) 303110 MIS Code - PR08000063	1. Electrician - 2(1+1) 2. Mechanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1) and Mechanic Diesel – 2 (1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on: i) Electric unit consumption is very low. ii) Tools & equipment is found 10% less. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: i) Electrician –2 (1+1) ii) Mech. Diesel – 2(1+1)	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
119	<p>Sharda Private Industrial Training Institute,</p> <p>Address - Behind Shyam Temple, Kotputli, (Jaipur)-303108</p> <p>MIS Code - PU08001186</p>	<p>1. Electrician - 8(3+3+2)</p> <p>2. Fitter-2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 15.01.2025.</p> <p>4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (3+3+2) and Fitter – 2 (1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025: Tools & equipment is found 10% less.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation i) Electrician – 8 (3+3+2) ii) Fitter – 2 (1+1)</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
120	<p>Shri Balaji Private Industrial Training Institute</p> <p>Address - Plot No. 37, Scheme Krishana Nagar,</p>	Electrician - 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 28.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Boring Road, Jhotwara, Jhotwara, Jaipur-302012 MIS Code - PR08000051		<p>4. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 18.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 6 (2+2+2).</p>	
121	Shri B.R. Memorial Private Industrial Training Institute Address - Opposite Girls Senior School, Achrol (Jaipur) -303002 MIS Code - PR08000856	<p>1. Electrician - 4(2+2)</p> <p>2. Mechanic Diesel 2- (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 19.02.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2) and Mechanic Diesel – 2 (1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 19.02.2025: Class room condition and workshop condition is poor.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician – 4 (2+2)</p> <p>ii) Mechanic Diesel – 2 (1+1)</p>	
122	<p>Gurukul Private Industrial Training Institute</p> <p>Address - A-06, Manglam City, Kalwar Road, Jhotwara, Jaipur-302012</p> <p>MIS Code - PR08001259</p>	Electrician-12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4) as no deficiencies have been identified during Joint Inspection conducted on 15.09.2025.</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: Electrician – 12 (4+4+4).</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
123	<p>Baba Bhagwan Das Private Industrial Training Institute,</p> <p>Address: Kant Road, Shahpura (Jaipur)</p> <p>MIS Code - PR08001168</p>	<p>1. Electrician – 6 (3+3)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (3+3) and Fitter – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician – 6 (3+3+0)</p> <p>ii) Fitter – 2 (1+1)</p>	SCAA agreed with the recommendations of SSDEC
124	<p>Dashmesh Private ITI, Mojya Mode,</p> <p>Address - Near N.H. 08 Road, Village Dudu Tehsil Dudu, Dist. Jaipur - 303008</p> <p>MIS Code - PR08001105</p>	<p>1. Electrician -9 (3+3+3)</p> <p>2. Mechanic Diesel - 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 9 (3+3+3) and Mech. Diesel – 3 (1+1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 9 (3+3+3) Mechanic Diesel – 3 (1+1+1)</p>	
125	<p>Ganga Devi Private Industrial Training Institute.,</p> <p>Address - Vill. Nangal Sunsaratan, P.O. Amer, Distt. Jaipur-302028</p> <p>MIS Code - PR08001243</p>	<p>1. Electrician – 4 (2+2)</p> <p>2. Mechanic Diesel 2(1+1)</p> <p>3. COPA-2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a. Electrician- 3 (2+1) b. Mechanic Diesel- 1 (1+0) c. COPA- 1 (1+0)</p> <p>6. However, as per joint inspection report following deficiencies have been identified</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide clarification on following points: The SSDEC recommended Electrician – 3 (2+1) whereas Electrician 2nd shift 2nd is not recommended, but as per NCVT MIS portal it is affiliated. The reason for not recommendation for one unit is not mentioned in SSDEC MoM. Similarly, 2nd shift Mechanic Diesel and COPA trade are not recommended by SSDEC and no reasons has been mentioned in the SSDEC MoM. However, these trades</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 12.09.2025:</p> <p>a. Fuel injection bench test for calibration fuel pump having working mode but need improvement.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>a. Electrician- 3 (2+1)</p> <p>b. Mechanic Diesel- 1 (1+0)</p> <p>c. COPA- 1 (1+0)</p>	and units are affiliated on NCVT MIS Portal.
126	<p>Nirmala Devi Private ITI,</p> <p>Address - Plot No.142, Rohini-I, Near Renwal, Phagi Road, Sanganer, Dist. Jaipur - 302030</p> <p>MIS Code -PR08001192</p>	<p>1. Electrician - 12 (4+4+4)</p> <p>2. Mechanic Diesel- 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4) and Mechanic Diesel – 2 (1+1) as</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>no deficiencies have been identified during Joint Inspection conducted on 11.09.2025.</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician-12 (4+4+4)</p> <p>ii) Mechanic Diesel-2 (1+1)</p>	
127	<p>S.D.S. Private Industrial Training Institute,</p> <p>Address - Near N.H.8, Pathreri Road, Pathreri, (Kotputli), Distt. Jaipur-303107</p> <p>MIS Code - PR08000869</p>	<p>1. Electrician - 2(1+1)</p> <p>2. Mechanic Diesel - 2(1+1)</p> <p>3. COPA - 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1), Mech. Diesel – 2 (1+1) and COPA – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 09.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician - 2(1+1)</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) Mechanic Diesel - 2(1+1) iii) COPA - 2(1+1)	
128	Gurukul Private Industrial Training Institute Address - Near Railway Station, Opposite Khadi Bhag, Chomu, Jaipur-303702 MIS Code - PR08001287	Electrician-12 (6+6)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 26.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (6+6). as no deficiencies have been identified during Joint Inspection conducted on 09.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - i) Electrician - 12(6+6)	SCAA agreed with the recommendations of SSDEC
129	Manthan Private Industrial Training Institute, Address – Gurjar Ki Dhani, Village Morija,	Electrician-12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Tehsil. Chomu, Distt. Jaipur - 303712 MIS Code -PR08000290		<p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4) as no deficiencies have been identified during Joint Inspection conducted on 09.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 12(4+4+4)</p>	
130	Triveni Private Industrial Training Institute, Address - Dhaweli, Samod Road, Post-Shahpura, (Jaipur) - 3038016 MIS Code - PR08000021	<p>1. Electrician 6(2+2+2)</p> <p>2. Mechanic Diesel 3(1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) and Mech. Diesel – 3 (1+1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 10.09.2025:</p> <p>i) Mechanic Diesel - Fuel injection bench test for calibration fuel pump having working mode but need improvement.</p> <p>9. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician – 6 (2+2+2)</p> <p>ii) Mechanic Diesel –3 (1+1+1)</p>	
131	<p>Vivekanand Private Industrial Training Institute</p> <p>Address - Village Post-Hanutia, Via Amarser, (Jaipur) -30601</p> <p>MIS Code - PR08001011</p>	Electrician-6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2), as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 6 (2+2+2)	
132	Mahrishi Dayanand Saraswati, Address - Near Rainbow Tower, Paachyak Ki Dhaani, Ward No-2 Rainwal Road, Choumu, (Jaipur) -303702 MIS Code - PR08000026	1. Electrician – 6 (2+2+2) 2. Fitter – 3 (1+1+1) 3. Mechanic Diesel – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4(2+2) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: i. Out of 15 instructors, only four trainers have been found to possess CITS qualifications. ii. The diesel consumption logbook was not found. iii. The provisions under Annexure III (Serial No. c & d of IV-b) have not been followed, and the relevant records have not been made available.	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: i. No recommendation provided by SSDEC for following trade /unit Fitter – 3 (1+1+1) Mechanic Diesel – 3 (1+1+1) Electrician –2 (0+0+2) ii. Major deficiencies have been indentified by Joint Inspection committee by all trade units.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>iv. On the day of inspection, the following classrooms/theory areas have been found to be below the prescribed DGT norms: Fitter Theory/Classroom – 24.19 sqm</p> <p>v. Electrician Theory/Classroom (1st) – 21.24 sqm, Electrician Theory/Classroom (2nd) – 21.16 sqm, Diesel Mechanic Theory/Classroom – 21.28 sqm.</p> <p>vi. No instructor in the Fitter trade has been found to possess CITS qualification.</p> <p>vii. As per the building plan submitted by the ITI, the Mechanic Diesel lab area has been found to be 137.12 sqm, which is less than the required area as per the NSQF Level 3.5 course (including parking space).</p> <p>viii. The total electrical load available in the ITI has been found to be 13 KW, against the required 13.51 KW.</p> <p>ix. A movable (non-foundation) generator set of approximately 62.5 KW has been found on the premises, whereas the stock register and submitted bills indicate a 5 KW generator set.</p> <p>x. Tools and equipment shop machinery of following serial numbers not available in Electrician NSQF Level \$ Syllabus - (24,28,29,32-(a),38,51,53,54,79,82-</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(a,b),83,89,92,101,104,108,118-(e,f),122,139,165.</p> <p>xi. Tools and equipment, General, Shop outfit, machinery of the following serial numbers was not available as per Fitter trade syllabus- (10,21,27,30,46,53,54,82,93,104,105,107,108,109,117,119,120,123,131,132,133,134,135,140,152,157,160,178,)</p> <p>xii. Tools and accessories for pneumatics and hydraulics were not available.</p> <p>xiii. Tools and equipment shop machinery of following serial numbers not available in Diesel Mechanic trade NSQF level- 3.5 syllabus- 15,25,39,55,64,109,111,114,123,125,127,133,135,136,138,151,172,184,186.</p> <p>7. Not Recommended for affiliation by the Joint inspection committee</p> <p>i) Fitter - (1+1+1) 03 Unit</p> <p>i) Mechanic Diesel - (1+1+1) 03 Unit</p> <p>8. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 4(2+2)</p> <p>9. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			deficiencies and also as per the 10th SSDEC meeting held on 23.09.2025 recommendations.	
133	<p>Shri Balaji Private Industrial Training Institute,</p> <p>Address - A-170, Krishna Colony, Khora Road, Manoharpur, Dist-Jaipur-303104</p> <p>MIS Code –PR08001258</p>	<p>1. Electrician -8 (4+4)</p> <p>2. Fitter – 2 (1+1) Unit.</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 15.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 5 (4+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:</p> <p>i. Not Recommended for Fitter - 2(1+1) Unit.</p> <p>ii. Tools and equipment, General shop outfit, machinery of the following serial numbers (9,10,21,28,30,31,33,50,52,53,56,57,58, 59,82,93,99,102,103,104,105,106,108,109,110,111,112,114,115,116,117,120,123,124,125,126, 127,128,129,131,132,133,134,135,137,</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide clarification on following points:</p> <p>i. Partial Trade recommendations by SSDEC are subject to the removal of deficiencies observed during joint inspection</p> <p>ii. Reason for not recommended for Fitter 2(1+1) not mentioned in the MoM of SSDEC.</p> <p>iii. Similarly, Electrician - (4+1) 05 units recommended, however, the ITI is affiliated with Electrician 8(4+4) on NCVT MIS portal and not recommended 2nd shift 3 units. The reasons for not recommended are not mentioned in the SSDEC MoM.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>138,140,148,155,156,157,160,170,172, 186,190,191,192,193 were not available as per the syllabus of fitter NSQF level.</p> <p>iii. Tools and accessories for pneumatics and hydraulic were not available. 1978,198,199,200,201,202,203,204.</p> <p>iv. Out of 12 instructors only 7 instructors were found to have done CITS.</p> <p>7. Based on the findings of the joint inspection, SSDEC has recommended for the continuation of the affiliation: -Electrician - 05 (4+1)</p> <p>8. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned deficiencies and also as per SSDEC recommendations.</p>	<p>iv. Major deficiencies have been indentified by Joint Inspection committee by all trade units.</p>
134	<p>Vijay Private Industrial Training Institute,</p> <p>Address – Village/Post Radawas, Tehsil Shahpura, Distt. Jaipur - 303601</p> <p>MIS Code - PR08001309</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>following trade/units: Electrician – 6 (2+2+2)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025:</p> <p>i. As per Annexure – III, serial no.- c and d of IV-b has not been strictly followed and records not found.</p> <p>ii. Out of 08 instructors in ITI, only 01 instructor is CITS trained and did not even get the experience certificate.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -Electrician – 6(2+2+2)</p>	
135	<p>Vikalp Private Industrial Training Institute</p> <p>Address - North Gate, Krishi Mandi, Kuchamancity, Dist. Nagaur Rajasthan</p> <p>MIS Code - PR08000557</p>	Electrician-6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 13.01.2025.</p> <p>4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>following trade/units: Electrician – 6 (2+2+2).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:</p> <ul style="list-style-type: none"> i. Website is not updated. ii. Staff employed in the ITI was not CITS trained. iii. Tools are shortage by 05%. <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6(2+2+2).</p>	
136	<p>Model Private Industrial Training Institute,</p> <p>Address - Near Rampol, Nagaur</p> <p>MIS Code - PR08001144</p>	Electrician - 2(1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:</p> <p>i) Staff employed in the ITI was not CITS trained.</p> <p>ii) Tools are shortage by 05%.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 2(1+1)</p>	
137	<p>Balaji Private Industrial Training Institute</p> <p>Address - Assanpura, Kuchaman City, Distt. Nagaur-341508</p> <p>MIS Code - PR08000686</p>	Electrician – 10 (5+5)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 10 (5+5).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i. Electrician – EV-charger & latest equipment as per syllabus are 05%. ii. The staff has not been CITS trained. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 10(5+5).	
138	Marudhar Private Industrial Training Institute, Address - Jayal, Distt. Nagaur-341023 MIS Code - PR08000708	1. Electrician-2(1+1) 2. Fitter -2(1+1) 3. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1), Fitter - 2(1+1), and Mechanic Diesel – 2(1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025: i) Electrician – IT lab computer required maintenance. 20% Shortage of Tools in	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>electrician trade. Electric wiring is in old condition.</p> <p>ii) Fitter- 15% of major tools in fitter trade.</p> <p>iii) Mechanic diesel- Tools are under maintenance.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 2 (1+1), Fitter – 2 (1+1), and Mechanic Diesel – 2(1+1).</p>	
139	<p>Raj Private Industrial Training Institute</p> <p>Address - Khasra No.107, Phirozpura Phanta, Vill. Junjala, Distt. Nagaur-341024</p> <p>MIS Code - PR08001272</p>	Electrician - 12(6+6)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (6+6)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025:</p> <p>i) The staff has not been CITS trained.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) Hand tools are shortage by 02%. iii) Wireman – Not inspected this trade recommended for De-affiliation. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 12 (6+6).	
140	Sathya Sai Private Industrial Training Institut Address - Mundla, Tehsil-Atru, Dist-Baran Pin-325218 Rajasthan MIS Code - PR08000499	Electrician - 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4) as no deficiencies have been identified during Joint Inspection conducted on 16.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 12 (4+4+4)	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
141	<p>Shri Vinayak Private Industrial Training Institute,</p> <p>Address - Sorti Ka Baag, Chipabarod, Dist.Baran Pin-325221 Rajasthan</p> <p>MIS Code - PU08001434</p>	Electrician – 4 (2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 15.01.2025. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 16.09.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6(2+2+2) 	<p>SSDEC to provide clarification on following points:</p> <p>SSDEC recommended Electrician-6(2+2+2), however, Electrician 2 (0+0+2) units have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions.</p>
142	<p>Shree Keshav Private Industrial Training Institute</p> <p>Address - Katarmal Tiraha Saalपुरa Road, Atru, Dist. Baran, Rajasthan-325218</p>	Electrician – 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 16.01.2025. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000553		<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 18.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6(2+2+2)</p>	
143	<p>Surya Private Industrial Training Institute,</p> <p>Address - Near Jawahar Novodaya Vidyalaya Salpura Road, Atru, Dist. Baran Rajasthan - 325218</p> <p>MIS Code - PR08000566</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 30.12.2024.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 19.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 19.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			continuation of the affiliation: - Electrician - 6(2+2+2)	
144	<p>Tolasaria Private Industrial Training Institute,</p> <p>Address - Post- Dundlod, Teh. Nawalgarh, Distt. Jhunjhunu-333702</p> <p>MIS Code - PR08001216</p>	<p>1. Electrician - 3(1+2)</p> <p>2. Mechanic Diesel - 2(1+1)</p> <p>3. Fitter – 1(1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3 (1+2) and Mech. Diesel – 2 (1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:</p> <p>i) Fitter – (1+1) 02 not recommendation for Affiliation.</p> <p>ii) According to revised syllabus Mechanic Diesel trade do not have the machinery.</p> <p>iii) Further, the following have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions:</p> <p>iv) Electrician 2(1+1) units</p> <p>v) Fitter- 1 (0+1)</p>	<p>SSDEC to provide clarification on following points:</p> <p>a) The Fitter 1(1+0) is affiliated on NCVT MIS portal but no recommendations are provided by SSDEC.</p> <p>b) Mechanic Diesel is recommended for continuation of affiliation but ITI does not have machinery as per revised syllabus.</p> <p>c) Extra units in Electrician trade recommended by SSDEC, however, Electrician -2(1+1) have already been de-affiliated by DGT order dated 17.01.2025 due to zero admission.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, 10 th SSDEC dated 08.09.2025 has recommended for the continuation of the affiliation: - Electrician - (1+2) 03 units, Mechanic Diesel – 02 (1+1)	
145	Ch. Charan Singh Private Industrial Training Institute Address - Fatehpur By Pass Road Mandawa, Dist. Jhujhunu - 333704 MIS Code - PR08001299	1. Electrician - (2+2) 04 unit 2. Fire Technology and Industrial Safety Management – (1+0) 01 units	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i) The hand tools equipment has not been displayed in the proper sequence. ii) According to the revised syllabus trades do not have the machinery. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: Fire Technology and Industrial Safety Management – (1+0) 01 units no recommendations provided by SSDEC, however, it is affiliated on NCVT MIS Portal.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			continuation of the affiliation: - Electrician - 04 (2+2)	
146	<p>Mahatma Gandhi Private Industrial Training Institute</p> <p>Address - Manoj Auto Mobile, Jain Asya, Gangapur Ropad, Lalsot (Dausa)</p> <p>MIS Code - PR08000022</p>	Electrician - 4(2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician – 4 (2+2). 	SCAA agreed with the recommendations of SSDEC
147	<p>Yashoda Private Industrial Training Institute,</p> <p>Address - Nangal Bairsi Road, Dausa - 303303</p>	<ol style="list-style-type: none"> Electrician - 8(4+4) Fitter -2(1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000076		<p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (4+4) and Fitter – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician - 8(4+4)</p> <p>ii) Fitter – 2(1+1)</p>	
148	<p>Ashish Private Industrial Training Institute,</p> <p>Address – H-1, 59-60 Ricco Industrial Area, Dausa-303303</p> <p>MIS Code - PR08000053</p>	Electrician-14(5+5+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 30.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 14 (5+5+4) as no deficiencies have been</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>identified during Joint Inspection conducted on 10.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician -14 (5+5+4)</p>	
149	<p>Shri Giriraj Private Industrial Training Institute</p> <p>Address - Basada Bhramanan, Biwai Road, Bandikui, Dist.-Dausa (Raj) -303313</p> <p>MIS Code - PR08001096</p>	Electrician-6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6(2+2+2)</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
150	<p>Maharshi Angira Private Industrial Training Institute</p> <p>Address - Behind God Factory, Guniwali Dhani, Dist. Dausa-303303</p> <p>MIS Code - PR08001063</p>	<p>1. Electrician - 3(1+1+1)</p> <p>2. Fitter - 3(1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 10.02.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3 (1+1+1) and Fitter – 3 (1+1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician - 3(1+1+1)</p> <p>ii) Fitter – 3(1+1+1)</p>	SCAA agreed with the recommendations of SSDEC
151	<p>Yashoda Private Industrial Training Institute</p> <p>Address - Naangal, Rajavataan (Dausa)- 303506</p>	<p>1. Electrician- 8 (4+4)</p> <p>2. Mechanic Diesel- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000037		<p>4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (4+4) and Mech. Diesel – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 08.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: -</p> <p>i) Electrician - 8(4+4)</p> <p>ii) Mechanic Diesel – 2(1+1)</p>	
152	<p>Swastik Private Industrial Training Institute,</p> <p>Address – H-39, Riico Industrial Area, Dausa Dist. Dausa -303303</p> <p>MIS Code - PR08000436</p>	Electrician-5 (2+2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 17.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 5 (2+2+1) as no deficiencies have been</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>identified during Joint Inspection conducted on 09.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 5(2+2+1)</p>	
153	<p>Shri Ram Private Industrial Training Institute,</p> <p>Address - Opp. Dada Bhagwan (National Park), Village Tinwari Dist. Jodhpur - 342306</p> <p>MIS Code - PR08000312</p>	<p>1. Electrician - 6(2+2+2)</p> <p>2. Mechanic Diesel - 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) and Mechanic Diesel – 2 (1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 15.09.2025:</p> <p>i) Building Map not clear, the dimensions are not readable.</p> <p>ii) Mechanic diesel lab workshop area 104 m² with open parking area additional.</p>	<p>SSDEC to provide clarification on following points:</p> <p>Since Recommendations are subject to rectification of deficiencies observed during inspection. Therefore, SSDEC to clarify whether, all the defeciciencies have been removed.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: i) Electrician - 6(2+2+2) ii) Mechanical Diesel –2 (1+1)	
154	Jodhpur Private Industrial Training Institute, Address - Saran Nagar B-Road, Banar, Dist. Jodhpur, Rajasthan MIS Code - PU08000712	Electrician-9 (3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 9 (3+3+3) as no deficiencies have been identified during Joint Inspection conducted on 15.09.2025 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: Electrician – 9 (3+3+3)	SCAA agreed with the recommendations of SSDEC
155	Bilara Private ITI,	1. Electrician-2(1+1) 2. COPA - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Palawat Bhawan, Ram Nagar, Bilara, Dist. Jodhpur MIS Code - PU08001621	3. Fitter – 2(1+1)	<p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1) and COPA – 1 (1+0).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025: In Fitter Trade Major Tools & Machinery shortfall as per item list.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - (i) Electrician - 2(1+1) (ii) COPA – 1(1+0) and not recommended for Fitter 2(1+1).</p>	<p>Electrician - 2 (1+1) and COPA – 1 (1+0).</p> <p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection:</p> <p>Fitter – 2(1+1) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.</p>
156	Maulana Abul Kalam Azad Muslim Private Industrial Training Institute,	<p>1. Electrician – 10 (4+4+2)</p> <p>2. COPA-2 (1+1)</p> <p>3. Mechanic Diesel- 4(2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 22.01.2025.</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 8 (4+4), Mechanic Diesel – 4 (2+2), COPA – 2 (1+1), Refrigeration and Air Conditioning</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Pal Link Road, Kamla Nehru Nagar, Jodhpur -342001 MIS Code - PR08001021	4. Refrigeration and Air Conditioning Technician – 2 (1+1) 5. Welder -1 (1+0)	4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (4+4), Mech. Diesel – 4 (2+2), COPA – 2 (1+1), RAC – 2 (1+1) and Welder – 1 (1+0) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - i) Electrician - 08 (4+4) ii) Mech. Diesel – 04 (2+2) iii) COPA – 02 (1+1) iv) RAC Tech. – 02 (1+1) v) Welder – 01 (1+0)	Technician Tech. 2 (1+1) and Welder – 1 (1+0). 2. SSDEC to provide clarification on following points: SSDEC recommended Electrician - 8(4+4) trade/unit, however as per NCVT MIS portal Electrician 10 (4+4+2) and no reason mentioned in for not recommending 02 units in Electrician trade in 3 rd shift.
157	Shri Hari Aadarsh Private Industrial Training Institute, Address - Borunda, Vpo Borunda, Pipar City Dist. Jodhpur - 342604 MIS Code - PR08001302	1. Electrician-4 (2+1+1) 2. Mechanic Diesel-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: i. No recommendations for Mechanic Diesel trade 2(1+1) by SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:</p> <p>i) In Electrician sr. no. 90, 125, 127 and 153 are not working</p> <p>ii) Mechanical Diesel – no single engine/ machinery was working.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6 (2+2+2)</p>	<p>ii. SSDEC recommended Electrician -6(2+2+2). However, following trades/units have been de-affiliated vide DGT order 17.01.2025 due to zero admission:</p> <p>a. Electrician- 2(0+0+2)</p> <p>b. Mechanic Diesel- 1(0+0+1)</p>
158	<p>Shiv Shakti Private Industrial Training Institute</p> <p>Address - V/P. Khangta, Tehsil.Piparcity Dist.Jodhpur Rajasthan- 342606</p> <p>MIS Code – PR08000531</p>	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 16.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 09.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 06 (2+2+2)</p>	
159	<p>Marwar Private Industrial Training Institute</p> <p>Address - Plot No.11-12, Khokhariya, Babad Road, Dist.Jodhpur Rajasthan</p> <p>MIS Code – PR08000537</p>	Electrician-6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 15.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 06 (2+2+2)</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
160	Om Private Industrial Training Institute Address - 11-12, Tilak Nagar, Hira Das, Bharatpur (Raj)-321002 MIS Code - PR08001126	Electrician – 4 (2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 02.04.2025. 3. Further, a joint inspection was conducted on 23.08.2025 by the RDSDE and State official. 4. As per joint inspection, the ITI has been recommended for affiliation in Electrician (2+2) 04 units as no deficiencies have been identified during Joint Inspection conducted on 23.08.2025. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 04 (2+2). 	SCAA agreed with the recommendations of SSDEC
161	Ajeet Private Industrial Training Institute, Address - Karoth, Bharatpur (Raj)-321002 MIS Code - PR08001615	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.04.2025. 3. Further, a joint inspection was conducted on 13.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 06 (2+2+2) as no deficiencies have been 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			identified during Joint Inspection conducted on 13.09.2025 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06 (2+2+2).	
162	Shree Bankae Bihari Private Industrial Training Institute, Address - Near Telephone Exchange, Kaman (Bharatpur)- 321022 MIS Code - PR08000419	1. Fitter – 3 (2+1) 2. Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 & 30.01.2025. 3. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2) and Fitter – 3 (2+1). 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025 i) Negligible shortage of tools and equipment ii) Institute required repair and maintenance. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			of the affiliation for Electrician -4 (2+2) and Fitter –3 (2+1).	
163	<p>Sri Vinayak Private Industrial Training Institute</p> <p>Address - Vill. & Post.Mai, Tehsil.Nadbai, Dist. Bharatpur Rajasthan - 321028</p> <p>MIS Code - PR08001435</p>	Electrician - 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. The ITI replied to the SCN on 20.01.2025 Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12 (4+4+4). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 04.08.2025: i) Negligible shortage of tools & equipment Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 12 (4+4+4) 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
164	<p>Jai Shree Radhe Private Industrial Training Institute</p> <p>Address - Dhanwada Road, Tehsil- Kumher, Distt. Bharatpur-321201</p> <p>MIS Code - PR08001485</p>	Electrician – 06 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025 & 30.01.2025. SCN replied dated 03.02.2025. Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.08.2025: <ol style="list-style-type: none"> Negligible shortage of tools & equipment Insufficient lighting arrangement for third shift. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician-4 (2+2) 	<p>SSDEC to provide clarification on following points:</p> <p>No reason mentioned for not recommending 3rd shift 02 units in Electrician trade by SSDEC.</p>
165	<p>Shri Raghav Private Industrial Training Institute</p> <p>Address - At. Kherli Brahmin, Teh.Bhusawar,</p>	Electrician - 06 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. The ITI replied to the SCN on 20.01.2025. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Dist.Bharatpur Rajasthan - 321409 MIS Code - PR08001589		<p>4. Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(2+2+2).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 04.08.2025:</p> <p>i) Negligible shortage of tools & equipment</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06 (2+2+2).</p>	
166	<p>Arpan Private Industrial Training Institute,</p> <p>Address - Near Senior Secondary School, Uchhan, Tehsil-Roopbas (Bharatpur) -321302</p> <p>MIS Code - PR08000056</p>	<p>1. Electrician – 2 (1+1)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1).</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 2 (1+1).</p> <p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection: Fitter – 2(1+1) The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:</p> <ol style="list-style-type: none"> Fitter – Tools, equipment and classroom has not found as per DGT Norms. In fitter trade, as per syllabus, item no. 179-196, 198-204 were not found and item no. 41, 42, 67, 68, 73, 85-87, 89, 90, 102, 104, 106-108, 114-116, 122, 124, 133-135, 146, 152, 155-157, 160, 161, 184-196 were not found. Majority tools & files were found corrosive and damaged. Item no. 177 and 179 not found as per norms. During the inspection, it was not clarified whether the fitter classroom was available or not <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 02 (1+1) and de-affiliate Fitter 02 (1+1)</p>	required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.
167	<p>Sarvodya Private Industrial Training Institute</p> <p>Address - Rudawal Road, Mudera, Uchain</p>	<ol style="list-style-type: none"> Electrician – 2 (1+1) Fitter – 2 (1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. ITI replied to the SCN on 20.01.2025. 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(Roopwas), Distt. Bharatpur - 321302 MIS Code - PR08000647		<p>4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2(1+1) and Fitter – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 12.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for:</p> <p>i. Electrician 02 (1+1)</p> <p>ii. Fitter 02 (1+1)</p>	
168	Shri Vishvakarma Private Industrial Training Institute, Address - Meerana Road, Bayana, Distt. Bharatpur-321401 MIS Code - PR08000701	<p>1. Electrician – 3 (1+2)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN replied on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2) and Fitter – 2 (1+1) as no deficiencies have</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 4 (2+2) and Fitter – 2 (1+1).</p> <p>2. SSDEC to provide clarification on following points: Extra unit of Electrician trade 4(2+2) has been recommended by SSDEC whereas as per NCVT MIS portal the ITI is affiliated with Electrician -3 (1+2)</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>been identified during Joint Inspection conducted on 11.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for:</p> <p>i) Electrician – 4 (2+2)</p> <p>ii) Fitter – 2 (1+1)</p>	
169	<p>Yash Private Industrial Training Institute.,</p> <p>Address - Near Machela, Weir Road, Kanawar, Bayana, Distt. Bharatpur-321401</p> <p>MIS Code - PR08001241</p>	<p>1. Electrician – 2 (1+1)</p> <p>2. Fitter – 2 (1+1)</p> <p>3. Mechanic Diesel - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2(1+1), Fitter – 2 (1+1) and Mechanic Diesel – 2 (1+1).</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for:</p> <p>i) Electrician – 02 (1+1)</p> <p>ii) Fitter – 02 (1+1)</p> <p>iii) Mechanic Diesel – 02 (1+1).</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
170	<p>B. B. Das Private Industrial Training Institute,</p> <p>Address - Vishan Colony, Uchain, Teh. -Roopbas, Dist.-Bharatpur Rajasthan-321302</p> <p>MIS Code - PR08000165</p>	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 09.09.2025: Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 06 (2+2+2) 	SCAA agreed with the recommendations of SSDEC
171	<p>Nehru Private Industrial Training Institute,</p> <p>MIS Code - Village Paharsar The. Nadbai (Bharatpur) Rajasthan - 321602</p> <p>MIS Code - PU08001611</p>	Electrician – 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. The ITI replied to the SCN on 22.01.2025. Further, a joint inspection was conducted on 18.08.2025 to 23.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>following trade/units: Electrician – 12(4+4+4) as no deficiencies have been identified during Joint Inspection conducted on 18.08.2025 to 23.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 12 (4+4+4)</p>	
172	<p>Sanskar Private ITI,</p> <p>Address - Piprau Road, Nadbai, Dist Bharatpur Rajasthan-321602</p> <p>MIS Code - PU08001761</p>	<p>1. Electrician – 3 (1+1+1)</p> <p>2. Fitter – 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 16.01.2025.</p> <p>4. Further, a joint inspection was conducted on 20.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3(1+1+1) and Fitter – 3 (1+1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 20.08.2025:</p> <p>a. In Electrician and Fitter trades- Major machines are available and in working condition, but some machines are not installed.</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide clarification on following: Some machinery not installed.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for:</p> <p>i) Electrician – 03 (1+1+1)</p> <p>ii) Fitter – 03 (1+1+1)</p>	
173	<p>Shree Bachchu Arun Pvt. ITI,</p> <p>Address - Village-Dabhara Badesara, Post Morouli, Tehsil Deeg (Bhartpur) - 321203</p> <p>MIS Code - PR08001873</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Fitter - 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 21.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fitter – 3 (1+1+1) as no deficiencies have been identified during Joint Inspection conducted on 21.08.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for:</p> <p>i) Electrician –06 (2+2+2)</p> <p>ii) Fitter – 03 (1+1+1)</p>	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
174	<p>Maa Sanja Devi Private Industrial Training Institute,</p> <p>Address - Khasra No. 835, G & P Biryari, The. Bayana (Bharatpur)- 321401</p> <p>MIS Code - PR08001253</p>	<p>1. Electrician - 04 (2+2)</p> <p>2. Fitter - 02 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 19.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2) and Fitter – 2 (1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 19.08.2025:</p> <p>i) Electrician - Motorised bench grinder & shaded pole motor not in working condition</p> <p>ii) Fitter – Surface plate C.I/Granite & angle plate not available in the workshop.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician – 04 (2+2)</p> <p>ii) Fitter – 02 (1+1)</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
175	Maa Kameshwari Private Industrial Training Institute,	<p>1. Electrician – 4 (2+2)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address - Near Polish Thana, Bhusawar, Tehsil-Baar, (Bharatpur)-321406</p> <p>MIS Code - PR08000062</p>	3. Mechanic Diesel – 2 (1+1)	<p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 18.01.2025.</p> <p>4. Further, a joint inspection was conducted on 19.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2), Fitter – 2 (1+1) and Mech. Diesel – 2 (1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 19.08.2025.</p> <p>i) Mechanic Diesel – Fuel injection bench test for calibration fuel pump having working mode but requires maintenance</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician – 04 (2+2)</p> <p>ii) Fitter –02 (1+1)</p> <p>iii) Mechanic Diesel –02 (1+1)</p>	must ensure that all the deficiencies are removed.
176	Shri Vishwakarma Private Industrial Training Institute	Electrician – 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p>	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - E-91,92 New Riico Industrial Area, Dist.Bharatpur Rajasthan-321001 MIS Code - PU08001525		3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 18.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 12(4+4+4) as no deficiencies have been identified during Joint Inspection conducted on 18.08.2025 6. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: Electrician – 12 (4+4+4)	
177	Shri Nemsingh Parmar Private ITI Address - Jayshri Road, Bhuru Ka Bas Sikri, Nagar, Bharatpur (Raj), Rajasthan - 321024 MIS Code - PR08001762	1. Electrician – 6 (2+2+2) 2. Fitter – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 21.08.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fitter – 4 (2+2) as no deficiencies have been identified during Joint Inspection conducted on 21.08.2025.	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 6 (2+2+2) and Fitter – 4 (2+2). 2. SSDEC to provide clarification on following points: a) No SSDEC recommendations for self -surrender request by ITI for affiliated trade Fitter 2(0+0+2), however as per inspection report ITI submitted surrender of 3 rd shift 2 units.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i. Electrician – 06 (2+2+2)</p> <p>ii. Fitter – 4 (2+2).</p>	
178	<p>Shri Devnarayan Bhagwan Pvt. ITI,</p> <p>Address - Kot (Bharatpur)- 321401</p> <p>MIS Code - PR08001881</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Health Sanitary Inspector - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. Further, a joint inspection was conducted on 28.08.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Health Sanitary Inspector – 2 (1+1).</p> <p>5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 28.08.2025:</p> <p>i) B.P instrument and Stethoscope in Health Sanitary Inspector trade were not in working condition and need to be replaced.</p> <p>6. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended continuation of the affiliation for: i) Electrician – 06 (2+2+2) ii) Health Sanitary Inspector – 2(1+1)	
179	Royal Private Industrial Training Institute Address - Kolana, Th. Baswa (Dausa)-303313 MIS Code - PR08000149	1. Electrician – 4 (2+2) 2. Fitter - 2 (1+1) 3. COPA – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2), Fitter – 2(1+1) and COPA – 2(1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 05.08.2025: i) In Electrician – Oil testing kit has not been found in working condition ii) In Fitter – Fire brick has not been found. iii) In COPA – 03 crimping tools (RJ45) has found 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended continuation of the affiliation for: i) Electrician – 4(2+2) ii) Fitter – 2(1+1) iii) COPA – 2 (1+1).	
180	Girish Private Industrial Training Institute Address - Surajpura Road, Near Saras Milk Dairy, Dausa-303303 MIS Code - PR08001204	1. Electrician – 6 (2+2+2) 2. Fitter - 3 (1+1+1) 3. Health Sanitary Inspector – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2), Fitter – 3(1+1+1) and Health Sanitary Inspector – 3 (1+1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 06.08.2025: i) In Electrician trade -The earth electrode (0-300 ohm), rheostat (2 amp), and smart meter were not available and also the CRO was not found in working condition.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) In Fitter trade, item no. 178 has not been properly fitted. iii) In Health Sanitary Inspector trade, item no. 14 & 18 were not available. 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician – 06 (2+2+2) ii) Fitter –03 (1+1+1) iii) Health Sanitary Inspector – 03 (1+1+1).	
181	Shree Ram Private Industrial Training Institute Address - Chitragupt Colony, Dausa Tehsil Dausa Dist. Dausa Rajasthan - 303303 (Tr. To Dausa From Nagour) MIS Code - PR08000834	1. Electrician – 6 (2+2+2) 2. Fire Tech. & Ind. Safety Management – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fire Tech. & Ind. Safety Management – 3 (1+1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 06.08.2025:	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) The rubber mat, earth electrode (0-300 ohm), rheostat (2 amp) and smart meter were not available. ii) The CRO was not found in working condition. iii) The shaded pole motor was not found in running condition. iv) In the Fire Tech. & Safety Management trade, the gas detector was not found. 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician – 06 (2+2+2) ii) Fire Tech. & Ind. Safety Management – 03 (1+1+1).	
182	Rajsthali Private Industrial Training Institute Address - Dol Ka Bas, Bandikui Road, Dist.Dausa Rajasthan MIS Code - PR08000183	Electrician – 9 (3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 9(3+3+3).	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 06.08.2025:</p> <p>i) The earth electrode (0-300 ohm), rheostat (2 amp) and smart meter have not been available.</p> <p>ii) The DC starter penal has not been found in working condition.</p> <p>iii) As per other observations – the fire extinguisher was not found in working condition.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician – 09 (3+3+3)</p>	
183	<p>Ashish Private ITI</p> <p>Addres - Kheda Kurd, Near Joshi Kothi, Dist. Dausa</p> <p>MIS Code - PU08001731</p>	Electrician – 24 (8+8+8)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 30.01.2025.</p> <p>4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 24(8+8+8).</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 05.08.2025:</p> <p>i) Smart meter, solar panel with battery, 0-300-ohm, 2-amp rheostat were not available.</p> <p>ii) Item 115, single-phase autotransformer was not found in working condition.</p> <p>iii) The motorised electric drill machine has not been properly fitted.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: Electrician – 24 (8+8+8)</p>	
184	<p>Shri Ramkrishna Private ITI,</p> <p>Address - C/o Mamta Sharma, Harit Vihar, Modapatti, Dausa</p> <p>MIS Code - PR08001692</p>	Electrician – 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 31.01.2025.</p> <p>4. Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2)</p> <p>6. However, as per joint inspection report following deficiencies have been identified</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 08.08.2025:</p> <p>a) The smart meter and rubber mat were not available.</p> <p>b) The DC starter 03 point was not found in working condition.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician – 04 (2+2)</p>	
185	<p>New Meenakshi Pvt. ITI</p> <p>Address - Malipura, Baswa Road, Bandikui (Dausa)</p> <p>MIS Code - PR08001939</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Health Sanitary Inspector – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) and Health Sanitary Insepctor – 2 (1+1)</p> <p>6. However, as per joint inspection report the following deficiencies have been identified during Joint Inspection conducted on 05.08.2025:</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) In Electrician trade megger has not been found in working condition and rubber mate and earth electrode has not been available. ii) In the Health Sanitary Inspector TDS meter has not been available and only 02 nos. of thermometer have been available. 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i. Electrician – 06 (2+2+2) ii) Health Sanitary Inspector – 02 (1+1)	
186	Maa Bhagwati Private Industrial Training Institute Address - Ayodhya Nagar, Saithal Road, Dist.-Dausa Rajasthan MIS Code - PU08000220	1. Electrician - 12(4+4+4) 2. Fitter - 3(1+1+1) 3. Fire Technology and Industrial Safety Management – 3 (1+1+1) 4. Health Sanitary Inspector – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 06.02.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 12(4+4+4), Fitter -3(1+1+1), Fire Technology and Industrial Safety Management - 3(1+1+1) and Health Sanitary Inspector - 3(1+1+1).	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:</p> <ul style="list-style-type: none"> i) In the Electrician trade, about 05% of tool kit has non-functional and 09% of tools and equipment has damage or not-working. Shop machinery requires maintenance. ii) In the Fitter trade, the pneumatic and hydraulic trainer kits have not been available. iii) In the Fire Technology and Industrial Safety Management trade, the fire extinguisher needs valve replacement, and several tools and instruments has corroded or outdated. iv) In the Health Sanitary Inspector trade, LCD projector/interactive smart board has not been available. <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <ul style="list-style-type: none"> i) Electrician – 12 (4+4+4) ii) Fitter – 03 (1+1+1) iii) Fire Technology and Industrial Safety Management - (1+1+1) 03 units 	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv) Health Sanitary Inspector - (1+1+1) 03 units	
187	<p>Utthan Fire and Safety Private ITI</p> <p>Address - Near Green City, Singwada Road, Lalsot Bypass, Dausa, Rajasthan - 303303</p> <p>MIS Code - PR08001738</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Fire Technology and Industrial safety Management – 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2024.</p> <p>4. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fire Tech. and Ind. Safety Management -3(1+1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.06.2025:</p> <p>i) In the Electrician trade, about 06% of tool kit has not been useable and 04% of tools and accessories have damage or not-working. 8% of shop machinery requires maintenance.</p> <p>ii) In Fire Technology and Industrial Safety Management trade, about 4% of fire extinguisher has needs valve replacement, and several tools and instruments has corroded or outdated.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician – 06 (2+2+2) ii) Fire Technology and Industrial Safety Management – 03 (1+1+1)	
188	New Maa Saraswati Private ITI, Address - Koshik School ke Pass, Dausa MIS Code - PU08001843	1. Electrician – 6 (2+2+2) 2. Fire Technology and Industrial Safety Management – 6 (2+2+2) 3. Health, Safety & Environment – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 11.02.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician -6(2+2+2), Fire Tech. & Ind. Safety Management – 6(2+2+2) and Health Sanitary Insepctor – 3 (1+1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: i) In the Electrician trade, about 09% of tool kit has non-functional and 07% and 03% of tools and equipment has	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>damage or not-working. Shop machinery requires maintenance.</p> <p>ii) In the Fire Technology and Industrial Safety Management trade, the fire extinguisher needs valve replacement, and several tools and instruments has corroded or outdated.</p> <p>iii) In the Health Sanitary Inspector trade, LCD projector and UPS have not been in working condition.</p> <p>iv) The Electrician and Health Safety & Environment workshop has operating in the tin shed.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician -06 (2+2+2)</p> <p>ii) Fire Technology and Industrial Safety Management – 06 (2+2+2)</p> <p>iii) Health Sanitary Inspector -03 (1+1+1)</p>	
189	<p>Maa Saraswati Pvt. ITI</p> <p>Address - Khasra No.- 304, Ganesh Nagar, Dausa</p> <p>MIS Code - PU08001928</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Fire technology and Industrial Safety Management – 6 (2+2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 11.02.2025.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
		3. Health Safety Environment – 3 (1+1+1) 4. Health Sanitary Inspector – 3 (1+1+1)	4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 06(2+2+2), Fire technology and Industrial Safety Management -6(2+2+2), Health Safety Environment – 3(1+1+1) and Health Sanitary Inspector -3(1+1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: i) In Electrician trade, 10% to 12% tools have not been in working condition. ii) In the Fire Technology and Industrial Safety Management trade, the fire extinguisher needs valve replacement, and several tools and instruments has corroded or outdated. iii) In the Health Safety Environment trade, the LCD and refrigerator have not been in working condition. iv) In the Health Sanitary Inspector trade, the sprinkler has been choked and nitrogen cylinder has been empty. v) The Electrician and Health Sanitary Inspector workshops are operating in the tin sheds.	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician - (2+2+2) 06 units ii) Fire technology and Industrial Safety Management -(2+2+2) 06 units iii) Health Safety Environment – 03 (1+1+1) iv) Health Sanitary Inspector – 03 (1+1+1)	
190	Maa Jawala Pvt. ITI Address - Garh (Dausa) MIS Code - PU08001901	1. Electrician – 3 (2+1) 2. Health Sanitary Inspector – 3 (1+1+1) 3. COPA – 3 (1+1+1) 4. Early Childhood Educator (PSMA) – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 31.01.2025 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3(2+1), Health Sanitary Insepctor – 3(1+1+1), COPA – 3(1+1+1) and Early Childhood Educutor (PSMA) – 3(1+1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: i) In the Electrician trade, tools have not been in working condition.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) In the Health Sanitary Inspector, the LCD projector has not been present. iii) In the COPA, the computers (6 th Generation) and internet connectivity has been slow. Software has outdated and Air-conditioner has not been working. iv) In the Early Childhood Educator, tools and equipment has not been in working condition. 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician – 03 (2+1) ii) Health Sanitary Inspector – 03 (1+1+1) iii) COPA – 03 (1+1+1) iv) Early Childhood Educator (PSMA) – 03 (1+1+1).	
191	Deep Shikha Private Industrial Training Institute Address - Gudha Road, Nand Gaun, Ward No. 02, Bandikui, The. Baswa (Dausa) 303313 MIS Code - PR08000621	1. Electrician – 6 (2+2+2) 2. Fitter - 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 28.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fitter– 3(1+1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025:</p> <p>i) The Fire extinguisher system has non-functional</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician – 6(2+2+2)</p> <p>ii) Fitter – 3(1+1+1)</p>	
192	<p>Rohit Private Industrial Training Institute</p> <p>Address - Padli, Mahwa, Dausa Distt. Dausa-321608</p> <p>MIS Code - PR08000664</p>	<p>1. Electrician – 7 (3+2+2)</p> <p>2. Fitter – 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 7(3+2+2), and Fitter – 3(1+1+1)</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 15.09.2025:</p> <p>i) The electricity bill indicates less focus on practical training; an advisory may be issued in this regard by the State.</p> <p>ii) The IT lab has not been fully functional</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician-7 (3+2+2)</p> <p>ii) Fitter-3 (1+1+1)</p>	
193	<p>Shri Shyam Private Industrial Training Institute,</p> <p>Address - Teekri Jafranm, Khasar No. 533, N.H.11, Agra Road, Mahwa, Distt. Dausa - 321608</p> <p>MIS Code - PR08000707</p>	<p>1. Electrician – 3 (1+1+1)</p> <p>2. Fitter – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3(1+1+1) and Fitter – 2(1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 15.09.2025:</p> <p>i) The electricity bill indicates less focus on practical training; an advisory may be issued in this regard by the State.</p> <p>ii) Principal room size has not been as per norms.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>i) Electrician-3 (1+1+1)</p> <p>ii) Fitter -2(1+1)</p>	
194	<p>Lotwara Private Industrial Training Institute</p> <p>Address - 3071, Vill. - Lotwara, Tehsil. - Baswa, Dist. Dausa - 303509</p> <p>MIS Code - PR08001317</p>	Electrician – 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 17.01.2025.</p> <p>4. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 17.09.2025:</p> <p>i) IT lab and class rooms could be improved.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician 04 (2+2)	
195	Vinayak Private Industrial Training Institute Address - Gram-Tikari Jafran, Mahwa, Dist-Dausa Rajasthan MIS Code - PR08000762	Electrician – 5 (2+1+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 5(2+1+2) as no deficiencies have been identified during Joint Inspection conducted on 18.09.2025. 6. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician-5 (2+1+2)	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
196	<p>Shree Gopal Private Industrial Training Institute</p> <p>Address - Bad Bishnpura, Baswa Raod, Bandikui, Dist.-Dausa Rajasthan</p> <p>MIS Code - PR08000216</p>	Electrician – 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 29.01.2025. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician – 12(4+4+4). Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: <ol style="list-style-type: none"> Electrician -12(4+4+4) 	SCAA agreed with the recommendations of SSDEC
197	<p>S.R. Mahana Private ITI</p> <p>Address - At. Village Lotwara, Tehsil Baswa, Dist. Dausa</p> <p>MIS Code - PR08001665</p>	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 17.09.2025:</p> <p>i) IT labs, class rooms and library could be improved.</p> <p>6. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for:</p> <p>Electrician-6 (2+2+2)</p>	
198	<p>Kanishk Private ITI</p> <p>Address - Bandikui, Tehsil Baswa, Dist. Dausa</p> <p>MIS Code - PU08001833</p>	<p>1. Electrician – 6 (2+2+2)</p> <p>2. Health Sanitary Inspector – 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 19.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Health Sanitary Insepctor – 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 19.09.2025</p> <p>6. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 6 (2+2+2) and Health Sanitary Inspector – 2 (1+1).</p> <p>2. SSDEC to provide clarification on following points: No recommendations Heath Sanitary Inspector – 1(0+0+1) has not been recommended. However, this trade is affiliated on the NCVT MIS Portal.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended continuation of the affiliation for: i) Electrician-6(2+2+2) ii) Health Sanitary Inspector -2 (1+1)	
199	Sankalp Private ITI Address - Bandhikui Road, Sikandra, Sikray, Dausa MIS Code - PR08001863	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 26.01.2025. Further, a joint inspection was conducted on 20.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 20.09.2025: i) Improvement required in IT labs, class rooms. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician- 6(2+2+2) 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
200	Amrit Pvt. ITI	1. Electrician – 8 (4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Jaipur Road Jeerota Kalan Dausa MIS Code - PR08001956	2. Health Sanitary Inspector – 2 (1+1) 3. COPA – 2 (1+1) 4. Information Communication Technology System Maintenance – 2 (1+1)	2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 20.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (4+4), Health Sanitary Inspector - 2 (1+1), COPA- 2 (1+1) and Information Communication Technology System Maintenance -2 (1+1) 6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 20.09.2025 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician - 8(4+4) ii) Health Sanitary Inspector - 2(1+1) iii) COPA - 2(1+1) iv) Information Communication Technology System Maintenance - 2(1+1)	
201	M.P.S Private Industrial Training Institute,	1. Electrician – 3 (1+1+1) 2. Plumber – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025.	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 2 (1+1).

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address - International Colony, Sri Ganganagar-335001</p> <p>MIS Code - PR08000692</p>		<p>3. The ITI replied to the SCN on 18.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician-2(1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.08.2025:</p> <p>i) The major and minor machinery is 15–50% deficient.</p> <p>ii) The electric power supply is not proper.</p> <p>iii) The building infrastructure is not as per norms.</p> <p>iv) The Electrician Lab, IT Lab, and Library are located in the basement.</p> <p>v) A part of the first floor is covered with a tin shed.</p> <p>vi) The consumption of electricity and expenditure on raw material are found to be low.</p> <p>vii) The Plumber workshop size is not as per norms. Annexure-III has been filled incorrectly.</p> <p>viii) The condition of the basement building is poor.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has</p>	<p>2. ITI is being granted a final opportunity to show cause as to why following trade/units should not be de-affiliated due to deficiencies observed during the joint inspection:</p> <p>Electrician–1 (0+0+1) and Plumber-1(1+0)</p> <p>The ITI shall treat these Minutes as a final notice issued by DGT. The ITI is required to submit its reply within 21 days from the date of issuance of these Minutes to the official email ID: tc-deaffiliation@dgt.gov.in.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended continuation of the affiliation for: Electrician - 2(1+1).	
202	Lovely Private Industrial Training Institute, Address - Greenland, Kesrisinghpur, Dist.- Ganganagar Rajasthan MIS Code - PR08000582	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. The ITI replied to the SCN on 18.01.2025. Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 04.08.2025: <ol style="list-style-type: none"> The ITI has 07 untrained instructors, and some instructors have less experience. The building infrastructure has been found undersized as per the new norms, as the Principal's office, Clerk's office, Staff room, Library, Dispensary, Store, and ED/Multipurpose Hall have less area than prescribed. The Electrician trade has 5% major and minor machinery not available, and 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on the following points: No recommendations for Electrician - 4(1+1+2) by SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>some major machinery has not been in working condition.</p> <p>iv) The ITI has spent a lesser average amount on raw materials per trainee per month.</p> <p>v) The electricity consumption per trainee per month has also been found very low.</p> <p>vi) Some portions of the constructed area, such as the Principal's office, Clerk's office, Staff room, Library, Dispensary, and Multipurpose Hall, have been covered with tin sheds.</p> <p>vii) The building infrastructure, including workshops, classrooms, stores, library, Principal chamber, and IT lab, has been divided using aluminium frames and fibre sheets.</p> <p>viii) Ventilation and sign board have not been as per norms.</p> <p>ix) RCC pole has mounted on outside of the ITI area.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - 2(1+1)</p>	
203	Pioneer Private ITI, Address - Near Nirankari Satsang Bhawan, Shri	Electrician – 8 (3+3+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p>	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Vijay Nagar, Dist. Sri Ganganagar Rajasthan MIS Code - PR08001107		<p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.08.2025:</p> <ul style="list-style-type: none"> i) The major and minor machinery has less than 10% and some machinery not in working condition. ii) The building infrastructure has been found undersized as per the new norms, as the Classroom, Library, Dispensary, Store, and ED/Multipurpose Hall have less area than prescribed. iii) The electricity consumption per trainee per month has also been found very low. iv) Some portions of the constructed area covered with tin shade. v) Some instructors have less experience and not qualified in CITS. vi) Raw material quantity has low. <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - 4(2+2)</p>	<p>2. SSDEC to provide clarification on the following points:</p> <p>No recommendations for Electrician - 4(1+1+2) by SSDEC.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
204	<p>Chawala Private Industrial Training Institute,</p> <p>Address - Plot No. 197,198,199, Kirti Colony, Near Govt. Hospital, Shri Ganganagar-335001</p> <p>MIS Code - PR08001110</p>	Electrician – 8 (4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 11.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.08.2025: <ol style="list-style-type: none"> 05 instructors have less experience, 03 instructors have been appointed without any experience, and experience certificates of 02 instructors have not been attached. A total of 08 instructors have been found Non-CITS. The joining letter of the Principal has not been provided. The ITI has spent a negligible amount on raw material. Electricity consumption has been found very low. 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on the following points: No recommendations for Electrician - 4(2+2) by SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>v) Major and minor machinery has been found 40% less, and some machinery has not been in working condition.</p> <p>vi) Annexure-III has been filled incorrectly.</p> <p>vii) The building infrastructure has been found undersized as per norms, including classrooms, workshops, dispensary, ED Hall/Multipurpose Hall, store, etc.</p> <p>7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - 4(2+2)</p>	
205	<p>Technnotime Private Industrial Training Institute,</p> <p>Address - Chak S.P.G.M, Anupgarh, Dist. Shri Ganga Nagar Pin-335701 Rajasthan</p> <p>MIS Code - PR08000740</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2(1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025:</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide clarification on the following points: No recommendations for Electrician - 4 (1+1+2) by SSDEC.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> i) 07 instructors have less experience and 03 instructors have been appointed without any experience. ii) The map has been found incorrect with respect to room sizes, and Annexure-III has been filled wrongly. iii) As per the lease and map, 16 rooms have been shown; however, 06 of them have been found locked or used for other purposes. iv) The institute has not been operating entirely as per the layout shown in the map. v) The building infrastructure has been found undersized as per norms, including, IT Lab, Store, Library, and classrooms. vi) The ITI has spent a negligible amount on raw material vii) The electricity consumption has been found very low. viii) The ED Hall/Multipurpose hall has not been available. ix) The workshop has been covered with tin sheds. x) Major and minor machinery has been found more than 30% deficient, and many machines have not been in working condition. 	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - (1+1) 02 units	
206	<p>Ch Mota Ram Meel Memorial Private ITI</p> <p>Address - Chak 5 Nrd, Vill-Nirwana, Tehsil-Suratgarh, Distt-Sri Ganganagar - 335804</p> <p>MIS Code - PR08001750</p>	<p>1. Electrician – 3 (1+1+1)</p> <p>2. Plumber- 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2(1+1).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 05.08.2025</p> <p>i) All Instructor are untrained.</p> <p>ii) Some Instructors are less in Experiences.</p> <p>iii) Building Infrastructure is less in size as per new norms, as plumber workshop, Principal office, clerk office, staff room, ED hall/multipurpose hall, etc. are less in size as per new norms.</p> <p>iv) 10% major & minor machinery are not available in Electrician trade.</p>	<p>1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.</p> <p>2. SSDEC to provide clarification on the following points: No recommendations for Electrician - 1(0+0+1) & Plumber -3(1+1+1) trades by SSDEC.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			v) Some major machinery is not in working condition. 6-30% major & minor machinery are not available in Plumber trade. vi) Average amount spent on raw material per month per trainee are less. vii) Nos. of units of Electricity consumed per month per trainee are very less. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 2(1+1).	
207	Smt Ganga Dixit Pvt. ITI, Address - Stone No-179/422 M/N Kila No-9, Plot No-10/11, Gurunagar-Anupgarh Road, 32 Gb (Ganganagar) - 335704 MIS Code - PU08001906	1. Electrician – 6 (2+2+2) 2. Health Sanitary Inspector – 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.08.2025: i) Major & Minor machinery are than 40% less	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on the following points: No recommendations for Electrician - Electrician 4 (1+1+2) & Health Sanitary Inspector – 1(1+0) trades by SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> ii) Many machineries are not in working condition. iii) Spent on raw material and electricity with consume very loss or negligible. iv) Building infrastructure is less in size as per norms as principal room, library, Office etc. v) ED hall/Multipurpose hall & Furniture not available. vi) 2nd Floor tin shaded and building condition poor. vii) lease paper and agreement were not proper dated. viii) Annexure III wrongly filled. ix) Many instructors are less experienced appointed without experiences, non CITS. x) Principal experience and 02 Instructors documents not attached. xi) DD Not given by owner for affiliation of HSE trade & more than 90% machinery of HSI trade NA. <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units Electrician – 2 (1+1).</p> <p>8. Further, the Health Sanitary Inspector – 2(0+1+1) trade has been de-affiliated vide</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			DGT order dated 17.01.2025 due to de-affiliation.	
208	Shree Shyam Private ITI, Address - V.P.O. Mandrella, Tehsil Chirawa, Dist- Jhunjhunu MIS Code - PR08001682	1. Electrician – 6 (2+2+2) 2. Health Sanitary Inspector - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(2+2+2) and Health Sanitary Inspector - 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 15.09.2025 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trades/units: i) Electrician - 6(2+2+2) ii) Health Sanitary Inspector - 2(1+1)	SCAA agreed with the recommendations of SSDEC
209	Vivekanand Private ITI, Address - Badagave Road Village & Post Chanaha, Chirawa, Dist. Jhunjhunu-333026	1. Electrician – 2 (1+1) 2. Fire Technology – 2 (1+1) 3. Fitter – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025.	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Fire Technology – 2 (1+1). 2. SSDEC to provide clarification on following points:

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001710		<p>4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) and Fire Technology 2(1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025:</p> <p>a) In the Fitter trade, major machinery/equipment as per the approved list (Serial Nos. 197 to 204) is not available in the institute. Due to this deficiency, approximately 80 hours of the prescribed syllabus could not be covered. which adversely affects the practical training of trainees.</p> <p>b) Considering the deficiencies observed during inspection and the impact on trainees' practical training, the institute is recommended for de-affiliation.</p> <p>c) There is no partition/wall separation between the Fitter lab and the Electrician lab, which is not permissible as per NCVET/NSQF norms.</p> <p>d) 03 out of 02 instructor 01 instructor is only CTS passed with zero-year experience hence ineligible as instructor</p>	No recommendations provided for Fitter – 2 (1+1)

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 2 (1+1) and Fire Technology 2(1+1).	
210	Modern Private ITI, Address - VPO. Chanana, Chirawa, Dist. JHUNJHUNU-333026 MIS Code - PR08001652	1. Computer Hardware & Network Maintenance – 2 (1+1) 2. Electrician – 2 (1+1) 3. Plumber – 1 (1+0) 4. Sewing Technology – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 16.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation Electrician – 2 (1+1).	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1). 2. SSDEC to provide clarification on following points: No recommendations were provided by SSDEC for following trades/units, however, these trades and units are affiliated on NCVT MIS Portal: i) Computer Hardware & Network Maintenance – 2 (1+1) ii) Plumber- 1(1+0) iii) Sewing Technology- 1(1+0)
211	Rajkamal Pvt. ITI, Address - Nangaliya Gujarwas, Post- Mehara Jatuwas (Jhunjhunu) MIS Code - PR08001948	1. Electrician – 6(2+2+2) 2. Health Sanitary Inspector –2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025.	1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 6 (2+2+2). 2. SSDEC to provide clarification on following points:

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 17.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 6(2+2+2)</p>	a) No recommendations were provided by SSDEC for Health Sanitary Inspector 2(1+1), however, it is affiliated on NCVT MIS Portal:
212	<p>Baba Ganganath Private Industrial Training Institute</p> <p>Address - Village. Chahra Ka Bass, Post. Parasrampura (Purana), Nawalgarh, Dist. Jhunjhunu Rajasthan</p> <p>MIS Code - PR08000485</p>	Electrician – 2 (2+0)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 13.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician - 4 (2+2) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation</p>	<p>SSDEC to provide clarification on following points:</p> <p>Extra 2 units in 2nd shift of Electrician trade has been recommended by SSDEC. However, as per NCVT MIS Portal Electrician 2nd shift, 2 units have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>of the affiliation for above said trade and units.</p> <p>7. Further, Electrician-2(0+2) have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission.</p>	
213	<p>Seth Motilal Private Industrial Training Institute</p> <p>Address - Rani Sati Road, Jhunjhunu Dist. Jhunjhunu Pin-333001 Rajasthan</p> <p>MIS Code - PU08000771</p>	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 08.09.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units. 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
214	<p>Shri Bhairav Baba Private Industrial Training Institute</p> <p>Address - P.No.33, Near Ambedkar Hostel Navalgarh, Dist.- Jhunjhunu Pin-333042 Rajasthan</p> <p>MIS Code - PR08000382</p>	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units. 	SCAA agreed with the recommendations of SSDEC
215	<p>Jai Giriraj Private ITI,</p> <p>Address - Udaipurwati, Dist. Jhunjhunu-333307</p> <p>MIS Code - PU08001636</p>	<ol style="list-style-type: none"> Electrician – 2 (1+1) Health Sanitary Inspector – 1 (1+0) Early Childhood Educator – 2 (1+1) Fitter-2 (1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 23.01.2025. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1) and Health Sanitary Inspector – 1 (1+0). SSDEC to provide clarification on following points: <ol style="list-style-type: none"> Reasons for not recommendation for continuation of affiliation of

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>following trade/units: Electrician - 2(1+1) and Health Sanitary Inspector- 1 (1+0).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025:</p> <p>a) For Fitter trade, the Pneumatics and Hydraulics tools and accessories were not available during inspection due to which not recommended.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units.</p>	<p>Fitter 2(1+1) were not provided by SSDEC.</p> <p>ii) No recommendations for Early child Educator (1+1) 02 were provided by SSDEC.</p> <p>iii) In the joint inspection report inspecting committee mentioned that as per affiliation order dated 30.07.2015 the trade Early Childhood Educator is not mentioned as well; as ITI has also denied for this trade but on NCVT MIS Portal the ITI is affiliated with this trade as 2(1+1).</p>
216	<p>Tagore Private ITI,</p> <p>Address - Mandawa Road, Sitsar, Dist. Jhunjhunu</p> <p>MIS Code - PR08001864</p>	<p>1. Electrician – 2 (1+1)</p> <p>2. Fitter – 2 (1+1)</p> <p>3. Hair & Skin care (VI & OD) – 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1)</p> <p>5. However, as per joint inspection report following deficiencies have been identified</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 2 (1+1).</p> <p>2. SSDEC to provide clarification on following points: Reasons for not recommended Fitter 2 (1+1) & Hair & Skin care (VI & OD)-2(1+1) trades were not provided by SSDEC.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 18.09.2025:</p> <p>a) For Hair and Skin care (VI &OD) trade there were neither workshop nor tools and Accessories available.</p> <p>b) In Fitter trade Pneumatics and Hydraulics tools and Accessories were not available.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 2(1+1) and not recommended Fitter-2(1+1+) and Hair & Skin care (VI &OD)-2(1+1).</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
217	<p>Anand Private Industrial Training Institute,</p> <p>Address - Vpo.Karana, Tehsil-Bansur, Dist. Alwar Pin-301024 Rajasthan</p> <p>MIS Code - PR08001428</p>	Electrician – 9 (3+3+3)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 23.01.2025. Further, a joint inspection was conducted on 13.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of Electrician – 8 (3+3+2) as no deficiencies have been identified during Joint Inspection conducted on 13.08.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units. 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician – 8 (3+3+2). SSDEC to provide clarification on following points: No recommendations for Electrician-1(0+0+1) unit by SSDEC,
218	<p>Saroj Devi Private Industrial Training Institute</p> <p>Address - Vpo.Khedi Ramgarh, Dist.Alwar Pin-301026 Rajasthan</p> <p>MIS Code - PR08001571</p>	<ol style="list-style-type: none"> Electrician – 6 (2+2+2) Fitter – 3 (1+1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 28.01.2025. Further, a joint inspection was conducted on 11.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for 	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Electrician - 6(2+2+2) and Fitter- 3(1+1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trades:</p> <p>a) Electrician - 6(2+2+2)</p> <p>b) Fitter- 3(1+1+1)</p>	
219	<p>Eklavya Private Industrial Training Institute</p> <p>Address - Karauli, Near Riico Area, Karauli, Dist.Karauli Pin-322241 Rajasthan</p> <p>MIS Code - PR08000498</p>	Electrician – 9 (3+3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025</p> <p>4. Further, a joint inspection was conducted on 02.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 9 (3+3+3).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 02.09.2025:</p> <p>i. Electrician workshop some tool & equipment needs maintenance.</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 9 (3+3+3).	
220	Mishri Devi Memorial Private Industrial Training Institute, Address - Todabhim, Distt. Karoli-321611 MIS Code - PR08000644	Electrician – 2 (1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 01.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 01.09.2025: <ol style="list-style-type: none"> a) Electrician workshop some tool & equipment needs maintenance. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 2 (1+1). 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
221	<p>Navodaya Private Industrial Training Institute</p> <p>Address - Boota Singh Colony, Sangod Road, Kaithoon Taluka, Ladpura, Dist. Kota - 324001</p> <p>MIS Code - PR08000325</p>	Electrician – 18 (6+6+6)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 16.01.2025. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 8(4+4) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025: <ol style="list-style-type: none"> Tool and equipment and Major-Machineries Were Present Only for Four Units as Third Machinery Lab was Not Functioning and Major equipment Such as- Ev Charger (3 Phase), Coil Winding Machine, DG Set, Inverter Etc. we're not Present. Fire Extinguisher was not refilled. In Engg. Drawing class room ED Table all not present. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 8(4+4). 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide clarification on following points: No recommendations provided for Electrician 10 (2+2+6)

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
222	<p>Shree Shyam Sanaday Private Industrial Training Institute</p> <p>Address - Vill Kanwarpura, The. Gigod Dist. Kota-325201</p> <p>MIS Code - PR08000384</p>	Electrician - 08 (3+3+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 10.01.2025. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(3+3). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025: <ol style="list-style-type: none"> Fire extinguisher was not refilled. In Engg. Drawing class room ED table were not present. Phase EV charger was not present. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 06 (3+3) 	<ol style="list-style-type: none"> ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. SSDEC to provide reasons for following points: No recommendations provided for Electrician 2 (0+0+2) by SSDEC.
223	Maharshi Angira Private Industrial Training Institute	Electrician - 06 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 10.02.2025. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Vill. -Nangal Rajaratnam Dist.-Dausa-333003 Rajasthan MIS Code - PR08000257		<ol style="list-style-type: none"> Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(2+2+2). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: <ol style="list-style-type: none"> Trainees Tool Kit- approximately 7% of tool are not useable. Shop Tool & Equipment: Approximate 8 Percent tool and accessories are need to replace and approx 9 percent of equipment not give proper celebration. Shop Machinery: Approx 10 percent of motor and other machinery need maintenance. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 06 (2+2+2) 	
224	Savitri Devi Private Industrial Training Institute Address - 6-A-25 Mahavir Nagar,	Electrician – 3 (1+1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 24.01.2025. 	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Dist.Kota Rajasthan-324009 MIS Code - PU08000193		<ol style="list-style-type: none"> Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician -3(1+1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025 Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 03 (1+1+1) 	
225	New Gyan Jyoti Private ITI Address - Gram Karwar Patwar Ksheti, Teh.Pipalda Dist.Kota-324005 MIS Code - PR08001711	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 21.01.2025. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025 Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			23.09.2025, has recommended continuation of the affiliation for Electrician – 06 (2+2+2)	
226	<p>Shree Radha Raman Private ITI</p> <p>Address - Plot No. 2, Thermal Colony Road, Sakatpura, Dist. Kota- 326008</p> <p>MIS Code - PU08001680</p>	Electrician - 2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 20.01.2025. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025 Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 02 (1+1) 	SCAA agreed with the recommendations of SSDEC.
227	Shri Ramchandra Pvt. ITI	<ol style="list-style-type: none"> Electrician - 7 (3+4) Mechanic Diesel - 2 (1+1) Fitter - 2 (1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - F-69, Industrial Area, Infront of Multimetal KOTA MIS Code - PR08000990		<ol style="list-style-type: none"> The ITI replied to the SCN on 20.12.2024. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: <ol style="list-style-type: none"> Electrician – 07 (4+3+0) Mechanic Diesel – 02 (1+1) Fitter – 02 (1+1) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: <ol style="list-style-type: none"> 10% tools and equipment not as per revised syllabus were not available. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trades and units. 	
228	Shree Vitthal Private Industrial Training Institute Address - At House No.1(145), Vallabhbari, Dist. Kota Rajasthan- 324006	Electrician - 3 (1+1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 18.01.2025. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000199		<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 3(1+1+1)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:</p> <p>i) 20% tools and equipment not as per revised syllabus were not available</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 03 (1+1+1)</p>	
229	<p>Seth Shree Badrilal Tijubai Private Industrial Training Institute</p> <p>Address - Chanchal Vihar, Kunhari, Kota-324008</p> <p>MIS Code - PR08000470</p>	Electrician – 6 (3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 30.12.2024.</p> <p>3. The ITI replied to the SCN on 11.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(3+3).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025,</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) 20% tools and equipment not as per revised syllabus were not available. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 06 (3+3)	
230	Divya Aksh Private Industrial Training Institute Address - Modak Station, Teh. Ramganj Mandi, Distt. Kota-326517 MIS Code - PR08000688	Electrician – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 08.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician -2(1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 10.09.2025: a) 20% tools and equipment not as per revised syllabus 2023 were not available. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 02 (1+1)	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
231	<p>Swargiya Shree Patel Chandalal Private Industrial Training Institute</p> <p>Address - Vill-&Po- Kamolar The-Sangod Dist Kota - 324601</p> <p>MIS Code - PR08001261</p>	<ol style="list-style-type: none"> Electrician – 18 (6+6+6) Fitter - 1 (1+0) Welder - 1 (1+0) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 22.01.2025. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: <ol style="list-style-type: none"> Electrician – 18 (6+6+6) Fitter- 1(1+0+0) Welder-1(1+0+0) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 10.09.2025: <ol style="list-style-type: none"> 20% tools and equipment not as per revised syllabus were not available. 02 machines were not in working condition. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trades and units. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
232	<p>Sh. Radhe Rani Private Industrial Training Institute</p> <p>Address - B-12, Laxman Vihar, Opp. Roadways Workshop, Kunhari, Ladpura, Dist. Kota - 324008</p> <p>MIS Code - PR08001300</p>	Electrician-5 (1+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 21.01.2025. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 5(1+2+2) However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025: <ol style="list-style-type: none"> 20% tools and equipment not as per revised syllabus were not available. Electricity Bill was in the name of society. (An undertaking has been obtained for the usage). Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 05 (1+2+2) 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
233	Arjun Private Industrial Training Institute, Address - Nh-11, Laxmangarh Road, Dist.Sikar MIS Code - PR08000366	1. Electrician-9 (4+4+1) 2. Mecanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units Electrician - 9(4+4+1) and Mechanic Diesel -2(1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025: a) some items were not available in the Electrician and Mechanic Diesel workshops as per DGT tool list. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 09 (4+4+1), and Mechanic Diesel 02 (1+1).	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
234	Dadraj Katariya Private Industrial Training Institute,	Electrician- 3 (1+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Chiriya Tibba Ward No.-37, Dist.-Sikar Rajasthan MIS Code - PU08000217		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 19.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician 3(1+2). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 19.09.2025: <ol style="list-style-type: none"> Some items were not available in the workshop as per DGT tool list. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 3 (1+2). 	
235	Quality Private ITI, Address - F-51, Jaipur Road, Sikar - 332001 MIS Code - PU08001848	<ol style="list-style-type: none"> Fire Technology Industrial safety management – 3 (1+1+1) Electrician – 6 (2+2+2) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 15.01.2025. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units:</p> <p>a) Fire Technology Industrial safety management 03 (1+1+1),</p> <p>b) Electrician 06 (2+2+2)</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:</p> <p>a) ITI & SKILL LOGO is not available with the T name of ITI at the main gate of the institute.</p> <p>b) Store records are not available.</p> <p>c) No admissions in electrician trade in the last session in 2 shifts.</p> <p>d) In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; and maintenance is required, the workshop area is also not properly cleaned.</p> <p>e) Available tools and machinery are as per old syllabus, required updation as per the new syllabus.</p> <p>f) Available Instructor strength is not as per the affiliated units.</p> <p>g) IT Lab setup and furniture is not as per standard specification.</p> <p>h) Only 08 Instructors are present out of 13 at the time of the Joint inspection.</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) Teaching aids, Furniture, and amenities maintenance required. j) diesel generator is breakdown condition 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Fire Technology Industrial safety management 3 (1+1+1) and Electrician 6 (2+2+2).	
236	Shree Ram Private Industrial Training Institute, Address - Beri, Sikar MIS Code - PR08000843	1. Electrician -2 (1+1) 2. Fitter-2 (1+1) 3. COPA – 2 (1+1) 4. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 26.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a) Electrician 02 (1+1) b) Fitter 02 (1+1) c) COPA 02 (1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025:	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed 2. SSDEC to provide clarifications on following points: Reasons for not recommended Mechanic Diesel – 2 (1+1) not provided by SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI & SKILL LOGO is not available with name of ITI at main gate of institute. b) Store records are not available. c) In work shop Lighting arrangements are poor. d) Record of Instructor and trainees are not updated and need to modify. e) Shortage of tools and machinery in Mech diesel trade as per old syllabus, not in running condition and diesel generator is in breakdown condition. f) IT Lab setup and furniture is not as per standard specification. g) Electrician and Fitter trade tools, machinery & equipment are as per old syllabus h) Only Five Instructors are present at the time of Joint inspection. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trade/units a) Electrician 02 (1+1) b) Fitter 01 (1+1) c) COPA 02 (1+1)	
237	Vinayak Private Industrial Training Institute	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address - Vpo. Shahpura, Dhod, Dist.- Sikar Rajasthan</p> <p>MIS Code - PR08000768</p>		<p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician 6 (2+2+2).</p> <p>6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: -</p> <p>a) ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute.</p> <p>b) Store records are not available.</p> <p>c) No admissions 2 shifts in the last session.</p> <p>d) Available tools and machinery are as per old syllabus, required to be updated as per the new syllabus</p> <p>e) Some equipment is not working; maintenance is required.</p> <p>f) Available Instructor strength is not as per the affiliated units.</p> <p>g) IT Lab setup and furniture is not as per standard specification.</p> <p>h) Only 09 Instructors are present out of 10 at the time of the Joint inspection.</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) List of tool & machinery not provide in prescribed format, and bills of the machinery not provided. j) Electricity bills not provided 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06(2+2+2)	
238	Saraswati Private Industrial Training Institute Address - Village .Daulatpura, Po.Katrathal, Dist.Sikar Rajasthan MIS Code - PR08000815	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician-6 (2+2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:: - a) ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. b) Store records are not available. c) No admissions in the last session	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>d) In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the workshop area is also not properly cleaned.</p> <p>e) Available tools and machinery are as per old syllabus, required to be updated as per the new syllabus.</p> <p>f) Available instructor strength is not as per the affiliated units.</p> <p>g) IT Lab setup and furniture is not as per standard specification.</p> <p>h) Teaching aids, Furniture, and amenities maintenance required.</p> <p>i) Only 05 instructors are present out of 07 at the time of inspection.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06(2+2+2)</p>	
239	<p>Raj Private Industrial Training Institute</p> <p>Address - Dantaramgarh Road, Koor, Dist.-Sikar Rajasthan</p> <p>MIS Code - PR08000163</p>	Electrician- 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official.</p> <p>4. Joint Inspection committee has recommended continuation of affiliation for</p>	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>following trade/units: Electrician 12 (4+4+4).</p> <p>5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: -</p> <ul style="list-style-type: none"> (i) ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. (ii) Store records are not available. (iii) In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the workshop area is also not properly cleaned. (iv) Some equipment is not working; maintenance is required. (v) The building and toilets need to be repaired. (vi) Only 10 instructors are present out of 20 at the time of inspection. (vii) IT Lab setup and furniture is not as per standard specification. (viii) Teaching aids, Furniture, and amenities maintenance required. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 12(4+4+4).</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
240	<p>Suntech Private Industrial Training Institute,</p> <p>Address - Khicharo Ka Bass, Jaipur Road, Dist.- Sikar, Rajasthan-332001</p> <p>MIS Code - PR08000170</p>	Electrician-3 (2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 26.01.2025. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician 3 (2+1). However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 10.09.2025: <ol style="list-style-type: none"> ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. Store records are not available. No admissions in the last two years, In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the workshop area is also not properly cleaned. Available tools and machinery are as per old syllabus, required to be updated as per the new syllabus. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			(vi) Some equipment is not working; maintenance is required. (vii) Available Instructor strength is not as per the affiliated units. (viii) IT Lab setup and furniture is not as per standard specification. (ix) Only Three Instructors are present at the time of the Joint inspection. (x) Teaching aids, Furniture, and amenities maintenance required. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 3 (2+1).	
241	M.L. Private Industrial Training Institute, Address - Ramu Ka Bass, Gokulpura, Dist.-Sikar Rajasthan MIS Code - PR08000214	Electrician-12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician- 12 (4+4+4). 6. However, as per joint inspection report following deficiencies have been identified	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>during Joint Inspection conducted on 10.09.2025:</p> <ul style="list-style-type: none"> (i) ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. (ii) Store records are not available. (iii) No admissions 2 shifts in the last session (iv) In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the workshop area is also not properly cleaned. (v) The records of the Instructor and trainees are not updated and need to be modified. (vi) In electrician trade, the tools and machinery are as per the old syllabus, and required to be updated as per the new syllabus. (vii) Some equipment is not working; maintenance is required. (viii) Available Instructor strength is not as per the affiliated units. (ix) Only 4 Instructors are present out of 6 at the time of the Joint inspection. (x) Teaching aids, Furniture, and amenities maintenance required. <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 12(4+4+4).</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
242	Param Private ITI Address - Jaipur Bikaner By Pass, Near Rashidpur, Sikar Dist. Sikar - 332315 MIS Code - PU08001654	1. Fire Technology Industrial safety management -4 (2+2) 2. Food production General 3(1+1+1) 3. Health sanitary Inspector- 2 (1+1) 4. Fireman – 12 (4+4+4) & 6,7,8 th shift-12 (4+4+4)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 11.02.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: 1. Fire Technology Industrial safety management - 5(2+2+1) 2. Food production general-3(1+1+1) 3. Health Sanitary Inspector - 5(2+2+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: - i. ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. ii. Store records are not available. iii. No admissions in all units in the last three session. iv. In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points a) No recommendations for Fireman -12(4+4+4) trade/units were provided by SSDEC b) Extra units of Health Sanitary inspector -5(2+2+1) has been recommended by SSDEC whereas as per NCVT MIS portal the trade is affiliated for 2(1+1) units.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>workshop area is also not properly cleaned.</p> <p>v. The records of the Instructor and trainees are not updated and need to be modified.</p> <p>vi. Some of the tools and machinery are as per the old syllabus, and required to be updated as per the new syllabus.</p> <p>vii. Fire extinguisher vehicle is breakdown condition so need to repair it.</p> <p>viii. Available Instructor strength is not as per the affiliated units.</p> <p>ix. Only 04 Instructors are present out of 15 at the time of the Joint inspection.</p> <p>x. Teaching aids, Furniture, and amenities maintenance required.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trade and units.</p> <p>i. Fire Technology Industrial safety managemen-5 (2+2+1)</p> <p>ii. Food Production General-3 (1+1+1)</p> <p>iii. Health sanitary Inspector-5(2+2+1)</p> <p>8. Further, the following trades have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission –</p> <p>i. Health sanitary Inspector- 3(1+1+1)</p> <p>ii. House Keeper- 2(1+1)</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. Health Safety & Environment – 2(1+1) 9. The following trades have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission – i. Health sanitary Inspector- 3(1+1+1) ii. House Keeper- 2(1+1) iii. Health Safety & Environment – 2(1+1)	
243	Bhartiya Private Industrial Training Institute Address - Manasiya Road, Laxman Garh, Dist. Sikar - 332311 MIS Code - PR08001296	Electrician -6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(2+2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 17.08.2025: (i) wiring of lab was not updated. (ii) Laboratory was not clean (iii) Tools maintenance is required. (iv) Library was not maintained properly.	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician-6 (2+2+2)	
244	<p>Unnati Private Industrial Training Institute</p> <p>Address - Near Sabwoo Water Tank, At. Losal, Dist. Sikar Rajasthan</p> <p>MIS Code - PR08000819</p>	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician -6(2+2+2) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 06.08.2025: <ol style="list-style-type: none"> a) Fire extinguisher has not been filled. 7. Based on the findings of the joint inspection, 10th SSDEC has dated 23.09.2025 recommended continuation of the affiliation for Electrician (2+2+2) 06 units. 	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
245	Sunder Devi Private Industrial Training Institute	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 	SCAA agreed with the recommendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Mavllon Ki Dhani, Teh. - Laxmangarh Dist.-Sikar Pin-332311 Rajasthan MIS Code - PR08000248		<ol style="list-style-type: none"> The ITI replied to the SCN on 24.01.2025 Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician-6(2+2+2). Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06(2+2+2) 	
246	Tagore Private ITI, Address - V.P.O. Panlawar, Thalasemangarh, Lachhmangarh, Dist. Sikar MIS Code - PR08001701	Electrician-6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 23.01.2025. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician -4(1+1+2) as no deficiencies have been identified during Joint Inspection conducted on 07.08.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 04 (1+1+2). 	<ol style="list-style-type: none"> SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 4 (1+1+2). SSDEC to provide clarification on following points: - No recommendations for Electrician 2(0+0+2) by SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
247	GB Pvt. ITI Address - PO Fatehpur Shekhawati, Daulatabad (Sikar) MIS Code - PU08001905	1. Electrician - 2 (1+1) 2. Fire Technology and industrial safety management - 2 (1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a) Electrician -2 (1+1) b) Fire Technology and industrial safety management -2 (1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 05.08.2025: a) Electrician trade - broken Black board, lack of cleanliness in the lab, b) Improper lightening in the campus. Fire Technology and industrial safety management – c) Fire extinguisher not timely refilled, lack of cleanliness' and Library not maintained. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation	ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			of the affiliation for Electrician 02 (1+1) and Fire Technology and industrial safety management 02 (1+1).	
248	<p>Baba Narayandas Private ITI</p> <p>Address - Sikar Plot No 206, Industrial Area, Neem Ka Thana, Dist. Sikar, Rajasthan</p> <p>MIS Code - PU08001755</p>	<p>1. Electrician – 3 (2+1)</p> <p>2. Early Childhood Educator -2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 17.01.2025.</p> <p>4. Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician 3(2+1) as no deficiencies have been identified during Joint Inspection conducted on 04.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 3(2+1).</p>	<p>1. SCAA agreed with the recommendations of SSDEC for continuation of affiliation in Electrician - 3 (2+1).</p> <p>2. SSDEC to provide clarification on following points: No recommendations were provided for Early Childhood Educator- 2 (1+1) trade not recommended by SSDEC.</p>
249	<p>Gurukul Private, Industrial Training Institute</p> <p>Address - VPO-Chomu Purohitan, Tehsil Shrimadhpur, Distt. Sikar-302605</p>	Electrician-8 (4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000879		<p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician-8(4+4) as no deficiencies have been identified during Joint Inspection conducted on 07.08.2025</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 08 (4+4).</p>	
250	<p>Bhavishya Private Industrial Training Institute,</p> <p>Address - Dehra Guhala, Neem Ka Thana, Dist. Sikar - 332706</p> <p>MIS Code - PR08000341</p>	Electrician-5 (2+2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 05.08.2025.</p> <p>6. The 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician 05 (2+2+1)</p>	SCAA agreed with the recommendations of SSDEC
251	Vivekanand Private Industrial Training Institute,	Electrician -6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Hathideh, V-Jhaldi, Tehsil. Shri Madhopur Dist. Sikar Rajasthan MIS Code - PR08000478		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 22.01.2025. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 05.08.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06 (2+2+2) 	
252	Sharv Kalyan Private Industrial Training Institute Address - Ward No.4 By Pass Road, Shri Madhopur, Dist. Sikar Pin-332715 Rajasthan MIS Code - PR08000737	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 27.01.2025. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 06.08.2025. 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 06(2+2+2).	
253	<p>Sunrise Private Industrial Training Institute,</p> <p>Address - Simrla Road, Thoi, Shri Madhopur Dist. Sikar Pin-332719 Rajasthan</p> <p>MIS Code - PR08000749</p>	Electrician-6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 06.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 06.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 02 (2+2+2).</p>	SCAA agreed with the recommendations of SSDEC
254	<p>Bharat Private Industrial Training Institute,</p> <p>Address - Neem Ka Thana, Dist.-Sikar Rajasthan</p>	<p>1. Electrician-6 (2+2+2)</p> <p>2. Fire technology industrial safety management-3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p>	SCAA agreed with there commendations of SSDEC.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000174		<p>4. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6 (2+2+2) and Fire technology industrial safety management - 3 (1+1+1) as no deficiencies have been identified during Joint Inspection conducted on 07.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician -6 (2+2+2) and Fire Technology Industrial Safety Management -3 (1+1+1).</p>	
255	<p>Maa Bhagwati ITC</p> <p>Address - Nangal Nathusar, Teh.Shri Madhopur, Dist.Sikar Rajasthan</p> <p>MIS Code - PR08000205</p>	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 07.08.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 6 (2+2+2)	
256	<p>Shri Vinayak Private Industrial Training Institute</p> <p>Address - Chauki Road, Chala, Neem Ka Thana, Dist.-Sikar 332706 Rajasthan</p> <p>MIS Code - PR08000255</p>	Electrician -3 (2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician-3(2+1) as no deficiencies have been identified during Joint Inspection conducted on 05.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician- 03 (2+1)</p>	SCAA agreed with the recommendations of SSDEC
257	<p>Veer Teja Private Industrial Training Institute,</p> <p>Address - Village & Post, Khood, Tehsil Datarangarh, Dist. Sikar - 332023</p>	Electrician -8 (4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 26.01.2025.</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001339		<p>4. Further, a joint inspection was conducted on 18.08.2025 to 23.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician -8(4+4) as no deficiencies have been identified during Joint Inspection conducted on 18.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician- 8(4+4).</p>	
258	<p>Paramhans Private Industrial Training Institute</p> <p>Address - Surya Nagar Vaid Ki Dhani, Ranoli, Dist. Sikar Rajasthan</p> <p>MIS Code - PR08000539</p>	Electrician-2 (1+0+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 18.08.2025 to 23.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation Electrician - 2(1+0+1) as no deficiencies have been identified during Joint Inspection conducted on 18.08.2025 to 23.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician- 2 (1+0+1).</p>	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
259	<p>Shivam Private industrial Training Institute,</p> <p>Address - Dantaramgarh, Distt. -Sikar-332702</p> <p>MIS Code - PR08001354</p>	Electrician-9(4+4+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 26.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician - 9(4+4+1) no deficiencies have been identified during Joint Inspection conducted on 26.08.2025. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician -9 (4+4+1) 	SCAA agreed with the recommendations of SSDEC
260	<p>Sankalp Private Industrial Training Institute,</p> <p>Address - Gaushala More, Danta, Dist.-Sikar Rajasthan-332702</p> <p>MIS Code - PR08000212</p>	Electrician – 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 27.01.2025. Further, a joint inspection was conducted on 29.08.2025 by the RDSDE and State official. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies 	SCAA agreed with the recommendations of SSDEC

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>have been identified during Joint Inspection conducted on 29.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician- 6 (2+2+2)</p>	
261	<p>Shree Shyam Private Industrial Training Institute,</p> <p>Address - Khatu-Danta Road, Maganpura, Bay Danta Ramgarh, Dist.- Sikar Pin-332402 Rajasthan</p> <p>MIS Code - PR08000261</p>	Electrician -9(4+4+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 10.02.2025.</p> <p>4. Further, a joint inspection was conducted on 30.08.2025 by the RDSDE and State official.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for Electrician- 9(4+4+1) as no deficiencies have been identified during Joint Inspection conducted on 30.08.2025.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician- 9 (4+4+1)</p>	SCAA agreed with the recommendations of SSDEC
262	Aadarsh Private Industrial Training Institute,	<p>1. Electrician- 8(3+3+2)</p> <p>2. Fitter-2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p>	<p>1. SSDEC to provide clarification on following points:</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address - Khasra No. 482, V &P Haripura, Panchayat Samittee Osian (Jodhpur) 342303</p> <p>MIS Code - PR08001061</p>	<p>3. Health Sanitary Inspector-2(1+1)</p> <p>4. Mechanic Diesel-2(1+1)</p> <p>5. Wireman-2(1+1)</p>	<p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 13.01.2025.</p> <p>4. Further, a joint inspection was conducted on 17.09.2025.</p> <p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2), Fitter - 2 (1+1), Mechanic Diesel - 2(1+1) and Health Sanitary Inspector - 2(1+1)</p> <p>6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 17.09.2025:</p> <p>(i) Shortage of 0.71 KW electric load in the ITI was observed on the day of inspection.</p> <p>(ii) The Wireman trade lab was not found available on the day of inspection.</p> <p>(iii) Mech. Diesel Area is found 110 Sq mt². with parking.</p> <p>(iv) In the Health Sanitary Inspector lab, the LCD, Projector, Refrigerator and computers were not installed.</p> <p>7. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the 10th SSDEC recommended de-affiliation of the ITI due to shortfall in</p>	<p>i. Whether the ITI has removed the electric load deficiency in the stipulated time.</p> <p>ii. No reasons provided by SSDEC for not recommended Wireman trade.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>electric load and not recommended Wireman 2(1+1) .</p> <p>8. Thereafter, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC, the ITI is conditionally recommended for affiliation of following trades/units, subject to removal of deficiency in electric load:</p> <ul style="list-style-type: none"> i. Electrician – 6 (2+2+2) ii. Fitter - 2 (1+1) iii. Mechanic Diesel - 2(1+1) iv. Health Sanitary Inspector - 2(1+1) <p>7. Admissions in Electrician trade 2 (1+1+0) shall remain on hold until the recorded deficiencies are rectified. Also, the SSDEC not recommended the Wireman trade as per discussion held on 25.09.2025.</p>	
263	<p>Shivalik Private ITI</p> <p>Address - Chak 17 Z,Po-19 Z, Via Mirzewala, Dist. Sri Ganganagar Rajasthan</p> <p>MIS Code - PR08001751</p>	<p>1. Electrician-2(1+1)</p> <p>2. Plumber-2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 12.02.2025.</p> <p>4. Further, a joint inspection was conducted on 29.07.2025.</p>	<p>1. SSDEC to provide the clarification on following points:</p> <ul style="list-style-type: none"> a) Whether, the ITI has submitted the copy of Electricity bill in the name of ITI/organisation. b) No reason provided by SSDEC for not recommended Plumber trade.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician -2 (1+1)</p> <p>6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 05.08.2025:</p> <p>(i) Some major machinery were not in working condition</p> <p>(ii) Four instructors were found to be untrained and some instructors have less experience than prescribed.</p> <p>(iii) The building infrastructure, including the dispensary and ED hall/multipurpose hall, is smaller than the required size as per the new norms.</p> <p>(iv) About 10% of the major and minor machinery in the Electrician trade are not available.</p> <p>(v) More than 90% of the major and minor machinery are not available in the Plumber trade.</p> <p>(vi) The average amount spent on raw materials per trainee per month is below the required level.</p> <p>(vii) The number of electricity units consumed per trainee per month is less than the standard.</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(viii) The owner did not provide a demand draft (DD) for the affiliation of the Plumber trade and informed that he is not interested in continuing the trade in future.</p> <p>(ix) The ITI building is adjacent to another school, and the front land of both premises is not separated by a boundary wall; however, the owner stated that a partition wall will be constructed soon.</p> <p>(x) The electricity bill is not in the name of the Principal, ITI, or the organization.</p> <p>(xi) Some constructed areas, such as the store, staff room, and plumber workshop, are covered with tin sheds.</p> <p>7. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI as electricity bill is not in the name of ITI/Organization.</p> <p>8. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC, the ITI is conditionally recommended for affiliation of Electrician - 2 (1+1), subject to removal of deficiency</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recorded as the Electricity bill not in the name of ITI/organisation within 1 month.	
264	<p>Swami Vivekanand Private Industrial Training Institute</p> <p>Address: Near Bus Stand Sahwa, Teh.Tarangar, Dist.Churu Rajasthan - 331302</p> <p>MIS Code: PR08000201</p>	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. The ITI replied to the SCN on 23.01.2025. Further, a joint inspection was conducted on 02.07.2025. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 02.07.2025: <ol style="list-style-type: none"> The electrical connection for the ITI is registered in the name of the building owner, Mr. Pawan kumar Arjun sarawagi, rather than in the name of the institute /management, which is not in compliance with NCVET Affiliation norms. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has 	<ol style="list-style-type: none"> SSDEC to provide the clarification on following points: <ol style="list-style-type: none"> Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>recommended for de-affiliation of Electrician 6(2+2+2) SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization.</p> <p>8. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the ITI is conditionally recommended for affiliation of Electrician -6(2+2+2) subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month.</p>	
265	<p>Rajasthali Pvt. ITI</p> <p>Address - Bairwanda, Sikrai, Dausa, Rajasthan-303501</p> <p>MIS Code - PR08001816</p>	1. Electrician-9(3+3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 26.01.2025.</p> <p>4. Further, a joint inspection was conducted on 12.09.2025</p> <p>5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025:</p>	<p>1. SSDEC to provide the clarification on following points:</p> <p>a) Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time.</p> <p>b) No recommendations provided by SSDEC for Electrician 3(1+1+1)</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(i) The electricity bill is neither in the name of the ITI nor in the name of the society; it is issued in the name of the building owner of the ITI.</p> <p>(ii) In trainers tool kit 10% of tools were not in the working condition.</p> <p>(iii) In shop tool and equipment 8% of tool and equipment either damage or non-functional. Maintenance related to motor and wiring is required in shop machinery.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization.</p> <p>7. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the ITI is conditionally recommended for affiliation of Electrician - 6 (2+2+2) subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month.</p>	

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
266	<p>Gyandev Private Industrial Training Institute,</p> <p>Address - Radha Krishanpura, Jhunjhunu By Pass, Dist.Sikar, Rajasthan</p> <p>MIS Code - PR08000721</p>	1. Electrician-6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 18.09.2025.</p> <p>5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025:</p> <p>(i) Some tools items as per Electrician trade list were not available in the Electrician workshop during inspection.</p> <p>(ii) The ITI electricity bill is in the name of society chairman Jagdish /Mool Chand in place of ITI/society.</p> <p>(iii) Gyandev public society runs school and ITI in separate buildings.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization.</p> <p>7. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on</p>	<p>SSDEC to provide the clarification on following points:</p> <p>a) Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time.</p>

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			25.09.2025 in respect of 9 th and 10 th SSDEC matters, the ITI is conditionally recommended for affiliation of Electrician - 6(2+2+2) subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month.	
267	Shri Ganesh Pvt. ITI, Address - V.P.O Churina, Churina (Jhunjhunun) MIS Code - PR08001904	1. Electrician-4(2+2) 2. Fire Technology and Industrial Safety Management-2(2+0) 3. Health Sanitary Inspector-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 18.09.2025. 4. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025.: i. III- phase machineries were not running in the Electrician trade during inspection. ii. No faculty available in the Health and Sanitary inspector trade to identify the tools. Additionally, major shortage of equipments were found during inspection. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025	1. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 2. SSDEC to provide clarification on following points: a) No reason provided by SSDEC for not recommended trade Health Sanitary Inspector.

Sr.No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC	Additional SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>and the SSDEC recommended de-affiliation of the ITI.</p> <p>6. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the 10th SSDEC remarks of ITI shall be read as recommended for affiliation of following trades:</p> <ul style="list-style-type: none"> i. Electrician- 4(2+2) ii. Fire Technology & Safety Management- 2(2+0) <p>and not recommended Health Sanitary Inspector- 1(1+0)</p>	

Annexure - 4 as referred in Agenda 2.2 regarding ITIs not recommended by SSDEC for continuation of affiliation

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
1.	Shri Subhash Memorial Private Industrial Training Institute Address: Mds University Marg, Kayad Road, Ajmer, Dist.Ajmer-305001 MIS Code: PU08001393	Electrician - 2 (2+0)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. As per inspection report, ITI has informed vide letter dated 02.06.2025 that ITI has denied inspection as ITI has been closed from long time. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI due to following reason: <ol style="list-style-type: none"> ITI is closed from long time. ITI has denied the Inspection vide letter dated 02.06.2025.
2.	Jan shikshan private industrial training institute* Address: Parbatpura, Dist. Ajmer rajasthan-305001 Mis code: PU08001381	<ol style="list-style-type: none"> Electrician -3(2+1) Mechanic Diesel - 2(1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. Joint Inspection was conducted on 16.06.2025 by RDSDE and State Official. As per inspection report, ITI has already informed that vide letter dated. 22.07.2025, ITI has not taking admission since 2022 and ITI requested to close the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation of the ITI due to following reason: The ITI had sent a letter dated 22.07.2022 regarding the closure of the ITI due to no admissions.
3.	Shree Ganesh Private ITI	Electrician 5(2+2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. The ITI replied to the SCN on 22.01.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address: Post Office Arain Road, Kishangarh, Distt. Ajmer-305802 MIS Code: PR08001486		4. Joint Inspection was conducted on 19.06.2025 by RDSDE and State Official. 5. As per the inspection report, the ITI has been closed and as per communication with Shri Pankaj Choudhary, the ITI has denied inspection stating that ITI has been closed since long time. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: ITI denied inspection and ITI is closed for long time.
4.	Sarveshwar Private Industrial Training Institute Address: K, No.-1837/1 Rani Duungri Road, Roopangarh, Kishangarh, Dist.-Ajmer Rajasthan MIS Code: PR08001559	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Joint Inspection was conducted on 18.06.2025 by RDSDE and State Official. 5. As pre the inspection report, inspecting members have recommended de-affiliation for the ITI due to following reason: i. Major Machinery are not in working condition, looks jam and not run for long time. I/O and O/P panels not working ii. Electric consumption is found to be negligible in last three months. Zero for month March and April2025 iii. BCC and fire safety certificate not provided. iv. Overall poor maintenance of building, training records and attendance. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended de-affiliation for the ITI
5.	Gurukul Private ITI Bheem Road, Balacharat, P.O. BHEEM, Teh.Beawar, Dist.Ajmer Rajasthan- 305921	Electrician 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. However, no reply was received from the ITI. 3. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PU08001714		<ol style="list-style-type: none"> 4. As per Inspection report: The institution has been closed since the COVID period, and no admissions have been made. 5. Upon interacting with the persons available in the vicinity, it was found that no ITI-related activities are being carried out at the premises. 6. As per inspection report, ITI has been closed, and no admissions have been taken since the COVID period. As per communication with the outsiders, the ITI has not been functioning on the location. The inspection could not be carried out. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended de-affiliation for the ITI
6.	<p>Pyar Chand Nagda Private Industrial Training Institute</p> <p>Narshingpure Samaj Ka Nohram, Ghanti, Dungarpur-341001</p> <p>MIS Code: PR08001214</p>	<ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Fitter 1(1+0) 	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. Further, a joint inspection was conducted on 18.06.2025 by the RDSDE and State official. 4. As per the inspection report, inspecting members has recommended for de-affiliation of the ITI due to following reasons: <ol style="list-style-type: none"> i. The ITI has not been operational for the last two years. ii. No admissions in last two years the machinery and equipment are not in working condition. iii. Machinery available was less than 20 percent. iv. No staff available v. The building is also not properly maintained. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended de-affiliation for the ITI

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
7.	Kamakhya Private ITI Sagwara, Dungarpur – 314025 MIS Code: PU08001778	1. Computer Operator and Programming Assistant -1 (1+0) 2. Electrician -2 (1+1) 3. Health Sanitary Inspector -1(1+0) 4. Wireman- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. The ITI replied to the SCN on 29.01.2025. 4. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. 5. As per inspection report, ITI has been recommended for de-affiliation due to following reasons: i. low admissions. ii. the machinery not in working conditions. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of Computer Operator and Programming Assistant and Electrician trade
8.	Shri Guru Kripa Private Industrial Training Institute Address: Infront Of Zee School, Chittorgarh Road, Dist. Bhilwara Rajasthan- 311001 MIS Code: PU08001372	Electrician- 4(1+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. The ITI replied to the SCN on 12.02.2025. 4. Further, a joint inspection was conducted on 11.06.2025 by the RDSDE and State official. 5. As per inspection report, ITI has been closed. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: The ITI was found closed.
9.	Krishna Private Industrial Training Institute Address: R.C. Vyas Colony, Behind Agrawal Dharmshala, Near Kota	Electrician - 10 (4+4+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. However, no reply was received from the ITI. 3. Further, a joint inspection was conducted on 11.06.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	By Pass Road, Dist.Bhilwara Pin-311001 Rajasthan MIS Code: PR08001439		<p>4. As per inspection report, ITI has been found closed and instead of ITI nursing institute has been operating.</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation for the ITI due to following reason: Instead of the ITI, a nursing institute was operating at the location, while the ITI has been closed for the past two to three years.</p>
10.	Vardhman Private ITI Address: Near Tehsil Office Rajaji Ka Kareda, Dist. Bhilwara-311804 MIS Code: PR08001706	Electrician –3 (1+1+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official.</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: No staff or trainees were found in the ITI, and the labs were closed. According to the information received from the people living near to the ITI, a school was being run at the ITI location.</p>
11.	Mahesh Private Industrial Training Address: Institute, At. Langer Road, Dist.Barmer Pin-344001 Rajasthan MIS Code: PU08001436	Electrician – 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 13.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.06.2025 by the RDSDE and State official.</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: i. The ITI campus was shared with another institute.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> ii. Two ITIs were run at the same location, and there was no separate electricity meter for the ITI, hence, the electrical load could not be verified. iii. The workshop floor surface was not even, and the approach from the workshop to the classroom was not convenient.
12.	Tarun Private ITI Manshuriya, Indra Colony, Dist. Barmer-344001 MIS Code: PU08001702	1. Electrician – 2 (1+1) 2. Wireman - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. The ITI Principal denied permission for the inspection of the ITI. ii. It was also observed that a school and a hostel were operating within the ITI premises at the time of inspection. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: <ul style="list-style-type: none"> i. ITI Closed at present location since long time. ii. At present, School /hostel is running at that Location.
13.	Shri Nath Private Industrial Training Institute Vinayaka Road, Bari Sadri, Chittorgarh - 312403 MIS Code: PU08001350	1. Electrician 3(2+1) 2. Mechanic Diesel 1(1+0) 3. Wireman 1(0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. No trade was found to be running. ii. No trainees were present. iii. No signage board of ITI was found

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>iv. No machinery and equipment were found. One of the staff member informed d that there are no admissions since last four years.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: De affiliation Recommended due to not providing any information by ITI Director. No Sign board of ITI was there.</p>
14.	<p>Sarvodaya Private ITI</p> <p>Address :6,7,8 Balaji Nagar, Opp. Segwa Housing Board, Senth, Dist. Chittorgarh-312001</p> <p>MIS Code: PU08001673</p>	<p>1. Early Childhood Educator 3(1+1+1)</p> <p>2. Electrician 3(1+1+1)</p> <p>3. Health Sanitary Inspector 1(1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025.</p> <p>3. Further, a joint inspection was conducted on 18.06.2025 by the RDSDE and State official.</p> <p>4. During inspection following deficiencies were found:</p> <p>i. ITI is found locked during inspection.</p> <p>ii. As per the inquiry from the nearby people, this ITI has been closed for one years.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: The ITI has been closed for the past one year.</p>
15.	<p>Shri Radha Kripa Private Industrial Training Institute</p> <p>Sainthi, Distt. Chittorgarh-</p> <p>MIS Code: PR08000871</p>	Electrician 2(1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.06.2025. However, no reply was received from the ITI.</p> <p>3. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official.</p> <p>4. During inspection following deficiencies were found:</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>a) ITI has been closed for two years.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, SSDEC has recommendation for de-affiliation for the ITI due to following reason:</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: The ITI has been closed for the past last 2 years</p>
16.	<p>Ison Private Industrial Training Institute,</p> <p>Address: Charbhuja Nagar, Punyta Road Dist. Pali - 306401</p> <p>MIS Code: PR08000330</p>	Electrician 3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 14.06.2025 and as per annexure received from S/D SCN reply dated 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 14.06.2025 by the RDSDE and State official.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> No staff was present at the time of inspection. A school was operating within the ITI premises, and during the inspection, the ITI management submitted a letter denying permission for the inspection. As per the SCN reply dated 14.06.2025, the ITI principal denied permission for the inspection <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason:</p> <ol style="list-style-type: none"> No any ITI staff/principal, trainee was present at the ITI location/address. School was also running in same building. A letter was given by management that they are not ready for joint inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
17.	<p>Shree Krishna Private Industrial Training Institute</p> <p>Address: Sanwariya Colony, Behind S.B.B.J, Aklera, Dist.Jhalawar Rajasthan</p> <p>MIS Code: PR08001356</p>	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 30.12.2024. The ITI replied to the SCN on 15.01.2025. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> No any ITI Staff principal, trainee was present at the ITI location address. School was also running in same building. Construction /Repairing of workshops classrooms at first floor of building were ongoing, due to this construction / maintenance work practical training weren't organized for 1 or more months. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
18.	<p>Vidyagram Private Industrial Training Institute</p> <p>Address: Opp.Radha Swami Bagh Nh-11 Chomu Dist.-Jaipur Rajasthan</p> <p>MIS Code: PR08000586</p>	Electrician 3(1+1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: <ol style="list-style-type: none"> ITI denied the inspection, last two years zero admissions
19.	Saroj Private Industrial Training Institute	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address: V/P.Jahota, Teh.Amer, Dist.Jaipur Pin-303701 Rajasthan MIS Code: PR08001519		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. The ITI replied to the SCN on 24.06.2025 Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> Other activities are found to be running in the ITI. No documents provided by the ITI Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: <ol style="list-style-type: none"> Other activities are found to be running in the ITI. No documents provided by the ITI
20.	Sadhana Private Industrial Training Institute Address: Vil.-Khannlpura, The -Amber, Dist.-Jaipur- 303701 Rajasthan MIS Code: PR08001503	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 24.06.2025. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> A school was operating within the ITI premises, the institute's workshop had a tin shed. The walls of the workshop were in a dilapidated condition. No documents were provided by the ITI management. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason:
21.	Shree Ram Private Industrial Training Institute	Electrician 2(1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address: 471-72, Katewa Nagar, Gurjar Ki Thadi, Jaipur-302019 MIS Code: PR08000888		<ol style="list-style-type: none"> SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> A school and coaching centre were operating within the ITI premises. No documents were provided by the ITI management, and the ITI had been closed for the last four years. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.
22.	Jyotiba Private Industrial Training Institute Itawa Bhopji, Dist. Jaipur MIS Code: PR08001396	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> No admissions have been made for the last three years. The institution does not have an IT lab or a dispensary room, and toilet facilities were also found to be inadequate. In the electrician trade workshop of the institution, tools and equipment were not found, and only about 60% of the machinery is available. The institution was also found to be lacking in cleanliness. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.
23.	Bhartia Navjeevan Private Industrial Training Institute	Electrician 2(1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	<p>Address: Ganesh Vihar, Plot No- 218, Sivar Mode, Vinayka Industrial Area, Jaipur -302012</p> <p>MIS Code: PR08001076</p>		<p>2. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI.</p> <p>3. Further, a joint inspection was conducted on 07.07.2025 by the RDSDE and State official.</p> <p>4. During inspection following deficiencies were found: At ITI address plot no 218 Manas paramedical college was found and at Given contact number no was unavailable.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: At ITI address plot no 218 Manas paramedical college was found and at Given contact number no was unavailable.</p>
24.	<p>Amrit Private Industrial Training Institute,</p> <p>Address: 72, Amrit Nagar, New Sanganer Road, Mansarovar (Jaipur)- 302020</p> <p>MIS Code: PU08001124</p>	<p>1. Electrician 6(2+2+2)</p> <p>2. Mechanic Diesel 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025.</p> <p>3. The ITI replied to the SCN on 25.01.2025.</p> <p>4. Further, a joint inspection was conducted on 03.07.2025 by the RDSDE and State official.</p> <p>5. During inspection following deficiencies were found:</p> <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason:</p> <ol style="list-style-type: none"> ITI Was not in running condition. Staff details are not available. Lab Infrastructure was not as per Norms. IT Lab was in non-functional condition. In lab M & E was not as per norms like load bank were not available in Electrician lab. & available machinery are not in running condition. Gas welding table smoke meter, heavy commercial vehicle etc was not available & CRDI Engine was not in running Condition.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
25.	Shivalok Private Industrial Training Institute Address: Villagr & Post Rundal, Tehsil Amer, Distt. Jaipur - 303805 MIS Code:PR08000288	Electrician - 36 (12+12+12)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 14.01.2025. However, no reply was received from the ITI Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: The ITI was not found at the specified location, no ITI name board was displayed, and the ITI gate was closed. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: The ITI was not found at the specified location, no ITI name board was displayed, and the ITI gate was closed.
26.	R S Kausalya Devi Private Industrial Training Institute Address: Jaipur Plot No. 48, Dusad Nagar Iii (Gopi Nagar), Sanganer, Rajasthan-302029 MIS Code: PU08001774	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 15.01.2025 and 11.02.2025. However, no reply was received from the ITI. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: A school was operating within the ITI premises. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: A school was operating within the ITI premises.
27.	Baba Ramdev Private Industrial Training Institute,	<ol style="list-style-type: none"> Electrician 3(1+1+1) Fitter 2(1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address: Village-Machwa, Kalwar Road, Dist.-Jaipur, Rajasthan MIS Code: PR08001382		<ol style="list-style-type: none"> Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: The board displayed at the location belonged to 'RS Memorial Institute of Technology'. The ITI was found closed, and other activities were being carried out at the site. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: The board displayed at the location belonged to 'RS Memorial Institute of Technology'. The ITI was found closed, and other activities were being carried out at the site.
28.	Jai Hind Private Industrial Training Institute, Address: Gram-Mansar Khedi, Near Benada Mod, Nh-11 Agra Road Tehsil-Bassi, Dist.Jaipur Pin-303301 Rajasthan MIS Code: PR08001431	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: As Training record, raw material consumption record not available. And Electricity consumption is Zero, Electric Load is shared with another Institute. The Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.
29.	Rajasthan Private Industrial Training Institute, Address: Kishan Shiv Mandir Ke Piche Ward No.	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	10 Kishangarh Renwal, Dist. Jaipur Rajasthan MIS Code: PR08001464		5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: The ITI did not produce the Demand Draft, Annex-III, or any supporting documents for review; hence, the joint inspection could not be carried out.
30.	Jaya Private Industrial Training Institute Address - H-1-83a, Sara Doonger Industrial Area Dist.-Jaipur Rajasthan-302012 MIS Code: PR08001492	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 22.01.2025. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> As per norms, no untrained instructors are to be engaged after one year of operation. However, the institute has been running since 2014, and as per records, five untrained CITs instructors are found. As per norms, proof of payment to the staff along with bank details is not found. The document of declaration by the owner of the institute stating that the sanctioned load is for ITI use only and not shared with any other institute is also not provided. Energy supplied by the DG-SAT generator is required to be measured by a digital electronic meter at a suitable location, but such a meter was not found. Records of syllabus coverage for each trade are not updated as per the prescribed week-wise syllabus. The number of tests conducted for each trade could not be verified due to the non-availability of test copies. Records of raw material consumption registers are not available. Placement percentage and related records are also not found. Electricity consumption shows zero units, and monthly electricity bills are not available. Website update date and proof are not mentioned. Further Joint Inspection team has recommended for de-affiliation of the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation due to following reason:</p> <ol style="list-style-type: none"> Training record raw material consumption record not available for review. Electricity consumption is Zero
31.	<p>Sunrise Pvt. ITI</p> <p>Address - Dhamsya, Agra Road, Hurela (Jaipur)</p> <p>MIS Code: PR08001900</p>	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 26.01.2025. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. During inspection following deficiencies were found: <ol style="list-style-type: none"> As per norms, no untrained instructors are to be engaged after one year of operation. However, the institute has been running since 2014, and as per records, one untrained CITs instructors are found. As per norms, proof of payment to the staff along with bank details is not found. The document of declaration by the owner of the institute stating that the sanctioned load is for ITI use only and not shared with any other institute is also not provided. Energy supplied by the DG-Se generator is required to be measured by a digital electronic meter at a suitable location, but such a meter was not found. Records of syllabus coverage for each trade are not updated as per the prescribed week-wise syllabus. The number of tests conducted for each trade could not be verified due to the non-availability of test copies. Records of raw material consumption registers are not available. Placement percentage and related records are also not found. Further Joint Inspection team has recommended for de-affiliation of the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			7. Based on the findings of the joint inspection, 9 th SSDEC has recommended de-affiliation due to following reason: Electricity load is shared with another Institute. Only one trained Instructor is found. Raw material records not available.
32.	Deep Shikha Private Industrial Training Institute, Address: Peetal Factory Crossing Chandpol, Jhotwara Road, Dist.Jaipur Rajasthan MIS Code: PU08001517	Electrician 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. 3. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: The ITI was not found at the location, except for a signboard displaying its name. According to nearby residents, the ITI was previously functioning in the basement of the building. During the inspection, a goods warehouse was found in the basement area located below HDFC Bank. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI
33.	Dev Private Industrial Training Institute Address: Plot No.-40-41, Vikas Nagar Ii Nayabas, Jamwaramgarh, Dist.- Jaipur Rajasthan-303109 MIS Code: PR08001498	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. 3. The ITI replied to the SCN on 07.02.2025. 4. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found: 6. Major machinery were not in working condition tools and equipment looks as untouched unused for long time. i. Insufficient amenities and also in poor condition. ii. Dev public school found on half of the infrastructure of ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			iii. Annex III along with supporting. iv. Documents not submitted by ITI to inspection team despite of repetitive intimation. 7. Further Joint Inspection team has recommended for de-affiliation of the ITI. 8. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.
34.	Sardar Patel Private ITI Address: Dev Nagar, Plot No. 14, Village Neemadiya, Tehsil Jamwaramgarh, Dist.Jaipur Rajasthan-302027 MIS Code: PR08001729	1. Computer Operator and Programming Assistant 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Plumber 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 27.06.2025. 5. During inspection following deficiencies were found: Machinery was non-functional and workshops were in poor condition, fire safety arrangements were inadequate. The IT Lab had non-functional PCs and lacked basic amenities. No permanent signboard was displayed. A school named 'Tilak' appeared to be operating in half part of the building. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.
35.	Jaipur Private Industrial Training Institute, Address: Lali Jamwaramgarh Road, Jamwaramgarh, Jaipur - 302027 MIS Code: PR08001832	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 28.06.2025. 5. During inspection following deficiencies were found: i. Major machinery was not in working condition. ii. Tools and equipment look as if not used since long time. iii. Tinned shed workshop, poor condition of roof, floor was smelling heavily. iv. Poor safety arrangements.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> v. Whole building was in poor condition. vi. Poor ITI lab with non-working PC's. & Laptop, condition was too poor in terms of ventilation. vii. Laptops and PCs with different brand looks like arranged temporary. viii. No set up for Dress making Trade. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>
36.	<p>Balaji Private Industrial Training Institute,</p> <p>Address: Plot No. 3-4-4a, Anandpuri Colony, Kalwar Road, Jhotwara, Jaipur-302012</p> <p>MIS Code: PU08001866</p>	<p>1. Electrician 6(2+2+2)</p> <p>2. Fitter 3(1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 23.06.2025.</p> <p>5. During inspection following deficiencies were found: Machinery was not in working condition. No Separate building found dedicatedly being used for ITI looks like building being used for multipurpose. Insufficient amenities. No Documents pertaining to Land. Electricity produced before to inspection team.</p> <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>
37.	<p>Shree Minesh Private Industrial Training Institute,</p> <p>Address: Near Bus Stand, Jamwaramgarh (Jaipur)-303109</p>	<p>1. Electrician 3(2+1)</p> <p>2. Mechanic Diesel 1(1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025. However, ITI has not replied for SCN. SCN replied dated 27.01.2025 found in annexed received from the S/D.</p> <p>3. Further, a joint inspection was conducted on 24.06.2025.</p> <p>4. During inspection following deficiencies were found:</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PR08000425		<p>Building found next to sign board, found closed, no board on building indicating ITI No response from ITI Representative, Building was big enough compared to run only ITI looks like being used for multipurpose.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended to de-affiliation of the ITI.</p>
38.	<p>Ganpati Private Industrial Training Institute</p> <p>Address: 128 Jms Nagar, Niworu Road, Jhotwara, Distt. Jaipur - 302012</p> <p>MIS Code: PU08000285</p>	<p>1. Electrician 4(2+2)</p> <p>2. Fitter 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025. However, ITI has not replied for SCN. SCN replied dated 20.01.2025 found in annexed received from the S/D.</p> <p>3. Further, a joint inspection was conducted on 23.06.2025.</p> <p>4. During inspection following deficiencies were found: ITI not found on the location except board showing direction.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>
39.	<p>Saraswati Private Industrial Training Institute</p> <p>Address: Near Govt. Hospital Jamuaramgarh, Dist.- Jaipur Rajasthan- 303109</p> <p>MIS Code: PR08001548</p>	Electrician 3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025. However, ITI has not replied for SCN.</p> <p>3. Further, a joint inspection was conducted on 24.06.2025.</p> <p>4. During inspection following deficiencies were found: A school was operating within the ITI premises, no documents produced by ITI representative.</p> <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
40.	G.S. Jangid Private Industrial Training Institute Address: Bujawar Road, Near Vilage Gangana, Dist.Jodhpur Rajasthan MIS Code: PR08000196	Electrician (1+1+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. Further, a joint inspection was conducted on 24.06.2025. Based on joint inspection, 9th SSDEC meeting held on 17.09.2025 has recommended to de-affiliation due to following reasons: <ol style="list-style-type: none"> The ITI has not admitted any trainees since 2022. The management stated that the institute is currently non-operational, and its laboratories are being used for other purposes.
41.	Raj Taigore Private I.T.I Address: Taigore Marg, Kila Road, Thanwala, Degana, Nagaur, Rajasthan-305026 MIS Code: PR08001813	Electrician 6(2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. Further, a joint inspection was conducted on 24.06.2025. During inspection following were observed : Tools are Not Working in the ITI. Also Shortage of hand tools & other parament is not as per DGT Norms Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended to de-affiliation due to following reasons: <ol style="list-style-type: none"> Tools are not working in the ITI. Also, shortage of hand tools & other parament is not as per DGT Norms.
42.	Choudahary M.S. Memorial Private ITI, Address: Sahawa Road, Taranagar, Dist. Churu Rajasthan-331304 MIS Code: PR08001099	Electrician 3(2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 09.07.2025. During inspection following deficiencies were found: <ol style="list-style-type: none"> Availability of major and minor machinery was found to be approximately 50% of the required level. More than 80% of the staff were absent during the course of inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. Institutional arrangements were not in conformity with the prescribed norms. iv. Classroom furniture was not found as per the stipulated norms. v. As per DGT norms, the industrial experience of certain instructors was found to be inadequate, while no relevant experience was shown for some others. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.</p>
43.	<p>S.M.R.T. Private Industrial Training Institute,</p> <p>Address: Khasara No. 2361/1950/423, 2358/1952/431, Near Dhan Ji Ki Dhani Bus Stop, Tara Nagar Road, Churu, Dist. Churu - 331001</p> <p>MIS Code: PR08001176</p>	<ul style="list-style-type: none"> 1. Electrician 9(3+3+3) 2. Fitter 2(1+1) 3. Mechanic Diesel 2(1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 11.07.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. Major and minor machinery were available only up to 20% for the Fitter and Mechanic Diesel trades. ii. Classrooms were not as per norms. For the Electrician trade, only 40% of major machinery was available, and the machinery was not in working condition. iii. The workshop size was not as per norms. Principal chamber, dispensary, and ED hall were also not as per norms. iv. Electricity consumption was low, and employees did not fulfill the qualification criteria. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, SSDEC has recommended for de-affiliation 8. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reasons.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
44.	<p>Shreemati Moongi Devi Private Industrial Training Institute</p> <p>Address: Near Ram Nagar, Tiraha, Bisau Road, Churu - 331001</p> <p>MIS Code: PR08001232</p>	<p>1. Electrician 8(4+4)</p> <p>2. Fitter 2(1+1)</p> <p>3. Mechanic Diesel 3(1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> ITI, denied the joint inspection due to the lack of proper arrangement (provide a letter dated 11.07.2025), during the physical inspection. Major and minor machinery for Fitter, Mechanic Diesel and Electrician trades was found to be less than 60%, and no staff/principal were present at the time of inspection. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of ITI.</p>
45.	<p>Gyan Jyoti Private Industrial Training Institute</p> <p>Address: Near Hanuman Gaddi Temple, Churu- 331001</p> <p>MIS Code: PR08001279</p>	<p>Electrician 4(0+4)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025 and 06.02.2025.</p> <p>3. Further, a joint inspection was conducted on 10.07.2025.</p> <p>4. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> Major and minor machinery found less than 50%. Most of the available machinery were not in the working condition. DG set was not available. only about 50% staff were present at the time of inspection. Experience of the instructors/staff was not as per norms. Some information provided in the Annexure-3 were found to be incorrect. No trainees were present. As per annexure 3 the expenditure on Raw material were shown as zero. <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.
46.	<p>Kalpna Private Industrial Training Institute</p> <p>Address: IP First Riico Industrial Area, Taranagar, Dist.Churu Rajasthan - 331304</p> <p>MIS Code: PR08000720</p>	Electrician 10(3+3+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 18.01.2025.</p> <p>4. Further, a joint inspection was conducted on 09.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> Against the ITI, a JPS school was being operated. The Electrician workshop was not as per norms and was covered with a tin shade. Less than 50% of the major and minor machinery was available for the Electrician trade. As shown in the ITI layout map, a toilet was located in place of the classroom, and the roof was open. The ED classroom was also not available. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>
47.	<p>Shree Vivekanand Private ITI</p> <p>Address: Near Bus Stand Nohar Road, Sahawa Tara Nagar, Dist. Churu 331302</p> <p>MIS Code: PU08001684</p>	<p>1. Early Childhood Educator 2(1+1)</p> <p>2. Electrician 6(2+2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 02.07.2025.</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reasons:</p> <ol style="list-style-type: none"> The electrical connection for the ITI is registered in the name of the building owner, Mr pawan kumar/ Arjun Sarawagi rather than in the name of the

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			Institute/ management, which is not in compliance with NCVET Affiliation norms. ii. Principal Qualification is CTS, having Nil Experience. Electricity consumption from Feb 2024 to Jan 2025 was zero.
48.	<p>Diwakar Private ITI</p> <p>Address: Near New Bus Stand, Bhadra Road, Sahawa Tara Nagar, Dist. Churu - 331302</p> <p>MIS Code: PR08001626</p>	<p>1. Electrician 6(2+2+2)</p> <p>2. Fitter 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 22.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.06.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> The Principal's qualification was not as per DGT norms. Out of 09 only one trainer was CITS qualified, 01 trainer was available for Fitter trade. No instructor were available for ED, IT and ES, the clear location address was not mentioned in the rent agreement. The lathe machine for the Fitter trade was not in working condition, raw material and power consumption per trainee were very low, very few major electrical machineries were in working condition and only 05 desktop computers were available but not in working condition. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>
49.	<p>ChoudharY H R PVT. ITI</p> <p>Address: Ward No. 19, Booknasar Bas, Sardarshar, Churu - 331403</p> <p>MIS Code: PU08001796</p>	<p>Electrician 6(2+2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 17.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025.</p> <p>5. During inspection following deficiencies were found:</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> i. All 08 Trainers of electrician trade are non CITS and having Nil Experience. ii. IT Lab not well maintained. 3 Latest Tools& Equipment's as per new syllabus (revised in 2023) Not purchased. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.</p>
50.	<p>Vinayak Pvt. ITI,</p> <p>Address: Taranagar-Delhi Road, Sardarshahar (Churu)</p> <p>MIS Code: PR08001909</p>	Electrician 3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 08.01.2025.</p> <p>3. The ITI replied to the SCN on 29.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025.</p> <p>During inspection following deficiencies were found:</p> <ul style="list-style-type: none"> i. Web site available but not updated. ii. Major Machinery not in working condition, Diesel Generator set was not available. iii. Only moveable DG set available outside the institute, entrance of workshop (underground) not safe as no railings fitted on staircase and IT lab not as per norms, only 10 laptops available without bills. <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.</p>
51.	<p>Shubhdeep Private Industrial Training Institute</p> <p>Address: 87, Karni Nagarbaxi Phase-I Dist.-Jodhpur Rajasthan</p>	Electrician 2(1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025.</p> <p>3. Further, a joint inspection was conducted on 27.06.2025.</p> <p>4. During inspection following deficiencies were found:</p> <p>As informed and confirmed by the ITI Principal, the ITI had been closed since 2020. A school was being operated in place of the ITI.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PU08000589		5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
52.	Sugan Private Industrial Training Institute Address: Pokran Road, Phalodi Dist.-Jodhpur, Rajasthan-342301 MIS Code: PR08000760	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 28.06.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> Electricity Bill was not in the name of ITI. A polytechnic college is running in the same Parishar. Common bill of 20 KW is for both of Polytechnic & ITI. So, Load cannot be verified. Land is allotted by Jila collector Jodhpur for Only Polytechnic college Purpose. No NOC for running ITI in the allotted land from Jila Collector Jodhpur/Govt. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI as ITI Electricity load was shared with Polytechnic and no NOC for running ITI in the allotted land from Jila Collector as Land is allotted By Jila collector Jodhpur for Only Polytechnic college Purpose.
53.	Marudhara Private Industrial Training Institute Address: N.H.8, Khori Mod, Bidara,	Electrician 5(2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 03.07.2025. 4. During inspection following deficiencies were found:

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Teh.Shahpura, Dist.Jaipur Pin-303103 Rajasthan MIS Code: PU08001518		i. Lab / Workshop were running in Basement. ii. Lease /Rent Agreement Expired on 2024. iii. Tools equipment not as per Norms. iv. IT Lab, computer systems were not working. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI
54.	Shastri Private ITI Address: 15-16 Baba Tadkeshwar Nagar, Ward No. 19, Surajkund, Chaksu, Dist. Jaipur-303901 MIS Code: PU08001675	1. Electrician 2(1+1) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 30.06.2025. 4. During inspection following deficiencies were found: i. No CITS Instructor appointed for Electrician Trade. ii. Electrician Trade Machinery sr, no 144,145,165,166,159,106,107 etc not available. iii. Fitter trade machinery sr. no. 197 -204 etc are not available. iv. IT lab computer system not in working conditions or outdated v. ED hall not available. vi. Fitter Tools were rusted and seems to be not in use. vii. Low unit consumption 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI
55.	Shri Ramdev Private Industrial Training Institute	Electrician 1(0+1) Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. 3. Further, a joint inspection was conducted on 04.07.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address: Jobner Road, Phulera (Jaipur)-303338 MIS Code: PR08000857		<ol style="list-style-type: none"> 4. During inspection following deficiencies were found: <ol style="list-style-type: none"> i. ITI was not operational. ii. Building was in very bad condition. iii. No Tools /Equipment present at the institute. iv. No staff present at the institute at the time of inspection. v. Other business was running inside the building. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
56.	Bajrang Private Industrial Training Institute Address: Rudawal, Teh. - Roopbaas, (Bharatpur)-321402 MIS Code: PR08000034	Electrician 2(1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 17.01.2025. 4. Further, a joint inspection was conducted on 26.06.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> i. Load of institute was less than prescribed DGT norms i.e., for electrician required load is 5.2 kw but available load was 5 kw. ii. Website of institute was not available. iii. Most of the Machines were not in working condition. iv. No training record found as well as no training record provided by ITI. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
57.	Vijay Private Industrial Training Institute, Address: Near S.B.B.J. Bank, Bandikui Road,	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant 2(1+1) 2. Electrician 2(1+1) 3. Health Sanitary Inspector 2(1+1) 	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 30.06.2025. 5. During inspection, the ITI denied for inspection

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Sikandra, Distt. Dausa-303326 MIS Code: PR08000606	4. Mechanic Diesel 2(1+1)	6. Further 9th SSDEC meeting held on 17.09.2025 has recommended de-affiliation of the ITI.
58.	Vinita Private Industrial Training Institute, Address: Kalya Dhani, Lal Sot, The. Lalsot, Dist. Dausa - 303503 MIS Code: PR08000276	Electrician 9(3+3+3)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 17.01.2025. Further, a joint inspection was conducted on 01.07.2025. During inspection following deficiencies were found: <ol style="list-style-type: none"> Approx 05% items missing as per latest list. Principal chamber, office, staff room not as per latest civil norms, maintenance chart, log books were not maintained, Labs were tin shaded, as per electricity bills, electricity connection seems that disconnected from 2021 to 2025 and ITI was running on DG set at the time of visit. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
59.	P.D. Private Industrial Training Institute, Address: Thanagazi Distt. Alwar-301022 MIS Code: PR08001190	<ol style="list-style-type: none"> Electrician 2(1+1) Fitter 2(1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 28.07.2025. During inspection following deficiencies were found: <ol style="list-style-type: none"> Staff members not found, Institute has denied for Joint Inspection. Other activities like Garage, car washing was found to be running at the ITI Further Joint Inspection team has recommended for de-affiliation of the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
60.	Ansh Pvt.ITI Address: Vill Kandoli, Post- Bhajeda The- Rajgarh, Dist. Alwar MIS Code: PR08001805	1. Electrician 6(2+2+2) 2. Fitter 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 13.02.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found: i. Lease deed is for less than 10 years. ii. Energy consumption is very low. iii. ITI building area available is as per DGT Norms but school is running in the same building in excess rooms. iv. Wrong GST number bill attached. Major machineries, tools and equipment were found short. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
61.	Shri Giriraj Private Industrial Training Institute Address: Near Power House, Jaluki Road, Laxmangarh (Alwar)-321607 MIS Code: PR08000449	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: Unable to participate in joint inspection as the owner cum principal busy in a family function. ITI requested to new date for Joint inspection (letter dated 29.07.2025) 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
62.	<p>Shri Matasya Industrial Training Centre,</p> <p>Address: Baradameo, The. -Laxmangarh, (Alwar)- 321607</p> <p>MIS Code: PR08000473</p>	<p>1. Electrician 4(2+2)</p> <p>2. Fitter 2(1+1)</p> <p>3. Mechanic Diesel 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> It has been observed that two institutes -Shri Matasya college and Shri Matasya Pvt. ITI are functioning from the same premises. While both have separate entry gates, the classrooms and labs are being shared, and there is no clear physical or legal bifurcation of the space. The existing lease deed does not specify distinct deed allocated to each institute, leading to ambiguity in infrastructure ownership and usage. Major machinery (sr. no 179, 181, 183, 187, 188, 190-194,196-199, 201, 202, 204, 205, 230-233 in mechanic diesel trade not available. Only 01 Lath machine available in place of required-02 nos. Pneumatic and hydraulic equipment's from Sr. no. 198-204 not available in fitter trade. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
63.	<p>Indian Private Industrial Training Institute,</p> <p>Address: Kathumer Road, Laxmangarh (Alwar)- 321607</p> <p>MIS Code: PR08000132</p>	<p>1. Electrician 2(1+1)</p> <p>2. Fitter 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 29.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> The Workshops are in poor structural condition.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> ii. The tin sheds are damaged at multiple points, the floors are uneven and deteriorated, and there is an absence of proper ventilation, adequate lighting, and ceiling fans. iii. The Tool kits are grossly insufficient. iv. Electrician Trade Machinery: Machinery listed were not in working condition. Additionally, machinery was completely unavailable. v. Diesel generator set was not available. vi. Fitter trade tools & machinery: so many items are missing and unavailable. vii. Only One Lathe machine was available, which was also non-functioning, against the are requirement of two functional units. viii. Welding transformer was in not working condition. 8. Classroom for both trades are currently situated in a separate building, which appears to be a school- building. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
64.	<p>U.B.M. Memorial Private Industrial Training Institute</p> <p>Address: Village Manda, Tehsil Mundawar, Distt. Alwar-301407</p> <p>MIS Code: PR08000841</p>	<ul style="list-style-type: none"> 1. Computer Operator and Programming Assistant 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 29.01.2025. 4. Further, a joint inspection was conducted on 02.08.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. The Civil infrastructure does not align with the approved building plan, indicating significant discrepancies between the actual setup and the section add e-sign. ii. The lease deed has expired in 2024 (lease duration 4.11 yr. from 16.09.2019).

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. Both workshops for Electrician and Fitter trades are in poor condition, with damaged structures and inadequate facilities. iv. The COPA lab area is approximately 48sq. M. which is below the required area of 60 sq. m. as per affiliation norms. v. Only one lathe machine is available, and it is non-functional whereas the required number is two units. vi. The pneumatised Hydraulics machines are not available in the Fitter trade. vii. Instead of an installed diesel generator (DG) set, the institute is using a portable rented DG set. viii. Only 14 Desktop computers are available, which is significantly below the required 24 units, 9. ix. laptops for COPA trade are not available. x. LAN connection has been installed in the COPA lab. xi. The number of trainee tool kits is less than the required quantity. xii. The following equipment are not available in the Electrician trade: Sr. No. 94, 70, 134, 135, 139, 101,104, 116, 159, 160, 161, 122, 140-142, 144-149. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
65.	<p>Alwar Private Industrial Training Institute,</p> <p>Address: 30 A, Old Industrial Area, I.T.I. Road, Alwar-301001</p> <p>MIS Code: PR08000042</p>	<p>1. Electrician 6(4+2)</p> <p>2. Fitter 2(2+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025.</p> <p>3. The ITI replied to the SCN on 28.01.2025.</p> <p>4. Further, a joint inspection was conducted on 29.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ul style="list-style-type: none"> i. ITI denied for joint inspection vide letter no. AITC/1689 dated. 29.07.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			ii. The ITI was not found at the location. 6. Further, 9th SSDEC meeting held on 17.09.2025 has recommended for de-affiliation
66.	National Private Industrial Training Institute Address: Railway Station, Kapren, Distt. Bundi-323301 MIS Code: PR08001210	1. Electrician 6(2+2+2) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. No staff other than the Principal was present in the institute. ii. It was found during the inspection that as per the revised syllabus, all the required machines and equipment were not available in the institute. iii. No documents of any kind were presented before the inspection team. iv. The Fitter trade lab was found to be in a very dilapidated condition; the essential machines and equipment related to the Fitter trade were also not available in the institute. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
67.	Raja Private Industrial Training Institute Address: 62 Balaji Awas Devli Arab Road Barkhera Tehsil-Ladpura, Dist Kota Rajasthan-324001 MIS Code: PR08000512	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 31.07.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. Electricity Bill not in the name of ITI entire building sanction load is 6 kw with school running in ground and first floor. ii. All 6 trainers appointed are not CITS qualified.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. Some machinery not in working condition. iv. 'Raja Classes' Tuition banners and school textbooks were found in ITI. v. IT Lab room systems were outdated and not in good condition. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
68.	<p>Jagdish Prasad Bohra Private Industrial Training Institute</p> <p>Address: 51, Ricoo Industrial Area, Somnath Nagar, Dausa 303303</p> <p>MIS Code: PR08000619</p>	<ul style="list-style-type: none"> 1. Electrician 6(3+3) 2. Mechanic Diesel 2(1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 01.08.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. It seems that as per the site plan ITI is approximately 300 meter inside the main road. ii. Labs are not properly maintained. iii. The whole building was very dirty. iv. At the time of inspection there are no trainees available. v. At the time of inspection, no records of trainees related to the trade were found were found like trade files, Projects & Models. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
69.	<p>Kesar Private Industrial Training Institute</p> <p>Address: Kesar Hospital, Sainthal Mod, Dausa - 303303</p>	Electrician 8(4+4)	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 01.08.2025. 5. During inspection following deficiencies were found:

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PR08001161		<ul style="list-style-type: none"> i. Some of the office and theory lab are in basement which was not as per norms. ii. They are also running marriage garden in the adjoining land area which has way from the ITI. The ITI had set up a working in the same marriage garden. iii. Labs are not properly maintained and poor condition. iv. At the time of inspection there are no trainees available. v. At the time of Inspection, no records of trainees related to the trade were found like trade files, Projectors & Models. vi. At the Time of inspection there are no trainees available. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
70.	<p>Vijay Private Industrial Training Institute,</p> <p>Address: Ward No. 12, Maharana Pratap Colony, Bandikui (Dausa)</p> <p>MIS Code: PR08000461</p>	<ul style="list-style-type: none"> 1. Electrician 12(4+4+4) 2. Fitter 3(1+1+1) 3. Mechanic Diesel 3(1+1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. Some of the office and Theory lab are in the basement which was not as per norms. ii. There is no parking for Diesel Mechanic trade as per norms. iii. IT Lab is not properly maintained. 50% computers are not in working condition. iv. Lab on 1st floor have very narrow corridor exit to the emergency gate. v. Some Electrician lab machines are not working. vi. At the Time of inspection, no records of trainees related to the trade were found like trade, Projects & Models. vii. At the Time of inspection there are no trainees available.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
71.	Bhagat Singh Private Industrial Training Institute Address: Kalwan Road, Near Phed office, Sikrai, Dausa MIS Code: PR08001194	Electrician 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> In electrician trade lab some items and machines were not working. IT lab is not properly maintained. Washroom were in very bad condition and not usable at all. There is no proper ventilation in Theory lab and lack of good furniture. Building is very old and not well maintained. At the time of inspection there are no trainees available. At time of inspection no records of trainees related to the trade were found like trade files, Projects & Models. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
72.	Raghukul Private Industrial Training Institute Address: Behind Government Hospital, Ralawata Road, Distt-Dausa - 303303	Electrician 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> At the time of inspection only caretaker is available all labs and rooms are locked.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PU08000274		<p>ii. He connected us to the owner of the ITI over phone. Owner said that he is right now not interested in inspection of the ITI this connection he has also given us a letter dated.31.07.2025).</p> <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
73.	<p>Shri Kedarnath Private Industrial Training Institute</p> <p>Address: Near Circuit House New Housing Board Colony, Khan Bhankari Road, Dist. Dausa</p> <p>MIS Code: PR08000374</p>	Electrician 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 16.01.2025.</p> <p>4. Further, a joint inspection was conducted on 01.08.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> Library is not maintained. Theory lab furniture is in very bad condition to extent not useable. In electrician trade lab some items and machines are not working. The IT Lab was in the basement, it was very damp. At the time of inspection there are no trainees available. At the time of Inspection, no records of trainees related to the trade were found like trade files, Projects & Models. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
74.	<p>Mahatma Gandhi Private Industrial Training Institute</p> <p>Address: Badiyal Road, Bandikui, Distt. Dausa</p>	<p>1. Electrician 2(1+1)</p> <p>2. Fitter 1(1+0)</p> <p>3. Mechanic Diesel 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025.</p> <p>3. The ITI replied to the SCN on 31.01.2025.</p> <p>4. Further, a joint inspection was conducted on 28.07.2025.</p> <p>5. During inspection following deficiencies were found:</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PR08000863		<ol style="list-style-type: none"> Electrician and Diesel Mechanic lab/workshop are below the plinth level. There is no parking for Diesel Mechanic trade as per norms. Parking shown by them is not sufficient for the carrying out the work in vehicles. IT Lab is not as per norms and also not well maintained. One of the ways to It lab way is from the Principal/office room. Furniture in the theory lab is not in good condition most of the not useable. There is no proper ventilation in the rooms and there is dampness in the room. Building is very old and is not well maintained. At the time of inspection not trade was running in the ITI and there are no trainees/ staff at all. At the time of Inspection, no records of trainee related to the trade were found like trade files, Projects & Models. <ol style="list-style-type: none"> Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
75.	<p>Kalpana Chawla Memorial Private Industrial Training Institute</p> <p>Address: Bhadra (Hanumangarh)-335501</p> <p>MIS Code: PR08000058</p>	<ol style="list-style-type: none"> Computer Operator and Programming Assistant 1(1+0) Electrician 4(2+2) Fitter 2(1+1) Mechanic Diesel 1(1+0) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 28.07.2025. During inspection following deficiencies were found: <ol style="list-style-type: none"> The workshop space for Mechanic Diesel, Electrician, and fitter trades was found to be less than the required norms. According to the revised syllabus, all trades (COPA, Fitter, Electrician & Mechanic diesel) do not have the necessary tools, equipment, and machinery.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. In the COPA trade, only 12 desktop computers, one laptop, printers, and other furniture (chairs and a table for the instructor, 12 desk tables and 24 operator chairs) are available, Other required tools, equipment, machinery, and software are not available. iv. In the COPA trade 12 computers from various companies are available here and seven of them are currently in use. v. In the Electrician, Fitter and Mechanic Diesel trade, all major machinery is either completely non-functional or not in working condition. vi. For the first shift (5 units), only 3 classrooms are available, resulting in a shortage of 2 classrooms. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
76.	<p>Kashav Vidhyapeeth Industrial Training Center</p> <p>Address: Shree Ganganagar Road, Pili Banga (Hanumangarh)</p> <p>MIS Code: PR08000912</p>	<p>Electrician 2(1+1)</p> <p>Mechanic Diesel 1(1+0)</p>	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025. During inspection the following were observed: <ul style="list-style-type: none"> i. No employee was present and the main gate was found open. ii. Upon entering the premises, some families were residing inside the ITI. iii. On inquiring with a nearby person, it was informed that the ITI opens only on the days when examinations are scheduled. 4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended due to following reasons:
77.	Vivekanand Private Industrial Training Institute	Electrician 4(1+2+1)	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 14.02.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address: Hanuman Nagar, Near Residential Colony, Behind Riico, Bhadra Road, Nohar (Hanumangarh) MIS Code: PR08001118		<ol style="list-style-type: none"> 4. Further, a joint inspection was conducted on 28.07.2025. 5. As per joint inspection, following deficiencies were found: 6. During the inspection following were observed: <ol style="list-style-type: none"> i. No staff was present, and the main gate was found locked. ii. Nearby persons informed that the ITI had been closed for the last 3–4 years. 7. Further Joint Inspection team has recommended for de-affiliation of the ITI. 8. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
78.	Saint Kabir Pvt.Industrial Training Institute Address: Near Sujala College, Jaswantgarh, Ladhnu, Distt.-Nagaur MIS Code: PR08000723	Electrician 6(4+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 11.02.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found: As per given Letter (dated 30.07.2025) by institute admission is not taken in future and want to close the institute. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
79.	Subh Gaurav Private Industrial Training Institute Address: Meethari, Teh.Ladhu, Dist.Nagour Rajasthan	Electrician 3(1+0+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. However, no reply was received from the ITI. 3. Further, a joint inspection was conducted on 30.07.2025. 4. During inspection following were the observations: <ol style="list-style-type: none"> i. As per letter (09.07.2025) provided by institute no training activity is running Since 2021.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code: PR08000769		<ul style="list-style-type: none"> ii. School was running at given location. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
80.	<p>Vivekanand Private Industrial Training Institute,</p> <p>Address: Near Hisar Bye Pass Circle Bhadra Dist.- Hanumangarh Rajasthan</p> <p>MIS Code: PR08000156</p>	Electrician 7(4+3)	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025. 4. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. ITI found closed. ii. The other institute is running in the same building. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended for de-affiliation of the ITI.
81.	<p>Pilibanga Private Industrial Training Institute</p> <p>Address: Pilibanga, Dist. Hanumangarh</p> <p>MIS Code: PR08000598</p>	Electrician 5(2+2+1)	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 28.01.2025. 4. Further, a joint inspection was conducted on 01.08.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. ITI lab floor area measured and found 15-80 sqm which is not sufficient as per DGT norms. ii. Floor area of Electrician workshop No. 01 on ground floor measured and found 90.58 SQM, which was not sufficient as per DGT norms. Also, this floor area is not merely dedicated to Electrician workshop owing to entries of IT Lab and classroom inside to it. iii. Referring to list to Tools Equipment and Machinery Item number not available. iv. Referring to list of Tools equipment and Machinery item number found not in working order.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
82.	Dhapudevi Private Industrial Training Institute Address: Outside Naya Darwaza Kakku Walo Ki Pole, Dist.Nagaur Rajasthan MIS Code: PR08000821	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 15.07.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> Sign Board of the ITI Not as per standard. Store /Section stock Registers of Tools/Machinery /Raw material are not maintained available Store/Section indent books are not maintained available. Raw material not purchased and expenditure on training is zero (No Bills). Few shop machineries not in working condition. Tool kit No. 1 - 12 available only for 4 units. other short. Workshop equipment not as per latest syllabus list. Fire extinguishers are empty and expired condition since 2014. No fire bucket available 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
83.	Shree Govind Dev Private Industrial Training Institute Address: Plot No. 17, 18, 26l, 27 Ramkrishn Nagar, Near Nehru Cillege, In	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 16.07.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> On the day of inspection dated 16.07.2025 original documents related to the point given in Annexure-III, bill (Electricity, T/E, R/M, Computers,

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Front of Stadium, Tonk - 304001 MIS Code: PR08001304		<p>Dispensary, sports, diesel etc.) staff attendance, payment distribution records, trainee records, training records, Stock registers (T/E, R/M), diesel consumption log book and other supporting, papers were not shown and the file was also refused to be given. This file was presented later, in which also complete documents have not been attached.</p> <p>ii. As per the electricity bill of fully 2025 the consumption of electrical load for the training session 2024 -25 was found to be very low and no record of diesel purchase and diesel consumption was found.</p> <p>iii. As per NSQF level -4 syllabus the following T/E serial number was not found and not working condition. (16,20,26,27,28,32,39,40,41,42,45,46,62,73,80,82,88,90,92,93,101,105,106,107,108,122,131,133,134,159,160,161,165,166). *Not in working condition- (69,70,137,138,139,143,147,148).</p> <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
84.	<p>Bhuneshwari Private Industrial Training Institute</p> <p>Address: Swarna Durga Mandir Ke Pass, Anand Vihar Colony, Nh-12, Kota Road, Dist.Tonk Pin-304001 Rajasthan</p> <p>MIS Code: PR08000508</p>	Electrician 3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 22.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <p>i. Out of 5 trainers only one trainer was found to be CITS Trained.</p> <p>ii. As per Annexure-III, serial no. (c and g) of VI were not strictly followed and records were not found on the day of inspection.</p> <p>iii. The number of Instructors sponsored by ITI for CTI training is 00.</p> <p>iv. Records of trainees like test copies, Jobs, charts, models etc., were not found.</p> <p>v. Instructor records not found like-weekly & monthly schedule.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			vi. The register for issuing raw materials to the trainees was not found. vii. The diesel generator set was found to be only 5 KVA, whereas the requirement is 7.5 KVA. 8. Diesel consumption log book not found. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
85.	Sanskar Private Industrial Training Institute Address: Near Police Station, Tonk Road, Nagar Fort, Dist.Tonk Rajasthan MIS Code: PR08000545	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 15.07.2025. 5. During inspection following deficiencies were found: <ol style="list-style-type: none"> Theory Rooms I & II, Staff Room, Principal Office Room in the ITI building were not found as per the dimensions of the building layout. The lease period is mentioned as 20 years is not mentioned in the lease agreement given. Most of the machines were found in non-working condition. Diesel Generator set not found in ITI. Original diesel bill and diesel consumption log book not found. IT lab was not found in ITI building. Raw material issue & Stock register and tools & equipment stock register were not provided. None of the instructor staff have CITS certification as per the syllabus. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation
86.	BKLG Private Industrial Training Institute	Electrician -15 (6+6+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	<p>Address: H.H. Colony, Bambor Road, Teh. -Tonk, Dist.-Tonk Pin-304001 Rajasthan</p> <p>MIS Code: PR08000588</p>		<p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 31.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> Sponsorship letter for CTI training and CTI retraining of trainers not provided. Three out of eight CTIS trainer's appointment letter was not found. Arrival and departure time of staff members was not found in the staff attendance register. Date of payment and revenue stamp were not found in the salary distribution register. Time table was not found for running units of the trade. In the last 6 months bills of diesel, per 1tr. rate-91/11 was found to be same. In the given 9 diesel bills the months were different but the serial number was in sequence in bills of 4-4 months. CCTV cameras were not working. Original computer and printer bill were not provided. Original bills of raw materials and diesel not provided. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
87.	<p>Aman Private Industrial Training Institute</p> <p>Address: Near by Maziad Pachbati, Dist.Tonk Rajasthan</p> <p>MIS Code: PR08000186</p>	Electrician -3 (1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 22.01.2025.</p> <p>4. Further, a joint inspection was conducted on 14.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> Lack of tool and equipment was found in the institute. Out of 10 old poorly maintained computers kept in the IT lab, only 01 computer was working.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. As per the lease agreement, the second party and rented the place for Aman ITI from the first party khadi and gram Udyog samiti, but Aman Private ITI was found in Ratan complex. iv. Electricity bill was received not in the name of ITI owner, landlord and society but in the name of Ratan Complex v. There was a generator set inside the Ratan complex, which was shown to be 8. vi. Instructor were not qualified as per NSQF (Level-4) syllabus (Essential Qualification-CITS). 13- The lease period is mentioned as 20 years in Annexure III, but 20 years is not mentioned in the lease agreement given. vii. The human amenities of ratan Complex were being used by ITI's own human amenities were not found. viii. As per NSQF (level-4) syllabus T/E serial number was not found. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
88.	<p>Shree Teja Private ITI</p> <p>Address: Khasara No. 2448/2, Peeplu, Dist. Tonk</p> <p>MIS Code: PU08001683</p>	<ul style="list-style-type: none"> 1. Computer Hardware & Network Maintenance 2(1+1) 2. Electrician 2(1+1) 3. Fitter 3(1+1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025 and 29.07.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. Fitter: - 1- As per NSQF level following T/E serial number 91-93, 99, 103, 107, 109, 111, 116, 123, 125, 131, 140, 156, 157, 161, 169-170, 173-174, 183-185, 198-204 were not found and 197 and 203 were not found in working condition. ii. Electrician: -As per NSQF level-4 syllabus the following T/E serial number 44, 62, 64, 66, 70, 78, 79, 90, 91, 101, 104, 108, 116, 124, 126,

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>130, 154, 159-166, 171 were not found and sr. no. 140, 143-145, 149 and 152 were not in working condition.</p> <p>iii. 3- The diesel generator set was found to be of only 5.2KVA, whereas the requirement is 7.5 KVA.</p> <p>iv. In the last one year, the electricity consumption bill was found to be very low and the diesel consumption log book was not found.</p> <p>v. In the last 8 month's bills of diesel per litre rate-90/61 was found to be same.</p> <p>vi. Signboard with name of ITI was not found.</p> <p>vii. Original bills of raw materials not found.</p> <p>viii. Raw material issue registers not found.</p> <p>ix. Training and trainees record not found.</p> <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
89.	<p>Sevanand Pvt. ITI</p> <p>Address: Near Sawai Madhopur Chouraha, Over Bridge, Tonk-304001</p> <p>MIS Code: PU08001792</p>	<p>1. Electrician 6(2+2+2)</p> <p>2. Hospital House Keeping 3(1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 21.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <p>i. Out of 08 instructors in ITI not even one instructor is CITS trained.</p> <p>ii. Only two instructors have been sponsored for CTI training but sponsorship letter is not enclosed.</p> <p>iii. In ITI, PPL room was found to be 16.13sq.m. and library 21.04sq.m. but actual required area for PPL room is 20 sq. and library 40sq.m.</p> <p>iv. In the last one year, the electricity consumption bill was found to be very low and the diesel consumption log book was not found.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> v. Arrival and departure time of staff members was not found in the staff attendance register. vi. Timetable was not found for running units of the trade. vii. List of technical trade books not found. viii. List of dispensary items/first aid kit not found. ix. Records of trainees like test copies, Jobs, charts models etc., were not found. x. As per NSQF level -4 syllabus the following T/E serial number (28(B), 32, 39, 45, 60, 64, 66, 73, 78, 79, 81, 82, 84 (d,e), 86, 88, 89, 90, 92, 101, 107, 108, 113, 116, 119, 122, 126(d,h) 134, 135, 136, 142, 159 to 166, 168) was not found and not working condition. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation</p>
90.	<p>Sevanand Private ITI</p> <p>Address: Village Post Peeplu, Dist. Tonk</p> <p>MIS Code: PR08001820</p>	<ul style="list-style-type: none"> 1. Electrician 6(2+2+2) 2. Hospital House Keeping 3(1+1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: <ul style="list-style-type: none"> i. Out of 08 teaching staff members in ITI, only one instructor was CITS trained. ii. The number of trainers sponsored by ITI for CTI training is 00. iii. Lack of tools and equipment were found iv. Raw material issue and stock register were not provided v. Original bills were not provided for computers and printer. vi. The diesel generator set was not working and the original bill of generator set and log book of diesel consumption were not found.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>vii. Original purchase bills of raw materials were not found. So many items of machinery were not in working condition.</p> <p>viii. Lesson plan demo plan not provided.</p> <p>ix. As per NSQF level-4 syllabus the following T/F. Serial number was not found and not working condition: (05, 06, 07, 18, 24, 28, 29, 39,44, 45, 55,61,66,68,73,74,78,79,81,82,88,89,90,95,101,104,107,111,112,113,116 ,119,122,126,131,133,134,151,154,159,160,161,162,163,164,165,166)</p> <p>x. Not working condition: (139, 140,144, 146, 147, 148,</p> <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.</p>
91.	<p>Indian Institute of Private Industrial Training Institute*</p> <p>Address: Jaipur Road, Near Vansthali Turn, Teh-Niwai, (Tonk)</p> <p>MIS Code: PR08000397</p>	<p>1. Electrician 6(3+3)</p> <p>2. Fitter 2(1+1)</p> <p>3. Mechanic Diesel 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025.</p> <p>3. Further, a joint inspection was conducted on 15.07.2025.</p> <p>4. During inspection ITI requested for closure of the ITI vide letter (dated 15.07.2025)</p> <p>5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.</p>
92.	<p>Vinayak Private Industrial Training Institute,</p> <p>Address: Opp. Veterinary Hospital, Tonk Road, Newai, Distt. Tonk-304021</p> <p>MIS Code: PR08001217</p>	Electrician 4(2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 29.07.2025.</p> <p>5. During inspection following deficiencies were found:</p> <ol style="list-style-type: none"> Electrician Trade Tools deficiencies. Instead of 7.5 KVA available Diesel Generator set was 5 KVA.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. Some tools were brand new untouched and some were rusty and condition of rest maximum available tools equipment was very poor, not maintained servicing from long time some of them was broken. iv. No safety major followed, fire extinguisher was not CO₂, open wires were hanging and too much seepage on walls. v. No Board, Skill, DGT Logo on Main Entrance, inside, outside. vi. As per NSQF level 04 except progress card and attendance record no evidence found i/o of Formative assessment. vii. Out of 6 electrician trade trainers 05 not CITS qualified and paid emolument not as per prescribed skilled wages norms and No proper light in the workshops. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.</p>
93.	<p>Gurukripa Pvt ITI</p> <p>Address: Near Rani Laxmi Bai Kanya Mahavidyalaya Khanndewat Road, Newai Tonk - 304021</p> <p>MIS Code: PU08001789</p>	Electrician – 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025.</p> <p>3. Further, a joint inspection was conducted on 30.07.2025.</p> <p>4. During inspection following deficiencies were found:</p> <ul style="list-style-type: none"> i. Electrician trade Tools Deficiency. Too much dust in the workshop and adequate lightening condition of available tools equipment were very poor and it was noticed that they have been rusty & untouched from very long time. ii. IT lab was non-functioning, computer was kept dump. Books in library were related to economics, public administration and Hindi Literature, Civil essential norms regarding board and signage not followed. <p>5. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
94.	<p>Mission Private ITI</p> <p>Address: Tonk 04 Vikash Colony Station Road, Newai, Rajasthan</p> <p>MIS Code: PU08001744</p>	<p>Electrician 6(2+2+2)</p> <p>Fitter 3(1+1+1)</p>	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025. The ITI replied to the SCN on 23.01.2025. Further, a joint inspection was conducted on 31.07.2025. <ol style="list-style-type: none"> During inspection following deficiencies were found: Electrician trade Tools Deficiency instead of 7.5 KVA available Generator set was 05 KVA & SN 16, 63, 66, 74, 78, 83, 84, 86, 88, 92, 99, 100,101, 106, 115, 116, 118, 125, 134, 135, 150, 151, 161, 165, 166, 168. Condition of available Tools and equipment both the trade was very poor and it was observed that they have been rusty and untouched from very long time. Fitter trade Tools Deficiency - SN 01, 03, 10, 13, 14, 15 & 18, 19, 28, 41, 46, 47, 48, 50, 55, 58, 59, 60, 63, 66, 68, 73, 74, 75, 77, 83, 91, 97, 99, 102, 103, 106, 110, 111, 114-118, 120-129, 133, 152, 160, 161, 163-170, 172, 183, 185, 193, 198-204. Institute corridor was very narrow, in case of any miss happening trainees couldn't reach easily to the emergency exit. Further Joint Inspection team has recommended for de-affiliation of the ITI. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.
95.	<p>RNT Private Industrial Training Institute</p> <p>Address: Tonk Newai, Rajasthan-304021</p> <p>MIS Code: PU08001749</p>	<ol style="list-style-type: none"> Electrician 6(2+2+2) Fire Technology and Industrial Safety Management 3(1+1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025. The ITI replied to the SCN on 23.01.2025. Further, a joint inspection was conducted on 29.07.2025. During inspection following deficiencies were found:

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> i. Electrician trade Tools deficiencies Sr. no. 16, 30, 35, 36, 37, 38, 43, 44, 50, 52, 53, 60-68, 70, 71-75, 82-94, 98, 100, 101, 103-107, 110, 113, 114, 116, 119-125, 127-129, 131-136, 144-145, 150, 151, 154, 155, 158-166. ii. Fire Technology & Industrial safety Management trade deficiencies 13, 14, 19, 25, 26, 27, 31, 35, 36, 43, 44, 47, 50, 55-58, 63-67, 70. iii. Condition of available tools equipment both the trade was very poor, some brand new and it was observed that they have been untouched from very long time. iv. Affiliation norms related to boards and signages 6.1 to 6.9 were not complied, it was observed that only one flax banner was installed at the main entrance on the day of inspection, as per the NSQF level 04 except progress card and attendance record no evidence found i/o of formative assessment. <p>6. Further Joint Inspection team has recommended for de-affiliation of the ITI.</p> <p>7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.</p>
96.	<p>Rajeev Gandhi Private Industrial Training Institute,</p> <p>Address - Shahpura Baag, Amer Road, Jaipur - 302002</p> <p>MIS Code - PR08000122</p>	1. Electrician- 2(1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 16.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed:</p> <ul style="list-style-type: none"> i. The major machinery such as- Machine Trainer etc. was not in working condition on the day of inspection ii. No qualified instructors were appointed by the ITI. iii. The trade trainers available in the ITI does not have trade knowledge. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
97.	Suparshva Private Industrial Training Institute, Address - Vill. & Post Fagodiya Wala, Bad Ka Balaji, Ajmer Road, Tehsil Sanganer, Dist. Jaipur-302026 MIS Code - PR08001403	1. Electrician- 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 18.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 18.09.2025. During the inspection the following deficiencies were observed: i. A Paramedical college and the ITI are running under same building. ii. The qualification of superintendent does not match as per norms. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation
98.	Nav Prateek Private Industrial Training Institute, Address - Chaksu, Dist. Jaipur MIS Code - PR08001419	1. Electrician- 15(5+5+5)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 15.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 15.09.2025. During the inspection the following deficiencies were observed i. The latest 6 months copy of electricity bill was not provided by the ITI on the day of inspection. ii. In Electrician workshop earthing of electrical panels, machinery was not found. Also, the safety measures were not available in workshop. iii. The labs in the ITI were filled with rain water. iv. The ITI staff were not available at the time of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation
99.	S.L.B.S. Private Industrial Training Institute,	1. Electrician- 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Luniyawas, Bheru Khajra, Tehsil Amer Dist. Jaipur MIS Code - PR08001387		3. The ITI replied to the SCN on 31.01.2025. 4. Further, a joint inspection was conducted on 19.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 19.09.2025. During the inspection the following deficiencies were observed: i. The school was running under same building of the ITI. ii. The ITI was called by the inspecting committee called on the given contact no. but key person not responded. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation
100.	Shri Narayan Private Industrial Training Institute, Address - Gram-Bagwada, Via- Moriza, Teh- Amer, Distt -Jaipur-303805 MIS Cod - PR08000887	1. Electrician- 4(2+2) 2. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 01.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 01.09.2025. During the inspection the following deficiencies were observed: i. The ITI was not in running condition. ii. A PG women college and a School were found in the ITI premises. iii. All the ITI Labs were present in basement which is not as per norms. iv. The trades related machinery was not in working condition and found in pathetic condition on the day of inspection. v. As per the electricity bill the unit consumption of electricity in the ITI was very low. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation
101.	New Sunrise Private Industrial Training Institute,	1. Electrician- 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 03.09.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Plot No. 4, Kirti Sagar "S" Mangyawas, Mansarover, Dist. Jaipur - 302020 MIS Code - PU08000304		5. Accordingly, the joint inspection of the ITI was conducted on 03.09.2025. During the inspection the following deficiencies were observed: i. The school was running in same ITI Campus. ii. The electricity bill of the ITI was not on the name of the ITI. iii. The trade machinery was not in running condition on the day of inspection. iv. The fire extinguisher available in the ITI was not in working condition on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation
102.	Navjivan Private Industrial Training Institue, Address - Khasra No.517/9 Bande Ka Balaji-The-Pulera, Distt-Jaipur MIS Code - PR08001269	1. Electrician- 8(4+4) 2. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 12.02.2025. 4. Further, a joint inspection was conducted on 09.09.2025. i. Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the following deficiencies were observed: ii. The ITI building did not match the building layout/map presented during the inspection. iii. The major trades machinery was not in working condition on the day of inspection. iv. The tools and equipment available in the ITI appear to be untouched and unused for a long time, indicating that no training activities have been conducted at the institute. v. No vehicle was available for Diesel Mechanic training purpose. vi. The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance. vi. The IT lab and classrooms were found to be in a very poor condition. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
103.	<p>Shahpura Private Industrial Training Institute,</p> <p>Address - Lakshmi Nagar, Nh-8, Shahpura, Dist. Jaipur - 303103</p> <p>MIS Code - PU08000308</p>	1. Electrician- 4(2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 12.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The ITI building did not match the building layout/map presented during the inspection. The major trade machinery was found to be non-functional on the day of inspection, and several machines were also found dislocated from their bases. The tools and equipment available in the ITI appear to be untouched and unused for a long time, indicating that no training activities have been conducted at the institute. The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance. Annex III along with supporting documents were not submitted to Inspection Team. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
104.	<p>Shivalaya Private Industrial Training Institute,</p> <p>Addrres - P.No.5, Park Residency, Hathoj Kalwar Road, Distt. Jaipur - 302012</p>	1. Electrician- 4(2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The school or coaching activities were observed in ITI building on the day of inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code - PR08000298		<ul style="list-style-type: none"> ii. The major trades machinery was not in working condition on the day of inspection. The workshops were also in very poor condition on that day. iii. The IT lab was in very poor condition with non-working PCs. iv. No safety measures or proper ventilation were available in the IT lab. Moreover, the ITI lacked adequate ventilation and necessary safety provisions in case of fire. v. The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance. vi. Annex III along with supporting documents were not submitted to Inspection Team. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation</p>
105.	<p>L.B.S. Private Industrial Training Institute,</p> <p>Address - Shiv Colony Plot No.1-2,Air Force Cicle Wing 1st,Sanganer, Jaipur-302029</p> <p>MIS Code - PR08001260</p>	<ul style="list-style-type: none"> 1. Electrician- 5(2+2+1) 2. Mechanic Diesel- 1(1+0) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following deficiencies were observed: <ul style="list-style-type: none"> i. The area of classrooms as per the given building plan was found to be less as per DGT norms on the day of inspection. ii. Out of 11 instructors in ITI, only one instructor was found to be CITS trained and also has less experience. iii. The computers in the ITI lab were found in non-functional condition and also outdated not as per norms. iv. The other academic subjects' books of political science, Geography, social Science and Hindi Grammar, environment were found in the ITI library on the day of inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>v. Some records as per Annexure -III were not provided by the ITI on that day. The sponsorship letter for CTI training and CTI retraining of trainers were not provided.</p> <p>vi. The several tools and equipment, shop machinery as per the syllabus of Electrician NSQF level-4 were not available and also several other tools and equipment, shop machinery of the were not working condition on the day of inspection.</p> <p>vii. In the trade Diesel Mechanic NSQF level-3.5.7 the 50% tools and equipment, shop machinery was not available as per the trade syllabus on the day of inspection.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation due to shortage/not in working condition of Major Tools & Machinery in Electrician Trades.</p>
106.	<p>Rajasthan Private Industrial Training Institute,</p> <p>Address - Village Amarsar (Jaipur) 303601</p> <p>MIS Code - PR08000655</p>	1. Electrician- 4(2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 12.09.2025</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed:</p> <p>i. Major tools and equipment, shop machinery in Electrician trade were not available as well as not in working condition on the day of inspection.</p> <p>ii. Out of 07 instructors in ITI, only one instructor was found to be CITS trained.</p> <p>iii. In the last one year, the electricity consumption bill was found to be very low and the diesel consumption log book and Diesel bill were not provided by the ITI on the day of inspection.</p> <p>iv. On the day of inspection, a movable (non-foundation) generator set of approximately 62.5 kilowatts was found in the ITI, whereas, as per the stock register and the bill received, the generator set was recorded as 5 kilowatts.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> v. The machinery in the Electrician lab was difficult to verify as per the syllabus specifications, as all the equipment had been painted. vi. As per annexure III serial no (c and d) of IV-b the instructions were not strictly followed by the ITI and the records were not provided by the ITI on that day. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for de-affiliation of the ITI due to shortage of and/or non-functional major tools and machinery in the Electrician trade</p>
107.	<p>Mansarovar Private ITI</p> <p>Address - 15, Rajeev Vihar, New Sanganer Road, Taluk Sanganer, Distt. Jaipur - 302020</p> <p>MIS Code - PU08000289</p>	1. Electrician- 3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 11.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following were observed:</p> <ul style="list-style-type: none"> i. After reaching ITI, WE spoke to the audio assistant posted at the pillar gate, in which he said that he had no information about the joint inspection and he did not talk further. ii. The machinery in the Electrician lab was difficult to verify as per the syllabus specifications, as all the equipment had been painted. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
108.	<p>Nishkam Private Industrial Training Institute,</p> <p>Address - 101 No. Near Railway Gate, Nagour Road, Merta Road (Nagour)</p> <p>MIS Code - PR08001143)</p>	<p>1. Electrician- 4(2+2)</p> <p>2. Fitter-2(1+1)</p> <p>3. Mechanic Diesel- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 11.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following deficiencies were observed:</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ol style="list-style-type: none"> There was a shortage of tools, equipment, and machinery by approximately 30% were found on the day of inspection. Moreover, the available tools were outdated and required maintenance. The classroom size of the ITI was not as per norms. In the Diesel Mechanic lab, no engine was found in working condition during inspection. The partitions between the labs in the ITI were improper. The area of the Diesel Mechanic lab was not as per the prescribed norms. The floors of all the labs were found to be neither cemented nor fitted with tiles which is not as per norms. The machinery in the Fitter lab has not been updated as per the revised syllabus. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
109.	Shekhawati Private ITI, Address - Vpo-Kadoda, Tehsil. Surajgard, Dist.Jhunjhunu Pin-333029 MIS Code - PR08001723	1. Electrician- 3(2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 16.01.2025. Further, a joint inspection was conducted on 08.09.2025. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following deficiencies were observed: This ITI has been functioning without an electric meter since 2022 and has installed a 9.1 kW solar power system generated through solar panels. The entire ITI operates on this solar panel. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation
110.	Nobel Technology Private Industrial Training Institute,	<ol style="list-style-type: none"> Electrician- 12(4+4+4) Health Sanitary Inspector- 3(1+1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 10.09.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Pratap Nagar, Agra Road, Dausa- 303303 MIS Code - PR08000410		<p>5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The electrical connection of the ITI is registered in the name of the building owner, Mr. Om Prakash Gurjar, instead of the institute management, which is not in compliance with the DGT affiliation norms. In the trade Health Sanitary Inspector shortage of tools and equipments were observed on the day of inspection. The machinery available in the ITI for Electrician trade is only for 4(2+2) instead of 8(4+4). One single hall in the ITI at first floor was designated as Electrician lab but lacks in necessary tools and machinery for the trade. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
111.	<p>Matsya Private Industrial Training Institute,</p> <p>Address - Fauladpur, Nimrana, The. - Bahrod, (Alwar)-301706</p> <p>MIS Code - PR08000893</p>	<ol style="list-style-type: none"> Electrician- 4(2+2) Fitter-4(2+2) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 15.01.2025. Further, a joint inspection was conducted on 09.09.2025. Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the following deficiencies were observed: <ol style="list-style-type: none"> In Electrician trade shortage of tools, equipments and machinery were observed on the day of inspection. The electrical wiring in workshop was not found proper for safety purpose. Similarly, in the Fitter trade shortage of tools and equipments were also observed on the day of inspection. Some tools and equipment were found in rusty condition. Both lathe machines were not grouted. Floor of the workshop needs repair/ maintenance. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
112.	Bansur Private Industrial Training Institute, Address - Village Budh Bhausing, Bansur Dist. Alwar, 301402 MIS Code - PR08000415	1. Electrician- 14(6+6+2) 2. Fitter-3(1+1+1) 3. Mechanic Diesel- 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: In Electrician, Fitter and Mechanic diesel trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
113.	Brijpal Private Industrial Training Institute, Village- Rela, Post- Kathumer, (Alwar)-321605 (PR08000044)	1. Electrician- 2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed: i. In Electrician and Fitter trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. Also, some machinery was not in working condition and found rusty in condition. ii. The top wooden surface of workbenches found in practical lab and were not suitable for practical purpose as per norms. iii. The machinery was found to be not properly earthed. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
114.	Saurabh Private Industrial Training Institute,	1. Electrician- 18(6+6+6) 2. Fitter-7(4+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Tijara Road, Bhagwanpura, Near Indane Gas Godown, Alwar-301001 MIS Code -PR08001020	3. Mechanic Diesel-2(1+1)	3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following deficiencies were observed: i. In Electrician and Fitter trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. ii. Also, some machinery was not in working condition and found rusty in condition. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
115.	Shri Bhawani Shankar Private Industrial Training Institute, Address - Narayanpur, the. - Thanarajaji (Alwar)-301024 MIS Code - PR08001042	1. Electrician- 5(3+2) 2. Fitter-2(1+1) 3. Mechanic Diesel-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 10.09.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: i. In Electrician, Fitter and Mechanic Diesel trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. ii. Also, some machinery was not in working condition. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
116.	H.K. Memorial Private Industrial Training Institute, Address - Kacchi Basti, Dhobhi Gatta, Alwar – 301001	1. Electrician- 4(2+2) 2. Fitter-1(1+0) 3. Mechanic Diesel-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following deficiencies were observed:

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code - PU08000896		<ol style="list-style-type: none"> i. In Electrician and Fitter trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. Also, some machinery was not in working condition and found rusty in condition. ii. In one of the workshops, two walls were found to be incomplete, and one of the walls was covered with a net instead of being properly constructed. iii. A shortage of area in one of the workshops, as per the prescribed norms, was observed on the day of inspection. iv. The workshop was found to have inadequate ventilation and insufficient lighting. v. The institute has submitted a letter requesting that not inspecting one affiliated unit of Mechanic Diesel trade. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
117.	<p>Mahatma Gandhi Private Industrial Training Institute,</p> <p>Address - Vishwas Nagar, Ramgarh (Alwar)-301026</p> <p>MIS Code - PR08000897</p>	<ol style="list-style-type: none"> 1. Electrician- 2(1+1) 2. Fitter-1(1+0) 	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following was observed: <ol style="list-style-type: none"> i. On the day of inspection, the joint inspection team visited on affiliated address. The institute vide its letter dated 11.09.2025 expressed its inability to get the inspection due to following reason: ii. The ITI is running in rented building and the land lease of the ITI is valid till 31.07.2026. The owner of the ITI has taken possession IT lab and the library of the ITI and refused to further renewal of the agreement due to which the ITI will have to shifted at another place. The ITI requested to give 04 months time for shifting of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
118.	<p>Pawan Private Industrial Training Institute,</p> <p>Address - Gopal Kunj, Nounera Road, Kama (Bharatpur)-321022</p> <p>MIS Code - PR08001073</p>	<p>1. Electrician- 1(1+0)</p> <p>2. Fitter-1(1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025. followed by reminder dated 30.01.2025.</p> <p>3. Further, a joint inspection was conducted on 07.08.2025.</p> <p>4. Accordingly, the joint inspection of the ITI was conducted on 07.08.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The electric bills provided by the ITI on the day of inspection is not original and found that the same has been physically modified. The institute does not have valid electric connection for training in the ITI. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
119.	<p>Sarvodaya Private Industrial Training Institute,</p> <p>Address - Kamalpura, N.H. 11, Th. Weir (Bharatpur)-321408</p> <p>MIS Code - PR08000468</p>	<p>1. Computer Operator and Programming Assistant-2(1+1)</p> <p>2. Electrician- 4(2+2)</p> <p>3. Fitter-4(2+2)</p> <p>4. Mechanic Diesel- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 10.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The area of Mechanic Diesel workshop was measured on the day of inspection was 119.42 m². Similarly, the Fitter area workshop measured as 67.28 m² which are not as norms. Both trade workshops were in open tin sheet without partition. Three sides of workshops were open (without wall). Other activities, such as a school, were being conducted on the same campus. The major tools and equipment required for the Electrician, Fitter, and Mechanic Diesel trades were either not available or not as per the prescribed syllabus.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> v. The area of COPA trade workshop was measured on the day of inspection was 43.43 m² which is not as norms. vi. The major machinery required for the Electrician and Fitter lab were not as per syllabus and also major tools and equipment were not available in the lab during inspection. vii. In Mechanic Diesel trade engines were not found on the day of inspection. viii. IT lab record was not provided by the ITI on that day. ix. The files were damage and corrosive condition. x. During inspection, all staff were not present, and no attendance records of absent staff was provided by the ITI. xi. The experience of the principal and staff was found to be not as per norms, and no valid supporting data for their experience was provided by the ITI on the day of inspection. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
120.	<p>Guru Atma Vallabh Private Industrial Training Institute,</p> <p>Address - Behind Veterinary Hospital, Hindone Road, Bhusawar (Bharatpur)- 321406</p> <p>MIS Code - PR08000469</p>	1. Electrician- 2(1+1)	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: <ul style="list-style-type: none"> i. The tin shed of the workshop was found to be damaged. ii. Some items of trade shop machinery were not available as per syllabus on the day of inspection. iii. The other shop machinery was not in working condition on the day of inspection. iv. Most of the tools were found in corrosive condition on that day and were not suitable for training purpose on that day.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> v. The approved map produced during inspection was not signed by a registered architect. vi. The sizes of the IT Lab, Library, Principal's Room, and Staff Room are not as per the prescribed norms. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
121.	<p>Kala Mandir Private Industrial Training Institute,</p> <p>Address - Near Mansingh Circle, Bijlighar, Dist.- Bharatpur Rajasthan - 321001</p> <p>MIS Code - PU08001460</p>	1. Electrician- 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025. As per the SCN reply, the date has not been mentioned in the attached document.</p> <p>3. Further, a joint inspection was conducted on 18.08.2025.</p> <p>4. Accordingly, the joint inspection of the ITI was conducted on 18.08.2025. During the inspection the following deficiencies were observed:</p> <ul style="list-style-type: none"> i. Other activities, such as a coaching institute, were found to be running within the premises. ii. Major trade related tools, equipment, and machinery were found to be non-functional and in poor condition on the day of inspection. iii. The ITI building requires maintenance. iv. The trade related machines were not properly earthed as per norms on the day of inspection. <p>5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
122.	<p>L.S.M.D. Bharatpur Private Industrial Training Institute,</p> <p>Address - Riico Road, Railway Fatak No.38, Dist.-Bharatpur Pin- 321021 Rajasthan</p>	1. Electrician- 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 18.01.2025.</p> <p>4. Further, a joint inspection was conducted on 18.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 18.08.2025. During the inspection the following deficiencies were observed:</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code - PU08001504		<ul style="list-style-type: none"> i. Other activities such as a 10th school, residential facilities, and animal husbandry were found to be operating within the ITI campus. ii. Most of trade related machines were not installed and were not as per DGT specification norms. Also, the machines available in the workshop were found to be in poor condition on the day of inspection iii. The IT Lab was not found as per DGT norms. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
123.	MD Private ITI, Address - Tikhria, Sikray, Dist. Dausa MIS Code - PU08001649	<ul style="list-style-type: none"> 1. Early Childhood Educator -3(1+1+1) 2. Electrician - 2(1+1) 3. Fitter -3(1+1+1) 4. Health Sanitary Inspector -3(1+1+1) 	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 09.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 09.08.2025. During the inspection the following deficiencies were observed: <ul style="list-style-type: none"> i. In Electrician trade all panels were not in working condition. The CRO was not found in working condition & shaded pole motor was also not in running condition. Additionally, the major trade related tools, machinery, equipment items were not available in the workshop on the day of inspection. ii. In Fitter trade some major trade related tools, machinery, equipment items were not available in the workshop and few items were not in working condition on the day of inspection. iii. Similarly, in Health Sanitary Inspector trade few tools and equipment, machinery items as per syllabus were not available in the workshop on that day. iv. The Workshop and classroom for the trade Pre-Preparatory School Management Assistant were not available in the ITI on the day of inspection. And all the staff is non CITS. v. The stair case was not available in ITI building. Only slope /ramp was available.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			vi. Fire extinguishers were not in working condition. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
124.	Krishna Private Industrial Training Institute, Address - Ambedkar Nagar, Shyampura Road, Opp.Govt. College Chandsen Lalsot, Dist-Dausa Rajasthan MIS Code -PR08000764 *	1. Electrician-10(4+2+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 05.08.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 05.08.2025. During the inspection the following were observed: i. The Navjeevan Nursing College was running in the ITI building and no ITI related workshops and Classrooms found available in the day of inspection. ii. The ITI vide its letter dated 10.06.2025 has also submitted to State Directorate for self closure of the ITI. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
125.	New Maa Bhagwati Private ITI, Address - Ayodhya Nagar, Dausa-303303 MIS Code - PR08001842	1. Early Childhood Educator-3(1+1+1) 2. Early Childhood Educator (NSQF)-3(1+1+1) 3. Electrician- 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on. 4. Further, a joint inspection was conducted on 25 th to 30 th August 2025. 5. Accordingly, the joint inspection of the ITI was conducted on date not corrected mentioned in the SSDEC MoM and not even in the joint inspection date. During the inspection the following were observed: ITI had not submitted challan and document related to ITI on the day of inspection 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
126.	Guru Diksha Private Industrial Training Institute,	1. Electrician- 2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Mundawar Mahuwa Road, Teh. Mahuwa, Distt. Dausa MIS Code - PR08000607		<p>3. The ITI replied to the SCN on 28.01.2025.</p> <p>4. Further, a joint inspection was conducted on 16.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 16.09.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The major machinery for all affiliated trades of the ITI were not in working condition & also they were not connected to main supply. The building of the ITI was found in pathetic condition and non-plastered. The IT Lab available in the ITI was non-functional on the day of inspection. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
127.	Shri Madhukar Shyam Private ITI, Address - Luharu Road, Surajgarh, Dist. Jhunjhunu- MIS Code - PU08001727	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter-2(1+1)</p> <p>3. Health Sanitary Inspector-2(1+1)</p> <p>4. Surveyor-2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 15.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 15.09.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> The electricity consumption shown in the electricity bills was found to be significantly low. No diesel consumption logbook has been maintained by the ITI, which is a mandatory requirement. Raw material consumption was found to be very low, and no consumption register was available for verification. The generator set was not in running condition and was of 5 KVA capacity instead of the required 7.5 KVA. Electrician trade Instructors' experience certificates were not provided during inspection. The theory classroom for electrician trade was located in a separate building, where other activities may also be running.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>vii. In the Fitter trade, major machinery and equipment as per the approved list (Serial Nos. 197 to 204) were not available in the institute.</p> <p>viii. Due to non-availability of required machinery in the Fitter trade, approximately 80 hours of the prescribed syllabus could not be covered, adversely affecting trainees' practical training.</p> <p>ix. In Health Sanitary Inspector trade instructor's experience certificate was not provided on that day and the instructor appointed for the trade was not CTS trained. Moreover, during the inspection, the instructor for the concerned trade was not physically present. and also, the theory classroom for the said trade was located in a separate building, where other activities may also be taking place.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
128.	<p>Pariskar Pvt ITI,</p> <p>Address - Railway Colony Singhana, Tehsil Buhana, Jhunjhunu - 333516</p> <p>MIS Code - PR08001783</p>	Electrician- 1(1+0)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 10.02.2025.</p> <p>4. Further, a joint inspection was conducted on 17.09.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 17.09.2025. During the inspection the following deficiencies were observed:</p> <p>i. The IT Lab was not in working condition; no computers were installed or connected to the CPU during inspection.</p> <p>ii. In the Electrician workshop, more than 50% of the machinery was found to be non-functional. Major machinery listed at Serial Nos. 145, 146, 148, and 149 was not in working condition.</p> <p>iii. No rubber mats were found in the Electrician workshop.</p> <p>iv. The IT Instructor was not present at the time of inspection.</p> <p>v. Raw material consumption register and diesel consumption register were not available.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>vi. Electricity consumption recorded in the bills was very low during the last six months — for example, only 20 to 51 units were consumed over a two-month period — and diesel consumption was also found to be very low.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
129.	<p>Hans Private ITI,</p> <p>Address - Near By Kundal School, Vpo Narainpur, Alwar-301024</p> <p>MIS Code - PR08001831</p>	<p>1. Electrician-12(4+4+4)</p> <p>2. Health Sanitary Inspector-4(2+2)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 14.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 14.08.2025. During the inspection the following deficiencies were observed:</p> <ol style="list-style-type: none"> Original Lease deed documents was not provided during inspection and there was overwriting observed in the duration mentioned in the lease deed document. The number of electricity units consumed per trainee per month is very low, approximately 0.87 KWH, as per Annexure III and the previous months' electricity bills. D.G set with change over and switch and power back up supply not available in the institute on the day of inspection. Additionally, the D.G set was not available and installed in the institute. Diesel purchasing bills and consumption records were not provided by the ITI during inspection. In electrician workshop earthing of electric panels and electric motors were not found available that day. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
130.	<p>Shri Agrasen Private Industrial Training Institute,</p> <p>Address - Mahashya, Colony, Ward No. 12, Hindaun Road, Kherli (Alwar) 321606</p> <p>MIS Code - PR08000439</p>	Electrician- 4(2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 14.01.2025. The ITI replied to the SCN on 24.01.2025. Further, a joint inspection was conducted on 11.08.2025. Accordingly, the joint inspection of the ITI was conducted on 11.08.2025. During the inspection the following was observed. <ol style="list-style-type: none"> Institute was found closed on the day of inspection. The ITI was contacted telephonically on the given number, and it was informed over the phone that the ITI has been closed. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
131.	<p>Bhagwati Devi Private ITI,</p> <p>Address - Karauli Road, Fajupura Mod, Mandrayal, Distt Karauli 322251, Rajasthan</p> <p>MIS Code - PR08000704</p>	1. Electrician - 4 (0+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. Further, a joint inspection was conducted on 02.09.2025. Accordingly, the joint inspection of the ITI was conducted on 02.09.2025. During the inspection the following was observed ITI building has been already demolished. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
132.	<p>Adrash Private Industrial Training Institute,</p> <p>Address - Opp.Police Station Hindaun Bayana Road, Suroth, Dist.Karauli Rajasthan</p>	1. Electrician- 2 (0+1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. Further, a joint inspection was conducted on 01.09.2025. Accordingly, the joint inspection of the ITI was conducted on 01.09.2025. During the inspection the following deficiencies were observed: <ol style="list-style-type: none"> Neither the staff nor the owner of the ITI were available at the time of the joint inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code - PR08000828		ii. Only B.P.E.D staff were present and they were unable to produce any documents or reports related to the ITI. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
133.	Maa Gayatri Private Industrial Training Institute, Address - Opp.-S.B. Of Bikaner & Jaipur, Kota Road, Sangod, Dist.-Kota Rajasthan-325601 MIS Code - PR08000154	1. Electrician- 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 08.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.08.2025. During the inspection the following deficiencies were observed: <ol style="list-style-type: none"> Major Equipment such as three phase EV charger, coil winding machine, DG set, inverter, single phase transformer, Oscilloscope, function generator, smart energy meter etc were not available in the Electrician trade during inspection. The ITI building was found to be in poor condition, with dampness and an unpleasant odor throughout. Proper ventilation and adequate lighting were also lacking. Principal office was situated outside the building of the ITI and it seems that shop was running there. As observed that the Fire Extinguisher was not refilled in the ITI. In the Engineering drawing classroom ED Tables were not present on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
134.	Balaji Private Industrial Training Institute,	1. Electrician- 17(6+6+5)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Ipo-7, Ranpur, Dist.Kota Rajasthan- 325003 MIS Code - PU08000827		5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following were observed: i. No ITI was found at the above-mentioned address. ii. A hostel was found to be running at that location. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
135.	Gurukul Private Industrial Training Institute, Address - Ipb-13, Ricco Industrial Area Ranpur, Dist.Kota Rajasthan- MIS Code - PR08000528	1. Electrician- 2(0+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 31.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following were observed: i. No ITI was found at the above-mentioned address. ii. A Pharmacy college was found to be running at that location. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
136.	Balaji Private Industrial Training Institute, Address – Vikash Colony, Samarthpura, Pirali Road, Sikar - 332601 MIS Code - PR08000343	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the following were observed: i. There was shortage of approximately 30% of tools and equipments in the Electrician trade and also approximately 50% of machinery were not in working condition on the day of inspection. ii. The walls and ceiling of the Electrician trade workshop were made of tin sheets.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ul style="list-style-type: none"> iii. The photocopy of building map was provided by the ITI rather than original building map on the day of inspection. iv. The ITI was functioning on two floors — the ground floor was used for ITI activities, while the first floor was being used for some other unspecified purpose. The inspecting committee was not permitted by the ITI to enter the first floor. v. On ground floor one office (18 sqm), Staff room (15 sqm), one class room (21 Sqm), 2nd Class room (15 Sqm), Library- (15 sqm), and IT lab (Sqm) were available and short in size as per DGT norms. <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
137.	<p>Krishna Private Industrial Training Institute,</p> <p>Address - Near Jeevan Mahavidhyalaya Nawalgarh Road, Dist. Sikar - 332001</p> <p>MIS Code - PR08000340</p>	Electrician- 6(2+2+2)	<ul style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 26.01.2025. 4. Further, a joint inspection was conducted on 19.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 19.09.2025. During the inspection the following were observed: <ul style="list-style-type: none"> i. The location of the ITI mentioned on the NCVT MIS portal differs from the current building location by approximately 300 meters. ii. Some items in the workshop were not available as per the DGT prescribed tool list. iii. Electrical machine panels were not installed in the Electrician trade. iv. No trainees were present at the time of inspection. v. The workshop on the first floor has only one entry/exit gate. vi. The sizes of rooms such as the Library and IT Lab are smaller than the DGT norms. vii. There is no provision for a permanent electrical connection in the IT Lab 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
138.	Karmbhumi Private Industrial Training Institute, Address - Ward No-7, Neem Ka Thana (SIKAR)332713 MIS Code - PR08000069	1. Electrician- 2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection the following were observed: Workshops and machines were not available in the ITI on day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
139.	Aanchhal Private Industrial Training Institute, Address - Near Railway Station, Ringus (Sikar) MIS Code - PR08000924	1. Electrician- 4(2+2) 2. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection the following were observed: i. Signboards for both the ITI and “Radiance Academy” school were found at the same entrance. ii. No electrical fittings were provided for the computers kept in the IT Lab, and the original purchase bills of the computers and printer were not available. iii. Out of 06 trainers one trainer was found to be CITS trained which is not as per norms. iv. The library register was available; however, the original purchase bills of the books were not found, and only 2–3 books were physically present in the library at the time of inspection. v. Separate electricity meters were not found for ITI and school. Only one electric meter was found in the building. vi. The ITI is not following the instructions as per Annexure III serial no. (c&d) of IV- b and the records were not found on the day of inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
140.	<p>R.S. Private Industrial Training Institute,</p> <p>Address - Opposite Pad Chowki, Ajeetgarh Road, Kanwat, Panchayat Samittee- Khandela (Sikar)</p> <p>MIS Code - PR08000068</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter-2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 22.01.2025.</p> <p>4. Further, a joint inspection was conducted on 14.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 14.08.2025. During the inspection the following were observed:</p> <ol style="list-style-type: none"> Original bills of tools and equipment were not provided by the ITI on the day of inspection. Out of the five instructors in the ITI, none are CITS trained. As per Annexure-III, Serial Nos. (c) and (d) of IV-b were not strictly followed, and the related records were not available on the day of inspection. The time table was not found in the institute. The dispensary and store room were not available in the ITI. The building of the ITI was not according to the original building plan. In original plan fitter room converted into IT lab and library and new room allotted for Fitter trade was store in original plan and this room not as per DGT norms width less than 3 meters. On the day of inspection, the following areas were found to have less area as per DGT norms. <ol style="list-style-type: none"> Fitter theory room 6.3 sqm. IT lab: 9.25 Library: 8.75 sqm. Office: 10.88 sqm. Tools equipment,shop machinery of the following serial numbers were not available as per the syllabus per Electrician trade-(3,8,9,21,28,39,45,52,56,61,62,63,64,67,70,71,73,75,76,78,(a),79,81,82,83,84(a,b,d,e),85(c,d,e,f,g,h,i),86,87(a),88(a,c,d,g,h),89,90,91,92,93,97,101,103,1

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>04,107,108,114,115,116,118,(a,d,f,g),122,123,125,126(b,d),127,129,130,132,133,134,140,144,147,148,149,151,152,154,158,159,160,161,164,165).</p> <p>ix. Tools equipment, shop machinery of the following serial numbers were not in working condition: (66,112,139).</p> <p>x. Tools equipment, shop machinery of the following serial numbers were not available as per the syllabus of Fitter trade: (34,40,51,57,58,62,63,64,67,72,74,82,87,97,102,103,104,105,106,107,108,109,110,111,112,113,114,116,117,119,120,122,123,125,127,128,129,131,133,134,137,140,141,144,145,,147,148,155,156,157,159,160,162,164,165,166,170,174,177,184,185,188,189,193,194,197,198,199,200,201,202,203,204).</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
141.	<p>Tagore Private Industrial Training Institute,</p> <p>Address - Near Bus Stand, Dugoli, Dist. Sikar-332042</p> <p>MIS Code - PR08000385</p>	1. Electrician- 6(3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 12.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 12.08.2025. During the inspection the following were observed:</p> <p>i. On the day of inspection dated 12.08.2025, the original documents related to the points mentioned in Annexure-III, including bills (Electricity, Tools & Equipment, Raw Material, Computer, Dispensary, Sports, Diesel, etc.), staff attendance records, payment distribution records, trainee records, stock registers (T/E, R/M), diesel consumption logbook, and other supporting documents were not produced.</p> <p>ii. The institute, vide its letter dated 12.08.2025, assured that the above-mentioned documents would be provided later and stated that in case of failure to do so, it would have no objection to de-affiliation. However, the documents were not submitted by the ITI.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>iii. Major number of tools, equipment, and shop machinery as per the syllabus of Electrician were not available at the time of inspection.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
142.	Tagore Private ITI, Vpo Chala, Dist. Sikar-332706 (PR08001857)	<p>1. Electrician- 6(2+2+2)</p> <p>2. Fire Technology and Industrial Safety Management- 3(1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 13.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 13.08.2025. During the inspection the following were observed:</p> <ol style="list-style-type: none"> The major number of tools, equipments and machinery as per Electrician trade syllabus list were not available on the day of inspection and few tools and equipments, shop machinery was also not in working condition. Similarly, few tools, equipments and machinery as per syllabus of fire Technology and Industrial safety Management trade were not available on the day of inspection. Out of 13 trainers only two trainers were found to be CITS trained. As per Staff attendance register records, attendance of 15 staff members were recorded in the month of August 2025, whereas in the month of May, June, July 2025 only 7 staff members attendance were recorded. Out of 40 students of Electronics second year, marksheets of only 11 students were received and progress reports another related document of Fire Technology and Industrial management session 2024-2026 trade were not received. The records such as weekly, monthly schedule records of Instructors were not provided on the day of inspection. Also, stock register of raw material & tools equipment records were not provided by the ITI. The original copy of computers bills and printers' bills were not provided by the ITI on that day.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>viii. Diesel log book was not found available in the ITI during inspection.</p> <p>ix. The academic books of Chemistry, Physics, Social Science and Hindi Grammar books for class 2 to 12 were found in the library of ITI.</p> <p>x. The name of other ITIs was mentioned on the few cylinders available in the ITI. Moreover, only one of the cylinders had refilling date mention on it. Almost all the cylinders except few did not have expiry mentioned on them as well as they were out of pressure and gas.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
143.	<p>Shree Balaji Private Industrial Training Institute,</p> <p>Address - Ward No.5, Near Small Power House, Sikar Road, Datan (Sikar)</p> <p>MIS Code - PR08001108</p>	<p>1. Electrician- 4(2+2)</p> <p>2. Mechanic Diesel- 1(1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 31.01.2025.</p> <p>4. Further, a joint inspection was conducted on 26.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 26.08.2025. During the inspection the following were observed:</p> <ol style="list-style-type: none"> The electricity consumption of the ITI over the past six months has been significantly low. Tools and equipment corresponding to Serial Nos. 137, 139 (only DC shunt and compound generators available; 3-phase squirrel cage and 5 HP induction motors not available), 142, 144, 157, 161, 152, and 163 were not available during the inspection. Tools and machinery corresponding to Serial Nos. 145, 146, 147, 148, and 152 were found not in working condition. Ammeters, voltmeters, and other indicators mounted on the panels of all machines were found non-functional. As per the ITI building blueprint, the front-side spaces are designated as a dispensary and a store; however, during the joint inspection, it was observed that both spaces have been rented out and are being used for other activities.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>vi. Since most of the machinery was found to be non-functional, it appears that training was not being conducted properly.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
144	<p>Sunrise Private Industrial Training Institute,</p> <p>Address - Nh-11, Talab Ki Dhani, Village.Rewasa, Dist.Sikar Rajasthan</p> <p>MIS Code - PR08000519</p>	1. Electrician- 12(4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 27.08.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 27.08.2025. During the inspection the following were observed: At present the Old age care center activities were running in the ITI premises.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
145.	<p>Saraswati Private Industrial Training Institute,</p> <p>Address - Village Danta Ramgarh, Teh.Dantaramgarh, Dist.Sikar Rajasthan</p> <p>MIS Code - PR08000795</p>	1. Electrician- 3(1+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p> <p>3. The ITI replied to the SCN on 03.02.2025.</p> <p>4. Further, a joint inspection was conducted on 28.08.2025.</p> <p>5. Thereafter, the matter of 682 ITIs was subsequently discussed in 7th SSDEC meeting dated 25.03.2025, 8th SSDEC meeting dated 12.06.2025 and 9th SSDEC meeting dated 17.10.2025 to complete the joint inspection of above said 682 ITIs in phased manner and the inspection shall be completed by 20.09.2025.</p> <p>6. Accordingly, the joint inspection of the ITI was conducted on 28.08.2025. During the inspection the following were observed:</p> <ol style="list-style-type: none"> At present Saraswati Vidya Mandir School was running in the ITI premises. The ITI owner had packed all the workshop machines, tools, and equipment and kept them in the store, which is not as per norms.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
146.	Nav Prarna Private Industrial Training Institute, Address - At. Trilokpura Post Ranoli Teh.Dantaramgarh, Dist.Sikar Rajasthan MIS Code - PR08000824	1. Electrician- 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 25.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 25.08.2025. During the inspection the following were observed: Currently, a Defence Academy is operating within the ITI premises, and all the laboratories and classrooms are being used by the Defence Academy trainees. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
147.	Shri Shyam Private Industrial Training Institute, Address - Bus Stand, Ranali, Teh.-Danta Ramgarh, Dist.-Sikar Rajasthan MIS Code - PR08000215	1. Electrician- 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 27.08.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 27.08.2025. During the inspection the following were observed: i. According to the lease deed, the property is described as having seven rooms, one bathroom, one toilet, and a tin shed. However, during the joint inspection, it was observed that only a basement and ground floor construction exist, which are not mentioned in the approved layout map. ii. The details mentioned in the lease deed do not align with the actual ITI layout, which constitutes a clear violation of the norms prescribed by the National Council for Vocational Education and Training (NCVET). 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
148.	S.V.P. Private Industrial Training Institute.,	1. Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	<p>Address - Khasra No.2207/1, 2207/2, 2849/3, N.H.11, Palsana, Teh. Dhataramgarh, Distt. Sikar-332402</p> <p>MIS Code - PR08001236</p>		<p>2. SCN was issued to the ITI by the State on 15.01.2025, followed by reminder dated 11.02.2025.</p> <p>3. Further, a joint inspection was conducted on 29.07.2025.</p> <p>4. Accordingly, the joint inspection of the ITI was conducted on 25.08.2025. During the inspection the following were observed:</p> <ol style="list-style-type: none"> As per NCVT MIS Portal all Electrician, Fitter and Plumber trade & units and one unit of Mechanic diesel have been de-affiliated on 10.02.2025, However, for one unit of Mechanic Diesel trade, the workshop and lab set up was not found available during inspection. The details mentioned in the lease deed do not align with the actual ITI layout, which constitutes a clear violation of the norms prescribed by the National Council for Vocational Education and Training (NCVT). <p>5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>
149.	<p>Shree Nath Private Industrial Training Institute,</p> <p>Address - 974/1, Vill. Amthala, The. Abu Road, Distt. Sirohi-307510</p> <p>MIS Code - PR08001207</p>	<p>1. Electrician- 6(2+2+2)</p> <p>2. Fitter-2(1+1)</p> <p>3. Mechanic Diesel- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025.</p> <p>5. Accordingly, the joint inspection of the ITI was conducted on 30.07.2025. During the inspection the following were observed:</p> <ol style="list-style-type: none"> The institute has common entrance for ITI and B. ED college. Mechanic Diesel major machinery was not working on the day of inspection. The machines of Electrician trade were installed on stone lab. For mechanic Diesel trade no Motor vehicle was found available under the ownership of ITI for training purpose. The ITI has very low electrical consumption indicates less training. The condition of the labs and workshops in the ITI were found very bad, not maintained and without safety hazards.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>vii. The sign board of the ITI was found without any logo of Skill India ITI.</p> <p>viii. The amenities in the ITI were found very poor.</p> <p>6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.</p>

* The ITIs listed at S. No. 02, 91 and 124 in Annexure-3 has submitted a request for self-closure. SCAA accepted their request for self closure and recommended these 03 ITIs for de-affiliation.

Annexure - 5 as referred in Agenda 2.3 regarding ITIs not recommended for continuation of affiliation due to unauthorised shifting of premises

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
1	LBS Pvt. ITI Address: Lbs College, Ganora (Banswara) - 327021 MIS Code: PU08001884	1. Electrician 3(1+1+1) 2. Health Sanitary Inspector-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 10.06.2025. 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 10.06.2025. During the inspection the ITI was not found as per NCVT MIS portal address and location. 6. The ITI has submitted its letter dated 10.06.2025 in which it has been informed that the ITI was earlier operated from rented building and now the ITI is operating from its own building and the distance between the old building and the new building is 50 mt. The ITI has been shifted to the building opposite. The reply of the ITI was considered. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	However, the trade Health Sanitary Inspector-2(0+1+1) have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions.
2	Shree Sai Private Industrial Training Institute, Address: Sanwal Circle, Fatehnagar, Dist.Udaipur	Electrician 9(4+2+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 11.06.2025. 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 11.06.2025. During	However, the trade Electrician-8(0+4+4) have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions.

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	Mis Code: PR08001392		<p>the inspection the ITI was not found as per NCVT MIS portal address and location.</p> <p>6. The ITI has submitted its letter dated 11.06.2025 in which it has been informed that the ITI will not be able to do the inspection till the Hon'ble Court decision came, therefore requested to not to send any officials for inspection.</p> <p>7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
3	<p>Sanskar A Valley of Education Private Industrial Training Institute,</p> <p>Address: N.H.112, Bhandiayawas, Pachpadra, Dist.Barmer Rajasthan344032</p> <p>MIS Code: PR08001543</p>	Electrician-5 (2+2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 17.06.2025.</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 17.06. 2025.During the inspection the following were observed: a) The ITIs was found closed when concerned staff was called on mobile he refused to give any papers of the ITI b) In the ITI building the school was also running and the ITI board was not present on the site.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
4	Shri Amar Private Iti,	<p>1. Electrician-2(1+1)</p> <p>2. Health Sanitary Inspector-1(1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.02.2025.</p>	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	<p>Address: Megha Highway, Sindhari Dist. Barmer - 344033</p> <p>MIS Code: PR08001726</p>	<p>3. Mechanic Two & Three-Wheeler-1(1+0)</p> <p>4. Wireman-1(1+0)</p>	<p>3. Further, a joint inspection was conducted on 16.06.2025.</p> <p>4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 16.06.2025. During the inspection the following were observed:</p> <p>a) ITI was not exist as per NCVT MIS portal address and location.</p> <p>b) Other business activities running at the site.</p> <p>c) As inquired by people at sit it has been informed that the ITI was not running since long.</p> <p>5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
5	<p>Maharaja Private Industrial Training Institute,</p> <p>Address: Munderi, Khanpur Road, Dist.- Jhalawar Rajasthan</p> <p>Mis Code: PR08000167</p>	Electrician - 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.02.2025.</p> <p>3. The ITI replied to the SCN on 20.01.2025</p> <p>4. Further, a joint inspection was conducted on 09.06.2025.</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 09.06.2025. During the inspection the following were observed:</p> <p>a) ITI was locked up and was not running at the same address given in the inspection letter.</p> <p>b) ITI name and board was not present on the building on the given address.</p> <p>c) A hotel was found present on the given address of the ITI.</p> <p>d) ITI staff did not allowed the inspection of the ITI.</p>	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
			<p>6. The ITI has submitted its letter dated 09.06.2025 in which it has been informed that the ITI will not be able to do the inspection till the Hon'ble Court decision came, therefore requested to not to send any officials for inspection.</p> <p>7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
6	<p>Azad Pvt Industrial Training Institute,</p> <p>Address: M.Post-Chithwari , Chomu , Jaipur , Rajasthan-303805</p> <p>MIS Code: PR08001812</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Health Sanitary Inspector- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025.</p> <p>3. The ITI replied to the SCN on 22.01.2025</p> <p>4. Further, a joint inspection was conducted on 25.06.2025</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 25.06.2025. During the inspection the following were observed:</p> <p>a) ITI location was different from NCVT MIS portal location.</p> <p>b) ITI refused for Inspection.</p> <p>6. The ITI, vide its letter dated 25.06.2025, informed that as per the State Level Private ITI Association (Rajasthan), it is not possible to conduct the inspection of the institute.</p> <p>7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
7	Sunrise Moon Private ITI,	<p>1. Electrician- 6(2+2+2)</p> <p>2. Health Sanitary Inspector- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 07.01.2025.</p>	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	<p>Adderss: Khasara No. 828, Gram Kanota, Tehsil Bassi, Dist. Jaipur-303012</p> <p>MIS Code: PU08001698</p>		<p>3. Further, a joint inspection was conducted on 26.06.2025</p> <p>4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 26.06.2025. During the inspection the following were observed:</p> <p>a) ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter.</p> <p>5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
8	<p>S.P.D.M. Private Industrial Training Institute,</p> <p>Address: Plot No.4, Nangal Pulia, Nangal Jaisa Bohra, Jhotwara, Dist.Jaipur Pin-302012 Rajasthan</p> <p>MIS Code - PU08001596</p>	Electrician- 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 14.01.2025.</p> <p>3. Further, a joint inspection was conducted on 23.06.2025</p> <p>4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 23.06.2025. During the inspection the following were observed:</p> <p>a) No ITI was found on the given location accept sign board indicating name of the ITI</p> <p>b) A hotel was found to be operating at the address provided for the ITI.</p> <p>5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
9	<p>Veer Teja Private Industrial Training Institute,</p>	Electrician- 10(4+3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p>	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	<p>Address: Bhatta Churaha, Kucharran Road, Choti Khattu, Dist.Nagaur Pin-341302 Rajasthan</p> <p>MIS Code: PR08000182</p>		<p>4. Further, a joint inspection was conducted on 27.06.2025</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 27.06.2025. During the inspection the following were observed:</p> <p>a) The ITI was not found at the location specified on the NCVT MIS portal.</p> <p>6. The ITI, vide its letter dated 25.06.2025 submitted that the ITI is not ready for inspection as the ITI has been closed due to strike from 2nd May 2025 due to which the ITI was not prepared for inspection and also busy in admissions. Hence ITI requested to conduct the inspection of the ITI with other 120 ITIs inspections.</p> <p>7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
10	<p>M.D. Private Industrial Training</p> <p>Adderess: Institute, Near Katputali Mandir, Jagina Gate, Bharatpur-321001</p> <p>MIS Code: PR08000434</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 23.01.2025.</p> <p>4. Further, a joint inspection was conducted on 27.06.2025</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 27.06.2025. During the inspection the following were observed:</p> <p>a) The ITI was not found as per the given address.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
11	<p>Balaji Pvt. Industrial Training Institute,</p> <p>Address: Vpo-Pratapgarh, Tehsilthanagazi, Distt.- Alwar</p> <p>MIS Code: PR08001474</p>	Electrician- 12(4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 27.01.2025. Further, a joint inspection was conducted on 28.07.2025 Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 28.07.2025. During the inspection the following were observed: <ol style="list-style-type: none"> The Latitude and longitude of the ITI are different from NCVT MIS Portal. Expect principal no staff were available. Shortage of major machineries, tools and equipment were found short and also, they were not in working condition. School was running in the same building. The ITI did not adhere to the civil infrastructure norms prescribed by DGT. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	
12	<p>R.N.T. Private Industrial Training Institute</p> <p>Address: Bajrang Colony, Bari Dhaulpur</p> <p>MIS Code: PR08000123</p>	<ol style="list-style-type: none"> Electrician- 2(1+1) Mechanic Diesel 2(1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 03.01.2025. The ITI replied to the SCN on 27.01.2025. Further, a joint inspection was conducted on 29.07.2025 Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 29.07.2025. During the inspection the following were observed: <ol style="list-style-type: none"> ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter. 	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
13	<p>Baba R.D. Rawat Private Industrial Training Institute,</p> <p>Address: Bari By Pass Road In Front Of Kotwali, Bari, Dist. Dholpur-328021</p> <p>MIS Code: PR08000281</p>	Electrician – 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 03.01.2025.</p> <p>3. The ITI replied to the SCN on 27.01.2025.</p> <p>4. Further, a joint inspection was conducted on 29.07.2025</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 29.07.2025. During the inspection the following were observed: a) ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.</p>	
14	<p>Shri Dama Ram Memorial Private Industrial Training Institute</p> <p>Address: Khimsar, Dist. Nagour - 341025</p> <p>MIS Code - PR08000336</p>	Electrician- 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by the State on 04.01.2025.</p> <p>3. The ITI replied to the SCN on 24.01.2025.</p> <p>4. Further, a joint inspection was conducted on 31.07.2025</p> <p>5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 31.07.2025. During the inspection the following were observed: a) Institute is not found /Closed at given location.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-</p>	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
			affiliation of the ITI due to shifting without approval of DGT.	
15	Shri Dariyav Private Industrial Training Institute Address: At.K.No.56, Village Gogelav, Teh.&Dist.Nagaur MIS Code: PR08000830	Electrician - 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. Further, a joint inspection was conducted on 14.07.2025 4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 14.07.2025. During the inspection the following were observed: a) ITI, does not exist at the location as per the location mentioned on NCVT MIS portal b) Other college was running in that building and location. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	
16	Shri Balaji Private Industrial Training Institute Tausar Road, Dist.- Nagaur Rajasthan Mis Code: PR08000160	Electrician - 3 (1+1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 15.07.2025 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 15.07.2025. During the inspection the following were observed: a) ITI, does not exist at the location as per the location mentioned on NCVT MIS portal. b) The building was found collapsed. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de- 	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
			affiliation of the ITI due to shifting without approval of DGT.	
17	New Deshraj Navjeevan Private Industrial Training Institute, Address - Tehsil. Newai, Dist. Tonk Rajasthan-304021 MIS Code-PR08000481	Electrician 12(4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025. The ITI replied to the SCN on 20.01.2025. Further, a joint inspection was conducted on 16.07.2025 Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 16.07.2025. During the inspection the following were observed: a) ITI NOT Found at DGT Affiliated Place The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	
18	Balaji Private Industrial Training Institute, Address -At. Banstali More Roopwas, Newai, Dist.Tonk Rajasthan MIS Code: PR08000781	Electrician 9(3+3+3)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 04.01.2025. The ITI replied to the SCN on 20.01.2025. Further, a joint inspection was conducted on 16.07.2025 Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 16.07.2025. During the inspection the following were observed: a) ITI NOT Found at DGT Affiliated Place The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
19	<p>Shivalik Private ITI,</p> <p>Address: Plot No. 1, New Chandlai Nagar Extn. Tehsil Chaksu, Dist.Jaipur</p> <p>MIS Code - PU08001416</p>	Electrician -6(2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following were observed: 6. No ITI Found on the Location 7. No ITI representative were available on the day of inspection. 8. Other activity was found on the ITI address. 9. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	
20	<p>Shri Shyam Private Industrial Training Institute,</p> <p>Address: Paota Tehsil Kotputli, Dist. Jaipur - 303106</p> <p>MIS code: PR08000305</p>	Electrician -6(2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following were observed: <ol style="list-style-type: none"> a) The coordinates of the ITI location mentioned in the MIS portal are significantly different from the current location of the ITI, and no document has been found regarding the shifting of the building. 	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
			b) Annexure 111 file along with supporting documents was not given on the day of inspection. c) The machinery in the electrician's lab was not as per norms. d) Lease deed and Site plan were not matched. e) The ITI submitted vide its letter dated 10.09.2025 that due to some reasons the iTI was unable to show the documents during inspection, therefore requested to postponed the inspection till further dates. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
21.	Agarwal Private Industrial Training Institute, Address - Near Agarwal Dharamshala, Kumher, Bharatpur(Raj)-321001 MIS Code - PR08000904	1. Electrician -2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 10.01.2025. 4. Further, a joint inspection was conducted on 05.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 05.08.2025. During the inspection it was observed that the ITI was not found on affiliated address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
22.	Shree Durg Singh Private ITI,	1. Electrician -2(1+1) 2. Fitter-3(1+1+1) 3. Health Sanitary Inspector -1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 28.01.2025.	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	Address - Kumher, Dist. Bharatpur-321201 MIS Code - PU08001685		4. Further, a joint inspection was conducted on 05.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 05.08.2025. During the inspection it was observed that the ITI was not found on affiliated address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
23.	Arya Bhatt Private Industrial Training Institute, Address - Opposite Gurudawara, Station Road, Bayana (Bharatpur)-321401 MIS Code - PR08000064	1. Electrician -2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection it was observed that the ITI was not found on affiliated address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
24.	Vasundara Private Industrial Training Institute, Address - Jagan Colony, Jatmasi Road, Roopbas, Bharatpur-321404	Fitter-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 08.09.2025 4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection it was observed that ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended	ITI was found closed. Whereas in the SSDEC recommendations ITI is de-affiliated for shifting case.

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000071		de-affiliation of the ITI due to shifting without approval of DGT.	
25.	New Maa Bhagwati Pvt. ITI, Address - Ayodhya Nagar Dausa MIS Code - PU08001907	Electrician-3(2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 29.01.2025. Further, a joint inspection was conducted on 08.08.2025 Accordingly, the joint inspection of the ITI was conducted on 08.08.2025. During the inspection the following were observed: <ol style="list-style-type: none"> Fire extinguisher were not found in working condition. This ITI is not situated on the coordinate available on the NCVT MIS portal. Some machinery items as per syllabus were not available in the Electrician lab. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	
26.	Mata Chawli Devi Private ITI Address - Ganganagar Road, Sri Karanpur. Teh-Srikanpur, Distt. - Sri Ganganagar, Rajasthan-335073	<ol style="list-style-type: none"> Electrician-6(2+2+2) Plumber-2(1+1) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 08.01.2025. The ITI replied to the SCN on 28.01.2025. Further, a joint inspection was conducted on 04.08.2025 Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection it was observed that the ITI was not found on NCVT MIS portal location ITI owner telephonically confirmed that the ITI has been shifted to another location. 	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001740		6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
27.	Sankalp Private ITI, Address - Vpo Pokaran, Mandal-Pokaran, Dist. Jaisalmer-345021 MIS Code - PU08001852	1. Electrician-6(2+2+2) 2. Fire Technology and Industrial Safety Management-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. Further, a joint inspection was conducted on 04.08.2025 4. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection the following were observed: a) The ITI was not found on NCVT MIS portal location. b) As inquired by the nearby resident it was stated that the ITI is functioning at this location but at a different place. c) No ITI staff/Principal were present at the ITI's location or address. d) ITI submitted letter dated 04.08.2025 in which it was stated that the rent agreement of the ITI has been finished and the building owner of the ITI has denied to renew the rent agreement.in this condition, the ITI will have to be shifted on another location, therefore, it is requested to inspect the ITI after shifting on new location. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
28.	Chanakya Pvt. ITI,	1. Electrician-3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	Address - Jhunjhunu, Alsisar Road, Vpo Dhanuri The- Malsisar, Dist. Jhunjhunu, MIS Code - PR08001804	2. Fire Technology and Industrial Safety Management-2(2+0)	3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 17.09.2025. During the inspection the following were observed: a) The Institute was not found at given location. b) The KLC Ola Hospital is running at given location. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
29.	Maa Vaishnavi Private ITI, Address - Nalka Tirahaya, Mailkheri Road, Dist. Baran - 325205 MIS Code - PU08001645	Electrician-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. Further, a joint inspection was conducted on 08.09.2025 4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the it was observed that the ITI was not found at the given address. 5. The ITI has submitted letter dated 08.09.2025 that institute has not admitted the trainees from session 2022-2023 and the ITI is not operating from session 2023-2024. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	No need of SCN as ITI has itself submitted for non-operational of the ITI
30.	Eminent Private Industrial Training Institute,	1. Computer Operator and Programming Assistant-2(1+1) 2. Electrician-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 15.01.2025. 3. Further, a joint inspection was conducted on 08.09.2025	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	Address - Plot No. 20, Dayanand Colony, Opp.Of Balaji Nagar, Mangrol By Pass, Baran-325205 MIS Code - PR08001175		4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the it was observed that the ITI was not found at the given address. 5. The ITI has submitted letter dated 08.09.2025 that institute has not admitted the trainees from session 2019-2020 and the ITI is not operating from session 2025-2026. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
31	Gandhi Private Industrial Training Institute, Address - 73,74, R.K. Colony Dist.-Kota Rajasthan-324002 MIS Code - PU08000219	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the it was observed that the ITI was not found at the given address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
32.	City Private Industrial Training Institute, Address - Vpo.Gokulpura, Dist.Sikar Rajasthan	Electrician - 10 (8+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 08.09.2025 4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the it was observed that the ITI was not found at the given address.	

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as provided by SSDEC	TC Observations
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000195		5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	
33.	Shree Shyam Private ITI, Address - Diwrala Road, Ajitgarh, Dist Sikar Pin-332701 Rajasthan MIS Code - PR08000801	Electrician 4(2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by the State on 07.01.2025. The ITI replied to the SCN on 25.01.2025. Further, a joint inspection was conducted on 11.08.2025 Accordingly, the joint inspection of the ITI was conducted on 11.08.2025. During the inspection the following were observed: <ol style="list-style-type: none"> The Coordinates of the location of ITI, which is given in MIS portal is 2.5 Km away from the present location of ITI. There is no building existing in the urban area at the coordinate's location. Original bills of Tools and equipment were not available during inspection. Out of 07 Instructors in ITI, only one Instructor is CITS trained. Records of the ITI were not produced during inspection. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 	

Annexure - 6 as referred in Agenda 2.4 regarding ITI not recommended for continuation of affiliation as ITI requested for self-closure

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
1.	Mewar Girls Private Industrial Training Institute, Address - Sector - 5, Gandhi Nagar, (Chittorgarh) -312001 MIS Code: PR08000009	1. Computer Operator and Programming Assistant- 1(1+0) 2. Fashion Design & Technology- 1(1+0)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 16.06.2025.
2.	Maharana Pratap Private Industrial Training Institute, Address - Surajpal Road, Khasara No.37/1 & 37/2 Situated At. Surajpal, Teh. & Dist.Chhitorgarh Rajasthan- 312001 MIS code: PR08000831	Electrician- 3(3+0)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 18.06.2025.
3.	Aadrash Private Industrial Training Institute, Address - Kherda, Sawai Madhopur 322001 MIS code: PR08000004	1. Electrician- 5(3+2) 2. Mechanic Diesel-2(1+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 09.05.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
4.	Indian Institute of Private Industrial Training Institute, Address - Munimji Ki Dharamshala, Boli, Teh. -Boli (Sawai Madhopur) MIS Code: PR08000402	Electrician- 4(3+1)	The 9th SSDEC meeting held on 17.09.2025 has recommended de-affiliation due to self-closure of the ITI.
5.	Ravi Private Industrial Training Institute, Address - Khasra No.1802, 1735, V & P-Nevta, Tehsil-Sanganer, Jaipur-302011 MIS Code: PR08001289	1. Electrician- 4(2+2) 2. Mechanic Diesel-1(1+0)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 23.06.2025.
6.	Vishalakshi Private Industrial Training Institute, Address - 214, Krashi Nagar, Bambala, Sanganer, Jaipur-302033 MIS code: PR08001104	1. Electrician- 6(2+2+2) 2. Fitter- 2(1+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 03.07.2025.
7.	Gaurav Private Industrial Training Institute, Address - Saligram Scheme Road, Bilwa, Tonk Road, Jaipur - 302022	Electrician- 12(6+6)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 25.06.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS code: PU08000282		
8.	Rahul Chandija Memorial Private Industrial Training Institute, Address - Village-Hirawala, Post Roopwas, Via- Lalwas Crpf Camp, Tehsil. Jamawaramgarh, Dist. Jaipur Pin-302027 Rajasthan MIS code: PR08001441	Electrician- 4(2+1+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 23.06.2025.
9.	JMK Private Industrial Training Institute, Address - Satlawas, Jodhpur Road, Mertacity, Distt. -Nagaur - 341510 MIS Code: PR08001298	1. Electrician-14(6+5+3) 2. Mechanic Diesel-2(1+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 21.01.2025.
10.	New Sufiya Private Industrial Training Institute, Address - Old Industrial Area, Near Bashi Chourha Dist.Nagaur Pin-341001 Rajasthan MIS code: PR08000570	1. Electrician-12(6+6) 2. Mechanic Diesel-2(1+1) 3. Wireman- 1(0+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 11.02.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
11.	Prem Private Industrial Training Institute, Address - Man Dass Ban, Near Highway Road, Deedwana Dist.- Nagaur Rajasthan MIS code: PR08000260	All trades of the ITI have already been de-affiliated vide DGT order dated 17.01.2025 due to zero admission.	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 25.06.2025.
12.	Shri Balaji Private Industrial Training Institute, Address - I-17, Ambedkar Nagar, Alwar- 301001 MIS code: PR08000450	1. Electrician-2(1+1) 2. Fitter-2(1+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 28.07.2025.
13.	Vaibhav Shri Private Industrial Training Institute, Address - 30/190, Ramchandra Pura Chawani, Kota-324007 MIS code: PR08001014	Electrician- 6(2+2+2)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 31.07.2025.
14.	Vaibhav Laxmi Private Industrial Training Institute, Address - D-34, Panchawati Nagar, Kunhari, Kota-324008	Electrician- 10(4+4+2)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 31.07.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS code: PR08001114		
15.	Shree Sevanand Private Industrial Training Institute, Address - Vikash Coloni, Station Road, Newai, Distt. Tonk-304021 MIS code: PR08001178	Electrician- 6(2+2+2)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 15.07.2025.
16.	Sevanand Private Industrial Training Institute, Address - Bansthali Mode Near Talai Ke Balaji, Roopwas, Newai, Distt. Tonk- 304021 MIS code: PR08000345	Electrician- 17(6+8+3)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 16.07.2025.
17.	Rise Private Industrial Training Institute, Address - Hanuman Mandir Ke Pass Sitapura Road Awan, Tehsil.Duni, Dist.Tonk Pin-304802 Rajasthan MIS code: PR08001361	Electrician-4(2+2)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 14.07.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
18.	Madhav Private Industrial Training Institute, Address - 62, Adarsh Nagar (Opp. Pandushila) Malpura, Dist.Tonk Rajasthan MIS code: PR08000191	Electrician-3(1+1+1)	The 9th SSDEC meeting held on 17.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 28.07.2025.
19.	Manimala Private Industrial Training Institute, Address - Village & Post Gothra, Khetri Nagar, Teh. Khetri, Distt. Jhunjhunu-333516 MIS Code - PR08001247	1. Electrician – 2(1+1) 2. Mechanic Diesel – 1(1+0)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 28.07.2025.
20	Maharaja Agresen Private Industrial Training Institute, Address - Gothara Bus Stand, Khetrinagar, (Jhunjhunu)-333504 MIS code - PR08000065	Electrician - 2 (2+0+0)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI due to self-closure of the ITI.
21	Tagour Private Industrial Training Institute, Address - Singana (Jhunjhunu)	1. Mechanic Diesel - 1 (1+0) 2. Electrician – 1 (1+0)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI due to self-closure of the ITI .

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS code: PR08001053		
22	Y.S. Halwan Private Industrial Training Institute, Address - F-69, Industrial Area, Rayala Road, Pilani- (Jhunjhunu)- 333031 MIS Code - PR08001134	1. Electrician – 3 (3+0+0) 2. Mechanic Diesel – 1 (1+0)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI due to self-closure of the ITI.
23	Bhagwan Mahaveer Private Industrial Training Institute, Address - Agresen Vihar, Backside of Agresen Girls Senior Sec. School, Hindoun City, (Karouli)-322230 MIS Code: PR08000027	1. Electrician – 6 (3+3+0) 2. Mechanic Diesel – 3 (2+1+0) 3. Fitter – 2 (1+1)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 14.03.2025 and 21.03.2025.
24	Astha Private Industrial Training Institute, Pipalda Road, Itawa, Dist. Kota Rajasthan-325004 MIS Code - PR08000521	Electrician – 7 (4+3)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI due to self-closure of the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
25	Aryan Private Industrial Training Institute, Address - Kaithun Road, Raipura, Dist. Kota - 324005 MIS Code - PU08000324	Electrician – 6 (2+2+2)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute vide its letter dated 24.12.2024.
26	Dhanwantari Private ITI Address - Near Balaji Marble, Nh-11, Laxmangarh, Dist. Sikar - 332311 MIS Code - PU08001828	1. Fire Technology and Industrial Safety Management – 3 (1+1+1) 2. Health Safety & Environment – 3 (1+1+1)	The 10th SSDEC meeting held on 23.09.2025 recommended the de-affiliation of the ITI due to self-closure of the ITI .

Annexure - 7 as referred in Agenda 2.5 regarding ITIs not recommended for continuation of affiliation as they were found closed during inspection

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
1.	<p>Rise Private Industrial Training Institute,</p> <p>Address - Indra Colony Kota Road Sawar, Theh-Kekri, Dist-Ajmer305407</p> <p>MIS Code - PR08000931</p>	Electrician -9 (4+4+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 04.01.2025</p> <p>3. The reply dated 15.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 20.06.2025 by RDSDE and State Directorate official.</p> <p>5. During the inspection the ITI was locked and FOUND CLOSED.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
2.	<p>Shri Neelkamal Private Industrial Training Institute,</p> <p>Address - 10-E-4, Tilak Nagar Bhilwara, Dist.Bhilwara Pin-311001 Rajasthan</p> <p>MIS Code - PU08001425</p>	Electrician- 1 (1+0)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025</p> <p>3. Further, a joint inspection of the ITI was conducted on 11.06.2025 by RDSDE and State Directorate official.</p> <p>4. During the inspection the ITI was FOUND CLOSED. The inspecting committee also inquired by the nearby residents of the ITI and informed by them that the ITI has been closed from last 2-3 years.</p> <p>5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
3.	<p>Dr. R.L. JAT PRIVATE ITI</p> <p>Address - 16, RADHE KRISHNA VIHAR, Gangapur, Dist. Bhilwara</p>	<p>1. Electrician- 2 (1+1)</p> <p>2. Fire Technology and Industrial Safety</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025</p> <p>3. The reply dated 17.02.2025 was received from the ITI.</p>

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code - PU08001628	Management- 1 (1+0) 3. Fitter- 1 (1+0) 4. Health Safety & Environment- 1(1+0)	4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was FOUND CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
4.	Lotus Private ITI, Address - Near Sukharla Circle, Gaurav Path, Bhilwara 311001 MIS Code - PU08001836	1. Electrician- 2 (1+1) 2. Mechanic Auto Electrical and Electronics- 3 (1+1+1) 3. Mechanic Diesel- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 18.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was FOUND CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
5.	Balaji Private ITI, Address - Pali Sojat Highway, Near Village Bagawas, Sojat City, Dist. Pali MIS Code - PU08001732	Electrician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025 3. Further, a joint inspection of the ITI was conducted on 12.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) The main gate of the ITI was FOUND CLOSED on the day of inspection. ii) No staff were available on the day of inspection. iii) The ITI was tried to contact on the given number but the contact number was not reachable.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
6.	Ishwar Private ITI, Address - College Road Nandawat-Bhim, Dist. Rajsamand MIS Code - PR08001635	Electrician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 03.01.2025, followed by reminder dated 30.01.2025 3. Further, a joint inspection of the ITI was conducted on 11.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) No staff were available on the day of inspection. ii) The ITI Principal and the owner were contacted and they informed that ITI is not running after CORONA period. iii) At present a Hotel was running at that the ITI location. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
7.	Sunrise Private Industrial Training Institute, Address - Old Alanpur Road, Near Income Tax Office, Sawai Madhopur 322001 MIS Code - PR08000610	Electrician- 7 (7+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found locked and no one was available on the day of inspection. The ITI was contacted telephonically and informed that the ITI is closed. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
8.	<p>Sardar Patal Industrial Training Center,</p> <p>Address - Behind Gayatri Mandir, Gayatri Colony, Jhalawar-326001</p> <p>MIS Code - PR08000684</p>	Computer Operator and Programming Assistant- 2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. The SCN was issued to the ITI by State Directorate on 30.12.2024. Further, a joint inspection of the ITI was conducted on 09.06.2025 by RDSDE and State Directorate official. During the inspection the following were observed: <ol style="list-style-type: none"> ITI was FOUND CLOSED. The inspecting committee also inquired by the nearby residents of the ITI and informed by them that the ITI has been closed from last 4-5 years as the rent agreement of the ITI was not extended. No any machinery equipment's workshop classroom, office etc, were found at the ITI'S Address on the day of inspection. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
9.	<p>Rathorji Private Industrial Training Institute,</p> <p>Address - A-Baran Road Khanpur, Dist.Jhalawar, Rajasthan</p> <p>MIS Code - PR08000709</p>	Electrician- 5 (2+2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. The SCN was issued to the ITI by State Directorate on 15.01.2025, followed by reminder dated 11.02.2025. Further, a joint inspection of the ITI was conducted on 10.06.2025 by RDSDE and State Directorate official. During the inspection the following were observed: <ol style="list-style-type: none"> ITI was FOUND CLOSED. The inspecting committee also inquired by the nearby residents of the ITI and informed by them that the ITI has been closed from last 4-5 years. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
10.	<p>Arihant Private Industrial Training Institute,</p>	Electrician- 2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - 161, Taruchaya Nagar, Tonk Road, Jaipur-302018 MIS Code - PR08001049		2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED and the ITI Principal was contacted and it was told that the ITI is closed since long. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
11.	Vikas Private Industrial Training Institute, Address - Opp. Sector 116, Shipra Path, Agarwal Farm, Mansarover, Jaipur-302020 MIS Code - PR08000023	1. Computer Operator and Programming Assistant- 1 (1+0) 2. Electrician-4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 03.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED and a letter dated 01.07.2025 was submitted by the Director of the ITI for self-closure of the ITI. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
12.	Prateek Private Industrial Training Institute, Address - Near Suraj Kund, Chaksu (Jaipur)-303901 MIS Code - PR08000048	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
13.	Vishvakarma Private Industrial Training Institute, Address - 70-72/C, Kusum Vihar, Jagatpura (Jaipur) – 302025 MIS Code - PR08000867	1. Electrician- 2 (1+1) 2. Fitter- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) No ITI related activities were found on the day of inspection. iii) No ITI staff was available on the day of inspection for contact or verification purposes. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
14.	Shri Govind Private Industrial Training Institute, Address - 302/715 Khora Bisal, The. Amer Benad Road, Dist. Jaipur Rajasthan MIS Code - PR08001364	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) The ITI owner refused for inspection. iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
15.	Adarsh Private ITI,	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Bhiwal Colony, Mukundpura Raod Basdi, Tehsil Sanganer, Dist. Jaipur Pin-302026 Rajasthan MIS Code - PU08001426		2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 28.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) The ITI owner refused for inspection. iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
16.	G.D. Private Industrial Training Institute, Address - Chaumukha, Jamawa Ram Garh, Dist. Jaipur Rajasthan MIS Code - PR08001453	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 27.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) The ITI owner refused for inspection. iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
17.	R.K. Private ITI Address - Plot No. G-13, Ricco Industrial Area, Phulera, Dist. Jaipur Rajasthan MIS Code - PR08001451	Electrician- 5 (1+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was FOUND CLOSED.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>ii) The ITI owner refused for inspection.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
18.	<p>Sahil Private ITI,</p> <p>Address - V.P.O. Dhodhsar, Via Govindgarh, Dist. Jaipur-303712</p> <p>MIS Code - PR08001718</p>	Electrician- 3 (1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 22.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official.</p> <p>5. During the inspection the ITI was FOUND CLOSED.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
19.	<p>Shri Ganesh Private Industrial Training Institute,</p> <p>Address - Bhagwati Nagar, Near Bad Ka Ped, Lalchandpura Road, Jhotwara Dist. Jaipur Rajasthan</p> <p>MIS Code - PR08001444</p>	Electrician- 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 22.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official.</p> <p>5. During the inspection the following were observed:</p> <p>i) ITI was FOUND CLOSED.</p> <p>ii) No documents produced by ITI representative for inspection.</p> <p>iii) The tin-shed workshops were shown only from the outside by the ITI representative. The institute appeared to be non-operational for a long time.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
20.	Jodhana Private Industrial Training Institute,	Mechanic Diesel- 2 (2+0)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025.</p>

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Khasra No. 89/487 Back Side Mahadev Nagar, Pilar Balaji Mandir Banar Highway Road, Dist. Jodhpur Rajasthan MIS Code - PR08000719		3. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: 5. The ITI was found Locked and CLOSED. 6. The ITI owner was contacted on the provided phone number, and he informed that they wish to discontinue the affiliation of the ITI and do not intend to pursue any further correspondence in this matter. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
21.	Vinayak Private Industrial Training Institute, Address -Village Deh, Teh. Jayal, Dist. Nagaur Rajasthan-341022 MIS Code - PR08000784	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) A Bachpan school was running in the same ITI premises. iii) ITI was tried to contact several times on the day of inspection but no response. Also, no ITI staff was available for inspection. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
22.	Phooshraj Todi Private Industrial Training Institute, Address - 451, Mile Stone, N.H. - 11, Rajaldesar, Ratangarh (Churu) - 331802 MIS Code - PR08001041	Electrician- 9 (5+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 07.07.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed:

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			i) The ITI was not FOUND as per NCVT MIS portal address and location of the ITI. The construction work was going on that location. ii) The ITI Principal was contacted, and he shared a letter dated 07.07.2025 via WhatsApp, stating that the ITI has been closed for the past two years due to zero admissions. He also mentioned that this information had already been communicated earlier by the ITI. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
23.	Chandrawanshi Private Industrial Training Institute, Address - Vill. -Bani Park, Post-Bagawas Ahiran Teh. -Viratnagar Dist.-Jaipur Rajasthan-303119 MIS Code - PR08001508	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
24.	Anmol Private ITI, Address - Nh-8, Peepli Stand Antela, Tehsil Virat Nagar Dist. Jaipur-303119 MIS Code - PU08001616	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 01.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
25.	Vikas Private Industrial Training Institute,	1. Electrician- 3 (2+1) 2. Fitter- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Near R.T.O. Office, Putli Road, Kotputli (Jaipur) MIS Code - PR08000917		2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 01.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
26.	Netaji Subash Chander Bosh Private Industrial Training Institute., Address - Post-Tunga, Teh. Bassi, Distt. Jaipur-303302 MIS Code - PR08000872	Electrician- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 30.06.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
27.	Shree Ramanandacharya Private Industrial Training Institute, Address - Plot No. S/240, Tehsil Road, Shahpura (Jaipur)303103 MIS Code - PR08000966	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 15.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED and non -operational. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
28.	Vaidh Patiram Private Industrial Training Institute,	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 21.01.2025 was received from the ITI.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Vill. Bhaisa, Teh. Roopwas, Dist. Bharatpur Pin-321404 Rajasthan MIS Code - PR08001569		4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
29.	New Mahalaxmi Private Industrial Training Institute Address - kota Road, Talera, The. Talera, Dist. Bundi - 323021 MIS Code - PR08001346	1. Electrician- 12 (4+4+4) 2. Fitter- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 30.12.2024. 3. Further, a joint inspection of the ITI was conducted on 29.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
30.	Shiv Private Industrial Training Institute, Address - Kalkakra, Lalsot (Dausa) MIS Code - PR08000147	1. Electrician- 2 (2+0) 2. Fitter- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. Further, a joint inspection of the ITI was conducted on 30.07.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: 5. ITI was found locked. 6. There was no board of ITI. The nearby people confirmed that this is the ITI. 7. The ITI was contacted on the given no. but number was not reachable. 8. As per the portal address the ITI was there but no signage board was found available on the day of inspection. 9. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
31.	Bhadu Private Industrial Training Institute,	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Ward No.19, Pili Banga Dist.-Hanumangarh Rajasthan MIS Code - PR08000162		<ol style="list-style-type: none"> The SCN was issued to the ITI by State Directorate on 15.01.2025. Further, a joint inspection of the ITI was conducted on 01.08.2025 by RDSDE and State Directorate official. During the inspection the ITI was found closed. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
32.	P.R.G. Memorial Private Industrial Training Institute, Address - West Side Gate, B.R. Miradha Dharmshala, Fort Road, Dist.-Nagaur Rajasthan MIS Code - PR08000245	Electrician- 4 (1+1+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. The SCN was issued to the ITI by State Directorate on 04.01.2025. Further, a joint inspection of the ITI was conducted on 14.07.2025 by RDSDE and State Directorate official. During the inspection the Following were observed: <ol style="list-style-type: none"> ITI was found closed. The ITI Principal was contacted, and he informed that the ITI has been closed since 2020 due to no admissions. The Principal and the management were not physically presented for inspection on that day. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
33.	Saahil Private Industrial Training Institute, Address - Near Bye Pass, Tonk MIS Code - PR08000673	Electrician- 6 (3+3)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. The SCN was issued to the ITI by State Directorate on 04.01.2025. Further, a joint inspection of the ITI was conducted on 15.07.2025 by RDSDE and State Directorate official. During the inspection the following were observed: <ol style="list-style-type: none"> ITI was found closed. The ITI submitted vide its letter dated 15.07.2025 that the admissions have not been taken by the ITI in Electrician trade from last 2 yrs, therefore, the ITI want to close the ITI.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>iii) The Principal and the management were not physically presented for inspection on that day.</p> <p>5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
34.	<p>Shiv Private Industrial Training Institute,</p> <p>Address - Dak Bangla Ke Pichhe, Aligarh, Distt. Tonk</p> <p>MIS Code - PR08000625</p>	Electrician- 2 (1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 04.01.2025.</p> <p>3. Further, a joint inspection of the ITI was conducted on 15.07.2025 by RDSDE and State Directorate official.</p> <p>4. During the inspection the ITI was found closed.</p> <p>5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
35	<p>Shri Dadu Private ITI</p> <p>Address - Nagaur Chosla, Nawa, Rajasthan -341508</p> <p>MIS Code - PR08000889</p>	<p>Electrician- 3 (1+1+1)</p> <p>Mechanic Diesel- 3 (1+1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 04.01.2025.</p> <p>3. The reply dated 23.01.2024 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 09.09.2025 and 11.09.2025 by RDSDE and State Directorate official.</p> <p>5. During the inspection the following were observed:</p> <p>a) The ITI was found closed on 11.09.2025.</p> <p>b) All the labs, classroom, office was also found closed on 09.09.2025.</p> <p>c) No ITI representative was available for inspection.</p> <p>d) Building of the ITI seems like closed since long time and no training related activities were found available on the day of inspection.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
36	Maa Saraswati Private Industrial Training Institute, Address - Van Vibhag Ke Samne Kota Road, Dist. Baran Pin-325205 Rajasthan MIS Code - PU08000494	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 30.12.2024 3. Further, a joint inspection of the ITI was conducted on 15.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
37	New Vansh Private ITI, Address - Lalsot By Pass, Dausa Dist. Dausa-303303 MIS Code - PU08001759	Computer Operator and Programming Assistant- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 15.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
38	Rajasthali Private Industrial Training Institute, Address - Ward No.1, Ashapura Jodhpuriya Teh-Baswara, Dist.- Dausa Rajasthan-303313 MIS Code - PR08000761	Electrician- 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.09.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
39	Indian Institute of Private Industrial Training Institute,	Electrician- 3 (2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Near Ganesh Mandir, Kothun Road, Lalsot (Dausa) MIS Code - PR08000074		2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 11.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
40	Indian Institute of Private Industrial Training Institute, Address - Baniyana Road, Hingotia (Dausa) MIS Code - PR08000401	Electrician- 11 (4+4+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 11.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
41	New Rajasthan Private ITI Dausa Address - Village-Baharawanda, Tehsil-Sikrai, District-Dausa, Rajasthan MIS Code - PR08001746	Electrician- 6 (2+2+2) Health Sanitary Inspector- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was found closed. ii) A school was running in the ITI building. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
42	SDS Private Industrial Training Institute,	Electrician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - V/P. Rajota, Dist. Jhujhunu - 333503 MIS Code - PR08001329		2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. The reply dated 13.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 17.09.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was found closed. ii) No sign board of the ITI was found available at the site on the day of inspection 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
43	Umrao Singh Arya Private Industrial Training Institute, Address - Vpo Pacheri Kalan, Dist.Jhunjhunu-333515 MIS Code - PR08000354	Electrician- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. Further, a joint inspection of the ITI was conducted on 18.09.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was found closed. ii) No sign board of the ITI was found available at the site on the day of inspection. iii) Soni Devi international school Pacheri, Bhuhana and Umarao singh shikshan sansthan college was running in same ITI premises. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
44	LR Pvt. ITI Address - Alwar Behror- Alwar Road, Power House, Bahrod, Alwar - 301020 MIS Code - PU08001798	Electrician- 6 (2+2+2) Fitter- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. Further, a joint inspection of the ITI was conducted on 12.08.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed and the ITI also informed the following: i) The ITI, vide its letter dated 12.08.2025, submitted that due to heavy rains, the institute is temporarily closed and no admissions have been taken during the

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			current academic year. It was further stated that whenever the institute resumes operations, admissions will be taken only after informing the department and conducting a fresh inspection. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
45	Atal Private ITI, Address - Alwar, - Tijara-Delhi Highway, Chikani, Dist. Alwar - 301028 MIS Code - PU08001617	Electrician- 6 (2+2+2) Fitter- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. The reply dated 26.12.2024 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.08.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
46	Maharana Pratap Private Industrial Training Institute, Address - Gopalpura, Jhalawar Road, Kota, Distt. Kota-325003 MIS Code - PR08001273	Electrician- 1 (1+0) Mechanic Diesel- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 30.12.2024 3. Further, a joint inspection of the ITI was conducted on 02.09.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) The ITI was found locked. ii) The ITI name board was not found available on the building of the ITI. iii) When we talked on phone they have sent us a latter on whatsapp itself. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
47	Satyam Private Industrial Training Institute,	Electrician- 4 (2+2) Fitter- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Address - Baluram Compounder Ki Gali, Jaipur Road, Sikar-332001 MIS Code - PR08000395		3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.09.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found locked. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
48	Shekhawati Private Industrial Training Institute, Address - 45-46, Yojna Nagar, Salasar Bus Stand, Palbas Road, Sikar-332001 MIS Code - PU08000926	Electrician- 2 (1+1) Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 10.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 11.09.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found locked. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
49	Surabhi Private Industrial Training Institute, Address - Radha Krishan Pura, Dist. Sikar Rajasthan MIS Code - PU08000794	Electrician- 5 (1+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was found closed and non- operational. ii) A Rex international school was running in the ITI building. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
50	Rajasthan Private Industrial Training Institute, Address - Dhod Road, Dist.-Sikar Pin-332001 Rajasthan	Electrician- 3 (1+0+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	MIS Code - PU08000247		<p>4. During the inspection the following were observed:</p> <p>i) ITI was found closed and non-operational.</p> <p>ii) The Rajasthan Public School was running in the ITI building.</p> <p>iii) The Institute principal was present in institute during visit. He informed the inspection team that institute is unable to get the inspection done on the inspection date 19-09-2025 as there is zero students in the ITI and requested 3 months' time for inspection. He submitted all the above vide its letter dated 19.09.2025 to the inspection team.</p> <p>5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
51	<p>Sorabh Private Industrial Training Institute,</p> <p>Address - Mahatma Jyotibha Phule Nagar, Balrampura Palbas Road, Dist. Sikar Rajasthan-332001</p> <p>MIS Code - PR08000378</p>	Electrician- 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 24.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official.</p> <p>5. During the inspection the following were observed:</p> <p>i) ITI was found closed.</p> <p>ii) The Institute principal was contacted and informed by him that the ITI is not ready for inspection.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
52	<p>Vivekanand Private Industrial Training Institute,</p> <p>Address - At. Kuli Khachariyawas, Dist. Sikar Pin-332710 Rajasthan</p> <p>MIS Code - PR08000752</p>	Electrician- 4 (2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. The SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 11.02.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted 12.08.2025 by RDSDE and State Directorate official.</p> <p>5. During the inspection the ITI was found closed.</p>

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
53	Shri Rupana Dham Private Industrial Training Institute, Address - Gram Palsana, Dist. Sikar Rajasthan MIS Code - PR08000806	Electrician 12- (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted 12.08.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.
54	S.R. Private Industrial Training Institute, Address - Ajabpura Road, Palasana, Dist. Sikar, Rajasthan MIS Code - PR08000184	Electrician- 5 (2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply 11.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted 12.08.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI.

Annexure - 8 as referred in Agenda 2.6 regarding ITIs not recommended for continuation of affiliation as they refused to undergo inspection

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
1	Sanskar Private Industrial Training Institute, Arain, Near Petrol Pump, Kisangarh Road, Arain, Dist.Ajmer, Rajasthan-305813 (PR08001462)	Electrician- 5 (2+2+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, Joint inspection was conducted on 17.06.2025 by the RDSDE and State official. 5. During the inspection the ITI was found closed and under strike declared by State level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
2	Veer Teja Private Industrial Training Institute, Situated At Village Sursura Teh.Kishangarh, Dist.Ajmer Rajasthan-305801 (PR08001600)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The ITI did not reply to the both SCN and reminder issued by State Directorate. 4. Further, a Joint inspection was conducted on 17.06.2025 by the RDSDE and State official. 5. During the inspection the ITI was found closed and under strike declared by State level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
3	Geet Ganpati Private ITI, Lohakhan Police Line, Dist.Ajmer-305001 (PU08001722)	Electrician- 2 (1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 20.01.2025 was received from the ITI. 4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
4	Ganpati Private ITI Ajmer Sarmalia Choraya Thikrana Gujran, Beawar (Dist. Ajmer), Rajasthan - 305901 (PU08001766)	Mechanic Diesel- 2 (1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 04.01.2025.</p> <p>3. The reply dated 16.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
5	Tulsi Private ITI Near Ganesh Temple Vill. Junia Teh. Kekri Dist. Ajmer- 305406 (PR08001946)	<p>1. Electrician- 3 (1+1+1)</p> <p>2. Health Sanitary Inspector- 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 04.01.2025.</p> <p>3. The reply dated 14.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 18.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
6	Saraswati Vidhya Mandir Private ITI Banswara Udaji Ka Gada, Ghatol (Near Khamera) Teh. - Ghatol (Banswara) - 327027 (PR08001770)	1. Electrician-3 (1+1+1) 2. Fitter- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
7	Shivam Private Industrial Training Institute, Uncha, Tehsil Jahazpur, Dist. Bhilwara (PR08001399)	Electrician- 3 (2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
8	Vidhyaa Private ITI Behind Gokul Complex, Sahara Road, Gangapur, Tehsil Sahara, Dist. Bhilwara (PR08001708)	1. Computer Operator and Programming Assistant- 3 (1+1+1) 2. Electrician -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
9	Vidhya Private ITI Bhilwara Haled Tehsil-Bhilwara, Rajasthan-311001 (PR08001765)	1. Electrician -6 (2+2+2) 2. Fitter 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
10	Shree Ramdev Private ITI, Gudamalani Road, Dhorimanna, Dist. Barmer (PU08001854)	1. Electrician -6 (2+2+2) 2. Health Sanitary Inspector -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. 5. During the inspection the following were observed: a) The ITI name board was placed on the land b) A letter has been received from the staff of the ITI regarding refusal of the inspection. c) Another ITI board was found on the address, location of the ITI d) A banner was found displayed on the wall of the ITI containing information about the ongoing strike of the Institute.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
11	Jyoti Private Industrial Training Institute, Balotra Near 4th Railway Fatak By Pass, Khed Road, Balotra Dist.Barmer Rajasthan-344022 (PU08001586)	Electrician -6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
12	Pragyan Private Industrial Training Institute, Samadhri Road, Gandhipura Balotra, Barmer Rajasthan-344022 (PU08001553)	Electrician -6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
13	Shri Balaji Private Industrial Training Institute, Baldev Nagar, Dist.Barmer Rajasthan-344001 (PU08001516)	Electrician -3 (1+1+1)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
14	Krishna Private Industrial Training Institute,Sant Pramanand Ashram, Station Road, Barmer Rajasthan344001 (PU08001529)	Electrician -6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
15	Shri Damaram Memorial Private Industrial Training Institute, Main C.C. Road, Indira Colony, Dist. Barmer 344001 (PU08001489)	Electrician -6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
16	Smt. Dhapu Devi Memorial Pvt. ITI Sirdari Road, Baldev Nagar, Dist. Barmer-344001 (PU08001697)	1. Electrician 2 (1+1) 2. Fire Technology and Industrial Safety Management – 4 (2+1+1) 3. Health Safety & Environment- 1 (1+0) 4. Health Sanitary Inspector- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. Additionally, it has been also observed that the other courses were also running in the ITI. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
17	Ramdev Private ITI, Near Govt. Water Tank, Baldev Nagar, Dist. Barmer Pin344001 (PU08001724)	Electrician -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection and also refused for inspection vide its letter dated 17.06.2025, stating that it was under a strike declared by the State-level ITI Association.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
18	Maa Gayatri Private ITI, Village Biloda, Dungla, Dist. Chittorgarh 312024 (PR08001643)	1. Electrician- 6 (2+2+2) 2. Wiremen- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 19.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
19	Shree Ram Private Industrial Training Institute, Plot No. A-57,A72, Raja Park Colony, Bikaner Dist. Bikaner-334022 (PR08000404)	Electrician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. 5. The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
20	S.L.S. Graphic Private Industrial Training Institute, N.H. 15 Road Vishav Karma Market, Infront Of Jolya Petrol Pump, Loonkaransar, Distt. Bikaner-334603 (PU08001609)	1. Electrician-6 (2+2+2) 2. Fitter- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.06.2025 by the RDSDE and State official. 5. The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated 07.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
21	MBD Private Industrial Training Institute, Tilak Nagar, Dist.Bikaner Pin-334003 Rajasthan (PU08001562)	Electrician- 18 (6+6+6)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 11.06.2025 by the RDSDE and State official. 5. The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
22	New Basic Private Industrial Training Institute, Behind Radhe Motor, Galna Bass, Bajjee, Dist.Bikaner 334305 Rajasthan (PR08001509)	Electrician -6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025. 3. The reply dated 21.01.2025 was received from the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>4. Further, a joint inspection of the ITI was conducted on 12.06.2025 by the RDSDE and State official.</p> <p>5. The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
23	Lal Bahadur Shastri Private Industrial Training Institute, Hindaun Road Saloda, Tehsil Gangapur City, Distt. Sawai Madhopur - 322201 (PR08000332)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 03.01.2025.</p> <p>3. The reply dated 20.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
24	Divine Fire Safety Private ITI Sawai Madhopur Bonli, Sawai Madhopur, Rajasthan (PR08001776)	<p>1. Electrician- 3 (1+1+1)</p> <p>2. Fire Technology and Industrial Safety Management -2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 03.01.2025.</p> <p>3. The ITI did not reply to the both SCN and the reminder issued by State Directorate.</p> <p>4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
25	Agrasen Private Industrial Training Institute Sawai Madhopur Sawai Ganj Moad, Kota Highway Road, Sawaimadhopur, Rajasthan-322001 (PU08001777)	1. Electrician- 6 (2+2+2) 2. Health Sanitary Inspector- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 11.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 11.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
26	Maa Sharda Private Industrial Training Institute, Plot No.6, Opp. Chandrawati Hotel, Jhalrapatan Road, Dist.Jhalawar Rajasthan (PR08000773)	1. Electrician- 6 (2+2+2) 2. Fitter- 2 (2+0+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
27	Siddarth Private Industrial Training Institute, at. Raj Laxmi Nagar, Dist.Jhalawar Rajasthan (PR08000808)	Electrician -5 (2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
28	Aachal Private Industrial Training Institute, Near Petrol Pump, Hasteda Chomu, Dist.Jaipur Rajasthan (PR08001432)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 29.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 23.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
29	Gyandeep Private Industrial Training Institute, Village.Amarpura, Tehsol.Chomu, Dist.Jaipur Rajasthan (PR08001437)	Electrician- 12 (4+4+4)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 27.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 24.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
30	Aarav Pvt. Industrial Training Institute, Villege-Tankarda Chomu, Distt.-Jaipur (PR08001475)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025. The reply was received from the ITI but without date Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. During the inspection, the ITI refused to undergo the inspection vide its letter dated 24.06.2025, stating that it was under a strike declared by the State-level ITI Association. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
31	Tagore Pvt. Industrial Training Institute, Villege & Post- Hasteda, Tehsil-Chomu, Distt.-Jaipur (PR08001488)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. The reply dated 26.01.2024/25? was received from the ITI. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. During the inspection, the ITI refused to undergo the inspection vide its letter dated 23.06.2025, stating that it was under a strike declared by the State-level ITI Association. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
32	Balaji Private Industrial Training Institute, N.H. 11, By Pass Road, Near Bus Stand, Govind Garh, Chomu, Dist. Jaipur Rajasthan (PR08001524)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025. The reply dated 29.01.2025 was received from the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 25.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
33	Sunrise Private 111, VPO.- Amarpura, Vla-Itawa Bhopajl, Teh.- Chomu, Dist.- Jaipur-303804 (PR08001533)	Electrician- 3 (1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 25.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 24.06.2025, stating that it was under a strike declared by the State-level ITI Association.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
34	New Subodh Private Industrial Training Institute, Raikaranpura, Teh.Katputli, Dist.Jaipur Rajasthan (PR08001597)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 16.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection the following were observed:</p> <p>a) ITI found closed and the owner of the ITI refused for inspection.</p> <p>b) A school was running in the same campus.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>c) No training staff was present.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
35	Aditya Private Industrial Training Institute, P.No. B-6,7 & 8 Govind Vihar Kaladera, Teh, Chomu, Dist.Jaipur Rajasthan-303801 (PR08001575)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 28.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection the following were observed:</p> <p>a) ITI found closed and the owner of the ITI refused for inspection.</p> <p>b) A school was running in the same campus.</p> <p>c) No training staff was present.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
36	Abhinav Private Industrial Training Institute, Kaladera Chomu, Dist.Jaipur Rajasthan-303801 (PR08001574)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 29.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official.</p> <p>5. During the inspection the following were observed:</p> <p>a) ITI found closed and the owner of the ITI refused for inspection.</p> <p>b) No training staff was present.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
37	Maharishi Private Industrial Training Institute, V/P-Boraj, Teh.-Dudu, Dist.-Jaipur Rajasthan-(PU08001554)	Electrician- 5 (2+2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025. The reply dated 16.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. During the inspection the following were observed: <ol style="list-style-type: none"> ITI found closed and the owner of the ITI refused for inspection. No training staff was present. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
38	Geetanjali Private Industrial Training Institute, Patal Mohala, Ranwal Manji, Tehsil Phagi, Dist. Jaipur Rajasthan-303904 (PR08000475)	Electrician- 4 (2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. The ITI did not reply to the both SCN and reminder issued by State Directorate. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. During the inspection the following were observed: <ol style="list-style-type: none"> The ITI was found closed. The ITI telephonically denied for inspection. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
39	Shri Hanumat Private Industrial Training Institute, Vill.Mahapura, Nh-8, Dist.	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025. The reply dated 24.01.2025 was received from the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Jaipur Rajasthan-302026 (PR08001480)		<ol style="list-style-type: none"> Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
40	L.J. Private ITI, Village Shivadaspura, Chandlai Road, Tehsil-Chaksu, Dist.Jaipur -303903 (PR08001719)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder 06.02.2025. The reply dated 26.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
41	The Tulsi Private Industrial Training Institute, Plot No.75-79 & 90-95 Khasra No.111, Prem Vihar Nandri Dist.-Jodhpur, Rajasthan (PU08000596)	Electrician- 4 (2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 04.01.2025. The reply dated 24.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
42	Central Modern Private Industrial Training Institute, Main Bahar Road, Jaipur Highway, Dist.-Jodhpur Rajasthan (PR08000166)	1. Electrician- 2 (2+0) 2. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. 5. During the inspection the following were observed a) The ITI was found closed and also the workshops were also found locked. b) The ITI owner was contacted telephonically and it was told that the ITI was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
43	Vikas Pvt ITI, P.N. - 27, Prem Nagar, Digari, District: Jodhpur, Rajasthan, 342015 (PU08001811)	1. Electrician- 2 (1+1) 2. Health Sanitary Inspector -2 (1+0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. 5. During the inspection the owner of the ITI was present and submitted its letter dated 26.06.2025 by stating that the ITI is not ready for inspection and requested to conduct the inspection in further course of time. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
44	SDRM Private Industrial Training Institute, Near basni Over Bridge, Sanjay Colony, Dist.- Nagaur Rajasthan (PR08000714)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. 5. During the inspection the ITI was found closed and also denied for inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
45	Tagore Private Industrial Training Institute, Kuchaman City Road, Choti Khatu (Khatu Kurad), Didwana, Dist.Nagore Pin-341302 Rajasthan (PR08000738)	Electrician -12 (4+4+4)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The ITI did not reply to the both SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 27.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 27.01.2025 by stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
46	Didwana Private Industrial Training Institute, At Near Ladhun Road Crossing, Didwana, Dist.Nagaur Rajasthan (PR08000793)	Electrician- 9 (3+3+3)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 04.01.2025. The reply dated 24.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 25.06.2025 by stating that it was under a strike declared by the State-level ITI Association. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
47	Tagore Private Industrial Training Institute, Near 220 Kva Power House, Butati Road, Kuchera Dist.-Nagour Rajasthan (PR08000208)	Electrician- 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 04.01.2025. The reply dated 23.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. During the inspection, the ITI was found closed and the ITI officials refused to undergo the inspection by stating that it was under a strike declared by the State-level ITI Association. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
48	Marudhar Pvt. ITI VPO Sahwa Road, Retana Bhaleri, Taranagar, Churu - 331304 (PR08001794)	Electrician- 5 (2+2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<ol style="list-style-type: none"> The ITI did not reply to the both SCN and reminder issued by State Directorate. Further, a joint inspection of the ITI was conducted on 01.07.2025 by the RDSDE and State official. On the day of inspection, the ITI telephonically denied for inspection. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
49	Choudhary Ishar Ram Jakhar Private Industrial Training Institute, Sadulpur (Rajgarh) Dist. Churu-331023 (PR08000474)	Mechanic Diesel -2 (1+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 15.01.2025, followed by reminder dated 11.02.2025. The ITI did not reply to the both SCN and reminder issued by State Directorate. Further, a joint inspection of the ITI was conducted on 04.07.2025 by the RDSDE and State official. On the day of inspection, the ITI vide its letter dated 04.07.2025 denied for inspection for this time. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection
50	Noble Private Industrial Training Institute, Adrash Nagar, Piparcity, Dist.Jodhpur Rajasthan-342601 (PR08000569)	Electrician- 5 (2+1+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. The ITI did not reply to the both SCN and reminder issued by State Directorate. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. On the day of inspection, the ITI refused for inspection. The ITI also submitted vide its letter dated 25.06.2025 that though the ITI has full infrastructure but

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>the students are not coming in the ITI for last 03 years due to which the ITI is not taking fresh admissions and want to run the ITI with zero admission, therefore, it is requested to not to conduct inspection.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
51	Pooja Private Industrial Training Institute, Sathin Cauraha, Piparcity, Dist.Jodhpur Rajasthan (PR08000568)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 04.01.2025.</p> <p>3. The reply dated 21.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official.</p> <p>5. During inspection the ITI refused for inspection and submitted the following vide its letter dated 24.06.2025:</p> <p>a) The ITI did not receive the letter no-F.7(12) T.1/De-aff Inspection/2025/777367 dated 18.06.2025 sent by State Directorate either by email nor by post.</p> <p>b) The ITI also submitted a letter dated 24.05.2025 regarding the strike declared by the State-level ITI Association.</p> <p>c) The ITI also stated that the new admission counselling for the session 2025-2026 are ongoing in the ITI due to which the other ITI</p> <p>d) It was also submitted that the ITI had already submitted a reply to the Show Cause-Notice dated 21.01.2025, but no response was received, and the inspection team again visited the institute. It was further stated that they are now with the State-level Association and are not interested in today's inspection.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
52	SPR Private Industrial Training Institute, Baghsara East, Tehsil Sujangarh. Distt Churu - 331506 (PU08000273)	Electrician- 3 (2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. The reply dated 28.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. On the day of inspection, the ITI refused for inspection vide its letter dated 26.06.2025 and submitted that it was unable to facilitate the inspection as the Director of the Institute was away due to personal reasons. Therefore, kindly schedule the inspection of ITI in the next batch. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
53	Nirmal Private Industrial Training Institute, Rishikul Asharm, Churu By Pass Road, Rathangarh, Dist.Churu Rajasthan-331022 (PR08000181)	Electrician- 5 (2+2+1)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 08.01.2025. The reply dated 24.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. On the day of inspection, the ITI refused for inspection. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
54	Kaptan Singh Private Industrial Training Institute, Surjangarh Dist.-Churu Pin-331507 Rajasthan (PR08000268)	Electrician- 12 (4+4+4)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 08.01.2025. The reply dated 25.01.2025 was received from the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the ITI refused for inspection.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
55	Bhanwarlal Private Industrial Training Institute, Vpo-Mohanpura, Teh-Kotputli, Dist.Jaipur Rajasthan-303108 (PR08001570)	<p>1. Electrician- 4 (2+2)</p> <p>2. Fire Technology and Industrial Safety Management- 1 (1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 27.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 01.07.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the ITI refused for inspection vide its letter dated 01.07.2025.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection</p>
56	Global Private ITI, Simawta, Karali, Kotputli Dist.-Jaipur Rajasthan-303110 (PR08001534)	Electrician- 4 (2+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 23.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 02.07.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the ITI refused for inspection vide its letter dated 02.07.2025.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
57	Shri Krishna Private Industrial Training Institute, Kalu Ka Bass Tigariy, Dist.Jaipur Rajasthan-303804 (PR08001572)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. The reply dated 10.02.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 03.07.2025 by the RDSDE and State official. On the day of inspection, the ITI representative refused for inspection. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
58	Sardar Patel Private Industrial Training Institute, Vpo.Gulabbari Vio.Somod, Teh. Shahpura, Dist. Jaipur Rajasthan-303806 (PR08001520)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025. The reply dated 16.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 03.07.2025 by the RDSDE and State official. On the day of inspection, the ITI representative refused for inspection. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
59	Index Private Iti, Plot No-73,74,75 Ram Janki Vihar, Baad-Bagpura. Chaksu, Jaipur - Rajasthan-303901 (PR08001747)	<ol style="list-style-type: none"> Electrician- 9 (3+3+3) Health Sanitary Inspector- 1 (1+0) 	<ol style="list-style-type: none"> Irregularities observed during initial Inspection conducted by State official on 24.12.2024. SCN was issued to the ITI by State Directorate on 07.01.2025. The reply dated 27.01.2025 was received from the ITI. Further, a joint inspection of the ITI was conducted on 30.06.2025 by the RDSDE and State official. On the day of inspection, the ITI representative refused for inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
60	Maharaja Surajmal Private Industrial Training Institute Deeg, Distt. Bharatpur-321203 (PR08000849)	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 24.06.2025 by stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
61	Jai Hind Private Industrial Training Institute, Sarvodaya Nagar, Riico Road, Dist. Bharatpur Rajasthan - 321001 (PU08001467)	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025, followed by reminder dated 30.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 25.06.2025 by stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
62	Sailendra Private Industrial Training Institute, Sugriv Colony, Near Jain Mandir, Saver Road, Bharatpur-321001 (PR08001022)	1. Electrician- 9 (3+3+3) 2. Electronics Mechanic- 2 (1+1) 3. Fitter- 3 (1+1+1) 4. Mechanic Diesel- 2(1+1) 5. Refrigeration and Air Conditioning Technician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 17.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 27.06.2025 by the RDSDE and State official. 5. During the inspection, the following were observed: a) In the ITI address and location, the building renovation work was currently in progress. b) Machines were not found installed in the ITI and were not in working condition. c) The Tools and equipment were found scattered across the ITI premises. Due to these conditions, it was not possible to complete the verification of machines and equipment as per the latest trade tool list. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
63	Devyani Private Industrial Training Institute, at Agra Road Dausa, Tehsil Dausa, Dist Dausa, Rajasthan (PR08001581)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. The reply dated 04.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 04.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
64	Rukmani Devi Private ITI, Jaipur Agra By Pass Road, Dist. Dausa (PU08001663)	1. Computer Operator and Programming Assistant- 2 (1+1) 2. Electrician -2 (1+1) 3. Health Sanitary Inspector- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 01.07.2025 by the RDSDE and State official. 4. During the inspection, the ITI refused to undergo the inspection. 5. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
65	Shree Radhakrisnan Private Industrial Training Institute, Near Mangala Ice Factory, Khedali Road, KATHUMER (ALWAR)-321605 (PR08000902)	1. Electrician -4 (2+2) 2. Fitter- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 20.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 01.08.2025 by the RDSDE and State official. 5. During the inspection, the ITI declined to undergo the process, citing that the matter is under consideration before the Hon'ble Jaipur High Court, as conveyed vide its letter dated 01.08.2025. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
66	Guru Kripa Private Industrial Training Institute, Near Maheshwari Ibp Petrol Pump, Kapren, Via Keshorai Patan, Dist. Bundi-323301 (PR08000372)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 28.07.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>5. During the inspection, the ITI declined to undergo the process, citing that needs more time for inspection as conveyed vide its letter dated 28.07.2025 and requested to conduct inspection on 10.08.2025.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
67	S.N. Private Industrial Training Institute, Near 220 K.V.GSS, Manohar Vihar Colony, Bari Road, Dhaulpur (PR08000409)	Electrician- 3 (2+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 03.01.2025.</p> <p>3. The reply dated 21.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 16.07.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI declined to undergo the process, citing that needs more time for inspection as conveyed vide its letter dated 16.07.2025.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
68	Harri Narayan Private Industrial Training Institute, Balaji Nagar, Jali Road, Near Railway Phatak, Dist.- Dholpur Rajasthan (PU08000235)	Electrician- 2 (1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 03.01.2025.</p> <p>3. The reply dated 24.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 16.07.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI declined to undergo the process as conveyed vide its letter dated 05.07.2025 due to following reason:</p> <p>a) The construction work is currently in progress at the ITI. The institute intends to extend the building up to the 3rd floor, which is expected to take approximately one year. Owing to this, the ITI did not admit trainees for the session 2024-25 and will also not take admissions for the session 2025-26. The institute has stated that</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>admissions will be resumed from the session 2026-27, after the completion of construction and subsequent inspection of the ITI.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
69	Bapuji Private Industrial Training Institute, Ward No.16, Gaurav Path Ladnun, Dist. Nagaur Rajasthan-341306 (PR08000780)	Electrician- 6 (3+3)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 04.01.2025.</p> <p>3. The reply dated 18.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 30.07.2025 by the RDSDE and State official.</p> <p>5. During the inspection, following were observed:</p> <p>a) Other institute was found running at given location of the ITI on the day of inspection.</p> <p>b) The ITI also provided a letter dated 30.07.2025 by stating that they are on strike and don't want to do joint inspection.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
70	New Saraswati Private Industrial Training Institute, Behind Ganesh Mandir, Bamber Road, Dist.-Tonk Rajasthan (PR08000252)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025.</p> <p>3. The reply dated 22.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 31.07.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI submitted its letter dated 31.07.2025 in which it was requested to reschedule the inspection as the principal and the secretary of ITI will not</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>be available on the day of inspection due to some unavoidable medical condition therefore, requested to reschedule the inspection date after 15th August 2025.</p> <p>6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
71	Harsal Private ITI Tonk Paramanand Colony, Sadar Thana Ke Samane, Choudhary Pratrol Pump Ke Pas, Tonk, Rajasthan (PU08001772)	1. Electrician- 6 (2+2+2) 2. Front Office Assistant -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI submitted a letter dated 16.07.2025 stating that it will not admit trainees for the session 2025-26 and proposes to shift the institute during the same session. The ITI further mentioned that it will obtain a No Objection Certificate (NOC) for shifting from the DET, Jodhpur, if there are no admissions. Thereafter, the ITI will apply for shifting once the DGT online portal for the same is opened, following which a joint inspection will be carried out at the recommended new location. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
72	Atul Private Industrial Training Institute, Plot No. 57 & 60, Industrial Area, Rojhri Road, Rawla Gharsana, Dist. Sriganga Nagar Rajasthan (PR08000187)	Electrician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 28.07.2025 by the RDSDE and State official.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>4. During the inspection, the ITI submitted a letter dated 28.07.2025, requesting that the inspection be rescheduled to January 2026 or conducted after the pronouncement of the Hon'ble Court's judgment.</p> <p>5. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
73	Bharti Private Industrial Training Institute, Bhainsawa, Tehsil-Phulera, Jaipur-303603 (PR08001286)	<p>1. Electrician- 4 (2+2)</p> <p>2. Mechanic Diesel - 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 24.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 11.09.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the ITI refused for inspection.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
74	Shrimati Omwati Devi Pvt. ITI, Bharatpur Kumher, Bharatpur-321201 (PU08001795)	<p>1. Electrician- 2 (1+1)</p> <p>2. Fitter- 1 (1+0)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 03.01.2025, followed by reminder dated 30.01.2025.</p> <p>3. The reply dated 28.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 06.08.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the ITI refused for inspection vide its letter dated 06.08.2025 by stating that ITI has already informed that not to conduct the inspection on this day and conduct the inspection of the ITI in next batch.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
75	Raj Private Industrial Training Institute, Jsh-37 Beed Jhunjhunu Dist.Jhunjhunu Rajasthan (PR08000787)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 27.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 18.09.2025 by the RDSDE and State official.</p> <p>5. During inspection the following were observed:</p> <p>a) No Staff & Trainees were available in the ITI on day of inspection.</p> <p>b) The ITI submitted a letter dated 16.09.2025 stating that examinations were scheduled on 18.09.2025 and 19.09.2025 at the institute. Due to this, the staff would not be able to devote sufficient time for the inspection. Therefore, the ITI requested that the inspection be conducted on any date after 28.09.2025.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
76	Radha Krishna Private Industrial Training Institute, Khashra No.23, Sangod Road, Village.Dhikoli, Tehsil. Kanwas, Dist.Kota Pin-325601 Rajasthan (PR08000734)	Electrician- 6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 30.12.2024.</p> <p>3. The reply dated 21.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was scheduled on 11.08.2025. However, ITI denied for inspection.</p> <p>5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
77	Suman Bharti Private Industrial Training Institute, Sector+-2, Ganesh Talab Dadabari, Tehsil-Kota, Dist.Kota Pin-324009 Rajasthan (PU08000496)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. Further, a joint inspection of the ITI was conducted on 11.09.2025 by the RDSDE and State official. 4. During inspection the ITI head denied for inspection. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
78	HIFT Private Industrial Training Institute, Jai Ambe Nagar Opposite Police Chowki Rangbari, Dist. Kota Rajasthan-324005 (PR08000814)	Electrician- 6 (2+2+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.09.2025 by the RDSDE and State official. 5. During inspection the ITI head denied for inspection. The ITI also submitted a letter dated 08.09.2025 that they want to reschedule the joint inspection due to unavoidable reasons and requested to schedule after next 10days. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
79	Magnifying Private Industrial Training Institute, 184-Opp. Govt. Sec School, Deoli Arab Main Road, Dist.-Kota Rajasthan-324001 (PR08000756)	Electrician- 4 (1+1+2)	<ol style="list-style-type: none"> 1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 15.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.09.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI denied for inspection and submitted the following vide its letter dated 09.09.2025: <ol style="list-style-type: none"> a) The ITI reported that due to heavy rains, the institute building has become dilapidated and is currently under construction.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>b) The ITI informed that it had already intimated the Directorate regarding this situation vide email dated 11.07. 2025. The practical examinations scheduled in July were conducted at Government ITI, Kota, with prior permission from the Directorate.</p> <p>c) The ITI has therefore requested that the inspection be conducted after the completion of the ongoing building construction work.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
80	Shekhawati Private Industrial Training Institute., Vivek Colony, Ward No.42, Navalgarh Road, Teh-Sikar, Sikar-332001 (PR08001187)	Electrician -6 (2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 22.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 10.09.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the Principal of the institute was present. He informed the inspection team that the institute was unable to undergo the inspection due to ongoing civil construction work.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
81	Unitech Private Industrial Training Institute, Jaipur Road, Khichron Ka Bas, Sikar (PR08001198)	<p>1. Computer Operator and Programming Assistant -2 (1+1)</p> <p>2. Electrician- 2 (1+1)</p> <p>3. Mechanic Diesel- 2 (1+1)</p>	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 25.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 08.09.2025 by the RDSDE and State official.</p> <p>5. On the day of inspection, the Principal of the institute was present. He informed the inspection team vide letter dated 08.09.2025 that the institute was unable to undergo the inspection due to ongoing civil construction work.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
82	Bagaria Private Industrial Training Institute, Riico, Fatehpur Shekhawati (Sikar)-332301 (PR08001167)	1. Electrician -2 (1+1) 2. Mechanic Diesel- 1 (1+0) 3. Refrigeration and Air Conditioning Technician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 05.08.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI denied for inspection by stating that not ready for inspection. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
83	Sumitra Memorial Private Industrial Training Institute, Bus Stand, Losal, Dist. Sikar-332025 (PR08000876)	1. Electrician- 1 (0+1) 2. Fitter- 1 (0+1) 3. Mechanic Diesel - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 06.08.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI denied for inspection by stating that not ready for inspection. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
84	Losal Private Industrial Training Institute, Ward No.24, Bhirana Road, Near Police Station Losal,	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Dist.Sikar Rajasthan (PR08000809)		<p>4. Further, a joint inspection of the ITI was conducted on 06.08.2025 by the RDSDE and State official.</p> <p>5. During the inspection the following were observed:</p> <p>a) A school was running in the ITI Campus.</p> <p>b) ITI person denied for Inspection & submitted a letter for strike of ITI Association.</p> <p>6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
85	<p>J.D. Private Industrial Training Institute,</p> <p>Plot No. - 4a, Opp.Chokhi Dhani, Sitapura Educational Area, Jaipur-302015</p> <p>MIS code : (PR08001033)</p>	Electrician-24(8+8+8)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate.</p> <p>3. The ITI did not reply to the SCN and reminder issued by State Directorate.</p> <p>4. Further, Joint inspection was conducted on 08.05.2025 by the RDSDE and State official.</p> <p>5. During the inspection the ITI following were observed:</p> <p>a) The guard denied at the entrance to go inside.</p> <p>b) As checked from the main gate the nursing and medical college were running in the ITI premises.</p> <p>c) The ITI owner denied for inspection and it was told that construct work is going on in the ITI.</p> <p>6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.</p>
86	<p>Savitri Bai Phule Private Industrial Training Institute,</p> <p>Bagwaranear Toll Tax, Expres Highway, Jaipur-303820</p> <p>MIS code: (PR08000886)</p>	Electrician-2(1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 07.01.2025.</p> <p>3. The reply dated 26.01.2025 was received from the ITI.</p> <p>4. Further, a Joint inspection was conducted on 06.05.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI denied the conduct of inspection vide letter dated 06.05.2025 due to a strike declared by the State-level ITI Association.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
87	Om Private Industrial Training Institute Khasara No. 52-55, Village Ramlaxmanpura, Tehsil Chaksu, Distt. Jaipur – 303901 MIS code: (PR08001314)	Electrician-12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection was conducted on 13.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to refusal for inspection by ITI itself.
88	JD Private Industrial Training Institute, Village/Post, Sagwada Tehsil Dadu, Taluk Maujmabad, Distt. Jaipur – 303348 MIS Code: (PR08000291)	Electrician-14(14+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI was found closed and locked. 6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection.
89	Bhairav Private Industrial Training Institute VPO Dhawali, Dist. Jaipur – 303806 MIS code: (PR08000299)	Electrician- 9(3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
90	Chandel Private Industrial Training Institute Reengus Road, Ward No. 30, Chomu Distt. Jaipur - 303702 MIS code: (PR08001310)	Electrician-9(4+4+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection vide letter dated 07.05.2025. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
91	Rajasthan Private Industrial Training Institute Village- Hingonla, Dist.Jaipur MIS code: (PR08001415)	Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The ITI did not reply to the SCN issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 14.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
92	G.D. Somani Polytechnic Maulaser (Nagour) MIS code: (PR08000963)	7. Electrician-1(0+1) Fitter- 1(0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 04.01.2025, followed by reminder dated 03.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 06.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI Found closed.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
93	Mirdha Private Industrial Training Institute Senik Colony, Nagaur 341001 MIS code: (PR08000656)	Electrician-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 05.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
94	Shiv Private Industrial Training Institute Gonwa Kala Road, Vpo. Shilgaon, Block-Munda, Dist. Nagour - 341028 MIS code: (PR08000337)	Electrician-2(2+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 04.01.2025, followed by reminder dated 03.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 05.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
95	Indian Private Industrial Training Institute Gupteshwar Road, Dausa 303303 MIS code: (PR08000075)	Electrician- 6(3+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. 5. During the inspection, the following were observed:

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			a) ITI was found locked. b) Different banner was placed before the ITI front as Indian Group of institution offerings BSC, ITI courses. c) ITI was contacted on the given no. no response received from ITI and refused for the joint inspection. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
96	Maa Pitambra Private Industrial Training Institute E-10a, Somnath Choraha, In Front Of Rawat Hotal, Dausa MIS code: (PR08000400)	7. Electrician- 2(1+1) 8. Fitter- 2(1+1) 9. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 01.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 15.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found locked and the ITI representative refused for joint inspection. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
97	Sawtantrata Senani Choudhary Bega Ram Private Industrial Training Institute Kolsia, Vpo. Kolsia, Teh. Nawalgarh, Distt. Jhunjhunu-333042 MIS code: (PR08001196)	10. Electrician- 2(1+1) 11. Fitter- 1(1+0) Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 31.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 31.05.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
98	Seth Motilal Private Industrial Training Institute Isharpura, Mandrella Road, Jhunjhunu-333001 MIS code: (PR08001281)	1. Electrician-1(1+0) 2. Fitter- 1(1+0) Mechanic Diesel-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 27.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI was found closed, and only one guard was present at the location. A representative from its other branch informed that this ITI has been closed and no admissions have been conducted for a long time. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
99	Hadoti Private Industrial Training Institute Siswali Bus Stand, Siswali Road, Anta, Distt. Baran-325202 MIS code:(PR08001183)	Electrician-3(2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 30.12.2024, followed by reminder dated 27.01.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
100	Sai Private Industrial Training Institute Baran, Dist. Baran-325205 MIS code: (PR08001412)	Electrician- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
			<p>Additionally, it has been also observed that the other courses were also running in the ITI.</p> <p>6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
101	<p>Preet Private Industrial Training Institute</p> <p>Khandela Road, Sita Bari Kelwara(Danta), Tehsil. Sahabad, Dist.Baran-325216</p> <p>MIS code: (PR08000493)</p>	Electrician- 6(2+2+2)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN dated 30.12.2024, followed by reminder dated 27.01.2025 were issued to the ITI by State Directorate.</p> <p>3. The ITI did not reply to the SCN and reminder issued by State Directorate.</p> <p>4. Further, a joint inspection of the ITI was conducted on 14.05.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI found closed and also Swami Vivekanand college of Teacher's training and Research was running in the ITI premises.</p> <p>6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection.</p>
102	<p>Shree Vishavkarma Private Industrial Training Institute</p> <p>Sanadya Bhavan Mangrol, Dist.-Baran Pin-325215 Rajasthan</p> <p>MIS code: (PR08000380)</p>	Electrician- 3(1+1+1)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN was issued to the ITI by State Directorate on 30.12.2024.</p> <p>3. The reply dated 20.01.2025 was received from the ITI.</p> <p>4. Further, a joint inspection of the ITI was conducted on 16.05.2025 by the RDSDE and State official.</p> <p>5. During the inspection, the ITI found closed. The notice was pasted on the ITI gate as ITI is on strike declared by the State-level ITI Association.</p> <p>6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to refusal for inspection by ITI itself.</p>
103	<p>Shri Shyam Private Industrial Training Institute</p>	Electrician- 2(1+0)	<p>1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.</p> <p>2. SCN dated 30.12.2024, followed by reminder dated 27.01.2025 were issued to the ITI by State Directorate.</p> <p>3. The ITI did not reply to the SCN and reminder issued by State Directorate.</p>

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Vpo-Devari Teh.-Shahbad, Dist.-Baran Pin-325217 Rajasthan MIS code: (PR08001357)		4. Further, a joint inspection of the ITI was conducted on 15.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
104	Bajrang Private Industrial Training Institute Samela Road, Shiv Colony, Govind Garh, Lakshmangarh (Alwar)- 321607 MIS Code :(PR08000045)	7. Electrician- 3(2+1) 8. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 15.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection vide its letter dated 15.05.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
105	Sarvesh Private Industrial Training Institute Near Bus Stand , Rajgarh (Alwar)-301408 MIS code: (PR08000977)	1. Electrician- 2(1+1) 2. Fitter- 2(1+1) Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection vide its letter dated 12.05.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
106	Shri Krishna Private Industrial Training Institute	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The did not reply to the SCN issued by State Directorate.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter as provided by SSDEC
(1)	(2)	(3)	(4)
	Sher Singh Market, Opp. P.W. Rest House, N.H. 8, Shajahanpur, the.-Bahrod, (Alwar) -301706 MIS code: (PR08001045)	Mechanic Diesel-2(1+1)	<ol style="list-style-type: none"> 4. Further, a joint inspection of the ITI was conducted on 14.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection.
