

DGT-Aff011(51)/1/2026-O/o DIR (TC) 77610
Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Date: 18.05.2026

1. The State Directors

Andhra Pradesh, Bihar, Delhi, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Odisha, Puducherry, Punjab, Rajasthan, Tamil Nadu Telangana, Uttarakhand, Uttar Pradesh and West Bengal

2. The Regional Directors, RDSDEs

Andhra Pradesh, Bihar, Delhi, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Odisha, Puducherry, Punjab, Rajasthan, Tamil Nadu Telangana, Uttarakhand, Uttar Pradesh and West Bengal

Subject: Minutes of the 28th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 28.04.2026 - regarding.

Madam/Sir,

Please find enclosed approved Minutes of the 28th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” dated 28.04.2026. Any grievances regarding the decisions outlined in these Minutes may be raised through the portal within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

2. Seat matrix generation for the session 2026–27 for affiliated trades shall be carried out purely based on the mapping of instructors available on the NIMS Portal as on the cut-off date i.e. 30.06.2026.

3. This issues with the approval of Competent Authority.

Yours faithfully,

Ujjwal Biswas/ उज्ज्वल विश्वास)
Director - TC/ निदेशक - टीसी

Copy to:

1. Sr PPS to DG(T)/SS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
3. DGT MIS Portal in charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

DGT-Aff011(51)/1/2026-O/o DIR (TC) 77610

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/ प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023/ कौशल भवन, न्यू मोती बाग, चाणक्यपुरी, नई दिल्ली- 110023

Minutes of 28th Meeting of “Standing Committee on Accreditation and Affiliation” held on dated 28.04.2026.

The 28th Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on 28.04.2026 through VC. During the meeting, the committee discussed matters related to the affiliation and de-affiliation of ITIs. The list of participants who attended the meeting is attached at *Annexure-1*.

At the outset, Shri Sunil Kumar Gupta, Deputy Director General and Chairperson of SCAA, extended a warm welcome to all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are as follows.

Agenda 1: Action taken report of 27th SCAA meeting held on 06.03.2026

The Minutes of the 27th SCAA meeting held on 06.03.2026 have been issued and shared with all concerned stakeholders for necessary action and compliance.

The SCAA Committee is apprised of the same.

Agenda 2: 61 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 11 States.

Inspection reports of 61 New / existing ITIs have been received on NIMI portal for opening of New ITIs/ trade & units' addition during 13.01.2026 to 22.04.2026. State-wise number is given below:

Table 1: State-wise number of inspection reports received from 13.01.2026 to 22.04.2026

Sr.no	State	Existing		Existing Total	New		New Total	Grand Total
		Govt	Private		Govt	Private		
1.	Andhra Pradesh	0	1	1	0	1	1	2
2.	Bihar	0	9	9	0	6	6	15
3.	Chhattisgarh	1	0	1	0	0	0	1
4.	Jharkhand	0	1	1	0	2	2	3
5.	Karnataka	1	0	1	0	0	0	1
6.	Kerala	0	1	1	0	0	0	1
7.	Madhya Pradesh	0	3	3	0	0	0	3
8.	Maharashtra	7	3	10	1	5	6	16
9.	Telangana	0	2	2	0	0	0	2
10.	Uttar Pradesh	0	8	8	0	8	8	16
11.	West Bengal	0	0	0	0	1	1	1
	Grand Total	9	28	37	1	23	24	61

Remarks of 28th SCAA: The SCAA examined all the accreditation and affiliation proposals. The remarks of the SCAA are provided in *Annexure-II*.

Agenda 3: Compliance report/reply against the Show Cause Notice of previous SCAA meetings

In the previous meetings of the SCAA, deficiencies were noticed in certain cases, and the institutes were given an opportunity to submit compliance reports for the same. Further, in cases where Show Cause Notices (SCN) were issued, the institutes were also given an opportunity to submit their replies. The compliance reports received, and the replies to the SCN were placed before the SCAA for deliberation.

Remarks of 28th SCAA: Discussion on the compliance reports and replies submitted by the institutes against the Show Cause Notices issued during previous SCAA meetings was carried out. The SCAA examined the reports, and its remarks are given in *Annexure-III*.

Agenda 4: Affiliation matters related to SSDEC

Agenda 4.1: SSDEC Tamil Nadu

4.1.1. SCVT to NCVET conversion proposal from SSDEC Tamil Nadu

The SSDEC Tamil Nadu vide its meeting dated 12.03.2026 submitted the proposal for conversion of trade/units 03 ITIs from SCVT to NCVET.

Remarks of 28th SCAA: SCAA examined the proposal and remarks are given as below:

Sr.No.	ITI name and Address	Shift wise Trade and Units for which affiliation has now been sought under NCVT	Remarks of SSDEC	Remarks of 28th SCAA
(1)	(2)	(3)	(4)	(5)
1.	Government ITI, Vadakarai GR33000677	1. Welder -2(1+1)	Recommended 1. Welder -2(1+1)	SCAA Recommended the following trade: 1. Welder 2(1+1)

Sr.No.	ITI name and Address	Shift wise Trade and Units for which affiliation has now been sought under NCVT	Remarks of SSDEC	Remarks of 28 th SCAA
(1)	(2)	(3)	(4)	(5)
2.	Government ITI, Perumbakkam GU33000673	1. Computer Hardware and Network Maintenance-2(1+1) 2. Electrician-2(1+1) 3. Mechanic Two and Three-Wheeler-2(1+1) 4. Refrigeration and Air Conditioning Technician-2(1+1) 5. Welder-2(1+1)	Recommended- 1. Computer Hardware and Network Maintenance-2(1+1) 2. Electrician-2(1+1) 3. Mechanic Two and Three-Wheeler-2(1+1) 4. Refrigeration and Air Conditioning Technician-2(1+1) 5. Welder-2(1+1)	SCAA recommended the following trades: 1. Computer Hardware and Network Maintenance-2(1+1) 2. Electrician-2(1+1) 3. Mechanic Two and Three-Wheeler-2(1+1) 4. Refrigeration and Air Conditioning Technician-2(1+1) 5. Welder-2(1+1)
3.	Government ITI, RK Nagar New ITI	1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Mechanic Motor Vehicle-2(1+1) 4. Welder-2(1+1) 5. Wireman-2(1+1)	Recommended- 1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Mechanic Motor Vehicle-2(1+1) 4. Welder-2(1+1) 5. Wireman-2(1+1)	This is new ITI operating exclusively under SCVT (not affiliated with DGT), such institutes are required to apply as New ITIs, as per prescribed norms.

4.1.2 Conversion of CTS units under DST units

SSDEC Tamil Nadu submitted the proposal for conversion of already affiliated units under DST mode. The details and remarks of SCAA are given at *Annexure -IV*

Agenda 4.2 SSDEC West Bengal

Affiliation matter of RKM Swami Akhandananda Private ITI, Murshidabad, P.O. - Sargachi Ashrama, P.S. - Beldanga, Block - Beldanga-I, Dist. - Murshidabad, Pin - 742408, West Bengal (PR19000316)

SSDEC West Bengal vide its meeting dated 11.03.2026 has recommended the affiliation of 03 trades (1). Leather Goods Maker (NSQF) – 2 Units (1+1), (2) Weaving Technician for Silk and Woolen Fabrics (NSQF) – 2 Units (1+1) and (3) Mechanic Agriculture Machinery (NSQF) – 2 Units (1+1) in RKM Swami Akhandananda Private ITI, Murshidabad, P.O. - Sargachi Ashrama, P.S. - Beldanga, Block - Beldanga-I, Dist. - Murshidabad, Pin - 742408, West Bengal (PR19000316)

Brief Facts of the matter

State Directorate, West Bengal vide its letter no. 5T-305/Pt/2025/19(1) dated 21.04.2026, informed that RKM Swami Akhandananda Pvt. ITI had obtained No Objection Certificate(NOC)from the State Directorate for 07 trades, out of which affiliation of 04 trades had already been completed vide order no. DGT-Aff011/8/2024-O/o DIR(TC) dated 13.01.2025 and the institute was permitted to take admission from the 2025 session.

The 18th SCAA dated.27.11.2024 recommended affiliation in the following trades:

1. Electrician – 2 Units (1+1)
2. Fitter – 2 Units (1+1)
3. Fruits and Vegetables Processing – 2 Units (1+1)
4. Baker & Confectioner – 2 Units (1+1)

Further, since the institute was not a graded ITI, and as per the DGT grading order DGT/6/2024-O/o-DIR(ITCELL)-65395 dated 17.07.2025, the Non-graded ITIs were eligible for addition of trade/units.

Accordingly based on the joint inspection conducted, affiliation was recommended for the following trades:

1. Leather Goods Maker (NSQF) – 2 Units (1+1)
2. Weaving Technician for Silk and Woolen Fabrics (NSQF) – 2 Units (1+1)
3. Mechanic Agriculture Machinery (NSQF) – 2 Units (1+1)

Remark of 28th SCAA:

On the basis of the recommendations of the 11th SSDEC, the SCAA recommended affiliation in the following trades:

1. Leather Goods Maker (NSQF) – 2 Units (1+1)
2. Weaving Technician for Silk and Woolen Fabrics (NSQF) – 2 Units (1+1)
3. Mechanic Agriculture Machinery (NSQF) – 2 Units (1+1)

Agenda 5: De-affiliation of 611 ITIs which are non-operational from 2022 to 2025:

It has been observed that several ITIs have recorded zero admissions continuously from the academic sessions 2022 to 2025 and have remained completely non-operational for four consecutive years. As per the provisions contained in the DGT letter No. DGT-12/01/2018-TC (Part) dated 20.12.2018, any trade/unit having zero admissions for two consecutive years is liable for de-affiliation. Accordingly, such ITIs fall under the purview of de-affiliation.

Further analysis indicates that approximately 669 ITIs, comprising 4,718 units with an aggregate seating capacity of about 99,196 seats, have remained vacant without admitting a single trainee from the academic sessions 2022 to 2024. These ITIs are therefore liable for de-affiliation in entirety as per extant guidelines.

In adherence to the principles of natural justice, the DGT had earlier provided an opportunity to these 669 ITIs to submit grievances, if any, prior to initiation of de-affiliation proceedings through a show-cause notice dated 22.04.2025. In response, 19 grievances were received. Subsequently, a final opportunity was provided to the remaining ITIs through a show-cause notice dated 19.03.2026, allowing submission of grievances up to 09.04.2026.

After due consideration of all grievances received, the matter was placed before the 28th SCAA and discussed with the respective State/UT Directorates and RDSDE. Based on the decision taken therein, all trades/units of the remaining 611 ITIs, as listed in **Annexure-V** are hereby de-affiliated with immediate effect.

Accordingly, these ITIs shall be de-affiliated on the portal and no further admissions shall be permitted in these ITIs from the academic session 2026 onwards. However, the concerned ITIs may continue to undertake activities related to existing trainees, such as conduct of supplementary examinations, marksheet/certificate download, and other residual trainee-related activities.

Table 2-The State-wise number is given below:

Sr.no	State Name	Number of ITIs
1.	Andhra Pradesh	2
2.	Bihar	16
3.	Chhattisgarh	6
4.	Delhi	9
5.	Gujarat	19
6.	Haryana	21
7.	Himachal Pradesh	7
8.	Jharkhand	9
9.	Karnataka	147
10.	Kerala	34
11.	Madhya Pradesh	86
12.	Maharashtra	25
13.	Odisha	12
14.	Puducherry	1
15.	Punjab	16
16.	Rajasthan	103
17.	Tamil Nadu	41
18.	Telangana	5
19.	Uttar Pradesh	44
20.	Uttarakhand	6
21.	West Bengal	3
Total		612

Agenda 6 Consideration of Grievances Received Against De-affiliation of Non-Operational Units and Verification through Joint Inspection

Around 4.5 lakh seats were de-affiliated vide 17.01.2025 due to non-operational units from 2018 to 2023. After de-affiliation, affected ITIs are provided opportunity to raise grievance within 60 days from date of de-affiliation. In this connection, following ITIs have raised a grievance and same was put up in GRC. As per GRC MoM dated 05.08.2025, the committee has decided to conduct a joint inspection of the ITI to verify availability of infrastructure in this unit(s) which are non-operational in other sessions from 2018 to 2023 as per prescribed norms.

Remarks of 28th SCAA : The details and SCAA remarks are given in *Annexure-VI*

List of Participants in 28th SCAA meeting

The following DGT Officers were present during the meeting:

1. Sh.Sunil Kumar Gupta , Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Satish Kumar, Joint Director, TC Section, DGT
4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
5. Sh. Shramev Sharma, Deputy Director, TC Section, DGT
6. Sh. Rajesh Kumar, Deputy Director, TC-Section, DGT
7. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
8. Ms. Kanika Kalhan, Training Officer, TC-Section DGT
9. Ms. Komal Sharma, Training Officer, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Shri V Babu, Regional Director Ms. D. Shanthi, Joint Director	Shri. R Venkata Ramana, Joint Director
2.	Bihar	Shri RC Mandal, Joint Director Shri Abhishek Kumar, Deputy Director	Shri Rakesh Ranjan, Joint Director
3.	Chhattisgarh	Smt D.Subhashree, Regional Director	Ms. Meena Ganvir, Joint Director
4.	Gujarat	Shri Ketan Patel, Regional Director	Mrs. Shilpa Parmar, Assistant Director
5.	Haryana	Shri Anil Goel, Deputy Director	Shri Yashpal Assistant Director
6.	Himachal Pradesh	Shri Kartar Singh, Deputy Director	Shri Ravinder Singh, Deputy Director
7.	Jharkhand	Shri B K Dubey Regional Director,	Ms Anju , Deputy Director
8.	Karnataka	Shri Piyush Ramteke, Assistant Director	Shri Chidananda, Director and Shri Umesh Deputy Director
9.	Kerala	Shri.Yuvaraj C, Regional Director	Shri Vasudevan P, Additional Director

10.	Maharashtra	Shri C S Murthy, Regional Director	Shri Prashant Dongre, Assistant Director
11.	Madhya Pradesh	Shri. Abhay Arun Mahishi, Regional Director	Shri R K Austin, Deputy Director
12.	Odisha	Shri. Sanket Vasant Shinde, Assistant Director	Shri Bisnu Charan Sahoo, HOD (Civil) OIC MPP & Insp.
13.	Punjab	Shri P Tilanthe, Deputy Director	Shri Paramjit Singh, Assistant Director
14.	Rajasthan	Shri RC Meena, Regional Director Ms. Priyanka Somani, Deputy Director	Shri Rajesh Gupta, Deputy Director
15.	Tamil Nadu	Shri Jaya Kumar, Deputy Director	Shri T Rajasekar, Additional Director
16.	Telangana	Shri Satish Reddy, Training Officer	Shri KV Chandrasekhar, Deputy Director
17.	Uttar Pradesh	Shri Amit Kumar Yadav, Deputy Director	Shri Arvind, Joint Director Shri Ranjit Rao, Assistant Director
18.	Uttarakhand	Shri Amritpal Singh, Director	Shri Manmohan Kudiyal, Joint Director
19.	West Bengal	DR. Nawal Kishore Arora Regional Director/Head	Shri Prasanjit Bose, Assistant Director

Annexure-II as referred in Agenda 2: 61 New Accreditation/ Affiliation proposals for Existing and New ITIs from 11 States

Name of the State: Andhra Pradesh

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Sri Sai Thirumala Private ITI Haripuram Vill/Post, Mandasa Mandal Srikakulam- 532243 PR28000525 Grading: 7.8	1. Electrician - 4(2+2)	Recommended Electrician trade – 4(2+2) additional units	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trade: 1. Electrician – 4 (2+2)
2.	Don Bosco Private Industrial Training Institute Kurnool The Kurnool Don Bosco Society / Don Bosco ITI H/No - 9/67, Lourdu Nagar, G. Pullareddy Engg. College P.O Kurnool - Andhra Pradesh - 518 007 New ITI-TMP28511PR17122920 97	1. Electrician - 4(2+2) 2. Fitter - 2(1+1) 3. Solar Technician (Electrical)-2(1+1) 4. Computer Hardware & Network Maintenance-2(1+1)	1. Electrician – 4(2+2) 2. Fitter – 2(1+1) 3. Solar Technician – 2(1+1) 4. Computer Hardware & Network Maintenance-2(1+1) units	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Electrician – 4(2+2) 2. Fitter – 2(1+1) 3. Solar Technician – 2(1+1) 4. Computer Hardware & Network Maintenance-2(1+1)

Name of the State: Bihar

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Swatantrata Senani Mahendra Private Industrial Training Institute At. -Ashram Gate, Darauli Road. P.O.- Anugrah Nagar - Siwan – 841239 PU10000992 Grading: 7.3	1. Electrician - 6(3+3)	The recommended trades and units are as follows: 1. Electrician (Existing)-4(2+2) 2. Fitter (Existing)-4(2+2) 3. Electrician (New)-4(2+2) only (recommended due to shortage of workshop area, major equipment, electrical power, etc.)	1. Lease deed is not registered 2. BCC is issued by registered architect, which is not as per norms	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. 1. Lease deed is not registered 2. BCC is issued by registered architect, which is not as per norms Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
2.	Kunal Private ITI Jamalpur Munger - 811214 Bihar	1. Electrician - 4(2+2) 2. Fitter - 2(1+1)	Recommended- 1. Electrician (New)-4(2+2) 2. Fitter (New)-2(1+1)	1. The lease deed submitted is not registered.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	PR10000902 Grading: 8.4			<p>2. The area of the Drawing Hall is less than the required area for the Engineering Drawing (ED) Hall. Available area: 47.06 sq. m. Required area: 50 sq. m.</p> <p>3. There is a shortage of electrical power availability. Available power load: 25.2 kW Required power load: 25.42 kW</p> <p>4. The Building Completion Certificate (BCC) is not in the prescribed format and does not indicate the suitability of the building for running an ITI, nor does it mention compliance with the NBC Code.</p>	<p>State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.</p>
3.	Lalchand Private Industrial Training Institute, Saran	1. Electrician - 4(2+2) 2. Fitter - 4(2+2)	Rejected all trades with all units due to incomplete infrastructure.	1. The land lease document is not available.	SCAA observed fundamental deficiencies related to land, building, machinery, safety,

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	vill.-Kadipur, p.o.- Nagra, P.S.-Khairah (NagraOP), Block- Nagra, Distt.-Saran, Bihar-841442 New MSTI- TMP10218PR158253 6811			<ol style="list-style-type: none"> 2. The Building Completion Certificate (BCC) is not available, and the building structure is incomplete. 3. A 3-phase electricity connection is not available. 4. The Fire Safety Certificate has not been submitted. 5. The workshop and building structures are incomplete. 6. Machinery required for the trade is not available. 	<p>and other essential infrastructural requirements, as mentioned in column V, have been observed</p> <p>In view of the above-mentioned, the institute is not recommended for grant of affiliation.</p> <p>Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with supporting documents and geo-tagged photographs on tc-affiliation@dgt.gov.in to DGT within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected.</p> <p>In case no reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the affiliation</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					application shall be liable for rejection without any further consideration.
4.	RSM Pvt ITI, Bhojpur Block-Tarari, Bihar 802222 TMP10193PR171412 9920	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Mechanic Diesel-4(2+2)	Not recommended any trades units for affiliation 1. The building is under construction/incomplete, and the available physical structure does not match the approved blueprint map/Naksha. The second floor shown in the approved map has not been constructed. 2. Original land-related documents such as Sale Deed/Registration documents were not produced by the Pvt. ITI at the time of inspection. 3. The architectural details mentioned on the blueprint map/Naksha are not valid. The stamp bears incorrect spelling (“ARCHITBCT”), and the registration details are not as per the Council of Architecture norms. 4. The Building Completion Certificate (BCC) has not	Various fundamental deficiencies related to land, building infrastructure, machinery, safety provisions, and essential requirements have been indicated by the ICVC during inspection.	SCAA observed fundamental deficiencies related to land, building, machinery, safety, and other essential infrastructural requirements, as mentioned in column IV, have been observed In view of the above-mentioned, the institute is not recommended for grant of affiliation. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with supporting documents and geo-tagged photographs to DGT on tc-affiliation@dgt.gov.in within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			<p>been submitted due to the incomplete building structure.</p> <p>5. Serious safety deficiencies were observed, including absence of railing support on stairs and non-availability of insulated safety sheets in the Electrician Workshop.</p> <p>6. PWD accessibility facilities are not available for the Electrician Workshop, Drawing Hall (DH), and IT Lab.</p> <p>7. The IT Lab shown in the approved map/Naksha is located on the second floor; however, the second floor has not been constructed. The IT Lab physically shown during inspection is located on the first floor and does not match the approved blueprint/map.</p> <p>8. Shortage of area was observed, with 15.12 sq. m. less area available than prescribed under DGT norms, and the physical</p>		<p>not be rejected. submitted is found</p> <p>In case no reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the affiliation application shall be liable for rejection without any further consideration.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			<p>layout does not match the approved blueprint/map.</p> <p>9. Insufficient electrical power load was observed. Required Power Load: 21.82 kW Available Power Load: 14 kW</p> <p>10. Maximum machinery/equipment was not properly installed as per DGT norms and was merely placed over the cemented floor.</p> <p>11. Hard punching/engraving was not available on all machinery/equipment.</p> <p>12. Some machinery/equipment was found non-functional at the time of inspection.</p>		
5.	<p>Aditya Private ITI (Monghyr) PO Nauagadhi PS-Muffasil MUNGER – 811211</p> <p>PR10001181 Grading: 8.4</p>	<p>1. Electrician - 8(4+4)</p> <p>2. Fitter- 8(4+4)</p> <p>3. Welder - 4(2+2)</p> <p>4. Wood Work Technician - 2(1+1)</p>	<p>Recommended New Trades with Units are as-</p> <p>1. Electrician-8(4+4),</p> <p>2. Fitter -6(3+3),</p> <p>3. Welder-4(2+2),</p> <p>4. Wood Work Technician-2(1+1) units recommended also all existing trades with units.</p>	<p>1. The lease deed submitted is not registered.</p> <p>2. The Building Completion Certificate (BCC) submitted is not in the prescribed format and does not indicate the suitability of the</p>	<p>ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				<p>building for running an ITI, nor does it mention compliance with the NBC Code.</p> <p>3. Documentary proof regarding electricity connection/electricity bill has not been provided. Only documents related to HT connection dated August 2025 were submitted, indicating a connected load of 95 kW.</p> <p>4. Machinery payment proof and E-way bills for the installed machinery/equipment have not been submitted.</p> <p>5. Some installed machinery/equipment was found non-functional at the time of inspection.</p> <p>6. Complete photographs of the institute building have not been provided to verify the signage</p>	<p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				board installed at the main gate. Further, wedding chairs and other unrelated materials were observed placed outside the premises, raising concerns regarding exclusive availability/use of the premises for ITI purposes.	
6.	Aaradhya Pvt ITI, Saran Block- Panapur Dist- Saran Bihar 841417 New MSTI TMP10218PR171428 5815	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant (COPA)-4(2+2)	Recommended 1. Electrician-4(2+2) 2. Fitter -4(2+2)	1. Machinery payment proof and E-way bills for the installed machinery/equipment have not been submitted. 2. The Building Completion Certificate (BCC) does not contain any file number or issue/reference number for verification purposes. 3. The validity of the Fire Safety Certificate is only up to April	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				2026. Fire safety certificate required to renew.	on the online compliance module.
7.	Sutara Private Industrial Training Institute Katihar At Devipur, Nh 31, Post M.T. Devipur, Police Station Kursela, Dist Katihar, Bihar Pin 854101 TMP10201PR174539 3414	1. Electrician - 8(4+4) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Surveyor - 2(1+1)	Recommended the following new trade with units are as- 1. Electrician- 8(4+4), 2. Fitter -4(2+2) 3. Mech. Diesel-2(1+1) 4. Surveyor-2(1+1)	1. The workshop area for the Mechanic Diesel trade is only 119.26 sq. m., and the parking area has not been defined, which is not as per DGT norms. The required workshop area should be 210 sqm. 2. This is new ITI application despite that existing electrical power consumption/load is already very high, which may indicate that some other activity is being carried out from the same premises. 3. Hard punching/engraving indicating the name of the new ITI is not	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				visible on the machinery/equipment .	
8.	Bandana Private Industrial Training Madhubani At. Marukiya,P.O. Marukiya-847228Bihar New MSTI TMP10206PR1745815783	1. Electrician - 4(2+2) 2. Fitter - 4(2+2)	Recommended 1. Electrician New -4(2+2) units (MSTI Case). Not Recommended - Fitter trade due to non-availability of required tools, equipment& installed machineries in the fitter workshop.	1. The lease deed submitted is not registered. 2. The electricity bill has not been submitted. 3. For the Fitter trade, no machinery/equipment has been installed.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module
9.	Chanakya Private ITI Murarka Complex Bela, Po+Ps- Jaynagar, Distt- Madh Madhubani - 847226 PR10001041 Grading: 7	1. Electrician - 8(4+4) 2. Computer Operator and Programming Assistant (COPA)-2(1+1)	Recommended trades and units as following: 1. Electrician existing- 4(2+2) 2. Electrician New – 8(4+4) 3. Fitter Existing-4(2+2) units and rest trades are rejected Not Recommended any units of Trade Mech. Diesel (Existing)	1. The lease deed submitted is not registered. 2. The Building Completion Certificate (BCC) has been issued by a private engineer; however, the date of	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			<p>due to non-availability of infrastructure, tools, and equipment as per norms.</p> <p>Not Recommended any units of Trade Computer Operator and Programming Assistant (COPA) (New) due to non-availability of the required infrastructure, tools & equipment, and necessary software as per norms.</p>	<p>site inspection/visit has not been mentioned in the certificate., therefore BCC is not as per norms</p>	<p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module</p>
10.	<p>Mithilanchal Private Industrial Training Institute At- Manni, Mahtha Pokhar (Nayatol) Darbhanga - 846005</p> <p>PU10001106 Grading: 8.2</p>	1. Solar Technician (Electrical)-2(1+1)	<p>Recommended trade with Units as-</p> <ol style="list-style-type: none"> 1. Fitter existing-4(2+2) 2. Electrician (existing)-4(2+2) 3. Electrician New-8(4+4) 4. Solar Technician (Electrical)New-2(1+1) 	<ol style="list-style-type: none"> 1. The lease deed submitted is not registered. 2. The ICVC has recommended addition of 4+4 units in the Electrician trade along with the Solar Technician trade; however, the institute has not applied for addition of units in the Electrician trade. The State NOC does not specifically mention the number 	<p>The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal.</p> <p>Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				of units and trades proposed for affiliation.	with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module.
11.	Basudev Shree Krishna Private ITI AT+PO - Chikni Fulkaha, PS-Gamhariya, Madhepura - 852124 PR10001123 Grading: 8	1. Solar Technician (Electrical)- 2(1+1)	Recommended Trade with Units as: 1. Fitter existing – 4(2+2) 2. Electrician existing- 4(2+2) 3. Electrician New – 4(2+2) 4. Machinery bills/payment proofs have been submitted as per norms, except for the Solar Technician trade. 5. Machinery/equipment has been installed as per norms only for the Electrician trade and not for the Solar Technician trade. 6. All installed machinery/equipment was found functional, except for the Solar Technician (Electrical) trade.	1. The lease deed submitted is not registered. 2. The ICVC has recommended addition of 2+2 units in the Electrician trade and not recommended the Solar Technician trade; however, the institute has not applied for addition of units in the Electrician trade. The State NOC does not specifically mention the number of units and trades proposed for affiliation.	The ITI is required to remove the deficiencies mentioned in Column IV and V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
12.	Mundrika Singh Yadav Pvt ITI Arwal At Sonbhadra P.S Banshi Dist Arwal (Bihar)-804419 TMP10611PR174592 2380	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Computer Operator and Programming Assistant (COPA) - 2(1+1)	Recommended trade with Units are as- 1. Fitter- (new)-4(2+2) 2. Electrician/New -4(2+2) 3. Computer Operator and Programming Assistant (COPA)-2(1+1) Not Recommended- 1. Mechanic Diesel- due to unavailability of major tools	1. No infrastructure/ facilities are available for the Mechanic Diesel trade; therefore, the institute is not fulfilling the mandatory four-trade criteria as per norms. Further, the ICVC has recommended only three trades. 2. The lease deed submitted is not registered. 3. The Building Completion Certificate (BCC) submitted is valid only for the year 2025-26. 4. There is a shortage of electrical power load. Required power load: 25.52 kW Available power load: 24.3 kW 5. The electricity bill has not been submitted. Only the meter sealing report has been provided.	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned RDSDE within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the RDSDE shall verify the same by conducting joint inspection and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				<p>6. The validity of the Fire Safety Certificate has expired.</p> <p>7. The institute building appears to be a temporary tin-shed structure; however, no specific comments/ observations in this regard have been made by the ICVC in the inspection report.</p>	
13.	<p>RJ. Private ITI Mansurpur, Dholi, Sakra, Muzaffarpur. 843105</p> <p>PR10001265 Grading: 5.8</p>	1. Electrician - 4(2+2)	<p>Recommended –</p> <p>1. Refrigeration and Air Conditioning Technician (Existing)-4(2+2) exiting trade</p> <p>2. Electrician New-4(2+2)</p>	1. Lease deed is not registered	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>1. Lease deed is not registered</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					DGT within the next 07 days on the online compliance module.
14.	Sharda Pvt. ITI, Mohamdpur, Garkha - SARAN – 841311 PR10000836 Grading: 7.5	1. Electrician - 8(4+4) 2. Fitter - 4(2+2)	Recommended : 1. Fitter (Existing)- 4(2+2) 2. Fitter (New)-2(0+2) 3. Electrician (Existing)- 8(4+4) 4. Electrician (New)-4(0+4)	1. Machinery payment proof and e bay bill not submitted 2. Dead stock and raw material register indicate less use. 3. All units are recommended in 2nd shift	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module.
15.	Gauri Sankar Private ITI,	Applied trade in Existing category 1. Electrician - 8(4+4)	Recommended: 1. Electrician (Existing)- 4(2+2) 2. Fitter (Existing)- 2(1+1)	1. The lease deed submitted is not registered.	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	<p>By Pass Road,Near Sanischara Baba Dist Buxar,</p> <p>PR10000732 Grading: 8.1</p>	2. Fitter - 2(1+1)	<p>3. Electrician New- 8(4+4)</p> <p>4. Fitter New- 2(1+1)</p>	<p>2. The Building Completion Certificate (BCC) submitted is valid only for the year 2026.</p> <p>3. The building plan/ blueprint submitted is not legible. Further, the library area available is only 25 sq. m. against the required area of 40 sq. m. as per norms.</p> <p>4. There is a shortage of electrical power load. Available power load: 10 kW Required power load: 22.62 kW</p> <p>5. It has been informed that an application for enhancement of power load up to 24 kW was submitted in April 2026.</p> <p>6. All trade units are applied in existing category The State NOC does not specifically mention</p>	<p>documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				the number of units and trades proposed for affiliation.	

Name of the State: Chhattisgarh

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Govt. Industrial Training Institute, Aarang, Distt-Raipur GR22000023 Grading: 9	1. Welder - 1(0+1+0) 2. Computer Operator and Programming Assistant (COPA)- 1(0+1+0)	Recommendations for one additional unit for Welder and one additional unit for COPA Trade	For the Welder trade, all machinery/equipment is available except the following items of the prescribed machinery list: 1. Water cooled induction Welding/Brazing machine 2. Plastic welding machine with hot air gun.	SCAA recommended the following trade: 1. Computer Operator and Programming Assistant (COPA)-1(0+1) For the Welder trade the ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with recommendations to DGT within the next 07 days through the online compliance module.

Name of the State: Jharkhand

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	BDSU Pvt. ITI, & Skill Development Centre Garhwa Farathiya, Po- Hoor 822114 - Garhwa Jharkhand TMP20328PR1714023451	1. Draughtsman (Civil) - 2(1+1) 2. Fitter - 4(2+2) 3. Welder - 4(2+2) 4. Turner - 2(1+1) 5. Electrician - 4(2+2) 6. Hospital Housekeeping - 2(1+1) 7. Mechanic Electric Vehicle - 4(2+2) 8. Solar Technician (Electrical) - 4(2+2) 9. Fashion Design and Technology 4(2+2)	1. Draughtsman Civil-2(1+1) 2. Fitter-4(2+2) 3. Welder-4(2+2) 4. Turner-2(1+1) 5. Electrician- 4(2+2) 6. Hospital HouseKeeping - 2(1+1) 7. Mechanic Electrical Vehicle-4(2+2) 8. Solar Technician (Electrical)- 4(2+2) 9. Fashion Technology-4 (2+2) 10. Computer Operator and Programming Assistant (COPA)-4(2+2)	1. Clear demarcation of land for the proposed new ITI is not available. 2. The Building Completion Certificate (BCC) submitted is not in the prescribed format, and the name of the ITI is also not mentioned in the certificate. 3. The area details of the IT Lab and Drawing Hall have not been clearly mentioned/provided. Required area for IT Lab: 85 sq. m. Required area for Drawing Hall: 106.25 sq. m. 4. The required electrical power load is 109.72 kW, whereas 250 kW power load is available in the name of the management. 5. The workshop area available for the Turner	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned RDSDE within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the RDSDE shall verify the same by conducting joint inspection and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
		10. Computer Operator and Programming Assistant (COPA) - 4(2+2)		trade is only 90 sq. m. against the required area of 110 sq. m. as per norms. 6. Other institutes are also functioning from the same premises, indicating the possibility of sharing of infrastructure/facilities.	
2.	Grizzly ITI, Mahagama Godda Godda Grizzly ITI Mahagama Godda Jharkhand - 814147 TMP20330PR1745929652	1. Fitter - 2(1+1) 2. Electrician - 4(2+2) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1) 4. Cutting & Sewing- 2(1+1) 5. Solar Technician (Electrical)- 2(1+1)	Recommended	1. The BCC and Fire Safety Certificate have not been provided. 2. Laptops are available in the IT Lab, which is not as per norms. 3. The electricity bill has not been submitted. Further, the consumer number has not yet been allotted by the Electricity Board. Required power load: 21.21kW Available power load: 25 kW	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned RDSDE within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the RDSDE shall verify the same by and submit report, with specific recommendations to DGT within the next 07

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					days through the online compliance module.
3.	MSP Private ITI Main Road Patan, Po+Ps- Patan PR20000337 Grading: 7.80	1. Health Sanitary Inspector (HSI)-2(1+1) 2. Solar Technician (Electrical)-2(1+1)	Recommended- 1. Electrician (Existing)-4(2+2) 2. Electrician (New)-4(2+2) 3. Solar Technician (Electrical)-2(1+1) In the Health Sanitary Inspector (HSI) trade, some required models/equipment are not available and need to be provided in future for compliance with norms.	1. The building plan/blueprint submitted is not legible. 2. The electricity bill (EB) has not been submitted. Only a demand letter for enhancement/sanction of 30 kW electrical load dated 01.04.2026 has been provided. Required power load: 19.22 kW 3. In the Health Sanitary Inspector (HSI) trade, some required models/equipment are not available and need to be provided in future for compliance with norms. 4. The ICVC has recommended addition of 2+2 units in the Electrician trade and along with Solar Technician trade; however, the institute has not applied	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				<p>for addition of units in the Electrician trade.</p> <p>5. The State NOC does not specifically mention the number of units and trades proposed for affiliation.</p>	

Name of the State: Karnataka

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Govt. ITI, Dhulakhed Govt. Primary School Campus Dhulakhed Tq- Indi -586207 GR29001533 Grading: 7.20	Existing Trades 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) Shifting Case	Recommended- 1. Electrician- 2(1+1) 2. Fitter-2(1+1)	1. The Fire Safety Certificate has not been submitted. 2. A notarized English translation/copy of the land documents is required. 3. The complete new address of the ITI has not been clearly mentioned in the submitted documents.	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.

Name of the State: Kerala

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Amala Private Industrial Training Institute West Palace Road, Near Vadakke Bus Stand THRISSUR - 680022 PR32000407 Grading: 0.1	Change of Address New Address- Amala Private ITI, Behind St. Jude Public School. Elanthuruthy, Kuttanellur Post, Thrissur District, Kerala-680014	Recommended 1. Driver-cum-Mechanic-2(1+1)	The ITI was de-affiliated in the year 2023 and was earlier running only one trade, namely; Driver-cum-Mechanic. As per norms, a de-affiliated ITI is not eligible to apply for shifting of premises/location.	It has been observed that the ITI was earlier running only one trade, namely Driver-cum-Mechanic. This ITI was de-affiliated in the year 2023. As per the prevailing affiliation norms, a de-affiliated ITI is not eligible to apply for shifting of premises/location. In view of the above, the proposal for shifting of the ITI is not recommended. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written clarification/reply along with supporting documents on tc-affiliation@dgt.gov.in

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					<p>to DGT within 15 days from the date of issuance of these Minutes, explaining why the application should not be rejected.</p> <p>In case no reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the application shall be liable for rejection without any further consideration.</p>

Name of the State: Madhya Pradesh

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Bharat Bharati private ITI - gram jamti post bharat bharati distt betul. MP – 460001 PR23000929 Grading: 7.3	1. Refrigeration and Air Conditioning Technician-2(1+1)	Recommended- 1. Refrigeration and Air Conditioning Technician-2(1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trade: 1. Refrigeration and Air Conditioning Technician-2(1+1)
2.	Jawaharlal Nehru Private Industrial Training Insti - Vidhya Vihar Borawan Khargone (West Nimar) – 451228 PU23000562 Grading: 7.8	1. Mechanic Electric Vehicle -2(1+1) 2. Solar Technician - 2 (1+1)	Recommended for- 1. Mechanic Electric Vehicle-2(1+1) 2. Solar Technician- 2 (1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: - 1. Mechanic Electric Vehicle - 2(1+1) 2. Solar Technician -2 (1+1)
3.	Swami Vivekanand Pvt. ITI, Balaghat Surabhi Nagar, Ward No. 24, Beside Moti Talab, Balaghat – 481001 PU23000310	Applied in Category-3 NOC for addition of trade units 1. Stenographer Secretarial Assistant (Hindi)-6(3+3) 2. Computer Operator and Programming	1. Steno Hindi: Not Recommended Trainer qualification not as per norms and desktop computer specifications not as per norm 2. Computer Operator and Programming Assistant (COPA)-2(1+1)	1. The land lease deed is not registered in the name of the Society/Trust running the ITI. 2. Desktop computers installed are not as per prescribed norms. In the COPA trade, only 03	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Grading: 7.60	Assistant (COPA)- -6(3+3)		<p>computer systems were found as per norms.</p> <p>3. Online UPS facility is not available in the IT Lab/COPA trade.</p> <p>4. In the Stenographer Hindi trade, the desktop computers installed are not as per prescribed norms.</p>	<p>compliance module on the NIMI Affiliation Portal.</p> <p>Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.</p>

Name of the State: Maharashtra

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	MKD Private Industrial Training Institute Nandurbar Mkd Educaitional Campus, Waghale Phata, Navapur Road, Virchak, Tal. Nandurbar, Dist. - 425412 TMP27486PR1744348769	1. Electrician - 4(2+2) 2. Solar Technician (Electrical) - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Fitter - 2(1+1)	Recommended- 1. Electrician-4(2+2) 2. Computer Operator and Programming Assistant (COPA)-2(1+1) 3. Solar Technician (Electrical)-2(1+1) 4. Fitter-2(1+1)	1. The electricity bill reflects consumption charges amounting to lakhs of rupees despite the proposed new ITI having only a 25 KW electricity connection, which raises concerns regarding usage of electricity for activities other than the proposed ITI. 2. Clarification regarding the exclusive and dedicated use of infrastructure/resources for the proposed ITI.	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.
2.	Government Industrial Training Institute,	1. Electrician - 1(0+1)	Recommended- 1. Electrician-2(1+1)	1. The Fire Safety Certificate has not been	The ITI is required to remove the deficiencies

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	<p>Amalner, Dist: Jalgaon At Post. Amalner 425401</p> <p>GR27000313</p> <p>Grading: 8.9</p>	2. Wireman - 1(0+1)	2. Wiremen-2(1+1)	<p>submitted/is required to be provided.</p> <p>2. Availability of Drawing Hall tables as per prescribed norms needs to be ensured.</p> <p>3. ICVC recommended the Electrician-2(1+1) and Wiremen-2(1+1), however applied number are Electrician - 1(0+1) Wireman - 1(0+1)</p>	<p>mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal.</p> <p>Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
3.	Govt Industrial Training Institute Nandura Dist Buldhana Ward No-2 - Buldhana - 443404 GR27000433 Grading: 9	1. Turner - 1(0+1)	Recommended for- 1. Turner - 1(0+1)	1. There is a shortage of electrical power load. Required power load: 80.81 kW Available power load: 75.20 kW	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.
4.	Swavalambi Private Industrial Training Institute Wardha	1. Electrician-2(1+1) 2. Solar Technician (Electrical)-	Recommended 1. Electrician-2(1+1) 2. Solar Technician 2(1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Electrician-2(1+1) 2. Solar Technician 2(1+1)

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Nara Road, Godhani Tq Karanja (Ghadage) Dist Wardha - 442203 TMP27498PR1742726379	2(1+1) 3. -Health Sanitary Inspector (HSI)- 2(1+1) 4. Wireman - 2(1+1)	3. Health Sanitary Inspector (HSI)- 2(1+1) 4. Wireman-2(1+1)		3. Health Sanitary Inspector -2(1+1) 4. Wireman-2(1+1)
5.	Gramonnati Mandal's Annasaheb Naware Tantrik Shikshan Kendra Private Industrial Training Institute N A/P-Narayangaon, Tal- Junnar, Dist-Pune. 410504 PR27000069 Grading: 6.80	1. Electrician - 2(1+1) 2. Mechanic Motor Vehicle 2(1+1) 3. Refrigeration and Air Conditioning Technician 2(1+1)	Recommended: 1. Electrician 2(1+1+0) 2. Mechanic Motor Vehicle 2(1+1+0) 3. Refrigeration and Air Conditioning Technician-2(1+1+0)	1. The land, building, and Fire Safety documents submitted are in a regional language. Authenticated/notarized English translations of the documents are required. 2. The electricity bill is in the name of an individual instead of the Society/Trust/ITI. 3. The area of the IT Lab is less than the prescribed requirement. Available area: 23.80 sq. m. Required area: 30 sq. m.	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					days through the online compliance module.
6.	Government Industrial Training Institute, Wani, Di Chandrpur Road - Yavatmal – 445304 GR27000077 Grading: 8.3	1. Textile Mechatronics-2(1+1) 2. Electronics Mechanic-1(0+1)	Recommended- 1. Textile Mechatronics-2(1+1+0) 2. Electronics Mechanic-1(0+1+0)	1. There is a shortage of electrical power load. Required power load: 113.86 kW Available sanctioned load: 47 kW	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
7.	Government Industrial Training Institute, Chalisgaon, Dist: Jalgaon Behind Govt Milk Scheme, Dhule Road Jalgaon - 424101 GR27000312 Grading: 8.80	1. Computer Operator and Programming Assistant (COPA)- 2(1+1) 2. Electrician- 2(1+1) 3. Fitter - 2(1+1)	Recommended: 1. Computer Operator and Programming Assistant (COPA) 2(1+1) 2. Electrician - 2 (1+1) 3. Fitter - 2(1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 2 (1+1) 3. Fitter - 2(1+1)
8.	Baburaoji Adaskar Private ITI, Kaij Beed Beed Parli National Highway Beed Road Near Renu Petrol Pump Kaij Tq Kaij Dist Beed Pin Code 431123 Maharashtra TMP27470PR1744438337	1. Electrician- 2(1+1) 2. Solar Technician (Electrical)- 2(1+1) 3. Fire Technology and Industrial Safety Management- 2(1+1) 4. Wind Plant Technician -2(1+1)	All required tools, equipment, Machineries, power, infrastructure and staff are available for 4 trades 8 units	1. Land/building documents have been submitted in a regional language. Notarized English translations are required. Further, lease deed is not registered and the lease validity period is also not clearly mentioned. 2. Availability/details of Wind Turbine Components required for the trade need to be verified/submitted. 3. Invoice, ownership documents/Registration Certificate (RC), and fitness certificate of the Rescue Van and Fire	The ITI is required to remove the deficiencies mentioned in Column V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				Tender have not been submitted.	DGT within the next 07 days through the online compliance module.
9.	Oriental Education Society Private Industrial Training Institute Gate No.37,38 At post Gauddara , Tal Haveli -Pune- 412205 PR27000005 Grading 6.1	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Solar Technician (Electrical)- 2(1+1)	Recommended- 1. Electrician -2(1+1+0) 2. Fitter- 2(1+1+0) 3. Solar Technician (Electrical)-2(1+1+0)	Installation done but few Machinery in the trade of Electrician new additional trade foundation work Pending. Undertaking letter submitted by the institute and uploaded	SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Solar Technician (Electrical) 2(1+1)
10.	Government Industrial Training Institute, Pathari, Dist: Parbhani Vita Road, Pathri, Dist. Parbhani - 431506 GR27000604 Grading: 7.7	1. Fitter-1(0+1) 2. Electrician- 2(1+1)	Recommended 1. Fitter-1(0+1+0) 2. Electrician -2(1+1+0)	No adverse deficiency mentioned	SCAA recommended the following trades: 1. Fitter -1(0+1) 2. Electrician -2(1+1)
11.	Shri Kanifnath Shikshan Sanstha Sanchalit Shri Uddhavrao Wagh Pvt Iti Jawakhede Kalsa Ahmednagar Gat No 193/2/A Tisgaon Road Jawkhede Khalsa Tal	1. Electrician- 2(1+1) 2. Mechanic Diesel- 2(1+1) 3. Fitter - 2(1+1) 4. Cyber Security Assistant- 2(1+1)	All required tools, equipments, power, infrastructure and staff are available for 5 trades,10 units hence recommended for affiliation	1. The Fire Safety Certificate/details require verification/ submission. 2. The workshop area available for the Mechanic Diesel trade is less than the prescribed requirement.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Pathardi Dist Ahilyanagar 414505 Tmp27466pr1744270730	5. Semiconductor Technician- 2(1+1)		Required area: 210 sq. m. Available area: 123.50 sq. m. 3. The building plan submitted along with the application does not match the building plan reflected in the inspection report. 4. The area of the Drawing Hall is less than the prescribed norms. Available-44 sqm Required-50 sqm	Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days.
12. .	Government Industrial Training Institute, Palus, Dist: Sangli Near Textile Mill,Andhali Road,A/P Palus Sangli - 416310 GR27000581 Grading: 8.90	1. Electrician - 2(1+1)	Recommended- 1. Electrician - 2(1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Electrician - 2(1+1)
13.	Government Industrial Training Institute (Woman), Ratnagiri, Dist: Ratnagiri	1. Computer Operator and Programming	Recommended- 1. Electrician-1(1+0+0)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades:

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Nachane Road RATNAGIRI - 415639 GU27000240 Grading: 8.8	Assistant (COPA)- 1(0+1+0) 2. Electrician - 1(1+0)	2. Computer Operator and Programming Assistant (COPA)- 1(existing)+1(new)+0		1. Computer Operator and Programming Assistant 1(0+1+0) 2. Electrician - 1(1+0)
14.	Government Industrial Training Institute, Patan, Dist: Satara M.I.D.C., Yerad - Satara - 415206 GR27000475 Grading: 8.7	1. Wireman - 1(0+1)	Recommended for Affiliation Trade Wireman 2nd Units	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trade: 1. Wireman - 1(0+1)
15.	Kai Pramod Baburao Bhapse Private ITI, Nimbodi Phata Devrai Ahmednagar Nimbodi Phata, Devtai Tal Pathardi Dist Ahilyanagar 414106 Ahmednagar TMP27466PR1746017353	1. Electrician - 2(1+1) 2. Solar Technician (Electrical) 2(1+1) 3. Fitter - 2(1+1) 4. Artificial Intelligence Programming Assistant 2(1+1) 5. Welder -2(1+1)	Recommended 1. Electrician - 2(1+1) 2. Solar Technician (Electrical) 2(1+1) 3. Fitter - 2(1+1) 4. Artificial Intelligence Programming Assistant- 2(1+1) 5. Welder -2(1+1)	1. There is a shortage of electrical power load. Required power load: 33.21 kW Available power load: 30 KW. 2. The electricity bill has not yet been generated/submitted. Only the electricity connection application dated April 2025 has been provided.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				<p>3. The Fire Safety Certificate has not been submitted.</p> <p>4. The land lease documents submitted are in a regional language. Authenticated/notarized English translations are required.</p> <p>5. The area of the Drawing Hall is only 41 sq. m., which is less than the prescribed requirement as per norms.</p>	to DGT within the next 07 days.
16.	<p>Vishweshwarayya ITI At- Post- Almala (S. Wadi), Tq, AUSA, Dist Latur- 413520</p> <p>PR27000994 Grading: 8.3</p>	<p>1. Electrician - 2(1+1) 2. Solar Technician (Electrical) 1(1+0)</p>	<p>1. Electrician Trade- 2(1+1) 2. Solar Technician (Electrical)- 1(1+0+0)</p>	<p>1. Power Shortage- Required power load: 21.51 kW Available power load: 19.50 kW</p> <p>It has been informed that the power load has been extended/enhanced to 29.50 kW; however, the latest electricity bill/documentary proof regarding the</p>	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes.</p> <p>1. Latest Electricity Bill as per norms</p> <p>Thereafter, concerned State Directorate will</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				enhanced load has not been submitted.	verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days.

Name of the State: Telangana

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Fathima Industrial Training Centre Kothur-Via Makule Fatimapur Ranga Reddy - 509001 PR36000268 Grading: 8.3	1. Electrician - 6(3+3) 2. Fitter - 2(1+1)	1. Electrician-6(3+3) 2. Fitter -2(1+1)	1. The lease deed submitted is not registered. 2. The Fire Safety Certificate has not been submitted. 3. Machinery payment proof/invoices for the installed machinery/equipment have not been submitted.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
2.	Fatima Industrial Training Centre Kazipeta REC post, Fathimanagar, Warangal. Hanumakonda - 506004 PU36000020	1. Computer Operator and Programming Assistant (COPA)- 2(1+1)	The institute representative informed during inspection that the institute presently intends to seek affiliation only for the	1. The validity of the Building Completion Certificate (BCC)/ Structural Stability Certificate (SCC) has expired.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Grading: 7.8	2. Electrician - 2(1+1)	<p>Electrician trade (1+1 units). The trade applied for, i.e., Computer Operator and Programming Assistant (COPA), was not found ready in terms of infrastructure and facilities. The representative further stated that affiliation for COPA may be sought in future once the required infrastructure is made available.</p> <p>Recommended for Electrician-2(1+1)</p>	<p>2. A classroom has been shown/used as the Drawing Hall; however, drawing boards/tables required for the Drawing Hall are not available.</p> <p>3. If COPA trade is surrendered then power load requirement would be sufficient</p> <p>4. The Fire Safety certificate has not been submitted.</p>	<p>Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.</p>

Name of the State: Uttar Pradesh

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Dulam Singh Private Industrial Training Institute Unnao Village-Melaalamshah Ehatmali Post & Block-Bangarmau District-Unnao U.P. - 209868 TMP9186PR1681980264	1. Electrician - 4(2+2) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	Recommended: 1. Electrician - 4(2+2) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	Only a provisional Fire Safety NOC issued in the year 2022 has been submitted. However, the final/valid Fire Safety Certificate has not been provided.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes. 1. Fire safety Certificate is not available Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days.
2.	Nand Lal Sharma Private ITI Vill.+P.O. Bariyarpur Chauraha, P.S. Kotwali Deori -	1. Electrician - 14(4+4+6) 2. Fitter - 2(0+0+2) 3. Health Sanitary Inspector (HSI) - 2(1+1)	Recommended New trades: 1. Electrician- 08(4+4), 2. Mechanic Refrigeration and	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended following trades: 1. Electrician - 8(4+4) 2. Health Sanitary Inspector 2(1+1)

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	DEORIA - 274001 PR09900241 Grading: 7.60	4. Mechanic Refrigeration and Air Conditioner - 3(1+1+1)	Air Conditioner - 02(1+1) 3. Health Sanitary Inspector, (HSI)- 02(1+1) Existing Trade: 1. Electrician- 08(4+4), 2. Fitter-04(2+2)		3. Refrigeration and Air Conditioning Technician - 2(1+1) The proposal for 3rd Shift is not recommended, as operating a 3rd Shift is allowed only under the Dual System of Training mode as per prevailing norms.
3.	Sushil Memorial Private ITI Vill : Kajha Khurd Po: Kajha Khurd Teh: Mohamma - Mau - 276403 PR09900055 Grading: 7.1	1. Electrician - 6(2+2+2) 2. Fitter -3(1+1+1)	Additional trades and units are recommended: Electrician Trade: 4(2+2) units, Fitter: 2(1+1) units	No adverse deficiencies are mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Electrician Trade: 4(2+2) 2. Fitter: 2(1+1) units
4.	Alpine Private Industrial Training Institute Hamirpur Vill. & Post - Sayar, Tehsil-Maudaha, District-	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Solar Technician (Electrical) 2(1+1)	1. The boundary wall of the ITI premises has not been constructed. 2. In the Fitter trade, trainee lockers are	1. The electricity bill is not in the name of the Society/Trust running the ITI. 2. Less than four trades have been recommended by the	ITI needs to remove the deficiencies mentioned in column IV & V and submit the documents to the concerned RDSDE within 20 days from the date of

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Hamirpur, U.P-210501 TMP9149PR1681061422	4. Finance Executive 2(1+1)	not available as per prescribed norms. 3. In the Electrician trade, the following machinery/equipment is not available: 4. Metal rack 5. Generator set with breaker changeover arrangement 6. In the Finance Executive and Solar Technician trades, the tools and equipment (T&E) have not been arranged/installed properly as per norms. 7. Most of the staff members are already engaged in teaching in another institute. Further, some staff members, namely Ms. Anuradha, Ms.	ICVC, which is not in conformity with the prescribed norms for establishment of a new ITI. 3. Major deficiencies related to infrastructure and other essential requirements have been identified by the ICVC during inspection.	issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify same by conducting joint reinspection and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			<p>Aradhana, and Mr. Anubhav Mishra, do not possess the required experience as per norms.</p> <p>8. Trainers have not been appointed as per prescribed norms. Further, Mr. Sanjay, Ms. Aradhana, Ms. Anuradha, and Mr. Anubhav Mishra have not submitted their work experience certificates.</p> <p>9. Basic infrastructure deficiencies were observed during inspection, including:</p> <p>10. Girls' toilet without door</p> <p>11. Drinking water cooler not available.</p>		

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			<p>12. Fans not available in classrooms and workshops.</p> <p>13. In the IT Lab, only 09 desktop computers and 01 laptop were found available. The projector required for the IT Lab is not available. Stools/seating arrangements for trainees are not available.</p> <p>14. As per the NCVT inspection observations, tools and equipment were found available as per norms; however, the institute was not recommended due to non-construction of the boundary wall.</p>		

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			15. As per the SCVT inspection observations, two units each of Fitter and Electrician trades were recommended, whereas the Solar Technician and Finance Executive trades were not recommended.		
5.	Manthan Private Industrial Training Institute Meerut Village- Pohalli, Sardhana Road, Block-Daurala, District- Meerut 250341 TMP9169PR1649 919852	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Health Sanitary Inspector (HSI) - 2(1+1)	Recommended: 1. Electrician-4(2+2) 2. Computer Operator and Programming Assistant (COPA)- 2(1+1) 3. Health Sanitary Inspector (HSI)- 2(1+1) The machinery in the Fitter trade has not been installed as per prescribed norms. Therefore, the Fitter	1. The lease deed submitted by the institute is valid only up to the year 2027. 2. There is a shortage of electrical power load. Required power load: 21.72 KW Available power load: 15 KW 3. Less than four trades have been recommended by the ICVC, which is not	ITI needs to remove the deficiencies mentioned in column IV & V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify same by conducting joint

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
			trade units are not recommended..	in conformity with the prescribed norms for establishment of a new ITI.	reinspection and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
6.	MK Private ITI Vill-Sonadeeh Post-Sonadeeh Tehsil-Belthra Road Dist-Ballya, Ballia, - 221715 Uttar Pradesh. PR09900665 Grading: 7.60	1. Electrician - 4(2+2)	Recommended: 1. Electrician (2+2)	Deposited Bank guarantee 1034IGP001011122 Rs 300000/- on 07-04-2022. Falls under 160 existing ITI Annex-3 as per DGT MOM 28.08.2024. RDSDE submitted the application vide email to provide the information on trade/unit sought for affiliation.	SCAA recommended the following trades: 1. Electrician - 4(2+2)
7.	Adarsh Private ITI Vill-Hetimpur(Jalalpur)Zamania,Ghazipur(U.P)-232329, Ghazipur,	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2)	Recommended: 1. Electrician- 12(4+4+4) 2. Fitter-6(2+2+2). ITI to make provisions to run 3rd shift under DST.	A Fire Safety inspection letter has been submitted; however, the copy of the valid Fire Safety Certificate has not been provided.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	Uttar Pradesh. PR09000953 Grading 6.5				<p>of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days.</p> <p>The proposal for 3rd Shift is not recommended, as operating a 3rd Shift is allowed only under the Dual System of Training (DST) mode as per prevailing norms.</p>
8.	Unnati Private ITI Block Nidholi Kalan Etah, Uttar Pradesh-207001, Etah, Uttar Pradesh.	1. Computer Operator and Programming Assistant (COPA) - 3(1+1+1)	Recommended: 1. Fitter-4(2+2) 2. Electrician-4(2+2) 3. Sewing Technology -2(1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Fitter-4(2+2) 2. Electrician-4(2+2) 3. Sewing Technology - 2(1+1)

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	PR09901277 Bank Guarantee matter	2. Electrician-6(2+2+2) 3. Fitter - 6(2+2+2) 4. Sewing Technology - 3(1+1+1)	4. Computer Operator and Programming Assistant (COPA)-2(1+1)		4. Computer Operator and Programming Assistant -2(1+1) The proposal for 3rd Shift is not recommended, as operating a 3rd Shift is allowed only under the Dual System of Training (DST) mode as per prevailing norms.
9.	Late Bholu Singh Pvt ITI, Post Parasiya Jaayramhiri, Tehsil- Madhunban, Mau-221601, Mau, Uttar Pradesh. PR09901271 Bank Guarantee matter	1. Electrician - 6(2+2+2) 2. Fitter - 3(1+1+1)	Recommended: 1. Electrician-4(2+2) 2. Fitter-2(1+1)	1. The case falls under the category of the 40 New ITI cases mentioned in the Minutes of Meeting (MoM) dated 28.08.2024 pertaining to fake bank guarantees, as listed in Annexure-IV. 2. In the layout plan submitted by the institute, workshops for COPA and Plumber trades have also been indicated;	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the same by conducting the joint inspection and submit the report with

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				<p>however, affiliation for these trades/units has not been applied for.</p> <p>3. Safety mats are not available in the workshop.</p> <p>4. The classrooms are not tiled. Further, the workshop floor is not properly cemented, and dusty flooring was observed during inspection.</p> <p>5. Chairs/seating arrangements are not available in the Drawing Hall.</p>	<p>recommendation to DGT within the next 07 days.</p>
10.	<p>Suresh Mishra Private Industrial Training Institute, Kheri</p> <p>Ramiya behar - 262907 Uttar Pradesh</p>	1. Electrician - 4(2+2)	Recommended: 1. Electrician- 4(2+2+0)	<p>1. The ITI is proposed to be opened under the MSTI category; however, the required NOC has not been submitted.</p> <p>2. The lease deed submitted expired on</p>	<p>ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
	New MSTI TMP9159PR1580 378978			24.03.2025 and is also not registered.	the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
11.	S M D Private Industrial Training Institute, Firozabad Gali No 5 Gandhi Nagar Firozabad 283203 TMP9143PU1580 883576	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2) 3. Health Sanitary Inspector (HSI)- 3(1+1+1) 4. Hospital Housekeeping- 3(1+1+1)	Recommended: 1. Electrician (New) 4(2+2) 2. Fitter New 4(2+2) 3. Health Sanitary Inspector (HSI) (New) - 2(1+1) 4. Hospital Housekeeping (New)- 2(1+1)	The Building Completion Certificate (BCC) has not been submitted. Only a Public Works Department inspection letter has been attached/provided.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
12.	S.K.D. Private Industrial Training Institute, Azamgarh Village- Dhanhuan, Post-Mande, Tehsil-Sadar, District-Azamgarh, Uttar Pradesh, Pin Code-276129 TMP9123PR1581 156615	1. Health Sanitary Inspector-(HSI)-2(1+1) 2. Electrician - 6(2+2+2) 3. Fitter - 2(1+1) 4. Computer Operator and Programming Assistant (COPA)-2(1+1)	Recommended: 1. Health Sanitary Inspector (HSI)-2(1+1) 2. Electrician -4(2+2) 3. Fitter- 2(1+1) 4. Computer Operator and Programming Assistant (COPA)-2(1+1)	1. An Earthquake Resistance Certificate issued by the PWD has been submitted; however, the Building Completion Certificate (BCC) has not been provided. 2. One DC shunt generator control panel was found non-functional/not working at the time of inspection.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
13.	Shri Ramchandra Adarsh Private Industrial Training Institute, Ghazipur Vidyapara Chaukiya Ghazipur U P 233001 TMP9146PR1582 692892	1. Electrician - 12(4+4+4) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1) 4. Health Sanitary Inspector (HSI)- 2(1+1)	Recommended: 1. Electrician- 8(4+4+0) 2. Fitter-2(1+1+0) 3. Computer Operator and Programming Assistant (COPA)- 2(1+1+0) 4. Health Sanitary Inspector (HSI)- 2(1+1+0)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Electrician 8(4+4) 2. Fitter 2(1+1) 3. Computer Operator and Programming Assistant -2(1+1) 4. Health Sanitary Inspector - 2(1+1)
14.	Shri Arjun Bhai Private Industrial Training Institute, Chitrakoot Village & Post-Bargarh, Tehsil-Mau, District-Chitrakoot, Uttar Pradesh, Pin Code-210208 TMP9136PR1581 142945	1. Electrician- 3(1+1+1) 2. Fitter- 3(1+1+1) 3. Plumber- 3(1+1+1) 4. Computer Operator and Programming Assistant (COPA)- 3(1+1+1)	May be recommended after fulfilling power norms 1. Electrician- 2(1+1+0) 2. Fitter -2(1+1+0) 3. Plumber-2(1+1+0) 4. Computer Operator and Programming Assistant (COPA)- 2(1+1+0)	1. A certificate regarding construction of the building has been issued by the PWD; however, the Building Completion Certificate (BCC) has not been submitted. 2. The total land of the ITI is divided into two separate parts, wherein one part	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the same by conducting the joint reinspection submit the

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
				<p>consists of the administrative/training building and the other part consists of the playground. Further, the layout plan/building plan submitted is not proper, and dimensions have not been clearly mentioned.</p> <p>3. The electricity bill is not in the name of the institute and is instead in the name of an individual/person.</p> <p>4. There is a shortage of electrical power load. Required power load: 17.21 kW Available power load: 15 KVA / 13.5 kW</p>	<p>report with recommendation to DGT within next 07 days.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
15.	Gyan Private ITI 1149 A Etah Road Firozabad - 283135 PU09900583 Grading: 7.7	1. Electrician- 3(1+1+1) 2. Fitter-3(1+1+1)	Recommended: 1. Electrician-2 (1+1)	1. The lease deed submitted expired on 28.11.2023. 2. The Drawing Hall is available; however, the required furniture/seating arrangements are insufficient as per norms. 3. The Fire Safety Certificate submitted was issued in the year 2017 and appears to be expired, required to renew.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within 07 days.
16.	A.P.V. ITC - Kanpur Nagar 117/H-1/209 Pandur Nagar Kanpur Nagar KANPUR NAGAR - 208005 PR09001207 Grading: 9	Existing Trades 1. Electrician- 2(1+1) 2. Computer Operator and Programming Assistant (COPA)-2(1+1)	Recommended: 1. Electrician- 2(1+1) 2. Computer Operator and Programming Assistant (COPA)-2(1+1)	1. The Building Completion Certificate (BCC) has been issued by the Tehsildar, which is not as per prescribed norms. 2. The Fire Safety Certificate has not been submitted.	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
					Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within 07 days.

Name of the State: West Bengal

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 28th SCAA
I	II	III	IV	V	VI
1.	Narayangarh Namita Devi Pvt ITI Medinipur West Vill Chaturibhara, Po Bahurupa, Ps Narayangarh, Dist Medinipur West, Pin 721437 TMP19318PR1745411926	1. Electrician - 8(4+4) 2. Fitter - 6(3+3) 3. Welder - 2(1+1) 4. Dress Making 2(1+1)	Recommended: 1. Electrician - 8(4+4) 2. Fitter - 6(3+3) 3. Welder - 2(1+1) 4. Dress Making 2(1+1)	No adverse deficiencies mentioned by ICVC. Instructor may be mapped as per NIMS	SCAA recommended the following trades: 1. Electrician-8(4+4) 2. Fitter-6(3+3) 3. Welder-2(1+1) 4. Dress Making-2(1+1)

Annexure-III as referred in Agenda 3: Compliance report/Reply against the Show Cause Notice of previous SCAA meetings

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
1.	<p>R.N.I.T.C. Private Industrial Training Institute, Opp Railway Maal Godown Gachi Tola, Begusarai,851101</p> <p>PR10000243</p> <p>Grading: 7.60</p> <p>State: Bihar</p>	1. Electrician-6(2+2+2)	<p>26th SCAA Remarks-</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiency observed in 26th SCAA-</p> <p>1. BCC not as per norms (For BCC please refer page no.108 of affiliation norms 2018).</p>	<p>SCAA recommended the following trade:</p> <p>1. Electrician-4(2+2)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Compliance report from RDSDE against the deficiencies raise by the 26th SCAA</p> <p>1. BCC signed by Executive engineer building division, Begusarai.</p>	
2.	<p>S. N. Private Industrial Training Institute, Purbi Champaran, Chandmari, Motihari, East Champaran, Bihar-845401</p> <p>PU10000821</p> <p>Grading: 8.20</p> <p>State: Bihar</p>	1. Electrician-8(4+4)	<p>26th SCAA Remarks-</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiency observed in 26th SCAA-</p>	<p>SCAA recommended the following trade:</p> <p>1. Electrician-8(4+4)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>1. BCC not as per norms (For BCC please refer to page no.108 of affiliation norms 2018).</p> <p>2. Qualification of Instructors</p> <p>Compliance report from RDSDE against the deficiencies raise by the 26th SCAA</p> <p>1. BCC signed by the Executive Engineer, building construction department, Motihari</p> <p>2. Qualification of Instructor is as per norms.</p>	
3.	<p>Government Industrial Training Institute Kankrej, Near Dugawada Hanuman Temple and Govt Model School, At Ratanpura (Shihori), Ta Kankrej, Dist Banasknatha -385550</p> <p>TMP24441GR1742983173</p> <p>State: Gujarat</p>	<p>1. Electrician - 2(1+1)</p> <p>2. Cosmetology - 1(0+1)</p>	<p>26th SCAA Remarks</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p>	<p>SCAA recommended the following trades:</p> <p>1. Electrician - 2(1+1)</p> <p>2. Cosmetology - 1(0+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Deficiency observed in 26th SCAA-</p> <p>1. Drawing Hall area is less</p> <p>Compliance report from State against the deficiencies raise by the 26th SCAA</p> <p>State Remarks-</p> <p>Drawing Hall area is as per norms $8.81*5.82=51.2742$.</p>	
4.	<p>Industrial Training Institute, Bardoli (Government)</p> <p>GR24000413</p> <p>Grading: 7.7</p> <p>State: Gujarat</p>	1. Electrician – 3 (1+1+1)	<p>26th SCAA Remarks:</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant also needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p>	<p>SCAA recommended the following trade:</p> <p>1. Electrician-2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Deficiency observed in 26th SCAA-</p> <p>1. Load not visible on the Electricity Bill</p> <p>Compliance report from State against the deficiencies raise by the 26th SCAA</p> <p>State Remark-</p> <p>Applicant now uploaded proper visible load on electricity bill having 99 KW and 16 KW electricity bill and also required power load is 110.4 KW and ITI have available total 115 KW power load. so, state Directorate Recommended Govt ITI Bardoli for Affiliation w.e.f 2026 Session.</p>	
5.	<p>Japan India institute for manufacturing JIIM Pvt ITI Mahesana,Gujarat</p> <p>PU24008055</p> <p>Grading: 6.20</p> <p>State: Gujarat</p>	<p>1. Mechanic Electric Vehicle - 2(1+1+0)</p>	<p>24th SCAA Remark-</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to</p>	<p>SCAA recommended the following trade-</p> <p>1. Mechanic Electric Vehicle -2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>DGT within the next 15 days on the online compliance module.</p> <p>Deficiencies observed in 24th SCAA-</p> <ol style="list-style-type: none"> 1. Fire safety certificate 2. BCC as per norms <p>Compliance report from State against the deficiencies raise by the 24th SCAA</p> <ol style="list-style-type: none"> 1. Fire Safety Certificate is as per norms. 2. BCC is as per norms 	
6.	<p>Industrial Training Institute Patan Gujarat</p> <p>GU24000121</p> <p>Grading: 8.80</p> <p>State: Gujarat</p>	<ol style="list-style-type: none"> 1. Cosmetology - 1(1+0) 2. Electrician - 1(0+0+1) 3. Computer Operator and Programming Assistant (COPA) - 3(0+2+1) 4. Wireman - 1(0+0+1) 	<p>26th SCAA Remark-</p> <p>Applicant needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p>	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Cosmetology -1(1+0) 2. Computer Operator and Programming Assistant -2(0+2) <p>The 3rd shift is only permitted under DST mode. However, State Directorate has not provided the details of DST MOU in the prescribed format. Therefore, State Directorate</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Deficiency observed in 26th SCAA-</p> <p>1. Power Shortage- Required= 101.52 KW Available= 31 KW</p> <p>Compliance report from State against the deficiencies raise by the 26th SCAA</p> <p>State Remark-</p> <p>1. The ITI has uploaded the electricity bill and MOU copy. Therefore, based on the documents uploaded by the ITI, the case is recommended for further processing.</p> <p>2. Govt ITI Patan attached total 6 Electricity bill having 247.5 K. W Power load is sufficient for ITI</p> <p>3. The ITI has attached the DST MOU for the Electrician, COPA, and Wireman trades (Third Shift) as per the prescribed norms. Therefore, the case is recommended.</p>	<p>is required to provide the details in the prescribed format within next 15 days</p>
7.	<p>Guru Dham Pvt. ITI, Vpo-Khadar Hisar -125121</p> <p>PR06000212</p> <p>Grading: 7.9</p> <p>State: Haryana</p>	<p>1. Computer Operator and Programming Assistant (COPA)- 4(2+2)</p>	<p>26th SCAA Remark-</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 30 days</p>	<p>SCAA recommended the following trade:</p> <p>1. Computer Operator and Programming Assistant - 2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned RDSDE and State Directorate will conduct reinspection and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiency observed in 26th SCAA-</p> <ol style="list-style-type: none"> 1. Biometric attendance system is not available. 2. Drawing hall is not available. 3. Desktop computers are not as per NCVET norms. IT lab not as per norms. 4. Bills submitted are recent; however, some PCs are old, indicating mismatch between bills and installed equipment. 5. Computers in the COPA lab are not as per norms; RAM of some PCs is only 1 GB and hard disk capacity is approximately 128 GB. 6. Only one toilet is available and it is in poor condition 7. Separate toilet facility for girl trainees is not available. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>8. Water cooler without RO facility is available.</p> <p>9. COPA lab dimensions are 16.50 m × 4.42 m; minimum required width of 5 m as per norms.</p> <p>10. Total COPA lab area is 72.93 sq. m, which is not as per prescribed norms.</p> <p>11. The applicant has asked for Computer Operator and Programming Assistant (COPA) 4 units but inspection was conducted for 2 units only.</p> <p>12. Drawing hall is not as per norms.</p> <p>Compliance report from RDSDE against the deficiencies raise by the 26th SCAA</p> <p>1. Biometric attendance system is now available.</p> <p>2. Drawing hall is now available.</p> <p>3. IT lab is as per norms.</p> <p>4. Bills are now as per norms.</p> <p>5. Computers in the COPA lab -as per norms</p> <p>6. Now there are two toilets and are in proper condition.</p> <p>7. Separate toilet facility for girl trainees is now available.</p> <p>8. Water cooler with RO facility is available.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>9. COPA lab dimensions are 12.56 m × 5.8 m; Location of COPA Lab has been changed to other room. Dimensions as per norms.</p> <p>10. Total COPA lab area is 72.848 sq. m, which is as per prescribed norms.</p> <p>11. Inspection was conducted for 2 units only.</p> <p>12. Drawing hall is now as per norms</p> <p>Inspecting member final Remark-</p> <p>Inspection conducted for Computer Operator and Programming Assistant (COPA) 2(1+1) trade.</p> <p>Recommend for Computer Operator and Programming Assistant (COPA) 2(1+1).</p>	
8.	<p>Shobhit Private Industrial Training Institute, VPO Chalola, UNA, 174303</p> <p>PR02000119</p> <p>Grading: 6.4</p> <p>State: Himachal Pradesh</p>	<p>1. Electrician - 2(1+1)</p> <p>2. Mechanic Electric Vehicle - 2(1+1)</p>	<p>26th SCAA Remarks-</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p>	<p>SCAA recommended the following trades:</p> <p>1. Electrician - 2(1+1)</p> <p>2. Mechanic Electric Vehicle - 2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiency observed in 26th SCAA-</p> <p>1. BCC not as per norms (For BCC please refer page no.108 of affiliation norms 2018)</p> <p>Compliance report from State against the deficiencies raise by the 26th SCAA</p> <p>State Remark-</p> <p>1. BCC is as per norms. The case is recommended for affiliation.</p> <p>TC Section Remark-</p> <p>1. BCC is as per norms</p>	
9.	Sri Banashankari Industrial Training Institute Ranebennur Mruthyunjaya Nagar 2nd Cross P.B Road Ranebennur,Haveri – 581115	1. Electrician- 4 (2+2) 2. Fitter- 2(1+1)	<p>26th SCAA Remarks</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p>	<p>SCAA recommended the following trades at shifted address:</p> <p>1. Electrician- 4 (2+2) 2. Fitter- 2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
	<p>PR29001026</p> <p>New address:</p> <p>Medleri Road, Near Railway Gate, Siddapur tanda Cross Ranebennur, Dist. Haveri, Karnataka, Pin Code-581115</p> <p>Grading: 5.6</p> <p>State: Karnataka</p>		<p>State needs to provide clarification on following points:</p> <ol style="list-style-type: none"> 1. Shifting address not clear from the land document 2. Location of shifting whether as per norms or not. 3. State need to clarify whether shifting is within same block or not. <p>Further, ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiency observed in 26th SCAA-</p> <ol style="list-style-type: none"> 1. Fire safety certificate is not uploaded. 2. Shifted address is not clear from land document. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>3. Railing on the stairs not available 4. Clarification required on whether shifting is within the block or not. 5. BCC-Issuing authority not clear 6. Stools not available for trainees to sit in Drawing Hall 7. IT Lab not as per norms. Laptops are available instead of PCs.</p> <p>Compliance report from State against the deficiencies raise by the 26th SCAA:</p> <p>1. Fire safety certificate is provided although it expired on 17.04.2026. 2. A document regarding the shifted address is provided. Showing address at Medleri Road, Near Railway Gate, Siddapur tanda Cross Ranebennur, Dist. Haveri, Karnataka, Pin Code-581115 3. Photographs for railing on the stairs are provided. 4. BCC is issued by Panchayat Development Officer. 5. Bill for Stools is provided. 6. Photograph for IT lab is provided 7. The state directorate has forwarded a letter dated 24.04.2026 from fire department stating that fire safety certified is extended till 24.04.2027.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
10.	Govt ITI Guledgudda Bagalkote Karnataka GU29000325 Grading: 8.30 New Address- Govt. ITI,Guledgudd Near Parvati Village Hullikeri Road Taluk: Guledgudd,Bagalkote Pin : 587203 State: Karnataka	Application for shifting Existing trades: 1. Electrician- 2(1+1) 2. Fitter-2(1+1)	26th SCAA Remark- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiency observed in 26th SCAA- 1. Fire safety certificate not provided Compliance report from State against the deficiencies raise by the 26th SCAA Certificate signed by District fire officer-Recommended for Affiliation.	SCAA recommended the shifting with the existing trades: 1. Electrician-2(1+1) 2. Fitter-2(1+1)
11.	Govt. ITI, Thiruvambady, Thiruvambady Po Kozhikkode-673603	Existing Category – 4 Shifting matter	26th SCAA Remarks-	SCAA recommended for the shifting with Existing trades:

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
	<p>Govt. ITI, Thiruvambady, Thiruvambady Kozhikode – 673603</p> <p>Shifting matter</p> <p>GR32000666</p> <p>Grading: 8.40</p> <p>New Address- Govt ITI, Thiruvambady,Thambalamana Post, Thiruvambady, Kozhikode-673603, Kerala Pin: 673603</p> <p>State: Kerala</p>	<p>Existing trades</p> <ol style="list-style-type: none"> 1. Electrician-2(1+1) 2. Draughtsman Civil-2(1+1) 3. Plumber 2(1+1) 	<p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>Applicant is required to rectify the following deficiencies and submit the requisite documents to the concerned State Directorate within 30 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal:</p> <p>Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with clear recommendations and confirmation as to whether the shifting is in accordance with the prescribed norms, to DGT within the subsequent 15 days through the online compliance module.</p> <p>Additionally, the State is required to provide comments on whether the shifting has been carried out as per the prescribed norms.</p> <p>Deficiency observed in 26th SCAA-</p> <ol style="list-style-type: none"> 1. Fire Safety Certificate 	<ol style="list-style-type: none"> 1. Electrician-2(1+1) 2. Draughtsman Civil-2(1+1) 3. Plumber 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>2. New address along with all relevant supporting documents as proof of the revised address</p> <p>Compliance report from State against the deficiencies raise by the 26th SCAA</p> <p>State Remark-</p> <p>The State Directorate has verified all the documents submitted by Govt.ITI Thiruvambady and confirmed that the shifting process has been conducted by observing all the DGT Affiliation norms in connection with the shifting of ITI. In this context, The State Directorate Request and Recommend considering the continuation of NCVET Affiliation for Govt.ITI Thiruvambady to ensure uninterrupted academic progression for the Trainees.</p>	
12.	<p>Tarashakti Private Industrial Training Institute, Tadalj Dist Chandrapur Survey No. 178/1A-1, Nagpur Highway, Tadali, Chandrapur. - 442914</p> <p>PR27000783</p> <p>Grading: 8.6</p>	<p>1. Computer Operator and Programming Assistant (COPA) -2(1+1)</p>	<p>26th SCAA Remark-</p> <p>This case was initially placed in the 26th SCAA meeting, remark of that was as follows:</p> <p>SCAA observed several serious deficiencies in the institute. Therefore, the applicant institute is required to submit its clarification/representation along with</p>	<p>The case was initially placed before the 26th SCAA meeting, wherein several serious deficiencies were observed in the institute. The institute was accordingly directed to submit its clarification/representation along with supporting</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
	State: Maharashtra		<p>supporting documents to DGT, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days.</p> <p>Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Deficiency observed in 26th SCAA-</p> <ol style="list-style-type: none"> 1. Electrician & Fitter machines are in working condition 2. In COPA section Old computer are in working condition but not as per norms in syllabus specifications. 3. COPA instructor appointed is just ITI passed out and not any experience 4. Drawing Hall available but drawing board are not available. 5. Inspecting team has not provided any photos or documents in the report. 6. Land Document not provided. 7. BCC is not provided. 8. Drawing Hall available but drawing board are not available. 9. IT lab available as per norms but merged with COPA Lab 	<p>documents and compliance against the deficiencies pointed out in the inspection report.</p> <p>Subsequently, the applicant institute has submitted its reply along with certain supporting documents claiming compliance regarding Computer Operator and Programming Assistant infrastructure, appointment of instructors, availability of Drawing Hall and drawing boards, land documents, BCC, separate IT Lab, electricity bill, and other related deficiencies.</p> <p>In view of the above, the SCAA has decided that a joint inspection of the institute shall be conducted by the concerned RDSDE and State Directorate to physically verify the response submitted by the applicant institute against the deficiencies observed</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>10. Electricity bill not provided.</p> <p>11. Power Shortage- Required- 14.21KW Available-18KW</p> <p>12. Syllabus specification of COPA and invoices of new computers are attached herewith. Both match each other. Annexure - A1</p> <p>13. COPA instructors are appointed with experience. All relevant documents with their experience certificate are attached herewith.</p> <p>14. Drawing hall with drawing boards photograph is attached.</p> <p>15. Photographs of following are attached.</p> <ul style="list-style-type: none"> i. IT Lab ii. COPA lab iii. Invoices of COPA lab iv. Overall Photograph <p>16. Land Documents are available & attached herewith.</p> <p>17. Building Completion certificate (BCC) is attached herewith.</p> <p>18. Separate IT Lab Photograph is attached and it is not merged with COPA lab.</p> <p>19. Electricity bill is attached.</p> <p>20. There is no power shortage.</p>	<p>earlier and submit the report within 15 days.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
13.	Dhanwantari ITI Buldhana TMP27472PR1713862838 State: Maharashtra	1. Electrician 2(1+1) 2. Wireman -2(1+1) 3. Marketing Executive-2(1+1) 4. Health Sanitary Inspector(HSI)-2(1+1) 5. Geo-Informatics Assistant- 2(1+1)	<p>22nd SCAA Remark-</p> <p>This case was initially placed in the 22nd SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of these Minutes.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days.</p> <p>Deficiencies observed in 22nd SCAA</p> <ol style="list-style-type: none"> 1. Half the workshop was covered with a tin shed & the other portions were covered with slabs. 2. Most of the machinery in the Electrician and Wireman workshop is not properly installed. 3. A few of the working machines are not functioning satisfactorily i.e dc shunt generator, motor generator (AC to DC), dc compound generator, DC series motor, 	<p>The case was initially placed before the 22nd SCAA meeting, wherein several major deficiencies related to infrastructure, machinery/tools & equipment, instructor qualifications, electrical load, and other essential requirements were observed. The institute was accordingly directed to remove the deficiencies and submit compliance.</p> <p>A joint inspection was subsequently conducted by the State Directorate and RDSDE, wherein deficiencies were again observed and the institute was not recommended for any trade.</p> <p>Thereafter, the matter was again reviewed in the 26th SCAA meeting, and the institute was directed to submit</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>motor generator (DC to AC), thyristor/IGBT controlled DC motor drive, AC motor drive, AC slip ring motor.</p> <p>4. In the Electrician and wireman trade, most of the machinery was found to be under-capacity.</p> <p>5. In the Electrician trade the following tools and equipment are not available as per syllabus. Sr No 126(h). Washing machine semi-automatic, 127. oil testing kit, 129. voltage stabilizer, 131. Battery charger, 133.potential transformer, 153. diesel generator set, 154. used dc generators series, shunt and compound type for overhauling practice 164. Working bench only 01 no is available out of 4 165.Wiring board. 170. Almirah</p> <p>6. In wireman trade the following tools and equipment are not available as per syllabus. Sr no 39. outside micrometer, 47. 3 phase kw meter, 48-watt meter dyna, 49. clamp on ammeter,54. meter reading instrument, 57 conduit pipe cutting and threading machine,58 conduit type bending machine.62crimping tool. ,63crimping tool.65 small crimping tool. 69. wiring board on stand ,106 tower ladder on type wheels ,107 portable extension ladder ,110 knife switch dpdt fitted with fuse terminals</p>	<p>clarification/representation along with supporting compliance documents against the deficiencies observed.</p> <p>Subsequently, the applicant institute has submitted a reply claiming that the deficiencies pointed out by the SCAA have been rectified along with certain supporting documents.</p> <p>In view of the above, the SCAA has decided that the concerned RDSDE and State Directorate shall jointly conduct a re-verification of the institute to physically verify the compliance and response submitted by the applicant institute against the deficiencies observed earlier and submit the report within 15 days.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>,111 knife switch TPDT fitted with fuse terminals ,128.solar street light ,129solar traffic light,130 solar dc pump,135 solar panels ,136 solar charge controller with manual switch (day lighting),137 EV charger ,138 EV charger (home),139 motion detector ,142 automatic reverse forward starter,144 DOL starter ,145 soft starter ,148 solar street light lamp set,149 field regulator,150 transformer single phase,156.ups with battery,157.personal computer system with printer,159 all domestic appliances (a to k) 164. Demonstration table</p> <p>7. Health Sanitary Inspector trade the following tools and equipment not available as per syllabus: sr no 4-ventilation system,5 sewage system and treatment plant,6 water purification plant,7 sanitary plant,8 waste disposal plant, chemical disinfection unit this working Models are not available and Sr no 15 instrument for noise measurement 17 microwave.</p> <p>8. Geo-Informatics Assistant trades the following tools and equipment not available as per syllabus: sr no 1 9 Computers are available out of 12. sr no 7 ups, 10.24-inch plotter ink printer colored.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>19 tables for trainees with sliding tray for key board 20 split type air conditioners.</p> <p>9. No machinery tools/equipment are available for the Marketing Executive Trade as per syllabus.</p> <p>10. Raw material register, dead stock register and machinery bills are not available for Marketing Executive.</p> <p>11. Experience of instructor for Health Sanitary Inspector and Geo-Informatics Assistant is not as per norms.</p> <p>12. Fire safety certificate in Marathi language. However, notarized English translation has not been provided.</p> <p>Compliance report from State against the deficiencies raised by the 22nd SCAA</p> <p>Joint Inspection was conduct on 18.07.2025 remark of that given below:</p> <p>1. Instructor Qualifications:</p> <p>a) Health Sanitary Inspector and Marketing Executive Trade Instructors' qualifications do not match the required norms.</p> <p>b) Geo-Informatics Assistant Instructor's experience is below the required level.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>c) Only two out of five instructors possess CITS training; the remaining three instructors do not meet the experience or CITS requirements.</p> <p>d) Each trade requires two instructors, but only one instructor per trade has been appointed.</p> <p>2. Infrastructure – Classrooms & Workshops:</p> <p>a) Although the area requirement is fulfilled, classrooms and workshops for all trades are located in the same hall without proper partition.</p> <p>3. Electrical Load:</p> <p>a) Required electrical load is 21.6 kW, whereas the connected load is only 20 kW.</p> <p>b) The ITI has applied for a 25 kW load, but the same is not reflected in the electricity bill.</p> <p>4. Tools, Equipment & Facilities Not Available:</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>a) Electrician Trade: Diesel generator and one i5/i7 computer are not available.</p> <p>b) Wireman Trade: Major machinery/equipment is missing.</p> <p>c) Marketing Executive Trade: Two air conditioners and one smart board are not available.</p> <p>d) Geo-Informatics Assistant Trade: Required trainee tables with sliding keyboard trays (12 nos.) and split ACs are not available.</p> <p>Based on the above deficiencies, the institute is not recommended for all trades.</p> <p>26th SCAA remark-</p> <p>This case is again reviewed in 26th SCAA, remark of that was as follows:</p> <p>Upon scrutiny of the documents and inspection findings, the SCAA has noted serious deficiencies as listed above.</p> <p>The applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>rejected, and to furnish rectification/compliance documents to DGT on email id tcaffiliation@dgt.gov.in, within a period of 15 days.</p> <p>Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Compliance report from Applicant against the deficiencies raise by the 26th SCAA</p> <p>ITI submitted response that it has removed the deficiencies and attached supporting documents</p>	
14.	<p>Mahatma Gandhi Private Industrial Training Institute Nanded</p> <p>TMP27485PR1649834771</p> <p>State: Maharashtra</p>	<ol style="list-style-type: none"> 1. Electrician-2(1+1) 2. Wireman-2(1+1) 3. Fitter-2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Fashion Design and Technology-2(1+1) 	<p>23rd SCAA Remark-</p> <p>This case was first placed in 23rd SCAA meeting, remarks of that was as follows:</p> <p>Applicant Institute needs to remove the following deficiencies and submit the required documents within 15 days from the date of issue of these Minutes in the Compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate to verify the documents submitted by the ITI and</p>	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <ol style="list-style-type: none"> 1. Engraving on machinery is not done.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>submit the report to DGT within the next 07 days on the online compliance module.</p> <p>Deficiencies observed in 23rd SCAA</p> <ol style="list-style-type: none"> 1. Loose wiring in workshop 2. Half of the wall of the workshop is made up of tin shed 3. Safety mat not available 4. Engraving on machinery is not done 5. Remarks of inspecting member regarding the land is not clear, whether the society has embarked the land for the use of ITI purpose 6. Electricity consumption is huge and it is a new ITI, school activities is also mentioned in the campus. <p>Compliance report from State against the deficiencies raised by the 23rd SCAA</p> <p>The Institute has submitted the following documents.</p> <ol style="list-style-type: none"> 1. Photos of machinery wires are fitted properly. 2. Workshop Photos of profiled industrial roof sheets & Clarification. 3. Photos of Safety mat & Tax Invoice bill 	<p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>4. Photos of work done on Engraving on machinery</p> <p>5. Resolution regarding embarkation of land & building for uses for ITI.</p> <p>6. Photos of replacement of faulty old meter and installation of new meter.</p> <p>The Directorate has verified the institute's submitted documents & Photos. It is as per norms.</p> <p>Hence Recommended for-</p> <p>a) Electrician- 2 (1+1)</p> <p>b) Wireman-2(1+1)</p> <p>c) Fitter- 2(1+1)</p> <p>d) Solar Technician (Electrical)- 2(1+1)</p> <p>e) Fashion Design and Technology- 2(1+1)</p> <p>24th SCAA Remark-</p> <p>This case is reviewed in 24th SCAA remark of that was as follows-</p> <p>SCAA observed that, despite the opportunity provided in the 23rd SCAA, half of the workshop wall continues to be made of a tin shed/prefabricated structure, which is not in conformity with the prescribed norms.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Accordingly, SCAA decided that senior officers from the State Directorate and RDSDE shall conduct a fresh joint inspection of the ITI and submit a detailed report with recommendations to DGT within 30 days. Thereafter the case shall be placed in next SCAA.</p> <p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <ol style="list-style-type: none"> 1. NCVT final Remark-Deficiency has been rectified by ITI and same has been verified. Hence Upheld the recommendations of trades and units in earlier inspection. 2. SCVT Final Remark-Deficiency has been rectified by ITI as observed by 23rd SCAA and same has been verified <ol style="list-style-type: none"> a) Wires fitted properly b) Full wall has been constructed in Workshop c) Safety Mat provided <p>26th SCAA Remark-</p> <p>This case is again reviewed in 26th SCAA, remark of that was as follows:</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>SCAA observed that the status of removal of deficiencies is not clearly indicated by inspection team. Therefore, inspection team need to submit the status against each and every deficiency and submit the documents to the DGT along with recommendation through the RD, RDSDE within 15 days from the date of issue of these Minutes.</p> <p>Compliance report from RDSDE against the deficiencies raised by the 26th SCAA</p> <ol style="list-style-type: none"> 1. Electrical wiring has been properly fitted. 2. A full-height wall has been constructed in the workshop area as required. 3. Safety mats have been provided wherever required. 4. Names are labelled on machines but not engraved. 5. The Society Resolution earmarking sufficient land for the proposed ITI is available. 6. Installation of meter has been rectified and minimum demand rate observed in last electricity bills. Observed that an Open University Centre is located adjacent to the ITI building; during inspection, it was 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>found that this does not adversely affect the functioning of the ITI.</p> <p>Recommendation: -</p> <p>Considering the above status, and the same has been verified, the Committee upholds the recommendations pertaining to the trades and units made by the earlier Committee subject to the point 4 above names are Labelled on machines but not engraved.</p>	
15.	<p>Government Industrial Institute Bramhapuri GR27000327</p> <p>Grading: 8.90</p> <p>State: Maharashtra</p>	<p>1. Information and Communication Technology System Maintenance - 1(0+1)</p>	<p>26th SCAA Remark-</p> <p>This case was initially placed in the 26th SCAA remark of that was as follows-</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>	<p>SCAA recommended the following trade:</p> <p>1. Information and Communication Technology System Maintenance - 1(0+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Deficiency observed in 26th SCAA-</p> <p>1. Fire safety certificate</p> <p>Compliance report from State Directorate against the deficiencies raised by the 26th SCAA</p> <p>Submitted Fire Safety certificate as per norms</p>	
16.	<p>Government Industrial Training Institute Desaiganj</p> <p>GR27000130</p> <p>Grading: 9.10</p> <p>State: Maharashtra</p>	1. Surveyor -2(1+1)	<p>26th SCAA Remark-</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p> <p>Deficiency observed in 26th SCAA-</p>	<p>SCAA recommended the following trade:</p> <p>1. Surveyor -2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>1. Purchase of Differential Global Positioning System(DGPS) (Latest Version) equipment.</p> <p>Compliance report from RDSDE against the deficiencies raised by the 26th SCAA</p> <p>State Remark-</p> <p>The Institute has submitted the following documents:</p> <ol style="list-style-type: none"> 1. Tax Invoice for the purchase of Differential Global Positioning System (DGPS) (Latest Version) equipment. 2. Geo-tagged photographs of the Differential Global Positioning System (DGPS) (Latest Version) equipment. The Directorate has verified the submitted documents and confirmed that the 02 number of the Differential Global Positioning System (DGPS) (Latest Version) equipment are available as per norms. <p>Hence Recommended for</p> <ol style="list-style-type: none"> 1. Surveyor -2(1+1) w.e.f. Aug.2026 session 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
17.	Siddheswar Industrial Training Centre Baleshwar PR21000451 Grading: 5.60 State: Odisha	1. Computer Operator and Programming Assistant-2(1+1+0) 2. Warehouse Technician-2(1+1+0)	15th SCAA Remark- This case was initially placed in 15 th SCAA, remark of that was as follows: SCAA has not recommended the affiliation for the ITI due to following reason: 1. The new place is situated in a different district I.e. Mayurbhanj whereas the old location is in Balasore district. 2. Inter district shifting is not permitted as per DGT Norms. 3. Building not completed 4. The electric bill is not in the name of Sidheswar ITI. It is in the name of an individual which is not as per norms 5. Tools bills are present but machineries bills are not available 6. Staff Appointment is not as per norms 7. Machineries are partially installed in the Lab space as shown by the ITI. All machineries are not in the working condition. 8. Dead stock and raw material register is not maintained adequately. Only few items have been entered.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. 1. BCC is issued by a consulting agency which is not as per norms. (For BCC please refer page no.108 of affiliation norms 2018) 2. Safety mats are not available. 3. The roofs of works shops are made of Tin shade. 4. Electric load is less Required- 12.22 KW available 8.71 KW 5. Dead Stock register are not maintained properly and needs improvement

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>9. Biometric attendance not available. 10. Building plan is not proper</p> <p>Aggrieved by the decision of the 15th SCAA, the applicant has filed a case W.P. (C) No. 30131 of 2024 before the Hon'ble Court. The brief proceedings of the matter is as under-</p> <p>1. The petitioner has challenged the decision of the 15th SCAA meeting held on 03.04.2024, wherein the case was rejected due to inter-district shifting and other deficiencies. The petitioner contended that the NOC for shifting was already issued by the State Directorate on 16.03.2022 as per DGT letter dated 04.08.2021, and therefore OM dated 30.06.2023 cannot be applied retrospectively. The State Directorate has also referred the matter to DGT on 21.11.2024.</p> <p>2. The institute had applied on the NIMI portal on 23.03.2022 under Category-4 (shifting) along with addition of trades and units. The proposal included shifting to Mayurbhanj with existing trades (Electrician and Fitter) and new trades (COPA and Warehouse Technician).</p> <p>3. The case was rejected in the 15th SCAA meeting on grounds of inter-district shifting</p>	<p>6. Instructor qualifications are not as per norms. 7. There is lack of amenities in the institutes 8. Teacher records are not maintained in the institute properly. 9. Fire safety certificate is not available.</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>and deficiencies, which has been challenged through the writ petition. In compliance with the Hon'ble Court order dated 25.09.2025, the petitioner has submitted a compliance report addressing deficiencies and requested grant of affiliation.</p> <p>4. The matter was placed in 6th GRC held on 07.10.2025 wherein it was decided that NOC issued by the state directorate for shifting was considered for inter district shifting and directed to conduct a reinspection at the premises of the institute.</p> <p>ICVC Remarks:</p> <p>Accordingly, as per 6th GRC decision, an inspection was conducted dated.19.01.2026, points observed during inspection are given below:</p> <ul style="list-style-type: none"> a) BCC signed by registered Architect. b) Power load is 8.71 KW c) Dead Stock register are not maintained properly and needs improvement d) Instructor qualification are not as per norms e) There is lack of amenities in the institutes f) Teacher records are not maintained in the institute properly. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>g) Fire safety certificate is not available.</p> <p>ICVC recommended for Shifting of Siddheswar Itc from Old Address to New Address at-</p> <p>Kanthi, Po-Chinchal Gadia, Ps-Rasgovindapur, Dis- Mayurbhanj in Electrician- 5(2+2+1), Fitter 5(2+2+1)</p> <p>TC section remarks: The report is further scrutinized at DGT level and the following deficiencies have been found-</p> <ol style="list-style-type: none"> 1. BCC is issued by a consulting agency which is not as per norms. Refer affiliation norms 2018 at page 108 2. Safety mats are not available. The roofs of works shops are made of Tin shade. 3. Electric load is less Required- 12.22 KW available 8.71 KW 	
18.	<p>Sri Saradhi ITI,Godavarikhani Peddapalli – 505209</p> <p>PU36000271</p> <p>Grading: 6.6</p> <p>State: Telangana</p>	1. Fitter - 2(1+1)	<p>26th SCAA Remarks</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.</p>	<p>SCAA recommended the following trade:</p> <ol style="list-style-type: none"> 1. Fitter-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p> <p>Deficiencies observed in 26th SCAA</p> <p>1. Fire Safety certificate not available.</p> <p>Compliance report from State against the deficiencies raised by the 26th SCAA</p> <p>Fire safety certificate is as per norms. Stamp of Telangana State Disaster Response and Fire Services, Hyderabad and signed by junior administrative officer.</p>	
19.	<p>Govt ITI for Girls Ghatkesar At Kondapur Village</p> <p>TMP36700GU1744873587</p> <p>State: Telangana</p>	<p>1. Computer Operator and Programming Assistant (COPA) - 2(1+1)</p> <p>2. Computer Aided Embroidery & Designing - 2(1+1)</p>	<p>26th SCAA Remark-</p> <p>This case was initially placed in the 26th SCAA, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through</p>	<p>SCAA recommended the following trades:</p> <p>1. Computer Operator and Programming Assistant - 2(1+1)</p> <p>2. Computer Aided Embroidery & Designing - 2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
		3. Fashion Design & Technology - 2(1+1) 4. Electrician - 2(1+1) 5. Electronics Mechanic -2(1+1)	<p>the compliance module on NIMI affiliation portal.</p> <p>Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiency observed in 26th SCAA-</p> <ol style="list-style-type: none"> Instructor appointment details are not available. Fire safety certificate is not available <p>Compliance report from State against the deficiencies raised by the 26th SCAA</p> <ol style="list-style-type: none"> Instructor appointment details are available now. Fire Safety certificate is available now. 	3. Fashion Design & Technology - 2(1+1) 4. Electrician -2(1+1) 5. Electronics Mechanic - 2(1+1)
20.	Gandhi Private ITI, Jhansi, Uttar Pradesh PR09001927 Grading: 6.30 State: Uttar Pradesh	1. Electrician-36(12+12+12) 2. Fitter-6(2+2+2)	<p>18th SCAA Remark:</p> <p>This case was initially placed in the 18th SCAA meeting, remark of that was as follows:</p> <p>Applicant Institute needs to remove the deficiencies mentioned below, and submit the required documents within 30 days from the</p>	<p>The SCAA observed that the reply/clarification submitted by the institute requires verification; therefore, a re-inspection of the institute shall be conducted through a higher-level committee.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>date of issue of this minute in Compliance module on NIMI affiliation portal.</p> <p>Thereafter, Senior Officer at the level of Director/Joint Director from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal.</p> <p>Deficiencies observed in the 18th SCAA-</p> <ol style="list-style-type: none"> 1. Building plan not available 2. For fitter trade instructors are not appointed 3. For Electrician trades against requirement of 36 only 21 are appointed 4. Power is not sufficient- Power required- 50.31 KW Power available - 47 KVA= 47*.9=42.3KW 5. Electricity Bill is on the name of individual person, which is not as per norms <p>Compliance report from RDSDE against the deficiencies raised by the 18th SCAA</p>	<p>The committee shall comprise a quorum of four members, including two officials from the RDSDE and two officials from the State Directorate. Additionally, trade expert member may be included in the committee.</p> <p>The committee shall submit its report within 20 days from the date of issuance of these Minutes, duly verifying the rectification of deficiencies pertaining to the infrastructure and machinery specified in this and the ITI's reply, along with its recommendations regarding the relevant trades/units for affiliation.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>The stipulated time period has expired, and the institute has not submitted any compliance.</p> <p>24th SCAA Remark-</p> <p>The case was again reviewed in 24th SCAA, remark of that was as follows:</p> <p>Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID. Therefore, the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Compliance report against 24th SCAA</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<ol style="list-style-type: none"> 1. Building Plan is approved by registered Architect and approved by Sachiv, Gram Pradhan, Ambavay Panchayat (copy enclosed) 2. For Fitter trade, the ITI proposes to surrender the trade. Application in this regard submitted to NCVT. 3. The ITI now says that it proposes 10+10+0 units of Electrician trade. Hence, only 20 instructors are required to run aforementioned trades. However, only 04 instructors are physically present. Appointment letters are claimed to have been submitted during previous inspections. 4. For 10+10+0 units of electrician (proposed) and 06 units of electrician already running, it is claimed that power requirement is of 41.6 KW. The power available is of 47 KVA. With fitter trade surrendered, it is claimed to be sufficient. 5. The electric bill is presented in the name of Gandhi Pvt. ITI. <p>Other Observation: IT Lab:</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>6. 10 computers available out of which 01 working. No internet facility available for the IT Lab.</p> <p>7. Machines are not properly installed and lack basic grouting. Earthing/Grounding is not done.</p> <p>8. Aadhar Based Biometric Attendance system is not available in the premises.</p> <p>9. A degree college is functional in the adjacent building in the same premises.</p> <p>10. No trainees are available even in the earlier affiliated 06 units of Electrician during the working hours/during inspection, Attendance records not presented either.</p> <p>26th SCAA Remark:</p> <p>This case is again reviewed in 26th SCAA, remark of that was as follows:</p> <p>The applicant ITI has sought substantially high number of units in Electrician trades and the deficiencies are yet to be rectified. Therefore, as a last opportunity, the ITI needs to remove the deficiencies mentioned by the inspection conducted on 03.12.2025 and the remarks given against the compliance report of 24th SCAA (mentioned above) and submit the</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>documents to the concerned RDSDE within 30 days from the date of issue of these Minutes through compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents by a senior level officer preferably in the rank of Joint Director with clear recommendation of trade/units. RDSDE will submit the report to DGT within the next 15 days on the online compliance module. If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall not be considered further and will be rejected without any further notice from DGT.</p> <p>Compliance report from Applicant against the deficiencies raised by the 26th SCAA</p> <p>Points mentioned below are submitted by the applicant on email dated.03.04.2026, 26th SCAA MOM was issued on 05.03.2026</p> <ol style="list-style-type: none"> 1. The building plan of the institute has been prepared and approved by a registered architect and verified by the Secretary and 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Gram Pradhan of Gram Panchayat Ambabay.</p> <ol style="list-style-type: none"> 2. The Fitter trade has been voluntarily surrendered by the institute and an application in this regard has already been submitted to the competent authority. 3. The required instructors for the proposed Electrician Trade (10+10+0 units) have been duly appointed and their appointment letters are available. 4. Adequate electrical power supply is available in the institute (required approx. 41.6 KW and available capacity approx. 47 KVA). 5. The electricity connection is now in the name of Gandhi Pvt. ITI, Jhansi and the latest electricity bill is available. <p>Clarification regarding other remarks</p> <p>With regard to other observations mentioned in the inspection report, necessary improvements and compliance have already been ensured by the institute. At the time of inspection, all relevant documents, machinery, equipment, instructor appointment letters, electrical arrangements and training-related facilities were presented before the inspection committee.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>All workshop machines in the institute have been properly installed and necessary earthing and grouting arrangements have been ensured. The IT Lab has an adequate number of computers with internet connectivity. An Aadhaar-based biometric attendance system has also been installed and is operational in the institute, and all trainees are regularly attending their training programs.</p> <p>It is respectfully submitted that the Degree College and Gandhi Pvt. ITI are functioning independently. Both institutions are located in separate buildings with separate entrance gates.</p>	
21.	<p>Merger of Siddharth Pvt. Industrial Training Institute Palhipatti, Varanasi, Uttar Pradesh (PR09001652) with J.S. Pvt. Industrial Training Institute, Palhipatti, Varanasi – Varanasi Uttar Pradesh (PR09000085)</p> <p>Grading: 7.50</p> <p>State: Uttar Pradesh</p>	1. Electrician-12(6+6)	<p>Matter was placed in the 26th SCAA, brief facts and 26th SCAA remark of this case are given below:</p> <ol style="list-style-type: none"> 1. SSDEC UP in its 4th meeting has recommended merger of Siddharth Pvt. Industrial Training Institute Palhipatti, Varanasi, Uttar Pradesh (PR09001652) with J.S. Pvt. Industrial Training Institute ((PR09000085). 2. However, no clarity was provided regarding the availability of infrastructure, machinery, instructors, or safety provisions 	<p>SCAA observed that ITI needs to submit the following documents in the name of J.S. Pvt. Industrial Training Institute (PR09000085) to the concerned RDSDE within 20 days from the date of issue of these Minutes.</p> <ol style="list-style-type: none"> 1. Land Document 2. BCC 3. Building Plan 4. Electricity Bill

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>in the proposal received either from the SSDEC.</p> <p>3. Further, RSDSE and State were requested to conduct joint inspection of these ITIs along with following documents.</p> <p>a) A self-declaration from the society confirming that there is no ongoing legal dispute among its members.</p> <p>b) A resolution passed by a two-thirds (2/3) majority of the society members confirming that both the parent and child institutes are operated by the same entity.</p> <p>c) A separate resolution, also passed by a two-thirds (2/3) majority, clearly stating the rationale for the merger and expressing the society's formal consent to the proposed merger.</p> <p>4. Inspection has been conducted and the required documents have been provided by the RDSDE.</p> <p>26th SCAA Remark- The matter was discussed and the SCAA recommended the merger of Electrician – 12 (6+6) units of Siddharth Pvt. Industrial Training Institute (PR09001652) with J.S. Pvt. Industrial</p>	<p>5. Fire Safety Certificate</p> <p>Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>Training Institute (PR09000085). However, the ITI is required to convert all relevant document in the name of J.S. Pvt. Industrial Training Institute, Palhipatti, Varanasi (MIS Code: PR09000085), and submit the same to RDSDE within 30 days from the date of issuance of these Minutes. Further, RDSDE to submit the documents to DGT.</p> <p>Thereafter, the Siddharth Pvt. Industrial Training Institute (PR09001652) shall be de-affiliated on the portal.</p> <p>Compliance report from RDSDE against the deficiencies raised by the 26th SCAA</p> <p>Basic documents are still not available in the name of J.S. Pvt. Industrial Training Institute (PR09000085).</p> <p>Documents Required in the name of J.S. Pvt. Industrial Training Institute:</p> <ol style="list-style-type: none"> 1. Land Document 2. BCC 3. Building Plan 4. Electricity Bill 5. Fire Safety Certificate 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
22.	Satyen Bose Technical Institute Pvt ITI 24 Paraganas North PU19000253 Grading: 8.70 State: West Bengal	1. Electrician-1(0+1) 2. Fitter-1(0+1) 3. Driver cum Mechanic-1(1+0)	<p>23rd SCAA Remark-</p> <p>This case was initially placed in 23rd SCAA, remark of that was as follows:</p> <p>Applicant Institute needs to remove the following deficiencies mentioned below and submit the required documents within 15 days from the date of issue of these Minutes in the compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 07 days.</p> <p>Deficiencies observed in the 23rd SCAA:</p> <ol style="list-style-type: none"> 1. Ramp for PWD not available. 2. Driver cum Mechanic Not Recommended No equipment installed 3. Area of the classroom not as per norms 4. Lease is set to expire in Jan 2026 5. Old occupancy certificate available. Not as per current format) <p>24th SCAA Remark-</p>	<p>SCAA recommended the following trades-</p> <ol style="list-style-type: none"> 1. Electrician-1(0+1) 2. Fitter-1(0+1) <p>Not Recommended-</p> <ol style="list-style-type: none"> 1. Driver cum Mechanic-1(1+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>This case was reviewed in 24th SCAA, remark of that was as follows:</p> <p>Despite being given opportunity in SCAA meetings the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID. Therefore, the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Compliance report from RDSDE against the deficiencies raised -</p> <p>Remarks by RDSDE and State</p> <p>1. Maintained ramp at the entrance.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	28 th SCAA Remark
I	II	III	IV	V
			<p>2. No equipment is available for the trade “Driver cum Mechanic”.</p> <p>3. Area of the classroom 7m × 3.6m = 25.2 sqm.</p> <p>4. Lease effected from 28-08-2025 for 30 yrs.</p> <p>5. New occupancy certificate issued on 11-03-2022.</p> <p>Recommended-</p> <p>1. Electrician-1(0+1)</p> <p>2. Fitter-1(0+1)</p> <p>Not Recommended-</p> <p>1. Driver cum Mechanic-1(1+0)</p>	

Annexure IV

Annexure-IV as referred in Agenda 4.1.2 SSDEC Tamil Nadu for DST conversion of CTS units

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
1.	Government Industrial Training Institute, Hosur	GR33000054	Ashok Leyland Ltd. Unit-II SIPCOT-II, Hosur, Krishna giri, Tamilnadu Hosur	01.07.2024	30.06.2028	Mechanic Motor Vehicle	Shift 3	Unit 1	Conversion	Recommended	Recommended
2.	Government of Industrial Training Institute, Coimbatore	GU33000058	M/s. Aquasub Engineering, Coimbatore, Tamilnadu	01.12.2025	30.11.2028	Fitter	Shift 3	Unit 3	Conversion	Recommended	Recommended
			M/s. Aquasub Engineering, Coimbatore	01.12.2025	30.11.2028	Turner	Shift 3	Unit 3	Conversion	Recommended	Recommended
			M/s. Aquasub Engineering, Coimbatore Tamilnadu	01.12.2025	30.11.2028	Turner	Shift 3	Unit 4	Conversion	Recommended	Recommended
			M/s. Enkey Engineering works, Coimbatore, Tamilnadu, Coimbatore	01.12.2025	30.11.2028	Machinist	Shift 3	Unit 1	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
			M/s.Jaikrishnaa Autosales Private Ltd.,Coimbatore ,Tamilnadu	01.12.2025	30.11.2028	Mechanic Motor Vehicle	Shift 3	Unit 4	Conversion	Recommended	Recommended
3.	Government of Industrial Training Institute, Thoothukudi	GR33000074	Kamal Health Care Products Pvt Ltd., Venus Home Appliances Pvt Ltd.,Thoothukudi,Tamilnadu	07.03.2025	06.03.2029	Electrician	Shift 3	Unit 2	Conversion	Recommended	Recommended
4.	Government of Industrial Training Institute, Tiruchendur	GR33000044	Jano Engineering Works, Thoothukudi,Tamilnadu	23.12.2025	22.12.2026	Welder	Shift 3	Unit 1	Conversion	Recommended	Not Recommended industry is not meeting the minimum turnover criteria
5.	Government of Industrial Training	GU33000040	Majessan sheet Metal Products, Salem Automech (India) Pvt Limited,Sri	20.05.2025	19.05.2029	Welder(Pipe)	Shift 3	unit 1 and Unit 2	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
	Institute, Salem		Vijayadhara Enterprises,Salem, Tamilnadu								
			Vihass Interiors, Salem,Tamilnadu	04.04.2024	03.04.2028	Fitter	Shift 3	Unit 1	Conversion	Recommended	Recommended
6.	Government of Industrial Training Institute, Cuddalore	GU33000037	Rane (Madras) Ltd., Puducherry	01.10.2024	30.09.2028	Fitter	Shift 3	Unit 1	Conversion	Recommended	Recommended
			TPRS Enterprises Pvt. Ltd., Puducherry	30.01.2025	29.01.2029	Welder	Shift 3	Unit 1	Conversion	Recommended	Recommended
7.	Government of Industrial Training Institute, Chengalpattu	GR33000066	M/s. Rane NSK Steering systems Pvt.Ltd., Guduvancherry, Tamilnadu	21.06.2023	20.06.2027	Fitter	Shift 3	Unit 1	Conversion	Recommended	Recommended
8.	Government of Industrial Training Institute, Trichy	GR33000046	Bharat heavy Electricals Ltd.,trichy,Tamilnadu	14.02.2023	13.02.2027	Welder	Shift 3	unit 1 and unit 2	Conversion	Recommended	Recommended
			Bharat heavy Electricals	14.02.2023	13.02.2027	Machinist	Shift 3	unit 1 and unit 2	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
			Ltd.,trichy,Tamil nadu								
9.	Government of Industrial Training Institute, Erode	GR33000057	M/s.Vinenergy Electric(India) pvt Ltd., Chithode,M/s. Current Electro Pvt Ltd,ErodeTamilnadu	02.01.2026	01.01.2030	Fitter	Shift 3	Unit 1	Conversion	Recommended	Recommended
			M/s. Sakthi Auto Component Ltd., Pallagoundenpalayam,Ms Alpha Pvt Ltd,Erode Tamilnadu	27.09.2024	26.09.2028	Electrician	Shift 3	Unit 1	Conversion	Recommended	Recommended
10.	Government of Industrial Training Ambattur	GR33000051	Tube Investments of India Ltd., Ambattur,Tiruvalur,Tamilnadu	01.07.2022	30.06.2026	Fitter	Shift 3	Unit 1	Conversion	Recommended	Recommended
11.	Government of Industrial Training	GR33000069	Indograph Design and Decorators,chen nai,Tamilnadu	10.12.2025	31.12.2029	Interior Design and Decoration	Shift 3	Unit 1	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
	Institute ,North Chennai		Velciti Consulting Engineers, D&L Consulting Services, Chennai, Indograph Design and Decorators Pvt.Ltd., Velacherry, Tamilnadu	10.12.2025	31.12.2029	Draughtsman Civil	Shift 3	Unit 1	Conversion	Recommended	Recommended
			M/s. Piranha Enterprises, Kolathur, Chennai, Tamilnadu	10.12.2025	31.12.2029	Plumber	Shift 3	Unit 1	Conversion	Recommended	Recommended
			Indograph Design and Decorators, Puzhal, Chennai, Tamilnadu	10.12.2025	31.12.2029	Civil Engineering Assistant	Shift 3	Unit 1	Conversion	Recommended	Recommended
12.	Government of Industrial Training	GR33000045	1. Precision Storage Vessels Pvt. Ltd.,	10.09.2024	09.09.2027	Fitter	Shift 3	Unit 1 & unit 2	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
	Institute, Nagercoil		Kanyakumari, Tamilnadu								
			2. Joe Engineering Works, Konam, Nagercoil, Tamilnadu	10.09.2024	09.09.2027	Welder	Shift 3	Unit 1 & unit 2	Conversion	Recommended	Recommended
13.	TNPL Private Industrial Training Institute, Karur	PU33000619	M/s Tamil Nadu Newsprint and Papers Limited, Kakithapuram, Karur, Tamilnadu	30.05.2024	30.05.2028	Welder	Shift I and Shift 2	Unit 1 and Unit 2	Conversion	Recommended	Recommended
14.	Kalathur V.Subramania Iyer Memorial Trust Industrial Training Institute, Kumbakonam.	PR33000101	M/s. Sundaram Fasteners Ltd, (Autolec Division), Chennai, Tamilnadu	1.8.2025	31.7.2029	Electrician	Shift 1	unit 2	Conversion	Recommended	Recommended
			M/s.Sundaram Fasteners Ltd, (Autolec Division), Chennai, Tamilnadu	30.04.2025	29.04.2029	Fitter	Shift 1	unit 2	Conversion	Recommended	Recommended
15.	Government of	GR33000053	M/s. Ultimate Alloys Pvt.	29.10.2025	28.10.2027	Welder	Shift 3	Unit 1	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
	Industrial Training Institute, Dharapuram		Ltd,Dharapuram, Tamilnadu								
			M/s. Sahai Automation,Coimbatore, Tamilnadu	18.09.2024	17.09.2026	Fitter	Shift 3	Unit 1	Conversion	Recommended	Recommended
			M/s. Priyam Industries and Engineering,Dharapuram,Tamilnadu	18.09.2024	17.09.2026						
			M/s. KSB Ltd, Coimbatore,Tamilnadu	23.05.2025	22.05.2027						
			M/s. The Acetech machinery components India Pvt Ltd.,Coimbatore, Tamilnadu	18.09.2024	17.09.2026						
			M/s. The Acetech machinery components India Pvt	18.09.2024	17.09.2026						

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
			ltd.,coimbatore,Tamilnadu								
			M/s. Sahai Automation,Coimbatore,Tamilnadu	18.09.2024	17.09.2026						
			M/s. Priyam Industries and Engineering,Coimbatore,Tamilnadu	18.09.2024	17.09.2026						
			M/s Ultimate Alloys Pvt Ltd, sultur Coimbatore	29.10.2025	29.10.2027	Welder	Shift 3	Unit 1	Conversion	Recommended	Recommended
			M/s. KSB ltd, Coimbatore, Tamilnadu	23.05.2025	22.05.2027	Turner	Shift 3	Unit 1	Conversion	Recommended	Recommended
			M/s. Myco industry, Coimbatore,Tamilnadu	29.10.2025	28.10.2027						
			M/s. The Acetech machinery components	18.09.2024	17.09.2026						

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
			India Pvt Ltd,Coimbatore, Tamilnadu								
			M/s. KSB ltd Coimbatore, Tamilnadu	23.05.2025	22.05.2027						
			M/s. Ashaapooran High Tech solutions, coimbatore, Tamilnadu	18.09.2024	17.09.2026						
16.	Government of Industrial Training Institute, Vellore	GR33000047	M/s. Globalution Shoes Pvt Ltd, Vellore, Tamilnadu	10.05.2024	09.05.2027	Leather Goods Maker	Shift 3	Unit 1	Conversion	Recommended	Recommended
17.	Government of Industrial Training Institute, Chekkanurani	GR33000097	J.K.FENNER(IN DIA)Ltd,MELAKKAL MAIN ROAD,KOCHADAI,MADURAI -625016	17.08.2023	16.08.2028	Fitter	Shift 3	UNIT 1	Conversion	Recommended	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28 th SCAA
18.	Government Industrial Training Institute, Virudhunagar	GR33000034	VT mills Pvt.Ltd, Virudhunagar, Tamilnadu	29.11.2024	28.11.2026	Fitter	Shift 3	Unit 3	Conversion	Recommended	Recommended
19.	Government of Industrial Training Institute, Dindigul	GR33000061	PSJ Metals, Dindigul, Tamilnadu	12.01.2026	11.01.2031	Fitter	Shift 3	unit 1	Conversion	Recommended	Recommended
20.	Government of Industrial Training Institute, Perambalur	GR33000565	Dhanalakshmi Srinivasan Sugars Pvt. Ltd, Perambalur, Tamilnadu	01.08.2025	31.07.2027	Electrician	Shift 3	Unit 3	Conversion	Recommended	Recommended
21.	Government of Industrial Training Institute	GR33000036	Anwar Motor, Vannarpettai, Tirunelveli, Tamilnadu	10.12.2025	9.12.2030	Mechanic Motor Vehicle	Shift 3	unit 1	Conversion	Recommended	Recommended
			Aathi Cars Pvt. Ltd.	18.12.2025	17.12.2026						

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID (e.g. Shift 1/Shift 2/Shift 3) as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 28th SCAA
	Tirunelveli		Tharapuram, Tirunelveli,Tami Inadu								
			Susee Auto Zone Pvt Ltd. Vannarpettai, Tirunelveli,Tami Inadu	10.12.2025	9.12.2028						

Annexure-V as referred in Agenda 5: De-affiliation of 611 ITIs which are non-operational from 2022 to 2025

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
1	Andhra Pradesh	Chittoor	PR28000403	Sri Narasimha ITC	PVT	All affiliated trade/shift/unit are de-affiliated
2	Andhra Pradesh	Ntr	PR28000025	Sai Ram Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
3	Bihar	Bhojpur	PR10000136	Patil Putra Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
4	Bihar	Gaya	PR10000370	Vivekanand Technical Training College ITC	PVT	All affiliated trade/shift/unit are de-affiliated
5	Bihar	Gaya	PR10001134	Bhabha Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
6	Bihar	Gopalganj	PU10000880	Shiv Shakti Pvt ITI	PVT	All affiliated trade/shift/unit are de-affiliated
7	Bihar	Kaimur (Bhabua)	PR10000616	Gyandeep Private ITI-QCI	PVT	All affiliated trade/shift/unit are de-affiliated
8	Bihar	Kaimur (Bhabua)	PR10001093	Ramgarh Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
9	Bihar	Muzaffarpur	PR10000758	Ambika Bhawani Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
10	Bihar	Nawada	PR10000105	Sidhath ITC, Gauri Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
11	Bihar	Patna	PR10000154	Tathagat Education Mission ITC	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
12	Bihar	Patna	PR10000245	Mamta ITC	PVT	All affiliated trade/shift/unit are de-affiliated
13	Bihar	Patna	PR10000322	Siddharth Institute of Technology ITC	PVT	All affiliated trade/shift/unit are de-affiliated
14	Bihar	Patna	PR10000456	Uma Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
15	Bihar	Patna	PU10001158	AIHE Professional Institute Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
16	Bihar	Purbi Champaran	PR10000541	Dr. S.P. Singh Private ITI,	PVT	All affiliated trade/shift/unit are de-affiliated
17	Bihar	Purnia	PR10000694	Swadeshi Private ITI,	PVT	All affiliated trade/shift/unit are de-affiliated
18	Bihar	Rohtas	PR10000596	New Jai Mata Di Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
19	Chhattisgarh	Durg	PR22000167	Sai Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
20	Chhattisgarh	Durg	PU22000137	Sri Agrasen Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
21	Chhattisgarh	Korba	PU22000184	JIFSA Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
22	Chhattisgarh	Korea	PR22000075	Agrasen ITC Manendragarh	PVT	All affiliated trade/shift/unit are de-affiliated
23	Chhattisgarh	Raipur	PU22000133	NEW MAHARANA KOTA RAIPUR	PVT	All affiliated trade/shift/unit are de-affiliated
24	Chhattisgarh	Raipur	PU22000169	Ansh Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
25	Delhi	Central	PR070000 12	Gouri Food Crafts Institute Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
26	Delhi	North East	PR070000 34	CRPF Campus Wazirabad	PVT	All affiliated trade/shift/unit are de-affiliated
27	Delhi	North East	PU070000 20	St. Johns Industrial Training Centre Thirpur	PVT	All affiliated trade/shift/unit are de-affiliated
28	Delhi	North East	PU070000 50	Nivs Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
29	Delhi	South	PU070000 37	Multipurpose Training Centre for Deaf (ITC)	PVT	All affiliated trade/shift/unit are de-affiliated
30	Delhi	South	PU070000 56	Sri Guru Harkrishan Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
31	Delhi	South	PU070000 57	brilliant private iti	PVT	All affiliated trade/shift/unit are de-affiliated
32	Delhi	South West	PR070000 19	D. N. Lal Sharda Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
33	Delhi	South West	PU070000 22	Anurag Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
34	Gujarat	Amreli	PR240081 72	Shree Vraj Bhagirathi Cheritable Trust Devka ITI	PVT	All affiliated trade/shift/unit are de-affiliated
35	Gujarat	Banas Kantha	GR240081 91	Govt Industrial Training Institute Lakhani	GOVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
36	Gujarat	Gandhinagar	PR240005 92	Late Shri Kacharabhai Chhaganbhai Patel Cheritable Trust Private Iti, Sf Chandrala (Self Finance)	PVT	All affiliated trade/shift/unit are de-affiliated
37	Gujarat	Mahisagar	PR240081 85	Dev Enterprise ITC	PVT	All affiliated trade/shift/unit are de-affiliated
38	Gujarat	Morbi	PU240007 01	Sankat Nivaran Kalabhavan Private Iti, Gia Bharatnagar (Morbi) (Grant In Aid)	PVT	All affiliated trade/shift/unit are de-affiliated
39	Gujarat	Panch Mahals	PR240006 86	Gram Vikas Cheritable Trust Private Iti, Sf Ghoghamba (Self Finance)	PVT	All affiliated trade/shift/unit are de-affiliated
40	Gujarat	Panch Mahals	PR240006 87	Aadivasi Vikas Mandal, Limadiya Private ITI, SF SANTARAMPUR (Self Finance)	PVT	All affiliated trade/shift/unit are de-affiliated
41	Gujarat	Panch Mahals	PR240080 43	Pjspm Private Industrial Training Institute Tuwa	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
42	Gujarat	Patan	GU24000905	R.B.S.P.K.Kotawala Indu. Cum Tech. High School , Gths Patan (Technical)	GOVT	All affiliated trade/shift/unit are de-affiliated
43	Gujarat	Rajkot	GU24000956	Government Technical High School , Gths Dhoraji (Technical)	GOVT	All affiliated trade/shift/unit are de-affiliated
44	Gujarat	Rajkot	PU24000703	Sagramji High School Private Iti, Gia Gondal (Grant In Aid)	PVT	All affiliated trade/shift/unit are de-affiliated
45	Gujarat	Sabar Kantha	PU24008057	Alpha Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
46	Gujarat	Surat	PR24000862	Kaymul Islam Madhesa Sanchalit, Motamia Private ITI, Kaymul Islam Madresa Trust (Self Finance)	PVT	All affiliated trade/shift/unit are de-affiliated
47	Gujarat	Surat	PU24000827	Gia Dumas (Sultanabad) Private ITI, Gia Dumas (Sultanabad) (Grant In Aid)	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
48	Gujarat	Surat	PU24000859	Sf Surat Sunni Vohra Education Society, Sufibag Private ITI, Surat Sunni Vohra Edu. (Self Finance)	PVT	All affiliated trade/shift/unit are de-affiliated
49	Gujarat	Surat	PU24004028	Bhagvan Shree Krishna Trust ,Kamrej (SF)	PVT	All affiliated trade/shift/unit are de-affiliated
50	Gujarat	Surat	PU24008028	Ipec Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
51	Gujarat	Vadodara	PR24000623	M.P.Shah Private ITI, Gia Vaghodiya (Grant In Aid)	PVT	All affiliated trade/shift/unit are de-affiliated
52	Gujarat	Vadodara	PU24000691	The M.E.S. Golden Jubilee Technical Education Institute Private ITI, Sf Muslim Education Soc. (Self	PVT	All affiliated trade/shift/unit are de-affiliated
53	Haryana	Ambala	PR06000266	Haryana Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
54	Haryana	Bhiwani	PR06000247	Shree Shiva Pvt. Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
55	Haryana	Bhiwani	PR06000257	Udan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
56	Haryana	Faridabad	PR06000329	sharda private ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
57	Haryana	Fatehabad	PU060002 54	Swami Vivekanand Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
58	Haryana	Hisar	PR060002 33	Om Institute of Industrial Training	PVT	All affiliated trade/shift/unit are de-affiliated
59	Haryana	Jind	PR060002 02	Cr(Pvt) ITI	PVT	All affiliated trade/shift/unit are de-affiliated
60	Haryana	Karnal	PR060001 27	Golden Valley Pvt. Industrial Training Institute, Vill. Gheer, Karnal	PVT	All affiliated trade/shift/unit are de-affiliated
61	Haryana	Karnal	PR060002 19	Karnal Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
62	Haryana	Karnal	PU060002 59	Vpi Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
63	Haryana	Kurukshetra	PR060001 64	Triveni P Industrial Training Institute, Kurukshetra	PVT	All affiliated trade/shift/unit are de-affiliated
64	Haryana	Kurukshetra	PR060002 03	Dashmesh Pvt. ITI	PVT	All affiliated trade/shift/unit are de-affiliated
65	Haryana	Kurukshetra	PU060002 72	Bharat Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
66	Haryana	Panipat	PR060002 86	Apollo Technical Education Foundation Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
67	Haryana	Panipat	PU060003 19	BBN Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
68	Haryana	Rewari	PR060004 08	Rao Ranjeet Singh Pvt ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
69	Haryana	Sirsa	PU060003 22	AR Memorial Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
70	Haryana	Yamunanagar	PR060001 09	Shivalik Pvt. Industrial Training Institute Panjato, Chhachhrauli, Y.Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
71	Haryana	Yamunanagar	PR060004 07	Kalsia Pvt ITI	PVT	All affiliated trade/shift/unit are de-affiliated
72	Haryana	Yamunanagar	PU060001 07	Mass Infotech Pvt. Industrial Training Institute, Vishnu Nagar, Workshop Road, Jagadhri, Y.Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
73	Haryana	Yamunanagar	PU060001 10	Web Services Education & Welfare Society Pvt. Industrial Training Institute, 14 Bye-pass Chowk, Jag	PVT	All affiliated trade/shift/unit are de-affiliated
74	Himachal Pradesh	Hamirpur	PR020000 68	Private Industrial Training Institute Ukhli	PVT	All affiliated trade/shift/unit are de-affiliated
75	Himachal Pradesh	Hamirpur	PR020002 54	Devasya Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
76	Himachal Pradesh	Kangra	PR020001 04	Rainbow Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
77	Himachal Pradesh	Kangra	PR020001 40	Mata Parvati Pvt. Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
78	Himachal Pradesh	Kangra	PR020002 29	Skills Development Society Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
79	Himachal Pradesh	Shimla	GR020002 78	Govt. Industrial Training Institute, Dodra Kewar	GOVT	All affiliated trade/shift/unit are de-affiliated
80	Himachal Pradesh	Sirmaur	PU020001 10	Pt. Shiva Nand Ramaul Pvt. ITI	PVT	All affiliated trade/shift/unit are de-affiliated
81	Jharkhand	Bokaro	PU200002 19	CMCE Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
82	Jharkhand	East Singhbhum	PR200000 17	Tata Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
83	Jharkhand	East Singhbhum	PR200002 57	MEHER PRIVATE ITI	PVT	All affiliated trade/shift/unit are de-affiliated
84	Jharkhand	Godda	GR200003 09	Govt Women ITI Godda	GOVT	All affiliated trade/shift/unit are de-affiliated
85	Jharkhand	Palamu	PR200000 54	Buddha PVT ITI, AT/PO Singra Khurd, PS Medni Nagar, Dalton Ganj	PVT	All affiliated trade/shift/unit are de-affiliated
86	Jharkhand	Ranchi	PR200000 23	HEC Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
87	Jharkhand	Ranchi	PR200000 46	Beyond Technical Institute Hehal Ratu Road	PVT	All affiliated trade/shift/unit are de-affiliated
88	Jharkhand	Ranchi	PR200002 65	KM INDUSTRIAL TRAINING CENTER PRIVATE ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
89	Jharkhand	West Singhbhum	PR200002 42	JIS ITI- CHAKRADHARPUR	PVT	All affiliated trade/shift/unit are de-affiliated
90	Karnataka	Bagalkote	PR290012 55	Sri Siddeshwara ITI, Bidari	PVT	All affiliated trade/shift/unit are de-affiliated
91	Karnataka	Bagalkote	PU290006 65	Yashas Industrail Training Institute Sasur Compound, Bagalkot	PVT	All affiliated trade/shift/unit are de-affiliated
92	Karnataka	Ballari	PR290005 21	Neelamma Basaveshwara Industrial Training Centre Bellary	PVT	All affiliated trade/shift/unit are de-affiliated
93	Karnataka	Ballari	PR290006 98	Mariswaraiiah Matada Patil I.T.C Huvinahadagali	PVT	All affiliated trade/shift/unit are de-affiliated
94	Karnataka	Ballari	PR290007 75	B M Kumaraswamy ITC, Tekkalakote	PVT	All affiliated trade/shift/unit are de-affiliated
95	Karnataka	Ballari	PR290007 93	T.M. Kotraiah ITC, Holalu	PVT	All affiliated trade/shift/unit are de-affiliated
96	Karnataka	Ballari	PR290009 29	Srikari I.T.C., Ranipet, Hospet, Bellary	PVT	All affiliated trade/shift/unit are de-affiliated
97	Karnataka	Ballari	PR290014 12	Vishwabandhu ITC Holalu	PVT	All affiliated trade/shift/unit are de-affiliated
98	Karnataka	Ballari	PU290007 54	Sri Balaji ITI, Bellary	PVT	All affiliated trade/shift/unit are de-affiliated
99	Karnataka	Ballari	PU290007 94	Rukminamma Memorial ITC Bellary	PVT	All affiliated trade/shift/unit are de-affiliated
100	Karnataka	Ballari	PU290009 19	Sree Hanuman ITI, Bellary	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
101	Karnataka	Ballari	PU290011 26	Sri Lohadri ITI Sandur	PVT	All affiliated trade/shift/unit are de-affiliated
102	Karnataka	Belagavi	PR290005 37	Sri Logic Technologies ITI, Hirebagewadi	PVT	All affiliated trade/shift/unit are de-affiliated
103	Karnataka	Belagavi	PR290006 60	Shubha Industrial Training Institute Saundatti Manavalli	PVT	All affiliated trade/shift/unit are de-affiliated
104	Karnataka	Belagavi	PR290011 12	Vidya Vahini ITI Yaragatti	PVT	All affiliated trade/shift/unit are de-affiliated
105	Karnataka	Belagavi	PR290011 51	Vishwa Chetana ITI Ramadurga	PVT	All affiliated trade/shift/unit are de-affiliated
106	Karnataka	Bengaluru Rural	PR290004 90	Divya Jyothi Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
107	Karnataka	Bengaluru Rural	PR290007 53	JRS ITI Nelamangala	PVT	All affiliated trade/shift/unit are de-affiliated
108	Karnataka	Bengaluru Urban	GU290015 57	National Skill Training Institute-2,Bengaluru	GOVT	All affiliated trade/shift/unit are de-affiliated
109	Karnataka	Bengaluru Urban	PR290004 95	Nethaji Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
110	Karnataka	Bengaluru Urban	PR290009 63	Basaveshwara Industrial Training Thindlu	PVT	All affiliated trade/shift/unit are de-affiliated
111	Karnataka	Bengaluru Urban	PU290001 99	KKMP Industrail Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
112	Karnataka	Bengaluru Urban	PU290004 99	Basaveshwara ITC Magadi Road	PVT	All affiliated trade/shift/unit are de-affiliated
113	Karnataka	Bengaluru Urban	PU290007 38	Vidyashree Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
114	Karnataka	Bidar	PR29000011	Vidyaniketan Rural I.T.I. Manhalli Tq & Dist Bidar.	PVT	All affiliated trade/shift/unit are de-affiliated
115	Karnataka	Bidar	PR29000028	Sir.M.Vishweshwaraiah ITC, Basavkalyan,	PVT	All affiliated trade/shift/unit are de-affiliated
116	Karnataka	Bidar	PR29000031	Adarsha ITC, Basavkalyan,	PVT	All affiliated trade/shift/unit are de-affiliated
117	Karnataka	Bidar	PR29000035	Unique ITC, Basavkalyan,	PVT	All affiliated trade/shift/unit are de-affiliated
118	Karnataka	Bidar	PR29001084	Budda Basava Ambedkar Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
119	Karnataka	Bidar	PR29001375	Gnyana Gangotri Rural Industrial Training Institute Murki	PVT	All affiliated trade/shift/unit are de-affiliated
120	Karnataka	Bidar	PU29000404	Margadarshi ITC, Nawbad,Bidar	PVT	All affiliated trade/shift/unit are de-affiliated
121	Karnataka	Bidar	PU29000405	Zikra Industrail Training Centre Basavakalyana	PVT	All affiliated trade/shift/unit are de-affiliated
122	Karnataka	Bidar	PU29000527	Rajeev Gandhi I.T.I Mangalpet Tq: Dist: Bidar	PVT	All affiliated trade/shift/unit are de-affiliated
123	Karnataka	Bidar	PU29000706	Sir. M. Vishveshwaraiah ITC, Gandhi Gunj	PVT	All affiliated trade/shift/unit are de-affiliated
124	Karnataka	Bidar	PU29000805	Siddarameshwara ITC	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
125	Karnataka	Bidar	PU290009 14	Nizamuddin Pvt. Industrial Training Instituite	PVT	All affiliated trade/shift/unit are de-affiliated
126	Karnataka	Bidar	PU290009 65	Sri Balawanthreddy Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
127	Karnataka	Bijapur	PR290006 91	Sri Basaveshwara Industrial Training Institute Moratagi	PVT	All affiliated trade/shift/unit are de-affiliated
128	Karnataka	Bijapur	PR290010 28	Sri Basveshwar Industrial Training Institute APMC Talikota	PVT	All affiliated trade/shift/unit are de-affiliated
129	Karnataka	Bijapur	PR290011 42	Sri Hayagreeva ITI, Nimbal BK	PVT	All affiliated trade/shift/unit are de-affiliated
130	Karnataka	Bijapur	PR290012 64	Sri Guru Chakravarthi Sadashiv ITI, Kathakanahalli	PVT	All affiliated trade/shift/unit are de-affiliated
131	Karnataka	Bijapur	PR290012 83	Rani Channamma ITI Managuli	PVT	All affiliated trade/shift/unit are de-affiliated
132	Karnataka	Bijapur	PR290012 86	Dr. Simpilinganna ITI Zalaki	PVT	All affiliated trade/shift/unit are de-affiliated
133	Karnataka	Bijapur	PR290012 87	Malakkappa B Biradar Private ITI Chikka Sindagi	PVT	All affiliated trade/shift/unit are de-affiliated
134	Karnataka	Bijapur	PR290013 38	Kedar Private ITI Rampur	PVT	All affiliated trade/shift/unit are de-affiliated
135	Karnataka	Bijapur	PR290013 67	Swami Vivekanand Private ITI Horti	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
136	Karnataka	Bijapur	PR290013 96	Sahara ITI (Name changed from National ITI to Sahara ITI) H hipparagi	PVT	All affiliated trade/shift/unit are de-affiliated
137	Karnataka	Chamarajanagara	PR290006 20	Sri Chayadevi Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
138	Karnataka	Chamarajanagara	PR290007 00	Sri Nanjundeshwara Industrail Training Centre, Kabballi	PVT	All affiliated trade/shift/unit are de-affiliated
139	Karnataka	Chamarajanagara	PR290008 48	Nalanda Pvt ITI Gundlupet	PVT	All affiliated trade/shift/unit are de-affiliated
140	Karnataka	Chamarajanagara	PU290006 75	Chandana ITC	PVT	All affiliated trade/shift/unit are de-affiliated
141	Karnataka	Chikkaballapura	PR290002 78	S.R.S Industrial Training Centre Begepalli Town	PVT	All affiliated trade/shift/unit are de-affiliated
142	Karnataka	Chikkaballapura	PU290010 38	Swamy Vivekananda ITC	PVT	All affiliated trade/shift/unit are de-affiliated
143	Karnataka	Chikkamagaluru	PR290004 51	Sri Lakshmisha I.T.C Devanur	PVT	All affiliated trade/shift/unit are de-affiliated
144	Karnataka	Chikkamagaluru	PR290004 62	S.S.R. Industrail Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
145	Karnataka	Chikkamagaluru	PR290005 82	St. Nobert ITC	PVT	All affiliated trade/shift/unit are de-affiliated
146	Karnataka	Chikkamagaluru	PU290004 50	Sir M. Vishveshwaraih I.T.C Tarikere	PVT	All affiliated trade/shift/unit are de-affiliated
147	Karnataka	Chitradurga	PR290003 94	Sri MallikarjunaI.T.I.	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
148	Karnataka	Chitradurga	PR29001013	Sri Mylaralingeshwara Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
149	Karnataka	Chitradurga	PR29001178	S.S. ITC	PVT	All affiliated trade/shift/unit are de-affiliated
150	Karnataka	Chitradurga	PU29001061	Sri Mathrushree ITC	PVT	All affiliated trade/shift/unit are de-affiliated
151	Karnataka	Davangere	PR29000167	RTPI Pvt. ITI (Shifting from Chamarajapet, Bangalor e-18)	PVT	All affiliated trade/shift/unit are de-affiliated
152	Karnataka	Davangere	PR29000552	K. Saraswathi Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
153	Karnataka	Davangere	PR29000879	Sri Nandhini Industrial Training Centre Alur	PVT	All affiliated trade/shift/unit are de-affiliated
154	Karnataka	Davangere	PR29001127	Sri Mruthyunjaya ITC	PVT	All affiliated trade/shift/unit are de-affiliated
155	Karnataka	Davangere	PR29001260	Sri Basaveshwara Rural ITC	PVT	All affiliated trade/shift/unit are de-affiliated
156	Karnataka	Davangere	PR29001336	Sri Siddeshwara Private ITI,	PVT	All affiliated trade/shift/unit are de-affiliated
157	Karnataka	Davangere	PU29000843	Sri Kaginele Mahasamstana Kanaka Guru Peeta ITC	PVT	All affiliated trade/shift/unit are de-affiliated
158	Karnataka	Davangere	PU29000951	Sri Jagadguru Rural Iti Harapanahalli	PVT	All affiliated trade/shift/unit are de-affiliated
159	Karnataka	Dharwad	PR29000577	Sri Padmavahi ITI Gudageri	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
160	Karnataka	Dharwad	PR29001039	Sanmith ITI Dharwad	PVT	All affiliated trade/shift/unit are de-affiliated
161	Karnataka	Dharwad	PU29000366	ST. Anthony S Industrail Training Institute Vidyanagar, Hubli	PVT	All affiliated trade/shift/unit are de-affiliated
162	Karnataka	Dharwad	PU29000468	Shri Channabasaveshawara ITI Navanagar Hubli	PVT	All affiliated trade/shift/unit are de-affiliated
163	Karnataka	Dharwad	PU29000567	Sri Jagadguru Tontadarya ITI.Annigeri	PVT	All affiliated trade/shift/unit are de-affiliated
164	Karnataka	Dharwad	PU29001323	Guru patil Industrial Training Institute Tarihal Road Gokul Hubli	PVT	All affiliated trade/shift/unit are de-affiliated
165	Karnataka	Gadag	PR29000984	Gadag Rural ITI, Gadag	PVT	All affiliated trade/shift/unit are de-affiliated
166	Karnataka	Gadag	PR29001031	Anjuman Industrial Training Institute Gadag	PVT	All affiliated trade/shift/unit are de-affiliated
167	Karnataka	Gadag	PR29001156	Jnana Gangotri Pvt ITI Bellatti	PVT	All affiliated trade/shift/unit are de-affiliated
168	Karnataka	Hassan	PR29000430	Karthik Industrial Training Centre,	PVT	All affiliated trade/shift/unit are de-affiliated
169	Karnataka	Hassan	PR29000517	Patel National ITC,	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
170	Karnataka	Hassan	PR29000673	Sri Durgaprasanna Industrail Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
171	Karnataka	Hassan	PR29000854	Vinayaka ITC, Beluru	PVT	All affiliated trade/shift/unit are de-affiliated
172	Karnataka	Hassan	PR29000894	Kushal ITI	PVT	All affiliated trade/shift/unit are de-affiliated
173	Karnataka	Hassan	PU29000502	Roopashree ITC	PVT	All affiliated trade/shift/unit are de-affiliated
174	Karnataka	Hassan	PU29000671	Sri Pushpagiri ITI	PVT	All affiliated trade/shift/unit are de-affiliated
175	Karnataka	Hassan	PU29000728	Smt. Sharada ITC, Hassan	PVT	All affiliated trade/shift/unit are de-affiliated
176	Karnataka	Hassan	PU29000978	Gnanadhare ITI	PVT	All affiliated trade/shift/unit are de-affiliated
177	Karnataka	Haveri	PR29000880	Sri Kumareshwara Industrial Training Institute hospet Oni Hanagal	PVT	All affiliated trade/shift/unit are de-affiliated
178	Karnataka	Haveri	PR29001164	Sindagi Shantaaveereshwara ITI Sangur	PVT	All affiliated trade/shift/unit are de-affiliated
179	Karnataka	Haveri	PU29000707	Vivekanand ITI, Haveri	PVT	All affiliated trade/shift/unit are de-affiliated
180	Karnataka	Haveri	PU29000838	Sri Someshwara ITI Haveri	PVT	All affiliated trade/shift/unit are de-affiliated
181	Karnataka	Kalaburagi	PR29000561	Kamalapur Rular Educational Society ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
182	Karnataka	Kalaburagi	PR29000570	Ekantha Ramaya Industrail Training Centre Alanda	PVT	All affiliated trade/shift/unit are de-affiliated
183	Karnataka	Kalaburagi	PR29000631	Sri Siddaramayya Inamdar TI Edrami Sh Jeevag,	PVT	All affiliated trade/shift/unit are de-affiliated
184	Karnataka	Kalaburagi	PR29000686	Shri Siddaramaiah Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
185	Karnataka	Kalaburagi	PR29000899	Sharana Basaveshwara Industrial Training Centre Chittapur Tq	PVT	All affiliated trade/shift/unit are de-affiliated
186	Karnataka	Kalaburagi	PR29000974	Swamy Vivekanda ITC, Chandapura Chincholi	PVT	All affiliated trade/shift/unit are de-affiliated
187	Karnataka	Kalaburagi	PR29001056	Margadarshi Industrial Training Institute, Hiroli	PVT	All affiliated trade/shift/unit are de-affiliated
188	Karnataka	Kalaburagi	PR29001225	Sir M. Vishweshwarayya ITI	PVT	All affiliated trade/shift/unit are de-affiliated
189	Karnataka	Kalaburagi	PR29001230	Gurukal ITI	PVT	All affiliated trade/shift/unit are de-affiliated
190	Karnataka	Kalaburagi	PR29001297	Sri Guru PVT ITI	PVT	All affiliated trade/shift/unit are de-affiliated
191	Karnataka	Kalaburagi	PR29001390	Sri Mailarlingeshwar Private ITI Kalaburagi Road Sedam	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
192	Karnataka	Kalaburagi	PU29000603	National Industrial Training Institute, Kalaburagi	PVT	All affiliated trade/shift/unit are de-affiliated
193	Karnataka	Kalaburagi	PU29000757	Sri Laxmi Venkateshwarra Industrail Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
194	Karnataka	Kalaburagi	PU29000778	Shri Channaveer Shivacharya ITC	PVT	All affiliated trade/shift/unit are de-affiliated
195	Karnataka	Kalaburagi	PU29000934	Hussaini Industrial Training Institute Gulbarga	PVT	All affiliated trade/shift/unit are de-affiliated
196	Karnataka	Kalaburagi	PU29001379	Sri Balaji Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
197	Karnataka	Kalaburagi	PU29001411	S R PATIL PVT ITI KALABURAGI	PVT	All affiliated trade/shift/unit are de-affiliated
198	Karnataka	Kodagu	PR29000396	Kalpaturu Industrial Training Centre Kushal Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
199	Karnataka	Kolar	PU29001226	Deccan ITC	PVT	All affiliated trade/shift/unit are de-affiliated
200	Karnataka	Koppal	PR29000677	Sri Channabasava Rural Iti Gangavathi	PVT	All affiliated trade/shift/unit are de-affiliated
201	Karnataka	Koppal	PR29000719	Sri Gavisiddeshwara Rular Industrial Traiining Institute	PVT	All affiliated trade/shift/unit are de-affiliated
202	Karnataka	Koppal	PU29000781	Gangotri Pvt. ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
203	Karnataka	Koppal	PU290009 99	Ayushya Rural Private ITI Hiresindhogi	PVT	All affiliated trade/shift/unit are de-affiliated
204	Karnataka	Mandya	PR290005 06	BBIT ITI,K R Pete	PVT	All affiliated trade/shift/unit are de-affiliated
205	Karnataka	Mandya	PR290005 08	Vidyodaya Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
206	Karnataka	Mandya	PR290005 55	Swamy Vivekananda Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
207	Karnataka	Mandya	PR290005 62	Jnanodaya Industrail Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
208	Karnataka	Mandya	PR290007 02	Shree Vishweshwaraiah ITC, Kikkeri	PVT	All affiliated trade/shift/unit are de-affiliated
209	Karnataka	Mandya	PR290007 10	Pragathi ITC, Chinakurali	PVT	All affiliated trade/shift/unit are de-affiliated
210	Karnataka	Mandya	PR290009 92	Sri Ram ITC, Keragodu	PVT	All affiliated trade/shift/unit are de-affiliated
211	Karnataka	Mysuru	PR290004 69	Jnanabyaveshwara Industrail Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
212	Karnataka	Mysuru	PR290005 45	B M M Pvt ITI,Bannur	PVT	All affiliated trade/shift/unit are de-affiliated
213	Karnataka	Mysuru	PR290007 35	Sri Manjunatha ITC, K.R Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
214	Karnataka	Mysuru	PR290014 06	Gnana Bharathi ITC, Ilawala	PVT	All affiliated trade/shift/unit are de-affiliated
215	Karnataka	Mysuru	PU290002 36	Vidya Vikas ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
216	Karnataka	Raichur	PR290013 22	Rural Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
217	Karnataka	Raichur	PR290014 21	K.G. Sandeep Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
218	Karnataka	Raichur	PU290002 98	Basaveshwara ITC	PVT	All affiliated trade/shift/unit are de-affiliated
219	Karnataka	Raichur	PU290006 82	Spandana ITI Lingasugur	PVT	All affiliated trade/shift/unit are de-affiliated
220	Karnataka	Raichur	PU290010 86	Sharana Basavaraj Jogindar ITI	PVT	All affiliated trade/shift/unit are de-affiliated
221	Karnataka	Raichur	PU290012 70	Vidyaniketana ITI Maski	PVT	All affiliated trade/shift/unit are de-affiliated
222	Karnataka	Raichur	PU290012 82	Radhakrishna ITI Mudgal	PVT	All affiliated trade/shift/unit are de-affiliated
223	Karnataka	Ramanagara	PR290006 14	Sri S. Kariyappa Industrial Training Centre Seethanoor	PVT	All affiliated trade/shift/unit are de-affiliated
224	Karnataka	Ramanagara	PR290007 65	Vivek ITC	PVT	All affiliated trade/shift/unit are de-affiliated
225	Karnataka	Ramanagara	PR290008 77	Vivekananda Indutraial Training Centre Harohalli	PVT	All affiliated trade/shift/unit are de-affiliated
226	Karnataka	Ramanagara	PU290007 03	Venkateshwara ITC, B.M. Road	PVT	All affiliated trade/shift/unit are de-affiliated
227	Karnataka	Shivamogga	PR290002 38	Vidya Sagar Pvt.ITI (Shifting case Vidya Sagar Tech. Institute, Bangalore)	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
228	Karnataka	Shivamogga	PR290012 28	Sri Vinayaka ITC	PVT	All affiliated trade/shift/unit are de-affiliated
229	Karnataka	Shivamogga	PU290006 87	Sri Rama Industrial Traning Centre Hutta Colony	PVT	All affiliated trade/shift/unit are de-affiliated
230	Karnataka	Tumakuru	PR290005 54	Sir M.V. Vishweswaraiah Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
231	Karnataka	Tumakuru	PR290011 61	Pragathi ITC	PVT	All affiliated trade/shift/unit are de-affiliated
232	Karnataka	Tumakuru	PR290011 89	Rathnapuri ITC	PVT	All affiliated trade/shift/unit are de-affiliated
233	Karnataka	Tumakuru	PR290012 33	SLN ITC	PVT	All affiliated trade/shift/unit are de-affiliated
234	Karnataka	Tumakuru	PU290011 15	Malnad ITC ,	PVT	All affiliated trade/shift/unit are de-affiliated
235	Karnataka	Yadgir	PR290009 53	Manikantha Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
236	Karnataka	Yadgir	PU290006 80	Jnana Ganga Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
237	Kerala	Alappuzha	PR320000 43	Masters Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
238	Kerala	Alappuzha	PR320000 47	Vikram Sarabhai Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
239	Kerala	Alappuzha	PR320000 53	MAR Ivanios College of Technology Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
240	Kerala	Alappuzha	PR320003 60	NSS Karayogam Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
241	Kerala	Alappuzha	PR320004 62	Kavitha Private ITI, ngiarkulangara	PVT	All affiliated trade/shift/unit are de-affiliated
242	Kerala	Ernakulam	PR320003 38	Al-Ameen Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
243	Kerala	Ernakulam	PR320003 40	Sree Narayana Private Industrial Training Institute Perumbavoor	PVT	All affiliated trade/shift/unit are de-affiliated
244	Kerala	Idukki	PR320004 96	TECHNICO PRIVATE INDUSTRIAL TRAINING INSTITUTE	PVT	All affiliated trade/shift/unit are de-affiliated
245	Kerala	Kannur	PR320000 59	Sree Narayana Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
246	Kerala	Kannur	PR320000 65	Jawahar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
247	Kerala	Kannur	PR320005 58	Universal Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
248	Kerala	Kasaragod	PR320003 62	Aliya Technical Institute Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
249	Kerala	Kollam	PR320004 88	Classic Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
250	Kerala	Kollam	PR320005 33	KMJ Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
251	Kerala	Kollam	PR320006 03	Co-operative Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
252	Kerala	Kottayam	PR320000 54	Bright Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
253	Kerala	Kottayam	PR320003 06	Young India Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are de-affiliated
254	Kerala	Kottayam	PU320003 21	S T C Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
255	Kerala	Kozhikode	PR320000 67	Feroke Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
256	Kerala	Kozhikode	PR320000 75	Yatheem Khana Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
257	Kerala	Kozhikode	PR320000 81	Fatima Private Industrial Training Institute for Women	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
258	Kerala	Kozhikode	PR320005 22	Palakkad Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
259	Kerala	Kozhikode	PR320006 10	Excel Institute of Engineering Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
260	Kerala	Malappuram	PR320000 46	SSM Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
261	Kerala	Malappuram	PR320001 65	M.E.S. Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
262	Kerala	Malappuram	PR320004 45	Markaz Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
263	Kerala	Malappuram	PR320005 32	Malabar Private Industrial Training Institute Changaramkulam	PVT	All affiliated trade/shift/unit are de-affiliated
264	Kerala	Thiruvananthapuram	PR320001 87	Viswabharathy Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
265	Kerala	Thiruvananthapuram	PR320002 26	M P Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
266	Kerala	Thiruvananthapuram	PR320004 17	All Saint s Computer Centre Private Industrial Tra	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
267	Kerala	Thiruvananthapuram	PR32000499	Amala Institute of Technology Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
268	Kerala	Thrissur	PR32000555	Royal Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
269	Kerala	Thrissur	PU32000439	Theresian Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
270	Kerala	Thrissur	PU32000621	Brd Institute Of Technology And Management (P)Iti	PVT	All affiliated trade/shift/unit are de-affiliated
271	Madhya Pradesh	Ashoknagar	PR23000974	Bhavishya Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
272	Madhya Pradesh	Balaghat	PR23000309	Gracius Pvt. iTI Balaghat	PVT	All affiliated trade/shift/unit are de-affiliated
273	Madhya Pradesh	Balaghat	PR23000319	SBN Pvt. ITI Balaghat	PVT	All affiliated trade/shift/unit are de-affiliated
274	Madhya Pradesh	Balaghat	PR23000890	Oasis Private ITI Tirodi	PVT	All affiliated trade/shift/unit are de-affiliated
275	Madhya Pradesh	Balaghat	PR23000891	Chittor Singh Chauhan Private Iti Tirodi Balaghat	PVT	All affiliated trade/shift/unit are de-affiliated
276	Madhya Pradesh	Balaghat	PU23000711	Shree Shree Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
277	Madhya Pradesh	Balaghat	PU23001044	Jijamata Private ITI Bhanegaon	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
278	Madhya Pradesh	Betul	PR23000630	Pandit Deendayal (Pvt) I T I	PVT	All affiliated trade/shift/unit are de-affiliated
279	Madhya Pradesh	Betul	PU23000661	S S T C (Pvt) I T I	PVT	All affiliated trade/shift/unit are de-affiliated
280	Madhya Pradesh	Bhind	PU23000717	Shri Banke Bihari Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
281	Madhya Pradesh	Bhopal	GR23000004	Govt Model Industrial Training Institute,Bhopal	GOVT	All affiliated trade/shift/unit are de-affiliated
282	Madhya Pradesh	Bhopal	GR23000263	Gas Relief & Rehabilitation Trg. Institute Bhopal	GOVT	All affiliated trade/shift/unit are de-affiliated
283	Madhya Pradesh	Bhopal	GU23001151	Army ITI 3 Eme Centre Govt ITI	GOVT	All affiliated trade/shift/unit are de-affiliated
284	Madhya Pradesh	Bhopal	PR23000181	Regional Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
285	Madhya Pradesh	Bhopal	PR23000704	Shree Jagannath Pvt. Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
286	Madhya Pradesh	Bhopal	PU23000330	VIP Pvt.ITI,Ratibad,Bhopal	PVT	All affiliated trade/shift/unit are de-affiliated
287	Madhya Pradesh	Bhopal	PU23000597	Mahatma Gandhi Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
288	Madhya Pradesh	Bhopal	PU23001024	Ambica Industrial Training Centre Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
289	Madhya Pradesh	Chhindwara	PR23000153	Vardhaman ITC	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
290	Madhya Pradesh	Chhindwara	PR23000189	New Adarsh Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
291	Madhya Pradesh	Chhindwara	PR23000773	Unnat Iti Harrai	PVT	All affiliated trade/shift/unit are de-affiliated
292	Madhya Pradesh	Chhindwara	PU23000569	Lakshya Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
293	Madhya Pradesh	Damoh	PU23000529	Dr Vijai Lall Memorial Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
294	Madhya Pradesh	Datia	PR23000613	N.S.Memorial Private Iti Institute	PVT	All affiliated trade/shift/unit are de-affiliated
295	Madhya Pradesh	Dewas	PR23000863	Shri Rawatpura Sarkar private iti	PVT	All affiliated trade/shift/unit are de-affiliated
296	Madhya Pradesh	Gwalior	GR23000250	Govt Industrial Training Institute,gwalior	GOVT	All affiliated trade/shift/unit are de-affiliated
297	Madhya Pradesh	Gwalior	PR23000105	T.N Mishra ITC, Village Samudan Near Tekanpur	PVT	All affiliated trade/shift/unit are de-affiliated
298	Madhya Pradesh	Gwalior	PU23000393	Global Tech. Pvt.ITI, Dabra,Distt.Gwalior	PVT	All affiliated trade/shift/unit are de-affiliated
299	Madhya Pradesh	Harda	PU23000551	Harda Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
300	Madhya Pradesh	Indore	GR23000249	Govt Industrial Training Institute,indore	GOVT	All affiliated trade/shift/unit are de-affiliated
301	Madhya Pradesh	Indore	GU23001150	Govt Apang ITI	GOVT	All affiliated trade/shift/unit are de-affiliated
302	Madhya Pradesh	Indore	PR23000609	Minerva Pvt.Iti	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
303	Madhya Pradesh	Indore	PR230009 41	Vivek Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
304	Madhya Pradesh	Indore	PR230011 16	Oriental Pvt ITI	PVT	All affiliated trade/shift/unit are de-affiliated
305	Madhya Pradesh	Indore	PU230006 33	Parshwanath Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
306	Madhya Pradesh	Indore	PU230010 13	Sri Aurobindo Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
307	Madhya Pradesh	Jabalpur	GU230000 76	Govt Model Industrial Training Institute Jabalpur	GOVT	All affiliated trade/shift/unit are de-affiliated
308	Madhya Pradesh	Jabalpur	PR230000 21	N C Jain Memorial ITC	PVT	All affiliated trade/shift/unit are de-affiliated
309	Madhya Pradesh	Jabalpur	PR230001 95	Figurette Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
310	Madhya Pradesh	Jabalpur	PR230002 85	Bhagwan Shankar Private ITI Sagda	PVT	All affiliated trade/shift/unit are de-affiliated
311	Madhya Pradesh	Jabalpur	PR230002 87	Shri Triambakraj Pvt ITI Jabalpur	PVT	All affiliated trade/shift/unit are de-affiliated
312	Madhya Pradesh	Jabalpur	PR230002 90	Nachiketa pvt. ITI , Bhedaghat , Jabalpur	PVT	All affiliated trade/shift/unit are de-affiliated
313	Madhya Pradesh	Jabalpur	PR230007 41	Shri Vinayak Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
314	Madhya Pradesh	Jabalpur	PR230008 22	Gyanodaya Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
315	Madhya Pradesh	Jabalpur	PU230002 88	VCIT Pvt. ITI Jabalpur	PVT	All affiliated trade/shift/unit are de-affiliated
316	Madhya Pradesh	Jabalpur	PU230009 84	New Bhagwan Shankar Private ITI Jabalpur	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
317	Madhya Pradesh	Jabalpur	PU230009 91	Rps Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
318	Madhya Pradesh	Jabalpur	PU230010 41	Jabalpur Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
319	Madhya Pradesh	Jhabua	PR230009 17	aayushman industrial training institute	PVT	All affiliated trade/shift/unit are de-affiliated
320	Madhya Pradesh	Khandwa (East Nimar)	PR230011 33	Shri Vishwakarma Private ITI, MP	PVT	All affiliated trade/shift/unit are de-affiliated
321	Madhya Pradesh	Khandwa (East Nimar)	PU230009 33	BNS Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
322	Madhya Pradesh	Khandwa (East Nimar)	PU230010 11	Dadaji Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
323	Madhya Pradesh	Khargone (West Nimar)	PU230010 05	Omkaleshwar Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
324	Madhya Pradesh	Mandla	PR230009 21	Jabalpur Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
325	Madhya Pradesh	Mandla	PU230003 28	Maa Rewa Pvt. ITI Mandla	PVT	All affiliated trade/shift/unit are de-affiliated
326	Madhya Pradesh	Mandla	PU230010 08	Shri Vidhya Gyan Ganga Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
327	Madhya Pradesh	Mandsaur	PU230005 32	Eklavya Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
328	Madhya Pradesh	Narmadapuram	PR230007 39	Shri Vijaylaxmi Malwa Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
329	Madhya Pradesh	Narmadapuram	PR230007 40	Shri Vijaylaxmi Sohagpur Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
330	Madhya Pradesh	Narsimhapur	PR230006 04	Maruti Nandan Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
331	Madhya Pradesh	Narsimhapur	PR230007 72	Unnat Iti Gotegaon	PVT	All affiliated trade/shift/unit are de-affiliated
332	Madhya Pradesh	Narsimhapur	PR230007 79	Vcit Pvt ITI	PVT	All affiliated trade/shift/unit are de-affiliated
333	Madhya Pradesh	Neemuch	PU230005 48	Gyan Sagar Private I.T.I.	PVT	All affiliated trade/shift/unit are de-affiliated
334	Madhya Pradesh	Raisen	PR230001 73	Shri Vijaylaxmi Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
335	Madhya Pradesh	Raisen	PR230001 80	Amrit Private ITI,	PVT	All affiliated trade/shift/unit are de-affiliated
336	Madhya Pradesh	Raisen	PU230003 48	Accurate Pvt.ITI,Madideep,Distt .Raisen	PVT	All affiliated trade/shift/unit are de-affiliated
337	Madhya Pradesh	Rajgarh	PU230008 75	DEEN BANDHU PRIVATE ITI	PVT	All affiliated trade/shift/unit are de-affiliated
338	Madhya Pradesh	Rewa	GR230002 43	Govt Industrial Training Institute, Rewa	GOVT	All affiliated trade/shift/unit are de-affiliated
339	Madhya Pradesh	Rewa	PR230009 15	S.K.Singh Private ITI Jawa Rewa	PVT	All affiliated trade/shift/unit are de-affiliated
340	Madhya Pradesh	Rewa	PU230007 13	Shrestha Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
341	Madhya Pradesh	Sagar	GR230002 44	Govt ITI Sagar	GOVT	All affiliated trade/shift/unit are de-affiliated
342	Madhya Pradesh	Sagar	PR230005 22	Deep Shikha Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
343	Madhya Pradesh	Sagar	PR23000786	Vigyan Jyoti Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
344	Madhya Pradesh	Sagar	PU23000446	Agrawal Pvt. ITI, Baheriya, Distt.Sagar	PVT	All affiliated trade/shift/unit are de-affiliated
345	Madhya Pradesh	Sagar	PU23000447	Shri Rawatpura Sarkar Pvt. ITI, Baheriya Gadgad, Distt. Sagar	PVT	All affiliated trade/shift/unit are de-affiliated
346	Madhya Pradesh	Sagar	PU23000815	Chetanya Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
347	Madhya Pradesh	Satna	PU23000584	Maa Sharda Nikhil Jyoti Industril Training Center	PVT	All affiliated trade/shift/unit are de-affiliated
348	Madhya Pradesh	Sehore	PR23000851	Vidhya Valley Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
349	Madhya Pradesh	Sehore	PU23000689	Sewa Sankalp Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
350	Madhya Pradesh	Shahdol	PR23000672	Samarth Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
351	Madhya Pradesh	Sidhi	PR23000924	Banbhatt Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
352	Madhya Pradesh	Tikamgarh	PU23000483	Aacharya Pvt Iti	PVT	All affiliated trade/shift/unit are de-affiliated
353	Madhya Pradesh	Tikamgarh	PU23000794	Yugal Sanskriti Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
354	Madhya Pradesh	Ujjain	GR23000245	Govt Industrial Training Institute, Ujjain	GOVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
355	Madhya Pradesh	Ujjain	PU23000816	Mission PVT ITI	PVT	All affiliated trade/shift/unit are de-affiliated
356	Madhya Pradesh	Ujjain	PU23000928	Sun Shine Private ITI Barnagar	PVT	All affiliated trade/shift/unit are de-affiliated
357	Maharashtra	Chandrapur	PR27000702	Anusaya Private Industrial Training Center	PVT	All affiliated trade/shift/unit are de-affiliated
358	Maharashtra	Chandrapur	PR27001060	Manikgarh Private Industrial Training Institute Khamona	PVT	All affiliated trade/shift/unit are de-affiliated
359	Maharashtra	Dharashiv	PR27000745	Pawanraje Nimbalkar Industrial Training Institute, Osmanabad	PVT	All affiliated trade/shift/unit are de-affiliated
360	Maharashtra	Jalgaon	PR27000865	Ushabai Shankar Patil Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
361	Maharashtra	Jalgaon	PR27000881	Khandesh Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
362	Maharashtra	Jalgaon	PR27000966	North Maharashtra Knowledge City Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
363	Maharashtra	Jalgaon	PR27001066	Trimurti Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
364	Maharashtra	Jalna	PR270006 96	Ramchandra Sanskrutik Krida Mandals R.D. Bhakta Private Industrial Training Institute Rewgaon Road,	PVT	All affiliated trade/shift/unit are de-affiliated
365	Maharashtra	Mumbai	PR270006 17	Shree Manav Seva Sangh Sanchalit Smt. Savitriben And Shri. Nenumal Pardasani Private Industrial Trai	PVT	All affiliated trade/shift/unit are de-affiliated
366	Maharashtra	Mumbai Suburban	PR270008 18	Shri Jemi M. Zaveri and Shri Roopchand Bhatia Pvt. ITI	PVT	All affiliated trade/shift/unit are de-affiliated
367	Maharashtra	Nagpur	PR270002 53	Rajeev Gandhi Industrial Training Center, Gandhinagar, Dist-Nagpur	PVT	All affiliated trade/shift/unit are de-affiliated
368	Maharashtra	Nagpur	PR270006 21	Shri Datta Meghe Polytechnic Industrial Training C	PVT	All affiliated trade/shift/unit are de-affiliated
369	Maharashtra	Nagpur	PR270006 78	Shriram Industrial Traning Institute Mouda	PVT	All affiliated trade/shift/unit are de-affiliated
370	Maharashtra	Nagpur	PR270007 62	Vidyanniketan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
371	Maharashtra	Nagpur	PR270007 63	Lat. P.B. Sonekar Industrial Training Institute, Koradi.	PVT	All affiliated trade/shift/unit are de-affiliated
372	Maharashtra	Nagpur	PR270008 28	Radhikatai Pandav Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
373	Maharashtra	Nagpur	PU270008 44	Institute Of Fire Engineers	PVT	All affiliated trade/shift/unit are de-affiliated
374	Maharashtra	Nashik	PR270004 86	Golden Privete Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
375	Maharashtra	Pune	GU270010 09	Government ITI Bombay Engineer Group & Centre, Kirkee	GOVT	All affiliated trade/shift/unit are de-affiliated
376	Maharashtra	Pune	PR270006 14	Sonai Private Industrial Training Instutite	PVT	All affiliated trade/shift/unit are de-affiliated
377	Maharashtra	Pune	PR270006 86	India Sponsorship Committee L & T Public Charitable Trust Sanchalit Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
378	Maharashtra	Ratnagiri	PR270006 60	Pandurang Bhosale Industrial Training Institute (Pvt.) Chafe, Ratnagiri	PVT	All affiliated trade/shift/unit are de-affiliated
379	Maharashtra	Solapur	PR270005 78	Shanti Private Industrial Training Institute Solapur	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
380	Maharashtra	Solapur	PU27001008	Vidya Vikas Pratihthan Polytechnic, Solapur	PVT	All affiliated trade/shift/unit are de-affiliated
381	Maharashtra	Thane	PR27000961	JAI BHAGWAN PRIVATE ITI	PVT	All affiliated trade/shift/unit are de-affiliated
382	Odisha	Bhadrak	PU21000499	Baba Rameswar & Raghunath ITC	PVT	All affiliated trade/shift/unit are de-affiliated
383	Odisha	Cuttack	PU21000315	Police Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
384	Odisha	Ganjam	PR21000190	ITC Jagannath Prasad	PVT	All affiliated trade/shift/unit are de-affiliated
385	Odisha	Jajapur	PR21000239	Baitarani ITC	PVT	All affiliated trade/shift/unit are de-affiliated
386	Odisha	Jajapur	PR21000322	Ashree Aryan Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
387	Odisha	Jajapur	PR21000518	MESCO (MISL) ITC	PVT	All affiliated trade/shift/unit are de-affiliated
388	Odisha	Jajapur	PR21000594	CTTC Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
389	Odisha	Kendrapara	PR21000181	Bagdevi Advance ITC	PVT	All affiliated trade/shift/unit are de-affiliated
390	Odisha	Khordha	PR21000329	Bharat ITC	PVT	All affiliated trade/shift/unit are de-affiliated
391	Odisha	Khordha	PU21000099	CRPF ITC Group centre	PVT	All affiliated trade/shift/unit are de-affiliated
392	Odisha	Khordha	PU21000433	Siridisai Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
393	Odisha	Nabarangpur	PR21000300	Sahid Laxman Nayak	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
394	Puducherry	Pondicherry	PR34000005	Jai Amman Industrial Training Centre, Puducherry	PVT	All affiliated trade/shift/unit are de-affiliated
395	Punjab	Fazilka	PR03000329	Maa Saraswati Institute of Vocational & Peramedical Private ITI,	PVT	All affiliated trade/shift/unit are de-affiliated
396	Punjab	Gurdaspur	PR03000172	Sant Moga Singh Industrail Training Centre Nainkot	PVT	All affiliated trade/shift/unit are de-affiliated
397	Punjab	Hoshiarpur	PR03000173	Kartar Kaur ITI, Near Hajipur Adda	PVT	All affiliated trade/shift/unit are de-affiliated
398	Punjab	Hoshiarpur	PR03000176	Shivalik ITC VPO Ghogra, Tehsil .Dasuya, Hoshiarpur	PVT	All affiliated trade/shift/unit are de-affiliated
399	Punjab	Hoshiarpur	PR03000181	Baba Mahesh Dass ITC	PVT	All affiliated trade/shift/unit are de-affiliated
400	Punjab	Kapurthala	PR03000054	Sri Guru Ravi Dass I.T.I. (W), Hoshiarpur Road, Phagwara	PVT	All affiliated trade/shift/unit are de-affiliated
401	Punjab	Ludhiana	PR03000019	Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
402	Punjab	Mansa	PU03000006	Municipal Committee Indl School for Girls	PVT	All affiliated trade/shift/unit are de-affiliated
403	Punjab	Mansa	PU03000260	V.S.S. ITC	PVT	All affiliated trade/shift/unit are de-affiliated
404	Punjab	Moga	PR03000339	Baba Namdev Pvt. ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
405	Punjab	Patiala	PR03000296	Shri Guru Ram Das Private I.T.I Bakshiwala	PVT	All affiliated trade/shift/unit are de-affiliated
406	Punjab	Patiala	PR03000310	Sri Guru Teg Bahadur Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
407	Punjab	Sri Muktsar Sahib	PR03000143	Akal Kirpa I.T.C Near B.D.P.O Offices Muktsar Road, Malout	PVT	All affiliated trade/shift/unit are de-affiliated
408	Punjab	Sri Muktsar Sahib	PR03000201	Techno Private ITI,	PVT	All affiliated trade/shift/unit are de-affiliated
409	Punjab	Tarn Taran	PR03000134	Bibi Bhani Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
410	Punjab	Tarn Taran	PR03000144	Amar ITC, Near Kahian Wala Chowk Opp. Joshi PCO, Patti	PVT	All affiliated trade/shift/unit are de-affiliated
411	Rajasthan	Baran	PR08001342	G.T. Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
412	Rajasthan	Baran	PU08001557	Hare Krishna Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
413	Rajasthan	Bharatpur	PR08001072	Shri Jee Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are de-affiliated
414	Rajasthan	Chittorgarh	PR08000491	Vedanta Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
415	Rajasthan	Churu	PU08001845	New Dhanwantari Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
416	Rajasthan	Dausa	PR08000614	Kuldeep Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
417	Rajasthan	Dausa	PU08001637	Jai Kalyani Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
418	Rajasthan	Jaipur	PR08001104	Vaishalakshi Private Industrial Training Institute, Plot No. 214, Krishi Nagar Bambla, Sanganer	PVT	All affiliated trade/shift/unit are de-affiliated
419	Rajasthan	Jaipur	PR08001289	Ravi Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
420	Rajasthan	Jaipur	PR08001411	Rajasthan Trade Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
421	Rajasthan	Jaipur	PR08001441	Rahul Chandija Memorial Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
422	Rajasthan	Jaipur	PR08001478	Shri Krishna Gyandeeep Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are de-affiliated
423	Rajasthan	Jaipur	PR08001812	Azad pvt industrial training institute	PVT	All affiliated trade/shift/unit are de-affiliated
424	Rajasthan	Jaipur	PU08001371	Metro Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
425	Rajasthan	Jalore	PU08001850	Ramdev private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
426	Rajasthan	Jhalawar	PR08000189	Genius Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
427	Rajasthan	Jhunjhunu	PR08000065	Maharaja Agrasen Private Industrial Training Institute, Near Bus Stand, Gothara, Khatri nagar	PVT	All affiliated trade/shift/unit are de-affiliated
428	Rajasthan	Jhunjhunu	PR08001053	Tagore Private Industrial Training Institute, Sing	PVT	All affiliated trade/shift/unit are de-affiliated
429	Rajasthan	Jhunjhunu	PR08001134	Y.S. Halwan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
430	Rajasthan	Jhunjhunu	PR08001247	Manimala Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
431	Rajasthan	Kota	PR08000320	Vishvkarma Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
432	Rajasthan	Kota	PR08000521	Astha Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
433	Rajasthan	Kota	PR08001014	Vaibhav Shree Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
434	Rajasthan	Kota	PU080003 24	Aryan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
435	Rajasthan	Kota	PU080005 85	Shiv Sai Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
436	Rajasthan	Nagaur	PR080012 98	JMK Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
437	Rajasthan	Sawai Madhopur	PR080004 02	Indian Institute of Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
438	Rajasthan	Sikar	PR080002 55	Shri Vinayak Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
439	Rajasthan	Sikar	PR080008 35	B.R. Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are de-affiliated
440	Rajasthan	Sikar	PR080013 25	Varda Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
441	Rajasthan	Sikar	PR080013 85	New Arawali Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
442	Rajasthan	Sikar	PU080018 28	Dhanwantari Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
443	Rajasthan	Sikar	PU080018 35	Konark Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
444	Rajasthan	Tonk	PR080003 45	Sevanand Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
445	Rajasthan	Tonk	PR08000880	J.I.T.S. Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
446	Rajasthan	Tonk	PR08001361	Rise Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
447	Tamil Nadu	Ariyalur	PR33000486	Bharath Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
448	Tamil Nadu	Ariyalur	PR33000550	Aringnar Anna Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
449	Tamil Nadu	Ariyalur	PU33000578	C M K Private Industrial Training Institute, Jayankondam	PVT	All affiliated trade/shift/unit are de-affiliated
450	Tamil Nadu	Chennai	PR33000165	Jivana Jyothi Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
451	Tamil Nadu	Cuddalore	PR33000281	St Thomas Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
452	Tamil Nadu	Cuddalore	PR33000497	K M P Trust Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
453	Tamil Nadu	Dharmapuri	PR33000179	Sri Malleswaran Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
454	Tamil Nadu	Dindigul	PR33000336	Raja Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
455	Tamil Nadu	Dindigul	PR33000462	Sri Karpaga Vinayaga Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
456	Tamil Nadu	Dindigul	PR33000646	Sri Balamurugan ITI	PVT	All affiliated trade/shift/unit are de-affiliated
457	Tamil Nadu	Erode	PR33000130	Andavar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
458	Tamil Nadu	Erode	PR33000357	Bharathiyar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
459	Tamil Nadu	Kanniyakumari	PR33000154	Matha Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
460	Tamil Nadu	Madurai	PR33000184	Lamk Natarajan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
461	Tamil Nadu	Madurai	PR33000278	Uypa Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
462	Tamil Nadu	Mayiladuthurai	PR33000395	National Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
463	Tamil Nadu	Namakkal	PR33000237	Pgp Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
464	Tamil Nadu	Pudukkottai	PR33000111	M R Arunachalam Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
465	Tamil Nadu	Pudukkottai	PR330003 48	Regional Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
466	Tamil Nadu	Ranipet	PR330005 80	Tamilnadu Private Tech Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
467	Tamil Nadu	Salem	PR330001 68	Sri Subrayar Pillai Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
468	Tamil Nadu	Salem	PR330005 17	Kalki Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
469	Tamil Nadu	Sivaganga	PR330000 98	Al Ameen Buhari Alim Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
470	Tamil Nadu	Sivaganga	PR330003 91	Sri Vari Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
471	Tamil Nadu	Thanjavur	PR330002 69	Arvind Private Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
472	Tamil Nadu	Thanjavur	PR330003 93	Mangalam Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
473	Tamil Nadu	Thanjavur	PR330005 94	Thondaiman Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
474	Tamil Nadu	Theni	PR330004 29	Cardamon Planters Union Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
475	Tamil Nadu	Theni	PR330005 99	Ponmalar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
476	Tamil Nadu	Thiruvallur	GR330005 43	Government Basic Training Centre, Ambattur	GOVT	All affiliated trade/shift/unit are de-affiliated
477	Tamil Nadu	Thiruvallur	PR330002 93	Madras Vocational Private Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
478	Tamil Nadu	Tiruchirappalli	PR330004 70	Sri Rajiv Gandhi Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
479	Tamil Nadu	Tiruchirappalli	PR330005 61	Shri Duraisamy Memorial Private Industrial Training Institute, Srirangam Perugamoni	PVT	All affiliated trade/shift/unit are de-affiliated
480	Tamil Nadu	Tiruchirappalli	PR330005 75	G K M Private Industrial Training Institute Thuvankurichy	PVT	All affiliated trade/shift/unit are de-affiliated
481	Tamil Nadu	Tirunelveli	PR330003 05	Fancy Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
482	Tamil Nadu	Tirunelveli	PR330005 20	Jeyanthinathar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
483	Tamil Nadu	Tirunelveli	PR330005 71	Agess Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
484	Tamil Nadu	Virudhunagar	PR330001 97	Arulmigu Kalasalingam Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
485	Tamil Nadu	Virudhunagar	PR330003 40	Sri Jayavilas Subburaj Memorial Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
486	Tamil Nadu	Virudhunagar	PR330003 41	Srinivasa Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
487	Tamil Nadu	Virudhunagar	PR330003 86	Vivekananadha Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
488	Telangana	Hyderabad	PU360001 86	Training Centre for the Adult Deaf Govt. Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
489	Telangana	Khammam	PU360000 81	Al-Sana Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
490	Telangana	Ranga Reddy	PU360000 90	Kiran Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
491	Telangana	Ranga Reddy	PU36000118	Dr. Ambedkar Centenary Private Industrial Training Institute. Shrarlingampally.Ranga Reddy Dist.	PVT	All affiliated trade/shift/unit are de-affiliated
492	Telangana	Yadadri Bhuvanagiri	PR36000100	Jawaharlal Nehru Industrial Training Centre	PVT	All affiliated trade/shift/unit are de-affiliated
493	Uttar Pradesh	Agra	PR09001346	Raghu Ram College ITC - Agra	PVT	All affiliated trade/shift/unit are de-affiliated
494	Uttar Pradesh	Azamgarh	PR09000734	Narayan Private ITC - Azamgarh	PVT	All affiliated trade/shift/unit are de-affiliated
495	Uttar Pradesh	Azamgarh	PR09001176	Lalti Educational Institute of Technology - Azamgarh	PVT	All affiliated trade/shift/unit are de-affiliated
496	Uttar Pradesh	Azamgarh	PR09001375	Kalika Smarak Private ITC - Azamgarh	PVT	All affiliated trade/shift/unit are de-affiliated
497	Uttar Pradesh	Azamgarh	PU09001656	Iqra Public Private ITC Gulami Ka Pura Sadar Azamgarh - Azamgarh	PVT	All affiliated trade/shift/unit are de-affiliated
498	Uttar Pradesh	Basti	PR09000469	Indian Pvt. ITC - Basti	PVT	All affiliated trade/shift/unit are de-affiliated
499	Uttar Pradesh	Budaun	GU09901089	Government Industrial Training Institute, Anola Road Salarpur Badaun-243601	GOVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
500	Uttar Pradesh	Bulandshahr	PR090008 12	Sagar Industrial Training Institute Bulandshahr - Bulandshahr	PVT	All affiliated trade/shift/unit are de-affiliated
501	Uttar Pradesh	Ghaziabad	PR090001 78	United Technical Institute - Ghaziabad	PVT	All affiliated trade/shift/unit are de-affiliated
502	Uttar Pradesh	Ghaziabad	PR090010 93	Ganga Dhara ITC - Ghaziabad	PVT	All affiliated trade/shift/unit are de-affiliated
503	Uttar Pradesh	Ghaziabad	PR090016 81	Abhudaya Private ITI, - Ghaziabad	PVT	All affiliated trade/shift/unit are de-affiliated
504	Uttar Pradesh	Ghazipur	PU090016 42	Adarsh Private ITC - Ghazipur	PVT	All affiliated trade/shift/unit are de-affiliated
505	Uttar Pradesh	Gorakhpur	PU099002 60	SBGM Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
506	Uttar Pradesh	Jaunpur	PR090005 86	Indrapati Industrial Training Centre - Jaunpur	PVT	All affiliated trade/shift/unit are de-affiliated
507	Uttar Pradesh	Kanpur Nagar	PR090008 10	Tomorrow Industrial Training Centre - Kanpur Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
508	Uttar Pradesh	Kanpur Nagar	PR090010 64	Kanpur Private ITC - Kanpur Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
509	Uttar Pradesh	Kanpur Nagar	PR090015 31	AFWWA ITI - Kanpur Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
510	Uttar Pradesh	Lalitpur	PU090017 88	Vardhman Private ITI , Shanti Nagar, Sagar Road, Lalitpur	PVT	All affiliated trade/shift/unit are de-affiliated
511	Uttar Pradesh	Mathura	PR090002 28	Chameli Devi ITC,Bandi	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
512	Uttar Pradesh	Mathura	PR090003 29	Chandanvan Private ITI - Mathura	PVT	All affiliated trade/shift/unit are de-affiliated
513	Uttar Pradesh	Mathura	PR090013 70	R.B.S. Private ITI - Mathura	PVT	All affiliated trade/shift/unit are de-affiliated
514	Uttar Pradesh	Mathura	PR090018 21	Raman Lal Brijbasi Academy For Fire & Disaster Management Private ITI , Mathura	PVT	All affiliated trade/shift/unit are de-affiliated
515	Uttar Pradesh	Mathura	PR099004 34	Eshan Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
516	Uttar Pradesh	Mathura	PR099004 49	Nirpat Singh Sikarwar Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
517	Uttar Pradesh	Mathura	PR099007 12	Shyama Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
518	Uttar Pradesh	Mathura	PR099008 38	G D Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
519	Uttar Pradesh	Mathura	PR099010 37	Mange Singh Nambardar Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
520	Uttar Pradesh	Mirzapur	PR090014 15	Kalawati Singh Private ITC - Mirzapur	PVT	All affiliated trade/shift/unit are de-affiliated
521	Uttar Pradesh	Muzaffarnagar	PR090015 37	Pratibha Computer Centre - Muzaffar Nagar	PVT	All affiliated trade/shift/unit are de-affiliated
522	Uttar Pradesh	Prayagraj	PR090003 39	Shivalik Private ITC - Allahabad	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
523	Uttar Pradesh	Prayagraj	PR090016 71	A. B. M. Private ITC - Allahabad	PVT	All affiliated trade/shift/unit are de-affiliated
524	Uttar Pradesh	Saharanpur	PR090006 71	Om Santosh Private ITI - Saharanpur	PVT	All affiliated trade/shift/unit are de-affiliated
525	Uttar Pradesh	Saharanpur	PR090011 33	Mother Teresa ITC - Saharanpur	PVT	All affiliated trade/shift/unit are de-affiliated
526	Uttar Pradesh	Saharanpur	PR090014 33	Swami Vivekanand Private ITC - Saharanpur	PVT	All affiliated trade/shift/unit are de-affiliated
527	Uttar Pradesh	Saharanpur	PR090015 23	Ramaiya Industrial Training Centre, Chhutmalpur - Saharanpur	PVT	All affiliated trade/shift/unit are de-affiliated
528	Uttar Pradesh	Saharanpur	PR090015 26	Satya ITC - Saharanpur	PVT	All affiliated trade/shift/unit are de-affiliated
529	Uttar Pradesh	Saharanpur	PR090018 12	Om Santosh Paramedical Private ITI , Daldpura, Nak	PVT	All affiliated trade/shift/unit are de-affiliated
530	Uttar Pradesh	Saharanpur	PR090018 22	D.A.V Paramedical Private ITI Jharauli, Saharanpur	PVT	All affiliated trade/shift/unit are de-affiliated
531	Uttar Pradesh	Saharanpur	PR090020 18	Pargati Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
532	Uttar Pradesh	Saharanpur	PR099003 45	Rajendra Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
533	Uttar Pradesh	Siddharthnagar	GR099010 47	Government Industrial Training Institute, Dumariyaganj Siddharth Nagar 272207	GOVT	All affiliated trade/shift/unit are de-affiliated
534	Uttar Pradesh	Varanasi	PR090012 70	R.M.S. ITC - Varanasi	PVT	All affiliated trade/shift/unit are de-affiliated
535	Uttar Pradesh	Varanasi	PR090020 00	Microtek School Of Engineering Pvt. Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
536	Uttar Pradesh	Varanasi	PR099007 47	Kalawati Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are de-affiliated
537	Uttarakhand	Chamoli	PR050001 26	Ferromet Private Iti	PVT	All affiliated trade/shift/unit are de-affiliated
538	Uttarakhand	Haridwar	PU050001 40	Gyan Jyoti Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
539	Uttarakhand	Nainital	PR050000 32	CEPA Private ITI, Halduchaur	PVT	All affiliated trade/shift/unit are de-affiliated
540	Uttarakhand	Nainital	PU050000 03	Uttarakhand Private ITI, Ramnagar	PVT	All affiliated trade/shift/unit are de-affiliated
541	Uttarakhand	Nainital	PU050000 20	Capt. P.D. Mishra Private ITI, Ramnagar	PVT	All affiliated trade/shift/unit are de-affiliated
542	West Bengal	Paschim Medinipur	PR190001 83	Institute of Science and Technology Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
543	West Bengal	Paschim Medinipur	PR190002 15	Green Field Agrotech Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
544	West Bengal	Purba Bardhaman	PU19000073	A. B. Technical Private ITI	PVT	All affiliated trade/shift/unit are de-affiliated
545	Rajasthan	Ajmer	PU08001381	Jan Shikshan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
546	Rajasthan	Ajmer	PU08001393	Shri Subhash Memorial Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
547	Rajasthan	Ajmer	PU08001714	Gurukul Pvt. ITI	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
548	Rajasthan	Alwar	PR08000439	Shri Agrasen Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
549	Rajasthan	Alwar	PU08001617	Atal Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
550	Rajasthan	Banswara	PR08001770	Saraswati Vidhya Mandir Private ITI	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
						Aff011/1/2026-O/o DIR (TC) (E-76588))
551	Rajasthan	Baran	PR080004 93	Preet Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
552	Rajasthan	Baran	PR080011 75	Eminent Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
553	Rajasthan	Baran	PR080013 57	Shri Shyam Private Industrial Training Institute, Devari	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
554	Rajasthan	Baran	PU080016 45	Maa Vaishnavi Pvt. Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
555	Rajasthan	Bharatpur	PR080000 71	Vasundra Private Industrial Training Institute, Jagan Colony, Jatmase Road, Roopbase	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
556	Rajasthan	Bhilwara	PR08001439	Krishna Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
557	Rajasthan	Bhilwara	PU08001425	Shri Neelkamal Private Industrial Training Institu	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
558	Rajasthan	Bhilwara	PU08001628	Dr. R.L. Jat Private Industrial Training Institute,Gangapur(Bhilwara)	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
559	Rajasthan	Chittorgarh	PR08000871	Shri Radha Kripa Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
560	Rajasthan	Chittorgarh	PU08001673	Sarvodya Pvt. Iti	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
561	Rajasthan	Churu	PR08000474	Choudhary Ishar Ram Jakhar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
562	Rajasthan	Churu	PR08001794	Marudhar Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
563	Rajasthan	Dausa	PR08000074	Indian Institute of Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
564	Rajasthan	Dausa	PR08000075	Indian Private Industrial Training Institute, Gupteashwar Road,	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
565	Rajasthan	Dausa	PR08000147	Shiv Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
566	Rajasthan	Dungarpur	PR08001214	Pyar Chand Nagda Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
567	Rajasthan	Ganganagar	PR08000187	Atul Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
568	Rajasthan	Hanumangarh	PR08000156	Vivekanand Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
569	Rajasthan	Hanumangarh	PR08000162	Bhadu Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
570	Rajasthan	Hanumangarh	PR08001118	Vivekanand Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
571	Rajasthan	Jaipur	PR08000048	Prateek Private Industrial Training Institute, Near Suraj Kund, Chaksu	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
572	Rajasthan	Jaipur	PR08000288	Shivalok Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
573	Rajasthan	Jaipur	PR08000586	Vidyagram Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
574	Rajasthan	Jaipur	PR080008 57	Shri Ramdev Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
575	Rajasthan	Jaipur	PR080008 67	Vishvakarma Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
576	Rajasthan	Jaipur	PR080008 72	Netaji Subhash Chander Bosh Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
577	Rajasthan	Jaipur	PR080008 88	Shree Ram Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
578	Rajasthan	Jaipur	PR080009 17	Vikas Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
579	Rajasthan	Jaipur	PR080009 66	Shri Ramananda Charaya Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
580	Rajasthan	Jaipur	PR080010 49	Arihant Private Industrial Training Institute Tonk Road	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
581	Rajasthan	Jaipur	PR080010 76	Bhartiya Navjeevan Private Industrial Training Institute,218, Ganesh Nagar-16, Siwar Mod, Bindayaka	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
582	Rajasthan	Jaipur	PR080013 96	Jyotiba Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
583	Rajasthan	Jaipur	PU080002 85	Ganpati Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
584	Rajasthan	Jaipur	PU080015 96	S.P.D.M. Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
585	Rajasthan	Jhalawar	PR080006 84	Sardar Patel Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
586	Rajasthan	Jhalawar	PR08000709	Rathorji Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
587	Rajasthan	Jhunjhunu	PR08000354	Umrao Singh Arya Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
588	Rajasthan	Jhunjhunu	PR08001281	Seth Motilal Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
589	Rajasthan	Jhunjhunu	PR08001329	SDS Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
590	Rajasthan	Jodhpur	PR08000196	G.S. Jangid Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
591	Rajasthan	Jodhpur	PR08000569	Noble Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
592	Rajasthan	Jodhpur	PU08000589	Shubhdeep Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
593	Rajasthan	Karauli	PR08000704	Bhagwati Devi Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
594	Rajasthan	Karauli	PR08000828	Adrash Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
595	Rajasthan	Kota	PR08000528	Gurukul Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
596	Rajasthan	Kota	PR08001273	Maharana Pratap Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
597	Rajasthan	Nagaur	PR08000245	P.R.G. Memorial Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
598	Rajasthan	Nagaur	PR080003 37	Shiv Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
599	Rajasthan	Nagaur	PR080007 69	Subh Gaurav Private Industrial Training Institute,	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
600	Rajasthan	Nagaur	PR080007 80	Bapuji Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
601	Rajasthan	Nagaur	PR080009 63	G D Somani Polytechnic Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
602	Rajasthan	Pali	PU080017 32	Balaji Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
603	Rajasthan	Rajsamand	PR080016 35	Ishwar Pvt Iti Bhim	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
604	Rajasthan	Sikar	PR080003 95	Satyam Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
605	Rajasthan	Sikar	PR080008 06	Shri Rupana Dham Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
606	Rajasthan	Sikar	PR080008 76	Sumitra Memorial Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
607	Rajasthan	Sikar	PR080012 36	S.V.P. Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
608	Rajasthan	Sikar	PU080002 47	Rajasthan Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
609	Rajasthan	Sikar	PU080007 94	Surabhi Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Sr. No	State Name	District Name	ITI MIS Code	ITI Name	ITI Category	Remark
610	Rajasthan	Tonk	PR080006 25	Shiv Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))
611	Rajasthan	Tonk	PR080006 73	Saahil Private Industrial Training Institute	PVT	All affiliated trade/shift/unit are already de-affiliated vide order dated 16.04.2026(DGT-Aff011/1/2026-O/o DIR (TC) (E-76588))

Annexure-VI as referred in Agenda 6: Consideration of Grievances Received Against De-affiliation of Non-Operational Units and Verification through Joint Inspection

S.no	ITI Code	Name of the Complainant	State	Background of the matter	TC Remarks	SCAA Recommendation
1	PR10000383	Smt. Daulati Devi Bindeshwar Ray ITC	Bihar	<p>Around 4.5 lacks seats were de-affiliated vide 17.01.2025 due to units are non-operational from 2018 to 2023. Electrician-S1/U2 has been de-affiliated with respect PR10000383. After de-affiliation, affected ITIs are provided opportunity to raise grievance within 60 days from date of de-affiliation. In this connection, ITI has raised a grievance mentioning that they had admission in 2019 and same was put up in GRC. As per GRC MoM dated 05.08.2025 and the committee has decided to conduct a joint inspection of the ITI to verify availability of infrastructure as per norms as abovementioned unit is non-operational in other</p>	<p>Based on GRC remarks, RDSDE-Bihar has conducted joint inspection and forwarded the report through e-file. As per inspection report, joint inspection committee has recommended two units of Electrician. But, this joint inspection was carried out based on GRC MoM dated 05.08.2025 which is to verify the infrastructure of Electrician- Shift1/Unit2 and same may be put up for the consideration of SCAA.</p>	<p>Committee members decided to exempt Electrician – Shift 1/Unit 2 from de-affiliation based on the report of the Joint Inspection Committee.</p>

S.no	ITI Code	Name of the Complainant	State	Background of the matter	TC Remarks	SCAA Recommendation
				sessions from 2018 to 2023.		
2	GR19000057	Government Industrial Training Institute Hooghly	West Bengal	Around 4.5 lacks seats were de-affiliated vide 17.01.2025 due to units are non-operational from 2018 to 2023. Wood Works Technician [Carpenter]-Shift2/Unit1 & Lab Asst (CP)-Shift2/Unit1 have been de-affiliated with respect GR19000057. After de-affiliation, affected ITIs are provided opportunity to raise grievance within 60 days from date of de-affiliation. In this connection, ITI has raised a grievance mentioning that they had admission in 2019 and same was put up in GRC. As per GRC MoM dated 05.08.2025, the committee has decided to conduct a joint inspection of the ITI to verify availability of infrastructure as per	Joint inspection has been conducted and SSDEC recommended Wood works Technician [Carpenter]-Shift2/Unit1 & Laboratory Assistant (CP) -Shift2/Unit1.	Based on SSDEC recommendations, the Committee members decided to exempt Wood works Technician [Carpenter]-Shift2/Unit1 & Laboratory Assistant (CP) -Shift2/Unit1 from de-affiliation based on the report of the Joint Inspection Committee.

S.no	ITI Code	Name of the Complainant	State	Background of the matter	TC Remarks	SCAA Recommendation
				norms as abovementioned unit is non-operational in other sessions from 2018 to 2023.		
3	GR19000030	Government ITI Berhampore	West Bengal	Around 4.5 lacks seats were de-affiliated vide 17.01.2025 due to units are non-operational from 2018 to 2023. Wood works Technician [Carpenter]-Shift2/Unit1 & Electronic Mechanic-Shift2/Unit1 have been de-affiliated with respect GR19000030. After de-affiliation, affected ITIs are provided opportunity to raise grievance within 60 days from date of de-affiliation. In this connection, ITI has raised a grievance mentioning that they had admission in 2019 and same was put up in GRC. As per GRC MoM dated 05.08.2025, the committee has decided to conduct a joint	Joint inspection has been conducted and SSDEC recommended Wood works Technician [Carpenter]-Shift2/Unit1 & Electronic Mechanic-Shift2/Unit1 .	Based on SSDEC recommendations, the Committee members decided to exempt Wood Works Technician [Carpenter]-Shift2/Unit1 & Electronic Mechanic-Shift2/Unit1 from de-affiliation based on the report of the Joint Inspection Committee.

S.no	ITI Code	Name of the Complainant	State	Background of the matter	TC Remarks	SCAA Recommendation
				inspection of the ITI to verify availability of infrastructure as per norms as abovementioned unit is non-operational in other sessions from 2018 to 2023.		
4.	GU06000402	Govt. aided Deaf and Dumb ITI	Haryana	<p>Around 4.5 lakh seats were de-affiliated vide 17.01.2025 due to units are non-operational from 2018 to 2023. Fitter - Shift2/Unit1</p> <p>Welder - Shift2/Unit1 have been de-affiliated with respect GU06000402. After de-affiliation, affected ITIs are provided opportunity to raise grievance within 60 days from date of de-affiliation. In this connection, ITI has</p>	RDSDE, NCR has submitted letter dated 27.04.2026 received from ITI for the postponement of joint inspection for two months.	Committee members decided to grant a relaxation of two months, and the RDSDE shall conduct the joint inspection after two months from the date of issue of the Minutes of Meeting (MoM).

S.no	ITI Code	Name of the Complainant	State	Background of the matter	TC Remarks	SCAA Recommendation
				<p>raised a grievance mentioning that they had admission in 2019 and same was put up in GRC. As per GRC MoM dated 05.08.2025, the committee has decided to conduct a joint inspection of the ITI to verify availability of infrastructure as per norms as abovementioned unit is non-operational in other sessions from 2018 to 2023.</p>		
