

Kaushal Bhawan

New Delhi- 110023

Date: 22.07.2026

1. The State Directors

Andhra Pradesh, Assam, Bihar, Delhi, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Meghalaya, Odisha, Punjab, Rajasthan, Tamil Nadu Telangana, Uttarakhand, Uttar Pradesh and West Bengal

2. The Regional Directors, RDSDEs

Andhra Pradesh, Assam, Bihar, Delhi, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Odisha, Punjab, Rajasthan, Tamil Nadu Telangana, Uttarakhand, Uttar Pradesh and West Bengal

Subject: Minutes of the 32nd Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 02.07.2026& 03.07.2026 - regarding.

Madam/Sir,

Please find enclosed herewith a copy of approved Minutes of the 32nd Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” held on 02.07.2026 and 03.07.2026. Any grievances regarding the decisions outlined in these Minutes may be raised through the portal within 30 days from the date of issue of this Minutes of the Meeting. Grievances submitted after the prescribed period will not be considered.

2. Seat matrix generation for the session 2026–27 for affiliated trades shall be carried out purely based on the mapping of instructors available on the NIMS Portal.

3. This issues with the approval of Competent Authority.

Yours faithfully,

KETANKUMAR Date: 2026.07.22

PRAVINBHAI PATEL 12:01:33 +05'30'

(Ketan Patel/ केतन पटेल)

Director - TC/ निदेशक – टीसी

Copy for information to:

1. Sr PPS to DG(T)/SS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
3. DGT MIS Portal in charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

DGT-Aff011(51)/1/2025-O/o DIR (TC)
Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय
Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023/ कौशल भवन, न्यू मोती बाग, चाणक्यपुरी, नई दिल्ली- 110023

Minutes of 32nd Meeting of “Standing Committee on Accreditation and Affiliation held on 02.07.2026 and 03.07.2026

The 32nd Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on 02.07.2026 and 03.07.2026 through VC. During the meeting, the committee discussed matters related to the affiliation and de-affiliation of ITIs. The list of participants who attended the meeting is attached at ***Annexure-1***.

2. At the outset, Shri Sunil Kumar Gupta, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ketan Patel, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below: -.

Agenda 1: Action taken report of 31st SCAA meeting held on 18.06.2026 and 19.06.2026

The Minutes of the 31st SCAA meeting held on 18.06.2026 and 19.06.2026 have been issued and shared with all concerned stakeholders for necessary action and compliance.

The SCAA Committee is apprised of the same.

Agenda 2: 53 New Accreditation/ Affiliation Proposals for Existing and New ITIs from 14 States.

Inspection reports of 53 New / existing ITIs have been received on NIMI portal for opening of New ITIs/ addition of trade & units' from 22.04.2026 to 30.06.2026. State-wise number is given below:

Table 1: State-wise number of inspection reports received from 22.04.2026 to 30.06.2026

Sr. No	State	Existing		Existing Total	New	New Total	Grand Total
		Govt	Private		Private		
1.	Andhra Pradesh	0	1	1	1	1	2
2.	Bihar	0	8	8	3	3	11
3.	Delhi	0	1	1	0	0	1
4.	Haryana	0	2	2	2	2	4
5.	Himachal Pradesh	0	1	1	0	0	1
6.	Karnataka	3	0	3	0	0	3
7.	Madhya Pradesh	0	1	1	0	0	1
8.	Maharashtra	6	2	8	2	2	10
9.	Meghalaya	0	1	1	0	0	1
10.	Odisha	0	1	1	1	1	2
11.	Rajasthan	0	0	0	1	1	1
12.	Tamil Nadu	0	2	2	0	0	2
13.	Uttar Pradesh	0	4	4	9	9	13
14.	West Bengal	1	0	1	0	0	1
Grand Total		10	24	34	19	19	53

Remarks of 32nd SCAA- The SCAA examined all the accreditation and affiliation proposals. The remarks of the SCAA are provided in **Annexure-2**.

Agenda 3: Compliance report and reply against the Show Cause Notice from previous SCAA meetings.

In the previous meetings of the SCAA, deficiencies were noticed in certain cases, and the institutes were given an opportunity to submit compliance reports for the same. Further, in cases where Show Cause Notices (SCN) were issued, the institutes were also given an opportunity to submit their replies. The compliance reports received, and the replies to the SCN were placed before the SCAA for deliberation.

Remarks of 32nd SCAA: Discussion on the compliance reports and replies submitted by the institutes against the Show Cause Notices issued during previous SCAA meetings was carried out. The SCAA examined the reports, and its remarks are given in **Annexure-3**.

Table 2: The State-wise number of Compliance case received

Sr. No	State Name	No. of Cases
1.	Andhra Pradesh	2
2.	Arunachal Pradesh	3
3.	Assam	1
4.	Bihar	19
5.	Chhattisgarh	4
6.	Gujarat	8
7.	Jharkhand	3
8.	Karnataka	2
9.	Kerala	2
10.	Maharashtra	12
11.	Odisha	1
12.	Telangana	2
13.	Uttar Pradesh	23
Total		82

Agenda 4: Affiliation proposals received from State Skill Developments and Entrepreneurship Committees (SSDEC) of various States

Affiliation proposals received through the SSDEC meetings from the States of Gujarat, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Telangana, Uttar Pradesh, Uttarakhand have been examined. These proposals were discussed and deliberated with the respective State Directorates and RDSDEs, as per the details provided below:

4.1. SSDEC Gujarat- Conversion of CTS units under Dual System of Training (DST) units

The SSDEC Gujarat has submitted a proposal for the conversion of existing CTS units into DST mode in 128 ITIs.

Remarks of 32nd SCAA - The proposal was discussed with the State Directorate and the RDSDE. The observations and recommendations of the 32nd SCAA are placed at **Annexure-4**.

4.2. SSDEC Jharkhand- Affiliation of 3rd Shift under DST mode

The SSDEC Jharkhand vide its 5th SSDEC meeting dated 06.02.2026 has sent proposal for affiliation new units for 2 ITIs under DST.

Remarks of 32nd SCAA- The proposal was discussed with the State Directorate and the RDSDE and the remarks of SCAA are given below:

Sr. No	Name and Address of ITI	MIS Code	Name of the Industry and Complete address of industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift ID	Unit ID (e.g. Unit)	Conversion /Seeking Affiliation for a New Unit	Recommendations of SSDEC	32 nd SCAA Remark
1.	Industrial Training Institute, Chandil, Village-Gangudih P.O. -Chandil Jharkhand - 832401	PR2000 0358	Tata Motors Ltd. Telco, Jamshedpur, Dist-East Singhbhum. Jharkhand	21.04.2023	20.04.2027 (will be renewed further)	Tool & Die Maker,	Shift 3	Unit 2	New Unit	Recommended	Recommended
						Adv. CNC Machining	Shift 3	Unit 2	New Unit	Recommended	Recommended
						Mechanic Electric Vehicle	Shift 3	Unit 2	New Unit	Recommended	Recommended
						Fitter	Shift 3	Unit 2	New Unit	Recommended	Recommended
						Machinist	Shift 3	Unit 2	New Unit	Recommended	Recommended
						Welder	Shift 3	Unit 2	New Unit	Recommended	Recommended

Sr. No	Name and Address of ITI	MIS Code	Name of the Industry and Complete address of industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift ID	Unit ID (e.g. Unit)	Conversion /Seeking Affiliation for a New Unit	Recommendations of SSDEC	32 nd SCAA Remark
2.	TSSDS Pvt IT] Tamar Vill-Salgadih, Po-Tamar, Dist- Ranchi- 835225	PR2000 0182	Tata Motors Ltd, Near Telco Colony, Jamshedpur, Hans Stoehr Road, Telco, Jamshedpur- 831004	07.05.2024	07.05.2028	Electrician	Shift-3	Unit-3	New Unit	Recommended	Recommended
						Fitter	Shift-3	Unit-3	New Unit	Recommended	Recommended
						Turner	Shift-3	Unit 2	New Unit	Recommended	Recommended
						Welder	Shift-3	Unit 2	New Unit	Recommended	Recommended

4.3. SSDEC Karnataka- Proposal for Restart of Discontinued Trades/Units and Reaffiliation in Shifting Case

SSDEC Karnataka in its, 4th SSDEC meeting held on 02.09.2025, recommended the following proposals

(1) Permission to restart trades/units that have remained discontinued for two consecutive years in the following three ITIs:

- Sri Gavisiddeshwara Rural ITI (PR29000719)
- Sri Jagadguru Tontadarya ITI (PU29000567)
- Don Bosco ITI, Market Road, Bidar (PU29001393)

(2) Reaffiliation of Globe ITC, Obalappa Garden, Bangalore (PR29000195) in a shifting case.

Remarks of the 32nd SCAA:

The SCAA deliberated on the matter and decided that all these aforesaid ITIs may apply through new affiliation portal as per new affiliation Norms.

4.4. SSDEC Kerala – Proposal for SCVT to NCVET Conversion of Trade Units

The SSDEC Kerala, vide its 4th SSDEC meeting, submitted a proposal for the conversion of SCVT trade units to NCVET in 14 Government ITIs.

Remarks of the 32nd SCAA:

The SCAA observed that some of the institutes are new ITIs that have never been affiliated under NCVET. Accordingly, these institutes are required to satisfy the minimum four-trade criterion applicable to new ITIs and submit their applications through the Affiliation Portal as new ITIs. The remaining cases pertain to the conversion of certain trade units from SCVT to NCVET in already affiliated ITIs. The SCAA recommended these proposals. The case-wise remarks of the 32nd SCAA are placed at **Annexure-5**.

4.5. SSDEC Madhya Pradesh

4.5.1. SCVT to NCVET Conversion Proposal: SSDEC Madhya Pradesh vide its 12th SSDEC meeting dated 05.03.2026 has sent the proposal for SCVT to NCVT Conversion.

Remarks of 32nd SCAA- The proposal was discussed with the State Directorate and the RDSDE and the remarks of SCAA are given at **Annexure-6**

4.5.2 Dual System of Training (DST) Proposals

The SSDEC Madhya Pradesh, vide Letter No. 2816 dated 24.06.2026, submitted a proposal requesting correction in the number of DST units reflected in the affiliation orders issued by DGT vide Letter No. DGT-Aff011(51)/4/2025-O/o DIR (TC) (E-75283) dated 11.03.2026, in pursuance of the decisions of the 26th SCAA meetings held on 15.01.2026 and 20.01.2026, for 08 Private ITIs under the DST.

The State has informed that, while submitting the DST application forms, the total number of units was inadvertently entered in place of the Unit ID in the "Number of Units" field. Consequently, the affiliation orders reflected an incorrect number of DST units. The State has, therefore, requested DGT to revise the affiliation orders to reflect the correct number of DST units.

Remarks of the 32nd SCAA:

The SCAA deliberated on the proposal and observed that the request pertains only to correction of the number of DST units in the affiliation orders issued by DGT based on the information already submitted by State. Therefore, SCAA recommends the correction of the affiliation orders issued by the DGT vide letter No. DGT-Aff011(51)/4/2025-O/o DIR (TC) (E-75283) dated 11.03.2026 to reflect the correct number of DST units as given at **Annexure-7**.

4.5.3 Correction of DST Units in Deen Dayal Industrial Training Center Udyanmita Vi, Satna Madhya Pradesh (PR23000094)-

The DST MOU submitted in 2025 by Deen Dayal Industrial Training Center, Satna for the Electrician and Fitter trades was inadvertently assessed by the State Committee, which recommended affiliation for one Additional unit (01) in the third shift for each trade instead of the two units (02) proposed in the MOU. Accordingly, vide DGT, New Delhi Order dated 11.03.2026, affiliation was granted for one unit in the third shift of the Electrician trade and one unit in the third shift of the Fitter trade.

The State informed that, as per the DST MOU submitted by the institution, two units (02) in the third shift for both the Electrician and Fitter trades are valid. Accordingly, the Committee revised its earlier recommendation and recommended that affiliation be granted for two units in the third shift of both trades, in accordance with the applicable Norms and guidelines.

Remarks of 32nd SCAA-

The SCAA discussed the matter and recommended granting one Additional unit in the 3rd shift of the Electrician and Fitter trades. Since one unit in the 3rd shift had already been granted, the total affiliation shall be two (02) units in the 3rd shift for each trade.

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Conversion/ New Unit	32nd SCAA Remarks
1.	Deen Dayal Industrial Training Centre Udyanmita Vi, Udyamita Vhidyapeeth,	Royal Cars Private Limited Near 4th Km Mile Stone Satna Panna Road Amoudha 485001	31/05/2024	30/05/2029	Electrician	3 rd Shift	1	New Unit	Recommended

D.R.I., Satna, 485331		31/05/2024	30/05/2029	Fitter	3 rd Shift	1	New Unit	Recommended
Madhya Pradesh								
PR23000094								

4.6. DST Affiliation matter Maharashtra-

The State Directorate Maharashtra has sent DST Proposal for conversion of 97 ITIs (33 Govt ITIs and 64 Private ITIs)

Remarks of 32nd SCAA- The SCAA deliberated on the proposal and remarks of SCAA are given at **Annexure-8**.

4.7. SSDEC Punjab

SSDEC Punjab vide its 6th SSDEC meeting sent DST Proposals for 57 ITIs.

Remarks of 32nd SCAA- The SCAA deliberated on the proposal and remarks of SCAA are given at **Annexure-9**.

4.8. SSDEC Rajasthan-SCVT to NCVET Conversion of trade units

SSDEC Rajasthan vide its 11th SSDEC dated 10.06.2026 meeting sent SCVT to NCVT Conversion Proposals for 08 ITIs.

Remarks of 32nd SCAA- Recommended

The proposal has been discussed and the remarks of SCAA are given in **Annexure-10**.

4.9. SSDEC Telangana

4.9.1 Affiliation under DST mode

SSDEC Telangana vide its 10th SSDEC dated.22.05.2026 meeting sent proposals for Grant of Affiliation under DST mode.

Remarks of 32nd SCAA-The proposal has been discussed and the remarks of SCAA are given in **Annexure-11**.

4.9.2 Grant of Regular Affiliation to 40 Government ITIs of Telangana under the TATA Technologies Project for New Age courses

Brief Facts

The matter pertains to the affiliation of 40 Government ITIs of Telangana State for conducting six new-age trades under the TATA Technologies Project. These ITIs were granted in-principle affiliation approval for a period of one year vide DGT letter dated 15.07.2025 to facilitate admissions for the academic session 2025-26, subject to completion of infrastructure and submission of a joint inspection report through SSDEC Telangana. SSDEC Telangana vide its 10th meeting has now submitted the recommendations for grant of regular affiliation in respect of the aforesaid 40 Government ITIs based on joint inspections conducted by representatives of the State Directorate and RDSDE.

The proposals relating to 39 ITIs have been found in order. However, in respect of Government QQ ITI, Santoshnagar the State Directorate has informed that the required machinery and equipment are not yet available. Consequently, the State has proposed substitution of the institute with Govt. ITI, Punjaguda (New ITI). However, scrutiny of records indicates that Govt. ITI, Punjaguda (New ITI) was not granted in-principle affiliation approval by DGT its earlier order 15.07.2025.

32nd SCAA remarks:

Since recommendations of SSDEC, Telangana have been received and the concerned institutes were earlier granted in-principle affiliation approval by DGT, regular affiliation orders in respect of the 39 Government ITIs/trades found in order have been issued vide DGT DGT-Aff011(51)/1/2025-O/o DIR (TC) dated 22.06.2026 and placed for ratification of SCAA.

SCAA ratified the same. List of ITIs are placed at ***Annexure-12***.

The proposal relating to Govt. ITI, Punjaguda (New ITI) has been deferred and the State Directorate are advised to apply on portal and process the case in accordance with the Affiliation Norms, 2025 through the affiliation portal.

4.10. SSDEC Uttar Pradesh- Affilaition Matter of Govt ITIs under TATA project

POOJA VERMA
DGT New Delhi
22.07.2026 11:56

KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
22.07.2026 11:58

4.10.1 Grant of NCVT Affiliation to the Remaining Trades in 126 Government ITIs Established under the Tata Technologies Ltd. Project

Background

The SSDEC Uttar Pradesh had proposed grant of NCVET affiliation to the remaining trades in 126 Government ITIs established under the Tata Technologies Ltd. project. However, vide DGT letter dated 31.07.2024, affiliation to the following four trades could not be granted as the respective curricula had not been notified by NCVET/DGT at that time:

1. Plumber (revision required)
2. Additive Manufacturing Technician (3D Printing)
3. Industrial Internet of Things (IIoT) Technician
4. Mechanic Motor Vehicle (revision required)

Subsequently, the required curricula have been notified and are now available. Accordingly, the now SSDEC Uttar Pradesh as recommended the grant of NCVET affiliation to the above four trades in the concerned 126 Government ITIs

Remarks of 32nd SCAA

The SCAA recommended that the State Directorate and the concerned RDSDE shall follow the prescribed affiliation process by submitting the application through the DGT Affiliation Portal, carrying out the Desktop Assessment, and conducting the Joint Inspection. The proposal for grant of affiliation shall be considered by the SCAA only after completion of the prescribed process and receipt of the Joint Inspection Report.

4.10.2 Grant of Affiliation to 07 Trades (14 Units) of Government ITI, Dumariyaganj, Siddharthnagar under the Tata Technologies Ltd. Project.

Background

Government ITI, Dumariyaganj, Siddharthnagar was earlier considered for grant of affiliation under the Tata Technologies Ltd. Project. However, vide DGT Letter No. DGT-Aff011/5/2024-O/o DIR(TC) dated 31.07.2024, affiliation to 07 trades (14 units) could not be granted as the institute was not considered due to a low grading reflected in the NCVT MIS Portal, which resulted from an incorrect MIS Code provided by the State Directorate. Subsequently, the State Directorate clarified that the correct MIS Code of the institute is

GR09001120, carrying a grading of 7.8, and requested that the proposal for grant of affiliation be considered accordingly. Government Industrial Training Institute, Dumariyaganj, Siddharthnagar (**GR09001120**)

Remarks of 32nd SCAA-SCAA has recommended the Government ITI, Dumariyaganj, Siddharthnagar for 07 trades comprising 14 units. Trade details are given below:

1. Basic Designer and Virtual Verifier (Mechanical)-2 (1+1)
2. Industrial Robotics and Digital Manufacturing Technician-2 (1+1)
3. Manufacturing Process Control and Automation-2 (1+1)
4. Advance CNC Machining-2 (1+1) (name of the trade has been revised CNC Machining Technician)
5. Mechanic Electric Vehicle-2 (1+1)
6. Artisan Using Advance Tool-2 (1+1) (name of the trade has been revised as Engineering Design Technician)
7. Plumber-2 (1+1)

4.11. SSDEC Uttarakhand-DST affiliation Matter

SSDEC Uttarakhand send the proposal for conversion of trade/units under DST mode for 31 Govt ITIs.

Remarks of 32nd SCAA: The DST conversion proposal was discussed with State and RDSDE. The SCAA recommended the conversion and remarks of SCAA are given in **Annexure-13**.

Agenda 5: De-affiliation Matters

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	32 nd SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Maa Shithala Pvt. ITI MIS Code – (PR23000585)	Electrician-4(2+2)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has been shifted to another place without approval. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA	The matter was discussed in the SCAA meeting and based on the recommendations of SSDEC, the SCAA decided as the deficiencies have been rectified by the ITI, therefore the complaint against the ITI may be closed.

			decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 05.03.2025 various following deficiencies were observed: - ITI name not mentioned in the rent agreement. - BCC is not available. Fire safety certificate not available. - Electricity Bill available but consumed less number of Unit. - Dead Stock Register available but not maintained properly. - Raw Materials Register available but bills are not proper. - Only appointment letters available. But qualification and experience are not as per norms - Staff attendance – Physical attendance available - Student Attendance – Physical attendance available but not proper. - Students records are not as per norms. - Machinery installed but not as per revised syllabus. Machinery is not procured as per revised syllabus. Machinery in working condition. But not available as per revised syllabus	Additionally, the State Directorate vide email dated 06.07.2026 also confirmed that the ITI is running as per SIDH portal address and location.

			k) Teachers records – Lesson Plan and Demo Plan available, but incomplete l) IT Lab – Only 3 systems in working condition. ED lab – drawing boards not available. 5. The SCN was issued to the ITI on dated 01.05.2025 by RDSDE. 6. Thereafter, joint verification dated 10.06.2025 was conducted of the ITI and during inspection some following deficiencies were again observed: a) BCC is issued by Sh. Snajay Verma (Structural Engineer. authorized by Nagar Nigam Gwalior). Fire audit report is issued by the Fire Engineer Govt. Authorized, Nagar Palika Nigam , Gwalior. Both documents are not issued by the competent authority. In fire audit report document date of issuance is 29.04.2025 while the date of site is mentioned as 29.04.2026 (ie-future date). b) Tools and Equipment are used rusted and dusted. Drilling Machine and Grinder are not installed on foundation. Few tools and equipment are not as per specification and few are not available. c) Internet connectivity is not available in the IT lab. 7. The matter was discussed in 11th SSDEC dated 15.09.2025 in which SSDEC directed to verify the deficiency at the earliest.	

			8. Thereafter vide letter dated 18.09.2025 the nodal principal submitted the report that the above deficiencies have been removed by the ITI. 9. The matter was revisited in the 12th SSDEC meeting held on 05.03.2026, in which SSDEC decided that the deficiencies have been rectified by the ITI, therefore it is recommended that the complaint against the ITI may be closed .	

2. Matter of Aditya Raj Pvt. ITI (PU23000491) of Madhya Pradesh State in compliance with the Hon'ble Court judgement dated 24.04.2026 passed in “WRIT PETITION No. 12423 of 2026 ADITYARAJ PRIVATE I.T.I. THROUGH ITS DIRECTOR Versus THE UNION OF INDIA AND OTHERS 16166/202” at Madhya Pradesh High Court-Gwalior bench-reg

Brief of the matter :

(1). The de-affiliation proceedings were initiated on the basis of a complaint received against the petitioner institute. Accordingly, a Show-Cause Notice was issued on 08.04.2021. Upon consideration of the reply submitted by the petitioner, a joint inspection was conducted on 13.03.2025. However, the petitioner subsequently disputed the findings of the said inspection.

(2). Thereafter, a fresh joint inspection was conducted on 11.09.2025, wherein it was observed that the petitioner had shifted the institute to a different location without obtaining the requisite approval/affiliation from DGT. The inspection team also reported various infrastructural deficiencies. Based on the findings of the inspection, the 11th State Skill Development and Entrepreneurship Committee (SSDEC), in its meeting held on 15.09.2025, recommended de-affiliation of the institute.

(3). The matter was thereafter placed before the 26th Standing Committee on Accreditation and Affiliation (SCAA). While considering the recommendation of the 11th SSDEC and the findings of the inspection report, the SCAA afforded the petitioner a final opportunity to submit its representation regarding the unauthorized shifting of the institute and the deficiencies observed during the inspection before any final decision on de-affiliation was taken.

(4). That the Hon'ble High Court vide its judgement dated 24.04.2026 disposed of the petition 12423/2026 inter alia, directed the respondent DGT to decide the matter. The relevant paragraphs of the judgment are reproduced below for ready reference:

"Having heard learned counsel for the parties and considering the limited nature of the relief sought by the petitioner, this Court is of the view that the ends of justice would be met if the petitioner is afforded an opportunity to respond to the alleged deficiencies. Accordingly, without expressing any opinion on the merits of the case, the present petition is disposed of with a direction to the respondent authorities to communicate to the petitioner the deficiencies, if any, forming the basis of the impugned recommendation within a period of two weeks from the date of receipt of a certified copy of this order. Upon such communication, the petitioner shall be at liberty to submit its reply/explanation within such time as may be granted by the authorities. The respondent authorities shall thereafter consider the reply so submitted by the petitioner and take an appropriate decision in accordance with law, after affording an opportunity of hearing to the petitioner."

(5) Another writ petition, being W.P. No. 40562/2025 titled Aditya Raj Private ITI v. Union of India & Ors., has also been filed before the Hon'ble High Court of Madhya Pradesh, Gwalior Bench. In the said petition, the petitioner has sought a direction to the respondents to pass a formal order on its application for change of address of the Industrial Training Institute, which was originally submitted in the year 2016 before the Quality Council of India (QCI) vide Application No. A16003825. The matter is presently pending adjudication before the Hon'ble Court. The petitioner has been granted liberty to file a rejoinder to the reply submitted by the respondents.

(6). In compliance with the judgment dated 24.04.2026 passed by the Hon'ble Court, a copy of the inspection report was shared with the petitioner institute on 07.05.2026. In response, the petitioner submitted its representations vide emails dated 29.05.2026 and 15.06.2026. The brief deficiencies observed during the inspection dated 11.09.2025 and the additional observations made by the 26th SCAA, along with the reply submitted by the ITI and the scrutiny undertaken by the DGT, are tabulated below:

S.No	Remarks of 26 th SCAA and petitioner's reply	Remarks from DGT
1	Shifting its institute to another unaffiliated location without following the norms Petitioner's submission:	The petitioner failed to furnish any reply or explanation regarding the issue of shifting the institute to a new location without obtaining the requisite prior approval from the competent authority. The petitioner has admittedly shifted the institute to another location without obtaining an affiliation order permitting such shifting. The petitioner has sought to justify its action by contending that its

S.No	Remarks of 26 th SCAA and petitioner's reply	Remarks from DGT
	The ITI was originally established at <i>Bajranggarh Bypass Road, Guna</i>. Due to issues with the rented premises, the institute shifted to a self-owned building in 2016. An application no. A16003925 for shifting was submitted to QCI in 2016 along with the prescribed fee. The new address was updated on the NCVT MIS portal in 2019. The institute submitted that an inspection regarding the shifted premises was conducted in 2021 and the affiliation was subsequently restored. Therefore, the ITI claimed that no deficiency exists regarding the change of address.	application for shifting, submitted before the Quality Council of India (QCI) in the year 2016, is still pending for consideration. The said contention is wholly misconceived and factually incorrect. It is submitted that the Quality Council of India (QCI) was entrusted by the DGT with the responsibility of carrying out accreditation of Government and Private Industrial Training Institutes (ITIs) for a period of four years with effect from 01.09.2012. The Memorandum of Agreement (MoA) executed between DGT and QCI expired on 31.08.2016. Upon expiry of the MoA, QCI reported that 1,259 applications/proposals were pending for accreditation/further processing for affiliation. Out of these, 371 applications, including that of the petitioner, were found unfit for review/re-visit as the petitioner itself had refused inspection, as recorded in QCI's letter dated 10.10.2017. It is further submitted that, in order to resolve all pending accreditation and affiliation matters processed by QCI and to ensure zero pendency, DGT constituted an Appellate Committee vide Order dated 01.04.2018. The petitioner was required to approach the said Appellate Committee for consideration of its pending case. However, despite being afforded such an opportunity, the petitioner failed to avail the appellate mechanism and did not file any application or appeal before the Committee. In view of the above facts, the petitioner's assertion that its shifting application bearing No. A16003925, submitted in the year 2016, is still pending is entirely false and devoid of merit. Accordingly, the said contention deserves to be rejected. The petitioner's further contention that the new address was uploaded on the NCVT/SIDH portal and that DGT failed to issue the affiliation order is equally baseless. It is submitted that the address reflected on the portal

S.No	Remarks of 26 th SCAA and petitioner's reply	Remarks from DGT
		is updated only after issuance of a valid affiliation order. The portal does not generate or confer affiliation merely because an address is entered or reflected therein. Therefore, the petitioner's contention is factually incorrect and hereby rejected. It is further submitted that, after QCI ceased to function as the accrediting agency, DGT developed the NIMI portal in the year 2019 for inviting applications relating to affiliation, including applications for shifting of institutes. Since 2019, the portal has been opened periodically every year to facilitate submission of fresh applications. Despite having repeated opportunities, the petitioner failed to submit any fresh application for shifting through the NIMI portal. After a lapse of nearly seven years, the petitioner is now seeking recognition and continuation of affiliation at the new premises. Having failed to avail the statutory mechanism available from 2019 onwards despite repeated opportunities, the petitioner cannot now claim any prejudice or seek equitable relief. It is submitted that the existence of any dispute between the parties does not confer upon the petitioner any legal right to shift the institute to a new location without obtaining the mandatory approval prescribed under the Affiliation Norms. In view of above, it is established that the petitioner has shifted and running the institute without any affiliation which is a clear violation of the Affiliation norms 2018 clause 3.5.
2.	Various Infrastructural deficiencies observed at new place such as machinery, ITI records etc.	The petitioner cannot be permitted to operate the institute at its own convenience without complying with the prescribed procedure for shifting and obtaining the requisite approval and affiliation from the competent authority.

S.No	Remarks of 26 th SCAA and petitioner's reply	Remarks from DGT
	Petitioner's submission: The building completion certificate, layout plan, Electricity bills, Dead Stock register, Raw Material Consumption Register, student records etc. all deficiencies observed during inspection has been complied.	Further, the petitioner's unauthorized operation from the shifted premises poses a serious safety concern for the trainees who have been admitted and are either undergoing or are about to undergo training at the institute. Compliance with the prescribed affiliation and shifting norms is intended, inter alia, to ensure that the infrastructure and safety requirements of the institute are duly verified before trainees are permitted to receive training at the premises. Building Completion Certificate is in the name of the person which is not as per norms (as refereed in page 108 of the norms 2018). The attached layout plan is not signed which is not as per norms.

32nd SCAA Remarks : The matter was discussed in the SCAA meeting and based of the above facts and the submissions made by the ITI in its reply/representation, the SCAA decided that the petitioner institute is hereby de-affiliated with effect from the Academic Session 2026–27 in respect of all trades and units. Accordingly, the institute shall not be permitted to admit any trainees from the Academic Session 2026–27 onwards.

However, the ITI may apply a fresh application for affiliation in accordance with the Affiliation Norms, 2025, subject to fulfilment of all applicable eligibility conditions and procedural requirements.

List of Participants

The following DGT Officers were present during the meeting:

1. Sh. Sunil Kumar Gupta, Deputy Director General
2. Sh. Ketan Patel, Director, TC, DGT – Member
3. Sh. Satish Kumar, Joint Director, TC Section, DGT
4. Sh. Shramev Sharma, Deputy Director, TC Section, DGT
5. Sh. Rajesh Kumar, Deputy Director, TC-Section, DGT
6. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
7. Ms. Kanika Kalhan, Training Officer, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Shri V Babu, Regional Director, Ms. D. Shanthi, Joint Director	Shri. R Venkata Ramana, Joint Director
2.	Arunachal Pradesh	Shri. Rohan Patel, Deputy Director	Shri Sibbo Passing, Director, SDE
3.	Assam	Shri. Rohan Patel, Deputy Director	Smti. Aibhee Lata Boro, Deputy Director, DECT Assam
4.	Bihar	Shri RC Mandal, Joint Director Shri Abhishek Kumar, Deputy Director	Shri Rakesh Ranjan, Joint Director
5.	Chhattisgarh	Smt D. Subhashree, Regional Director	Ms. Meena Ganvir, Joint Director
6.	Gujarat	Smt. P. H. Ravat, Assistant Director of Training	Mrs. Shilpa Parmar, Assistant Director
7.	Haryana	Shri Anil Goel, Deputy Director	Shri Yashpal Assistant Director
8.	Himachal Pradesh	Shri Kartar Singh, Deputy Director	Shri Sanjiv Sahotra, Deputy Director
9.	Jharkhand	Shri B K Dubey Regional Director,	Ms Anju Aggarwal, Deputy Director

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
10.	Karnataka	Shri Piyush Ramteke, Assistant Director	Shri Chidananda, Director and Shri Umesh Deputy Director
11.	Kerala	Shri.Yuvaraj C, Regional Director	Shri Vasudevan P, Additional Director
12.	Maharashtra	Shri CM Diggiwadi, Assistant Director	Shri Prashant Dongre, Assistant Director
13.	Madhya Pradesh	Shri Sumant Kumar, Deputy Director	Shri D.S Thakur Joint Director Shri R K Austin, Deputy Director
14.	Meghalaya	Shri. Rohan Patel, Deputy Director	Shri H.R. Massar, Inspector of Training, DECT
15.	Odisha	Shri. Sanket Vasant Shinde, Assistant Director	Shri BC Sahoo
16.	Punjab	Shri. Vishal Arora, Regional Director	Shri Paramjit Singh, Assistant Director
17.	Rajasthan	Shri RC Meena, Regional Director	Shri Shalender Verma, Assistant Director
18.	Tamil Nadu	Shri PM Damodharam, Deputy Director	Shri Jaya Kumar, Deputy Director
19.	Telangana	Shri Ravi Chilukoti, Regional Director	Shri Nagesh, Joint Director
20.	Uttar Pradesh	Shri Avinash Kumar, Director Shri Amit Kumar Yadav, Deputy Director	Shri Rajender Prasad, Director, Shri Yoginder Singh, Joint Director Shri Ranjit Rao, Assistant Director
21.	Uttarakhand	Shri Aryan Jhangra, Deputy Director	Shri Pankaj Kumar, Joint Director
22.	West Bengal	Shri Abhishek Anand, Deputy Director	Shri Shankha Mishra, Deputy Director Shri Prasanjeet Bose, Assistant Director

Annexure-2 as referred in Agenda 2: 53 New Accreditation/ Affiliation proposals for Existing and New ITIs from 14 States

Name of the State: Andhra Pradesh

Sr. No	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Vijay Private ITI Garipeta Bus Stand, Dorathota, Visakhapatnam – 531163 PR28000468 Grading: 6.4	1. Mechanic Diesel - 4(2+2) 2. Refrigeration and Air Conditioning Technician- 2(1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Electronics Mechanic - 2(1+1)	1. BCC, does not specify name of ITI, floor-wise built-up area, structural stability and approved by non-competent authority with the proposal plan of RCC House 2. The building proposal plan has not yet been approved by a qualified architect. 3. There is a shortage of one classroom and one lab each for the Mechanic Diesel and Fitter trades, as required under the prescribed Norms. 4. Although an electricity connection is available, the institute has only a 2.5 kVA power backup, which is inadequate to support the operation of the running trades during power outages.	1. The Fire NOC has expired on 30.08.2025 and requires renewal. 2. Machinery purchase bills have been produced; however, proof of payment supporting the purchases was Not made available for verification. 3. The Dead Stock Register is available; however, no entries/transactions have been recorded. 4. Tools and equipment are Not available in sufficient quantity as prescribed under the	ITI needs to remove the deficiencies mentioned in column IV & V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			5. Basic amenities are inadequate. The institute does Not have sufficient toilet facilities as per NBC Norms, the existing toilets are Not hygienically maintained, floor-wise drinking water facilities are unavailable, there is No lift facility, and the premises are Not accessible to persons with disabilities (PWD). 6. Against the prescribed requirement, only nine classrooms are available, resulting in a shortage of two classrooms. In addition, trainee furniture and drawing tables are Not available, and the Skill India logo/signage is Not displayed at the entrance of the institute. 7. While fire extinguishers are available, the institute lacks	CTS syllabus for the Additional trades. Further, the uploaded videos clearly indicate that several tools and equipment are of mismatched specifications and are insufficient to meet the prescribed Norms. 5. The Computer Trade lab does Not meet the prescribed infrastructure requirements. Deficiencies include computers Not meeting the required specifications, absence of antivirus software, lack of Wi-Fi connectivity, Non-availability of a projector, and	

Sr. No	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			mandatory fire safety direction and signage boards. 8. The institute lacks essential safety and directional signage, including emergency exit indicators and signage for classrooms and workshops. Further, exposed electrical wiring, water pipes, and improperly stored wood and sticks pose potential safety hazards to trainees. 9. Drawing hall available as per norms but there is no drawing tables for the trainees. Recommendation of the ICVC In view of the above deficiencies, the ICVC has Not recommended any trade units for affiliation/continuation.	inadequate seating arrangements for trainees.	

Sr. No	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
2.	Sri Vivekananda Private ITI Vizianagaram Tankula Road, Srungavarpaukota Vizianagaram -535145 TMP28521PR17453 36327	1. Electrician - 4(2+2) 2. Mechanic Diesel 4(2+2) 3. Fitter - 4(2+2) 4. Computer Operator and Programming Assistant 2(1+1) 5. Solar Technician (Electrical) 2(1+1)	No adverse deficiency was observed by the ICVC ICVC Recommendation Recommended for- 1. Electrician-4(2+2) 2. Fitter-2(1+1) 3. Mechanic Diesel-2(1+1) 4. Solar Technician-2(1+1) 5. Computer Operator and Programming Assistant - 2(1+1)	No adverse deficiency is mentioned.	SCAA Recommended the following trades/units: 1. Electrician-4(2+2) 2. Fitter-2(1+1) 3. Mechanic Diesel-2(1+1) 4. Solar Technician-2(1+1) 5. Computer Operator and Programming Assistant 2(1+1)

Name of the State: Bihar

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Satyam Private Industrial Training Institute Vpo-Mahanadpur Via-Deep Nagar - Bihar – 114709 PR10001073 Grading: 8.4	Electrician - 4(2+2)	ICVC Recommendation- Recommended for- Electrician - 4(2+2)	1. The Lease Deed is not registered. 2. The SCC/BCC has not been issued in the name of the ITI. 3. The land and electricity connection are in the name of the Society; however, a resolution/authorization from the Society permitting the ITI to use the land and electricity connection has not been provided.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. The Lease Deed is not registered. 2. The SCC/BCC has not been issued in the name of the ITI. The land and electricity connection are in the name of the Society; however, a resolution/authorization from the Society permitting the ITI to use the land and electricity connection has not been provided. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
					recommendation to DGT within the next 07 days on the online compliance module.
2.	Gorakh Prasad Private ITI Vill- Sawan Vighrah, PO- Maharajganj, P.S.- Duraund - 841238 Siwan PR10000959 Grading: 7.6	1. Electrician - 8(4+4) 2. Computer Operator and Programming Assistant - 2(1+1)	ICVC Recommendation- Recommended for- 1. Electrician (Existing)- 4(2+2) 2. Electrician (New)- 8(4+4) 3. Fitter (Existing)-4(2+2) 4. Computer Operator and Programming Assistant (New)-2(1+1)	1. Proof of payment for the purchase of machinery has Not been submitted. 2. The land is registered in the name of the Society. However, No resolution from the Society has been submitted permitting the use of the land for establishing and operating the ITI.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Proof of payment for the purchase of machinery in the name of the institute. 2. A resolution from the Society authorizing the ITI to use the land for establishing and operating the ITI. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
					recommendation to DGT within the next 07 days on the online compliance module.
3.	Mehi Private Industrial Training Institute Purnia Mohammadpur Barsoni, Near Virvan Gao, Mahamdia Road, Barsouni, Nh 31, P.S. Dagarua - 854326 - Purnia Bihar TMP10214PR17447 36199	1. Electrician - 6(3+3) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Cosmetology - 2(1+1)	No adverse deficiency was observed by the ICVC ICVC Recommendation- Recommended for- 1. Electrician-4(2+2) Units only. (Due to shortage in W/shop Area) 2. Fitter-2(1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Cosmetology- 2(1+1)	1. The Land Lease Deed is not registered, as per the documents submitted with the application. Further, the total land area is not mentioned in the Lease Deed. 2. As per the Building Plan, all workshops are shown together and are not clearly demarcated trade-wise. 3. Against the required power load of 25.41 KW, only 23.4 KW is available. Further, the extension of the sanctioned load is not	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
				reflected in the electricity bill. 4. E-way bills for the machinery/equipment purchased have not been made available for verification.	
4.	Suraj Sawariya Private ITI Balaha, AmNour, 874569, Saran Bihar PR10000435 Grading: 8.2	1. Surveyor - 2(1+1) 2. Computer Operator and Programming Assistant - 2(1+1)	ICVC Recommendation- Recommended for- 1. Computer Operator and Programming Assistant - 2(1+1) Not Recommended- 1. Surveyor-2(1+1) Tools and equipment are Not as per Norms.	1. The Building Completion Certificate (BCC) is not as per the prescribed norms. (for BCC please refer page No.108 of affiliation Norms 2018). 2. Against the required power load of 36.32 kW, the electricity bill has not been provided. Although a load extension letter for 52 kW, signed by the JE, has been submitted, neither the current nor the previous electricity	ITI needs to remove the deficiencies mentioned in column IV&V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
				bill has been provided for verification. 3. Machinery and equipment are not available for the Surveyor trade, for which the requisite purchase bills have not been provided. 4. In the building plan no area for COPA lab. The number of computers available is less than the prescribed requirement. 5. The workshop roof is constructed with tin sheets.	
5.	Harnaut Private ITI, Vill :- Cheran,P.O+P.S :- Harnaut, Nalanda - 803110	Electrician - 8(4+4)	ICVC Recommendation- Recommended for-	1. The Land Lease Deed is in the name of the Trust; however, no resolution from the Trust permitting the	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
	PR10001410 Grading: 6.1		1. Computer Operating and Programming Assistant (Existing)- 2(1+1) 2. Electrician (Existing)- 4(2+2) 3. Fitter (Existing)-4(2+2) 4. Smart phone Technician Cum App tester (Existing)-2(1+1) 5. Electrician (New)- 8(4+4)	- use of the land for the ITI has been provided. - Against the required power load of 37.12 kW, the available sanctioned load is reflected as 19–32 kW. However, no duly authorized letter for extension of the load to 32 kW has been provided. Further, the electricity connection/load-related document is in the name of Shri Ashok Kumar along with the ITI's name, whereas Shri Ashok Kumar is not reflected/associated in the application. - E-way bills for the machinery/equipment	through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
				purchased have not been provided for verification. 4. For the proposed 4+4 units of Electrician trade, the required workshop area is 392 sq. m.; however, only 360 sq. m. is available.	
6.	Savitri Private ITI At- Chandani Chowk, Po- Budhama, Dist- Madhepura- 8 852114 PU10001104 Grading: 6.4	1. Data Entry Operator- 2(1+1) 2. Electrician (Existing)- 8(4+4)	ICVC Recommendation- Recommended for- 1. Electrician (Existing) 4(2+2) 2. Fitter (Existing)-4(2+2) 3. Electrician (New)- 4(2+2) Not Recommended- 1. Data Entry Operator- 2(1+1) Not Recommended due to less workshop area.	1. The land is in the name of the President of the Society; however, no resolution authorizing the ITI to use the land has been submitted. 2. The condition of the Drawing Hall is not satisfactory. The flooring is not tiled, and proper drawing boards are not available.	ITI needs to remove the deficiencies mentioned in column IV & V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
				3. Safety mats are not available in the workshop. 4. The ITI logo/signage displayed at the main gate is in the form of a temporary banner, and permanent signage has not been installed.	next 07 days on the online compliance module.
7.	Mahavir Pvt ITI, Hirdaypur English, NH-30, Harigon, Bihar-457218 PR10000791 Grading: 6.8	Electrician - 8(4+4)	No adverse deficiency was observed by the ICVC ICVC Recommendation- 1. Electrician trade (4+4)	No adverse deficiency is mentioned.	SCAA recommended for the following trades/units: Electrician-8(4+4)
8.	Barmati Devi Private ITI , Kaimur (Bhabua) Nonar, Chhewari, Ramgarh,	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Welder - 2(1+1) 4. Plumber - 2(1+1)	ICVC Recommendation- 1. Electrician-4(2+2) 2. Fitter-4(2+2) 3. Welder-2(1+1) 4. Plumber-2(1+1)	1. A registered lease deed Not available. 2. There is a shortage of electrical load. The required connected load is 31.22 KW,	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
	Kaimur(Bhabua) Bihar 821110, Kaimur Bhabua TMP10200PR17458 59449			whereas the available load is 29.7 KW. 3. Drawing Hall is Not as per the Norms, as drawing tables are Not available. 4. Workshop area provided for the Welder and Plumber trades is less than the prescribed Norms. 5. The workshop floors are Not properly tiled. 6. The workshop is covered with a tin-sheet roof.	through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
9.	JMD Private ITI VI+PO+PS- Shahpur Bhojpur 802165 PU10001188	Electrician - 12(6+6)	ICVC Recommendation- 1. In the application, own land is shown. However, during the inspection, a rent agreement was shown for Khata No. 409, Khesra No. 4379. From	1. The ITI has shifted to a new location. The inspecting members have Not proceeded with the further inspection, as the approval for shifting	The Committee noted that the institute has shifted from its originally affiliated location to a new premise without obtaining prior approval from the Competent Authority, in violation of the prescribed DGT Affiliation Norms.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
	Grading: 7.5		the earlier lease document, it was found that the Khata No. was 126 and Khesra No. was 3938. The ITI has shifted. 2. The ITI applied under CAT-2. However, the ITI has shifted its location from the original site without obtaining any prior approval from the State or Central Government. The photo of the JMD ITI uploaded by the ITI itself during the application stage clearly shows that the old building has been painted yellow, and the ITI has shifted to a new location, which is approximately 400 m from the old building.	has Not been produced by the ITI. 2. Power Required: 24.31 kW. The ITI has shifted to a new location with a new electricity consumer number. 3. The Building Completion Certificate (BCC) is not as per the prescribed Norms, and the Khata and Khesra numbers are also different from those shown in the rent agreement. 4. De-affiliation proceedings may be initiated against this institute. 5. JMD ITI is functioning under the aegis of "Mahabodhi	Further, discrepancies have been observed in the land documents, Khata/Khesra numbers, electricity connection/consumer number, and Building Completion Certificate (BCC). The institute has also failed to produce the requisite approval for shifting of the ITI. The SCAA further noted that the institute, vide its recent letter dated 22.06.2026, submitted after the conduct of the inspection, has itself admitted that it intended to apply for shifting of the ITI along with extension of units; however, it failed to submit the requisite application for shifting and applied only for extension of units, citing its inability to understand the portal process. Further, no supporting document or documentary evidence has been submitted by the institute to substantiate its claim.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			3. In the ITI application, own land is shown. However, during the inspection, a rent agreement was shown to the SCVT and NCVT members for Khata No. 409 and Khesra No. 4379, which is different from the earlier lease document, wherein the Khata No. was 126 and Khesra No. was 3938. 4. The ITI's current consumer number shown during the inspection is 241108988128, with an electricity connection dated 15.04.2023. However, the ITI's old consumer number was 241101101954, with an electricity connection dated 08.03.2016, which	Educational and Social Trust." Another Industrial Training Institute, namely Kishundew Private ITI (PU10001009), is also being operated by the same Trust. A complaint pertaining to Kishundew Private ITI was received from the TC Section in the office of RDSDE, Bihar. Pursuant to the said complaint, a joint inspection was conducted on 16.02.2026 by representatives of SCVT and NCVT. As per the findings recorded in the inspection report submitted by the	The SCAA viewed the matter seriously and observed that shifting the institute to new premises without prior approval and thereafter seeking approval on the ground that the institute had "forgotten" or failed to apply for shifting amounts to a clear bypassing of the prescribed affiliation process and cannot be accepted as a valid justification for non-compliance with the DGT Affiliation Norms. In view of the above serious violations of affiliation process and guidelines, the proposal for extension of trades/units is not recommended. Further, the institute is directed to submit a detailed reply to all the observations of column IV & V within 21 days at tc-affiliation@dgt.gov.in, tc-deaffiliation@dgt.gov.in failing

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			gives an indication that the ITI shifted to the new location long ago. 5. The inspecting members have Not recommended any extension of trades due to the incorrect application category and the shifting of the ITI. Appropriate action is recommended by the competent authority as per Para 3.2.2(xviii) of the Affiliation Norms. ICVC has Not recommended for any trades and units due to violation of shifting Norms of DGT	inspecting team, it was observed that Kishundew Private ITI had also shifted its approved location without obtaining the requisite permission from the competent authority. In view of the serious nature of the violation, the inspecting members recommended immediate de-affiliation of the institute.	which institute will be di-affiliated as per applicable DGT Affiliation Norms.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
10.	Maa Kamakhya Private ITI Kaimur (Bhabua) At. Musian, Post. Bagarhi, Ps Ramgarh, Dist Kaimur - 802132 TMP10200PR17430 67121	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant -2(1+1) 4. Plumber - 2(1+1)	ICVC Recommendation- 1. Electrician- 02+02=04 2. Fitter- 02+02=04 3. Computer Operator and Programming Assistant - 01+01=02 4. Plumber- 01+01=02	1. The walls of the workshop are made of tin sheets, which is not in accordance with the prescribed norms. 2. The Lease Deed is not registered. 3. The electricity bill has not been provided for verification. 4. The available workshop area for the Plumber trade is deficient and does not meet the prescribed area requirement. a. Available= 70 sqm b. Required= 80 sqm 5. A separate IT Lab is not available as per the prescribed norms.	The ITI shall rectify the deficiencies mentioned in Column V and submit the requisite documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 07 days through the online Compliance Module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
11.	Swati Navya Private ITI Lallu Pokhar Munger 811201 – Bihar PU10001036 Grading: 8.2	1. Electrician- 4(2+2) 2. Fitter - 4(2+2) 3. Wood Work Technician 2(1+1)	ICVC Recommendation 1. No purchase bills for the tools and equipment of the proposed new Fitter trade have been submitted. 2. No tools and equipment for the proposed new Fitter trade have been installed. Further, no separate workshop area for the new Fitter trade is available. The available workshop area is only for the new Electrician trade, with a capacity of 01+01 = 02 units. 3. Some of the installed machines in the existing Electrician workshop are Not in working condition. The workshop area for the proposed new Fitter trade	1. Registered lease deed is not available/Not clear 2. Less in electric load- Required 32.44; Available = 21.6 KW 3. Load extension is requested but sanction is not generated. 4. Fire safety certificate is expired on 16.05.2026	ITI needs to remove the deficiencies mentioned in column IV&V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			is Not available, and No machinery has been installed for the new Fitter trade. 4. The tools and equipment available for the new Electrician trade are sufficient only for 01+01 = 02 units, and the workshop area is also available only for 01+01 = 02 units. Tools and equipment required for the total proposed 02+02 = 04 units of the new Electrician trade are Not available. 5. The Wood Work Technician (WWT) workshop has the required machinery installed. However, no separate workshop area with the required installed		

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			machinery is available for the proposed new Fitter trade. Based on the inspection, the recommended trades with units are as follows: a) Electrician (Existing): 4(2+2) b) Fitter (Existing)- 4(2+2) c) Electrician (New)- 2(1+1) d) Wood Work Technician (New)- 2(1+1) e) Fitter (New): Nil		

Name of the State: Delhi

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Divyang Skill Development Centre (BSF), BSF Campus Chhawla, New Delhi PU07000061 Grading:8.4	Shifting matter Existing trade: Computer Operator and Programming Assistant-2(1+1):	Brief fact of the matter- 1. The Divyang Skill Development Centre (DSDC) shifted its site/location within the campus of 25 Bn BSF due to security concerns. 2. The current location of DSDC is situated adjacent to the main office building of 25 Bn, which handles sensitive and confidential correspondence, and is in close proximity to the Quarter Guard where arms and ammunition are securely stored. 3. The civilians and students visiting the Centre has often raised security concerns, which have been reported multiple times by the unit. Higher Headquarter has taken serious note of these security issues and has directed for relocation of the Centre within the campus.	No adverse deficiency is mentioned in the inspection report .	SCAA recommended the shifting along with the existing trade/unit: Computer Operator and Programming Assistant-2(1+1):

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			4. Higher Headquarter has decided to modify an existing building within the campus of 25 Bn BSF in accordance with the guidelines of DGT. The proposed building is having the required number of classrooms, a computer lab, a counselling room, a recreation room, separate washrooms for male and female trainees (with facilities for differently-abled individuals), indoor and outdoor game areas and parking facilities. 5. The aerial distance from the old DSDC building to the proposed DSDC building will be approximately 630 meters, while the road distance will be about 850 meters. The geo-tagging location of the proposed building is latitude 28.5492 and longitude 77.0000. Inspection held on 25.05.2026		

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			1. Electricity bill- The sanctioned load exceeds the campus requirement, and adequate power backup arrangements are in place. however, meter number is Not mentioned in the bills 2. All relocated machinery and equipment are safe and functional for training; upgradation of certain items like computer RAM, is advised. Recommended- Computer Operator and Programming Assistant-2(1+1):		

Name of the State: Haryana

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
1.	Nehru Pvt. Industrial Training Institute, Vill. Alikan P.O. Box No. 11, Mandi Dabwali, Sirsa Vill. Alikan P.O. Box No. 11, Mandi Dabwali, Sirsa PR06000140 Grading: 5.4	1. Electrician - 6(3+3) 2. Stenographer Secretarial Assistant (English) 2(1+1)	ICVC Recommendation- The institute applied for affiliation for Electrician-6(3+3) and Stenographer Secretarial Assistant (English)-2(1+1). However, as per the institute's request, the inspection was conducted only for the Electrician trade. During the inspection, the machinery, tools, and equipment were found to be available only for Electrician (4 units: 2+2) . Hence, ICVC Recommended for – 1. Electrician (4 units: 2+2).	Machinery, tools and equipment found available for Electrician 4(2+2) only.	SCAA recommended the following trade/unit: Electrician-4(2+2) Not Recommended – Stenographer Secretarial Assistant (English) – 2 Units (1+1) because the Institute has requested to drop the proposed trade.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
2.	Sir Chhotu Ram Jat Pvt ITI Sirsa Sir Chhotu Ram Jat Pvt. ITI, Thobiran Road, Near Udham Singh Chowk, Ellenabad Distt. Sirsa, Haryana - 125102 TMP674PR1745476675	1. Computer Operator and Programming Assistant-1(1+0) 2. Solar Technician (Electrical) 1(1+0) 3. Electrician 4(2+2) 4. Fire Technology and Industrial Safety Management 2(1+1)	No adverse deficiency was observed by the ICVC ICVC Recommendation- Recommended Trades for- 1. Electrician 4(2+2) 2. Computer Operator and Programming Assistant 2(1+1) 3. Fire Technology and Industrial Safety Management 2(1+1) 4. Solar Technician (Electrical)-2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trades/units: 1. Electrician 4(2+2) 2. Computer Operator and Programming Assistant-2(1+1) 3. Fire Technology and Industrial Safety Management -2(1+1) 4. Solar Technician (Electrical)-2(1+1)
3.	Mahrishi Markandeshwar Pvt. ITI Village & Post Office: - Kharindwa 136135 Kurukshetra PR06000228 Grading: 6.1	Computer Operator and Programming Assistant 2(1+1)	No adverse deficiency was observed by the ICVC ICVC Recommendation- Recommended Trades for-	No adverse deficiency is mentioned	SCAA Recommended the following trades/units: 1. Computer Operator and Programming Assistant - 2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
			1. Computer Operator and Programming Assistant - 2(1+1)		
4.	Japan India Institute For Manufacturing Sonipat Govt. ITI Building Village Juan, Sonipat, Haryana 131024 TMP675PR1744192246	1. Mechanic Motor Vehicle 2(2+0) 2. Machinist - 2(2+0) 3. Welder - 2(2+0) 4. Fitter - 2(2+0)	No adverse deficiency was observed by the ICVC ICVC Recommendation- Recommended Trades for- 1. Fitter-2(1+1) 2. Mechanic Motor Vehicle- 2(1+1) 3. Machinist-2(1+1) 4. Welder-2(1+1)	Vide DGT Letter No. DGT-Aff011(17)/4/2022-TC SECTION dated 04.07.2025, in-principle approval was granted to JIIM, Sonipat, for a period of one year, in line with the recommendations of the SSDEC. Subsequently, an inspection was conducted for grant of formal affiliation. The ICVC has recommended all four trades, and no adverse deficiencies/observations have been reported by the Inspection Committee.	SCAA recommended the following trades/units: 1. Fitter-2(1+1) 2. Mechanic Motor Vehicle- 2(1+1) 3. Machinist-2(1+1) 4. Welder-2(1+1)

Name of the State: Himachal Pradesh

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Omkar I.T.I VPO Gutkar - 175021 Mandi, Himachal Pradesh PR02000234 Grading: 5.7	Electrician - 2(1+1)	ICVC Recommendation- Recommended Trade for- Electrician -2(1+1)	1. Lease deed is Not registered 2. BCC for academic year 2025-26 State Directorate provided the registered lease and BCC as per norms	SCAA recommended the following trade/units: Electrician - 2(1+1)

Name of the State: Karnataka

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Govt Industrial Training Institute, Kollegala Mudigundam Kollegala Tq Chamarajanagara 571440 Karnataka GR29000385 Grading: 7.9	Electrician - 2(1+1)	No adverse deficiency was observed by the ICVC ICVC Recommendation- Recommended Trades for- Electrician -2(1+1)	1. Photos and videos are provided by State Directorate. 2. Power Required: 64.75 Available = 25 KW/40 KW State Directorate informed that educational building is permitted to use 4 times the sanctioned load to load may be considered sufficient	SCAA recommended the following trade/units: Electrician - 2(1+1)
2.	Govt. ITI(W), Gundlupet Ooty Road Gundlupet, - 571111 Chamarajanagara GR29000206 Grading: 7	Fitter - 2(1+1)	No adverse deficiency was observed by the ICVC ICVC Recommendation- Recommended Trades for- Fitter - 2(1+1)	Power Required 68.29 Available = 30.5 KW State Directorate informed that educational building is permitted to use 4 times the sanctioned load to load may be considered sufficient	SCAA Recommended the following trade/units: Fitter - 2(1+1)

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
3.	Govt. ITI, Mudgal Mattur Road. Halepet. Mudgal 584125 Raichur GU29000294 Grading: 8.3	1. Welder - 1(0+1) 2. Electrician - 2(1+1)	No adverse deficiency was observed by the ICVC. ICVC Recommendation- Recommended Trades for- 1. Welder - 1(0+1) 2. Electrician - 2(1+1)	No adverse deficiency is mentioned	SCAA Recommended the following trade/units: 1. Electrician-2(1+1) 2. Welder-1(1+0)

Name of the State: Madhya Pradesh

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Parash Private Industrial Training Institute Kunwarpura, Nai Galla Mandi Road Tikamgarh - 472001 Madhya Pradesh PU23000632 Grading: 5.3	1. Solar Technician (Electrical) - 3(1+1+1) 2. Stenographer Secretarial Assistant (Hindi) - 3(1+1+1)	ICVC Recommendations: 1. The land lease deed is available but is not registered. 2. The Building Completion Certificate (BCC) is not in the prescribed format and has been issued by the Gram Panchayat. 3. The electricity consumption for the last six months is very low, with consumption below 50 units per month. 4. The Raw Material Register is Not being maintained properly. 5. The purchase bill for the desktop computers indicates a very low cost (approximately ₹7,000 per desktop). 6. In the Solar Technician workshop, old lathe machines are kept inside the Solar Lab, resulting in congestion of the lab. 7. For the Solar Technician trade, the following equipment is Not	Fire safety issued by gram panchayat not as per norms	ITI needs to remove the deficiencies mentioned in column IV and V and submit the documents to the concerned RDSDE within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			available as per the prescribed Norms: Interactive Board, Solar Grid-Tied Inverter, Solar DC Pump (1 HP), Sun Path Finder, PWM Controller, Hybrid Power Plant, 100 Ah Lead Battery, and Weather Monitoring System. The available desktop computers are i3 version with configurations below the prescribed Norms. 8. For the Stenographer Hindi trade, an Interactive Board and UPS are Not available. The desktop computers provided are also Not as per the prescribed Norms. 9. The Drawing Hall is not properly tiled and is not covered up to the roof. 10. In the Solar Technician trade, both trainers are Diploma holders, while in the Stenographer Hindi trade, both trainers are NTC holders. None of the trainers possess CITS qualifications. Further, the Principal's qualification is Not as		subsequent 07 days through the online Compliance Module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			per the prescribed Norms, as he holds only an NTC certificate. ICVC has Not recommended the following trades: - Solar Technician (Electrical) - 3(1+1+1) - Stenographer Secretarial Assistant (Hindi) - 3(1+1+1)		

Name of the State: Maharashtra

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Government Industrial Training Institute, Sadak Arjuni, Dist: Gondia Sadak Arjuni -441807 GR27000451 Grading: 8.3	Welder - 2(1+1)	ICVC Recommendation- Recommended: All machines are available; however, 4 to 5 machines are old and 2 machines are Not in working condition. Laptops are Not available. The recommendation is subject to compliance.	The State Directorate, vide Letter No. 07/CTS/Affiliation/2026/446 dated 06.07.2026, has informed that the deficiencies observed in respect of the Welder trade have been rectified and the required machinery has been made available in the institute.	SCAA recommended the following trade/units: 1. Welder - 2(1+1)
2.	Government Industrial Training Institute, Ner, Dist: Yavatmal Manikwada Road 445303 GR27000465 Grading: 9.1	1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant 1(0+1)	ICVC Recommendation 1. Only 3 classrooms are available, and the workshop area is Not as per the prescribed Norms. 2. The Electrician workshop area measures 83.52 sq. m. 3. Not Recommended -The Electrician-2(1+1) trade is Not recommended due to	The State Directorate, vide Letter No. 07/CTS/Affiliation/2026/444 dated 06.07.2026, informed that the deficiency regarding the inadequate workshop area for the proposed two units of Electrician trade has been rectified. The institute has integrated the adjoining	Based on the State Directorate compliance SCAA recommended the following trades/units: 1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant -1(0+1)

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			Non-availability of required infrastructure. 4. Recommended-Computer Operator and Programming Assistant 1(0+1)	verandah/lobby area with the existing workshop, thereby making adequate workshop space available as per the prescribed norms. Further, the District Vocational Education and Training Officer (DVETO), Yavatmal, personally visited the institute on 04.07.2026 and physically verified the workshop area. The DVETO certified that the available workshop area, measuring 111.36 sq. m., is sufficient for the proposed Electrician trade. The State Directorate has also submitted the revised workshop layout plan and	

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
				verification certificate in support of the compliance.	
3.	Government Industrial Training Institute (Adivasi), Jawhar, Dist: Thane Dahanu-Nashik, Bypass Road Palghar - 401603 GR27000158 Grading: 9.1	1. Computer Operator and Programming Assistant - 1(1+0) 2. Electrician (Existing)- 1(0+1)	ICVC Recommendation 1. Computer Operator and Programming Assistant 1(1+0) Not Recommended- Electrician (Existing)-1(0+1) The unit has been wrongly mentioned in the application form by the ITI. The institute should apply for a new unit instead of an existing unit.	1. Power Shortage- Required 68.32; Available= 40	ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
4.	Government Industrial Training Institute, Umri, Dist: Nanded Yerawar Complex, Near Bus Stand Nanded - 431807 GR27000609 Grading: 8.9	Refrigeration and Air Conditioning Technician- 2(1+1)	ICVC Recommendation: The first unit is already affiliated. Recommended- The second unit has been applied for affiliation, and the same is recommended for affiliation.	The second unit has been applied for affiliation, and the same is recommended for affiliation.	SCAA recommended the following trade/units: Refrigeration and Air Conditioning Technician- 1(0+1)
5.	Government Industrial Training Institute, Loha, Dist: Nanded At. Loha Nanded 431708 GR27000420 Grading: 9.1	Cosmetology - 1(1+0)	1. Machineries and equipment are available but not installed properly 2. Main building PWD ramp is required Not Recommended- Cosmetology -1(1+0)	1. Power Shortage- Required 40.51 Available= 19.33 KW	ITI needs to remove the deficiencies mentioned in column IV&V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
					Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.
6.	Government Industrial Training Institute, Akola, Dist: Akola Ratanlal Plot , Akola 444001 GR27000012 Grading: 9.1	Architectural Draughtsman - 1(0+1)	ICVC Recommendation: Recommended for trade: Architectural Draugh-tsman-1(0+1+0)	The State Directorate, vide letter No. 07/CTS/Affiliation/2026/443 dated 06.07.2026, has clarified that the deficiency regarding inadequate electrical load for the proposed Architectural Draughtsman trade stands resolved. The State has informed that the institute is presently running 66	SCAA recommended the following trade/units: 1. Architectural Draughtsman-1(0+1)

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
				trade units, for which the total prescribed electrical load requirement is 243.98 kW, whereas the institute has a sanctioned electrical load of 482 KW.	
7.	Harsh Industrial Training Institute Harsh Industrial Training Institute, Near Moti Baag, Midc Turning, Sutala Bk. Taluka Khamgaon District Buldhana Pin: -444303 PR27000708 Grading: 8.9 New Address Gut No.12/1 , Nandura Road , Mauje Sutala Bu Tq. Khamgaon Dist.Buldana. Maharashtra 444312	1. Welder - 1(0+1) 2. Computer Operator and Programming Assistant- 1(0+1) 3. Electrician - 1(0+1) 4. Fitter - 1(0+1) 5. Solar Technician (Electrical) 2(1+1)	ICVC Recommendation- Recommended for shifting along with the existing trades, as well as for addition of trades and units. Recommended for trades Existing trades and units: 1. Electrician (Existing)-1(1+0+0) 2. Fitter (Existing)-1(1+0+0) 3. Computer Operator and Programming Assistant (Existing)-1(1+0+0) 4. Welder (Existing) 1(1+0+0)	No adverse deficiency is mentioned	SCAA recommended for shifting along with the addition of trades/units 1. Welder - 1(0+1) 2. Computer Operator and Programming Assistant - 1(0+1) 3. Electrician - 1(0+1) 4. Fitter - 1(0+1) 5. Solar Technician (Electrical)-2(1+1)

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			Recommended for trades New trades and units: 1. Welder (New) -1(0+1+0). 2. Computer Operator and Programming Assistant (New)-1(0+1+0) 3. Electrician (New)- 1(0+1+0) 4. Fitter (New)- 1(0+1+0) 5. Solar Technician (Electrical)(New) 2(1+1+0)		
8.	Zeal Industrial Training Institute Pune Gat No 354/1, Indori, Taluka Maval Dist Pune – 410507 TMP27490PR1742542853	1. Electrician - 4(2+2) 2. Wireman - 4(2+2) 3. Fitter - 4(2+2) 4. Electronics Mechanic 4(2+2) 5. Welder - 2(1+1) 6. Solar Technician (Electrical)	ICVC Recommendation The ITI authorities have already initiated necessary action for providing a separate electricity meter exclusively for the ITI and have submitted an affidavit to this effect. Further, the ground floor of the building is exclusively allotted for the ITI with a separate entrance.	No adverse deficiency is mentioned	SCAA Recommended for the following trades/units: 1. Electrician - 4(2+2) 2. Wireman - 4(2+2) 3. Fitter - 4(2+2) 4. Electronics Mechanic 4(2+2) 5. Welder - 2(1+1) 6. Solar Technician (Electrical) 2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
		2(1+1)	ICVC has recommended for the following trades and units: 1. Electrician - 4(2+2) 2. Wireman - 4(2+2) 3. Fitter - 4(2+2) 4. Electronics Mechanic 4(2+2) 5. Welder - 2(1+1) 6. Solar Technician (Electrical) 2(1+1)		
9.	Shri Sai Industrial Training Institute A/P:-Sasure-Vairag,Dhengale Patil Nagar,Solapur Barshi Highway,Tal-Barshi,Dist-Solapur-413402 PR27000732 Grading: 6.5	1. Electronics Mechanic- 2(1+1) 2. Solar Technician (Electrical)- 2(1+1) 3. Fashion Design & Technology -2(1+1) 4. Cosmetology- 2(1+1)	ICVC Recommendation- 1. Electronics Mechanic: As per syllabus, equipment listed at Sr. No. 7, 12, 41, 66, 81, and 86 are Not available or are available in short quantity. Further, many of the equipment are Not as per prescribed specifications. 2. Solar Technician (Electrical): As per syllabus, equipment listed at	Severe deficiencies have been observed; and ICVC has not any trade units for addition.	ITI needs to remove the deficiencies mentioned in column IV and submit the documents to the concerned RDSDE within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
		5. Marketing Executive-2(1+1) 6. Radiology Technician-2(1+1)	Sr. No. 27, 35, 44, 54, 55, 56, 57, 74, 75, 76, 85, 91, 92, 104, 108, 136, 138, and 140 are Not available or are available in short quantity. In addition, many equipment are Not as per specifications, and solar panels have Not been installed. 3. Fashion Design & Technology : Equipment listed at Sr. No. 14, 15, 27, 34, and 36 are Not available or are available in short quantity as per syllabus requirements. 4. Cosmetology: Equipment listed at Sr. No. 24, 25, 26, 27, 30, 31, 34, 35, 50, 51, 67, 68, 69, 87, 89, 90, and 98 are Not available or are available in short quantity as per syllabus requirements.		Thereafter, concerned RDSDE will verify same by conducting joint reinspection and submit the report with recommendation to DGT within the next 07 days on the online compliance module

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			5. Marketing Executive: Equipment listed at Sr. No. 18 is Not available or is available in short quantity as per syllabus requirements. 6. Radiology Technician: Equipment listed at Sr. No. 2 and 3 are Not available or are available in short quantity as per syllabus requirements. 7. The number of electrical lighting fittings provided is inadequate, with only two fittings available in the workshop. 8. Electrical power point fittings are insufficient for the proper operation of machines and equipment. 9. Some of the working equipment/machines are Not functioning satisfactorily.		

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			10. In the Solar Technician trade, solar equipment is Not in working condition. 11. The classrooms are located away from the ITI building and are provided within the Polytechnic College building on the second floor. Similarly, the IT lab and drawing hall are also located in the Polytechnic College building on the second floor, away from the ITI premises. 12. The building used for theory classes, IT lab, drawing hall, and library is located off-site (outside the ITI land) and is shared with other institutions. 13. The boys' and girls' washrooms/toilets are located far from the main ITI		

Sr. No .	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
			building within the ITI premises. Not Recommended: any trade unit		
10.	Matoshri Laxmibai Mhetre Private Industrial Training Institute Solapur A/P Gat No. 708/1a, Near Mhada Colony, Station Road, Akkalkot, Tal. Akkalkot, Dist. Solapur. - 413216 Maharashtra TMP27496PU1745845840	1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Solar Technician (Electrical)-2(1+1) 4. Welder - 2(1+1)	ICVC Recommendation: Recommended for trades and units: 1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Solar Technician (Electrical)-2(1+1) 4. Welder - 2(1+1)	The SCVT member inspection Report is Not available. Accordingly, the prescribed quorum for the inspection is not complete	The SCAA noted that the inspection report of the SCVT member is not available. Accordingly, the prescribed quorum for the inspection is not complete. Therefore, the proposal is deferred. The State Directorate is advised to submit the duly signed inspection report of the SCVT member, along with the complete inspection records, for further consideration of the case.

Name of the State: Meghalaya

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Don Bosco Technical School Laitumkhrach, Shillong East Khasi Hills - 793003 PR17000006 Grading: 9.1	1. Data Entry Operator 1(1+0) 2. Electrician- 1(0+1) 3. Mechanic Motor Vehicle 2(1+1)	ICVC Recommendation: Recommended for trades and units: 1. Data Entry Operator 1(1+0) 2. Electrician- 1(0+1) 3. Mechanic Motor Vehicle 2(1+1)	Eralier the Fire safety certificate was Not provided. The institute has now submitted only a provisional Fire Safety Certificate dated 10.07.2026	SCAA recommended the following trades/units: 1. Data Entry Operator 1(1+0) 2. Electrician- 1(0+1) 3. Mechanic Motor Vehicle 2(1+1)

Name of the State: Odisha

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
1.	Bipf Sukinda ITI Private At-Baulapala, Po- Damodarpur, Via-Sukinda, Dist-Jajpur, Odisha, Pin- 755018 PR21000596 Grading: 7.8	Stone Mining Machine Operator- 2(1+1)	ICVC Recommendation: Recommended for trades and units: Stone Mining Machine Operator trade - 2(1+1) units.	1. Fire Safety certificate not available 2. BCC not as per Norms	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety certificate not available 2. BCC not as per Norms Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
					the online compliance module.
2.	OP Jindal Community College Private ITI Anugul OP Jindal Community College (Private ITI), Atjindal Nagar, Post Nisha, PS Nisha, Block Chhendipada District Anugul State Odisha Pin 759111 TMP21344PR1745323012	1. Electrician- 4(2+2) 2. Fitter - 4(2+2) 3. Welder - 2(1+1) 4. Plumber - 2(1+1) 5. Computer Operator and Programming Assistant- 2(1+1)	ICVC Recommendation: Recommended for trades and units: 1. Electrician- 4(2+2) 2. Fitter - 4(2+2) 3. Welder - 2(1+1) 4. Plumber - 2(1+1) 5. Computer Operator and Programming Assistant 2(1+1)	No adverse deficiency is mentioned.	SCAA Recommended the following trades/units: 1. Electrician- 4(2+2) 2. Fitter - 4(2+2) 3. Welder - 2(1+1) 4. Plumber - 2(1+1) 5. Computer Operator and Programming Assistant - 2(1+1)

Name of the State: Rajasthan

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
1.	IPSM Group Private ITI Alwar Village Bambor, Tehsil Kishangadh Bas, District Alwar 301405 TMP887PR1742905271	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Solar Technician (Electrical) - 2(1+1) 4. Health Sanitary Inspector 2(1+1) 5. Physiotherapy Technician- 2(1+1)	ICVC Recommendation: Recommended for trades: 1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Solar Technician Electrical - 2(1+1) 4. Health Sanitary Inspector - 2 (1+1) 5. Physiotherapy Technician-2 (1+1)	No adverse deficiency is mentioned.	SCAA recommended for the following trades/units: 1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Solar Technician Electrical - 2(1+1) 4. Health Sanitary Inspector - 2 (1+1) 5. Physiotherapy Technician-2 (1+1)

Name of the State: Tamil Nadu

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I	II	III	IV	V	VI
1.	Kongu Polytechnic College Private Industrial Training Institute Kongu Engineering & Kongu polytechnic College Campus, Thoppupalayam, Perundurai. -638052 Tamil Nadu PR33000532 Grading; 6.5	Wireman - 2(1+1)	ICVC Recommendation: Recommended for trades and units: Wireman - 2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trade/units: Wireman - 2(1+1)
2.	Islamiah Private Industrial Training Institute Alangayam Road, New Town, Vaniyambadi 635752 Tamil Nadu PR33000108	Welder (Fabrication & Fitting)-1(1+0)	ICVC Recommendation: Recommended for trades and units Welder (Fabrication & Fitting)-1(1+0)	No adverse deficiency is mentioned.	SCAA recommended the following trade/unit: 1. Welder (Fabrication & Fitting)-1(1+0)

Name of the State: Uttar Pradesh

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
1.	Babu Ram Private ITI Vill Bhisaha Post Banpokhara Mau-275307 PR09900948 Grading: 7.7	1. Electrician (New) - 6(2+2+2)	ICVC Recommendation: Recommended for trades and units: Electrician-4(2+2)	No adverse deficiency is mentioned.	SCAA recommended the following trade/units: Electrician-4(2+2)
2.	Lakshya ITI Sonbhadra Kamhari Robertsganj Sonbhadra - 231216 Uttar Pradesh TMP9184PR1647344759	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant -2(1+1) 4. Electrician Power Distribution 2(1+1)	ICVC Recommendation: Recommended for trades and units: 1. Electrician-4(2+2), 2. Fitter-4(2+2), 3. Electrician Power Distribution-2(1+1), 4. Computer Operator and Programming Assistant -2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trades/units: 1. Electrician-4(2+2), 2. Fitter-4(2+2), 3. Electrician Power Distribution-2(1+1), 4. Computer Operator and Programming Assistant -2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
3.	Malti Modern Private Industrial Training Institute, Ambedkar Nagar Katehari, Ambedkar Nagar, Uttar Pradesh -224151 Ambedkar Nagar Uttar Pradesh TMP9121PR1580115016	1. Electrician - 6(2+2+2) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant 2(1+1) 4. Health Sanitary Inspector 2(1+1)	Recommended for trades and units: 1. Electrician-4(2+2) 2. Fitter-2(1+1) 3. Computer Operator and Programming Assistant -2(1+1) 4. Health Sanitary Inspector-2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trades/units: 1. Electrician-4(2+2) 2. Fitter-2(1+1) 3. Computer Operator and Programming Assistant -2(1+1) 4. Health Sanitary Inspector -2(1+1)
4.	Ashta Vinayak Pvt ITI Prayagraj Village -Pachera Post-Pachera Koraon 212306 TMP9120PR1680025276	1. Electrician - 6(2+2+2) 2. Fitter - 3(1+1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	Recommended for trades and units: 1. Electrician -4(2+2) 2. Fitter-2 (1+1) 3. Computer Operator and Programming Assistant -2(1+1) 4. Solar Technician (Electrician) - 2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trades/units: 1. Electrician -4(2+2) 2. Fitter-2 (1+1) 3. Computer Operator and Programming Assistant -2(1+1) 4. Solar Technician (Electrician) -2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
5.	Chandra Bhal Private ITI Plot No.249 Block B Panki Kanpur-20, Kalyanpur 208020 PU09900998 Grading: 7.2	1. Computer Operator and Programming Assistant- 2(1+1) 2. Solar Technician (Electrical) - 2(1+1)	Recommended for trades and units: Computer Operator and Programming Assistant-2(1+1) Not Recommended- Solar Technician- 2(1+1)- Due to non-availability of workshop on the day of inspection.	No adverse deficiency is mentioned	SCAA recommended the following trade/Unit: -2(1+1+0) Not Recommended- Solar Technician (Electrical)-2(1+1) Due to no availability of workshop
6.	KCNIT Private Industrial Training Institute KCNIT Campus, Naraini Road 210001 PU09001967 Grading: 8	Electrician - 6(2+2+2)	ICVC Recommendation: Recommended for trades and units: Electrician-4(2+2)	No adverse deficiency is mentioned	SCAA recommended the following trade/units: Electrician-4(2+2)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
7.	N.S.Technical Institute Ganeshpur Ganjndwara – Kansganj, Ur Ganjdudwara Kasganj 207001 Uttar Pradesh PR09000898 Grading: 7.6	1. Electrician 10(3+3+4) 2. Fitter 4(1+1+2)	ICVC Recommendation: Recommended for trades and units: 1. Electrician -6(3+3) 2. Fitter-2 (1+1)	No adverse deficiency is mentioned	SCAA Recommended the following trade/units: 1. Electrician -6(3+3) 2. Fitter-2 (1+1)
8.	NSIC LBI Naini Prayagraj, NSIC Ltd., Industrial Estate, Udyog Nagar, Naini Prayagraj - 211009 Uttar Pradesh TMP9120PR1648110619 (NSIC LBI NAINI PRAYAGRAJ ITI is a part of NSIC organization which is a Government of India Enterprises under the	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2) 3. Basic Cosmetology- 3(1+1+1) 4. Fashion Design and Technology -3(1+1+1)	Recommended for trades and units: 1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Basic Cosmetology- 2(1+1) 4. Fashion Design & Technology 2(1+1)	1. No adverse deficiency is mentioned. 2. NSIC LBI Naini Prayagraj ITI is a part of NSIC organization which is a Government of India Enterprises under the Ministry of Micro small and medium Enterprises. In this regard, NSIC LBI ITI has	SCAA Recommended the following trades/units: 1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Cosmetology- 2(1+1) 4. Fashion Design and Technology-2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
	Ministry of Micro small and medium Enterprises)			requested to consider under Government ITI category.	
9.	Avika Private Industrial Training Institute Kannauj, Village- Chandapur Raghurajnagar, Sanyogita Marg Road 209733 Uttar Pradesh TMP9155PR1681889311	1. Electrician-4(2+2) 2. Fitter - 4(2+2) 3. Health Sanitary Inspector -2(1+1) 4. Solar Technician (Electrical)-2(1+1)	ICVC Recommendation: Recommended for trades and units: 1. Electrician-4(2+2) 2. Fitter-4(2+2) 3. Health Sanitary Inspector (HSI)-2(1+1) 4. Solar Technician-2(1+1)	No adverse deficiency is mentioned	SCAA recommended the following trades/units: 1. Electrician-4(2+2) 2. Fitter-4(2+2) 3. Health Sanitary Inspector -2(1+1) 4. Solar Technician-2(1+1)
10.	New J.A Private ITI Kaushambi, Daranagar Kara Kaushambi - 212217 Uttar Pradesh TMP9158PR1681927934	1. Electrician - 8(4+4) 2. Electrician Power Distribution 2(1+1) 3. IoT Technician (Smart Health Care)	Recommended for trades and units: 1. Electrician-8(4+4) 2. Electrician Power Distribution-2(1+1)	No adverse deficiency is mentioned	SCAA Recommended the following trades/units: 1. Electrician-8(4+4) 2. Electrician Power Distribution-2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
		- 2(1+1) 4. Fashion Design and Technology - 2(1+1)	3. IOT Technician (Smart Health Care)-2(1+1) 4. Fashion Design Tech.-2(1+1)		3. IOT Technician (Smart Health Care)-2(1+1) 4. Fashion Design Technology. -2(1+1)
11.	M R Agra, Karbhana Dhandhupura Agra 282006 Uttar Pradesh TMP9118PR1680692931	1. Electrician - 3(1+1+1) 2. Fitter - 3(1+1+1) 3. Housekeeper - 3(1+1+1) 4. IoT Technician (Smart Health Care) - 3(1+1+1)	Recommended for trades and units: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Housekeeper - 2(1+1) 4. IoT Technician (Smart Health Care)- 2(1+1)	No adverse deficiency is mentioned	SCAA Recommended the following trades/units: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Housekeeper - 2(1+1) 4. IoT Technician (Smart Health Care)- 2(1+1)
12.	Abhaynandan Jairam Pvt ITI Deoria Barwa Malkauli Salempur Deoria UP 274505	1. Fitter - 3(1+1+1) 2. Electrician - 3(1+1+1) 3. Cutting & Sewing (VI & OD) - 3(1+1+1)	Recommended for trades and units: 1. Electrician-2(1+1) 2. Fitter-2(1+1)	No adverse deficiency is mentioned	SCAA recommended the following trades/units: 1. Electrician-2(1+1) 2. Fitter-2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
	Uttar Pradesh TMP9137PR1648263569	4. Computer Operator and Programming Assistant - 3(1+1+1)	3. Computer Operator and Programming Assistant -2(1+1) 4. Cutting & Sewing (VI & OD)- 2(1+1)		3. Computer Operator and Programming Assistant -2(1+1) 4. Cutting & Sewing (VI & OD)- 2(1+1)
13.	Vision Private ITI, Lucknow Vill-Nabipanah , Post-Mal , Block-Mal , Teh-Malihabad , Dist-Lucknow-UP 226104 Uttar Pradesh TMP9162PR1712150725 New MSTI	1. Electrician - 4(2+2) 2. Mechanic Refrigeration and Air Conditioner - 2(1+1)	Recommended for trades and units: 1. Electrician-4(2+2) 2. Mechanic Refrigeration and Air Conditioner (RAC)-2(1+1)	No adverse deficiency is mentioned	SCAA recommended the following trades/units: 1. Electrician-4(2+2) 2. Refrigeration and Air Conditioner Technician-2(1+1)

Name of the State: West Bengal

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 32 nd SCAA
I.	II.	III.	IV.	V.	VI.
1.	Ramakrishna Mission Industrial Training Center (Sponsored) Narendrapur South 24 Parganas -700103 West Bengal GR19000023 Grading: 7.2	1. Electrician - 2(1+1) 2. Fitter -2(1+1)	Recommended for trades and units: 1. Electrician - 2(1+1) 2. Fitter -2(1+1)	Fire safety certificate not provided	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety Certificate Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module

Annexure-3 as referred in Agenda 3: Compliance report of previous SCAA meetings

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
1.	Kripa Kamal Memo. Industrial Training Centre West Godavari – 534275 PR28000118 Grading: 8.3 State: Andhra Pradesh	1. Computer Operator and Programming Assistant – 2 (2+0) 2. Electrician -1 (0+1) 3. Refrigeration and Air Conditioning Technician- 4 (2+2) 4. Solar Technician (Electrical) -2 (2+0)	26th SCAA Remarks Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents and RDSDE will submit the report with recommendation to DGT within the next 15 days on the online compliance module. If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall Not be considered further and will be rejected without any further Notice from DGT. Deficiencies mentioned in the 26th SCAA 1. Machinery installation for Electrician and COPA trades has been completed however installation of a	SCAA recommended the following trades/units: 1. Electrician-1(0+1) 2. Computer Operator and Programming Assistant - 2(1+1) 3. Solar Technician (Electrical) -2(1+1) 4. Refrigeration and Air Conditioning Technician- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			few items is pending in the Solar Technician and R&AC trades. - Affiliation will be considered only after rectification of the deficiencies. - R&AC trade is recommended for joint re-inspection. - The Fire Safety Certificate has expired. - The institute has informed that they have applied for issuance of a new Fire Safety Certificate. - ICVC has recommended the units different than the applied units. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA - The Institute has obtained a new Fire Safety Certificate from the competent authority of the State Government on 04.12.2025. The certificate is valid up to 03.12.2028. (Refer attachment) - The Institute has completed the installation of all machinery and equipment as per NCVET/DGT Norms for the trade of Solar Technician. The machinery/equipment were physically verified during inspection and found in satisfactory working condition.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			3. The Institute has completed the installation of all machinery and equipment as per NCVET/DGT Norms for the trade of Refrigeration and Air Conditioning Technician. The machinery/equipment were physically verified and found in satisfactory working condition. Recommendations: 1. The Institute has rectified all the deficiencies pointed out in the Minutes of the 26th SCAA Committee meeting. Hence, it may be considered for affiliation of Additional trades/units as recommended by the earlier committee. 2. Further, based on the satisfactory infrastructure, machinery/equipment, and other facilities verified during the joint inspection, the Committee recommends affiliation for the trade of Refrigeration and Air Conditioning Technician for 1+1+0 Units.	
2.	Rajanna ITI, Guntur, Near Check Post, Ravipadu Village, Narasaraopet Mandal Palnadu District 522603 TMP28506PR1743585 900	1. Computer Operator and Programming Assistant –2 (1+1). 2. Draughtsman (Civil) –	26th SCAA Remarks Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.	The SCAA observed serious and substantial deficiencies with respect to land documents, civil infrastructure, machinery, and tools & equipment, which are fundamental requirements for

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	New ITI State: Andhra Pradesh	2 (1+1) 3. Electrician-8 (4+4) 4. Fitter-4 (2+2) 5. Mechanic Diesel-2(1+1)	Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents and RDSDE will submit the report with recommendation to DGT within the next 15 days on the online compliance module. If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall Not be considered further and will be rejected without any further Notice from DGT. Deficiencies mentioned in the 26th SCAA- No trade and units were recommended due to Non-availability of infrastructure, tools and equipment as per the Norms. Electricity connection 1. As per Lr NoDEE/OSD/NRT/F.No/23/.D.No 3242/23Dt 26/12/2023 connected load is 24.992 KW. 2. As per monthly bill sanctioned load is 31 KW against requirement of 28.65 KW Machinery bills	grant of affiliation. Further, during the joint verification visit, the institute management failed to provide access to the institute premises and did not cooperate with or facilitate the inspection process. Consequently, the Inspection Committee was prevented from carrying out the physical verification of the institute and assessing compliance with the deficiencies pointed out by the 26th SCAA. Despite multiple opportunities having been granted to the institute to rectify the deficiencies and facilitate verification, the institute has failed to comply. In view of the continued non-compliance with the deficiencies and

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			3. GST Bills were partially available for Electrical, COPA, Fitter, and Draughtsman Civil Trades. 4. GST bills were Not available for Mechanic Diesel trade, IT lab, Drawing Hall, and classroom infrastructure. Instructor detail and biometric attendance- 5. The institute did Not provide any staff documents during the inspection. ITI staff are Not available during the inspection. 6. No biometric attendance is available for staff. Machinery Status 7. Machinery installed for Electrical, Fitter & partially for COPA and Draughtsman Civil Trades. 8. No equipment installed for the D.M trade.3. No licensed software is available for D.C., COPA& IT lab. 9. Electrical machinery burnt out while operation; Machinery was unable to run even 10 Min. 10. Fitter trade machinery partially in working conditions. Licensed software Not available -COPA, IT & D.C	failure of the institute to facilitate the mandatory verification process, the institute is Not Recommended for grant of affiliation. However, before taking a final decision in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply to DGT at tc-affiliation@dgt.gov.in within 15 days from the date of issuance of these Minutes, clearly explaining the reasons for the aforesaid non-compliance and non-cooperation and stating why its affiliation application should not be rejected.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Civil Infrastructure 11. Civil infrastructure partially available as per Norms. Electrical lab 2 Nos-each 150 Sq.M Fitter lab -120 Sq.M, 4 Classrooms with tables and 3 C. Rs without infra- Each 50 Sq. M, admin block -50sqm 12. The building which are having COPA Lab, IT Lab, Draughtsman civil Lab, Class rooms, principal room, is at satisfactory level. However civil structure for workshops are Not as per Norms. Land Documents 13. The Institute does Not have original land ownership documents and registered lease documents. 14. BCC is Not available in DGT prescribed format, stating that details of building, Suitable for running the ITI/Educational Institute and as per local bylaws/ NBC of India. 15. The specific area / location details of the Institute have Not been mentioned / No boundary wall of the Institute. 16. The institute does Not possess original land ownership documents or registered lease documents.	In case no reply is received within the stipulated period, or the reply submitted is found unsatisfactory, the affiliation application shall be rejected without any further opportunity or consideration by DGT.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			17. Trust registration documents and resolutions for opening an ITI with approved members are Not available. 18. Building Completion Certificate (BCC) is Not available in the DGT-prescribed format, clearly stating building details and certifying that the premises are suitable for running an ITI/Educational Institute and compliant with local bylaws / NBC of India. 19. Availability of power load is Not clearly mentioned in the electricity bill. 20. Drawing halls are Not available. 21. Licensed software, UPS, and internet facilities are Not available) Compliance report from State and RDSDE against the deficiencies raise by the 26th SCAA 1. Rajanna Private ITI, Narasaraopet, Guntur District, has Not rectified the deficiencies communicated to the institute as per the MoM of the SCAA meeting. 2. The institute submitted letters dated 12.05.2026 and 20.05.2026 requesting that the inspection may Not be conducted, stating that it was Not ready for	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			inspection. However, as per the Instructions of the competent authority, the inspection committee visited the institute on 21.05.2026. 3. During the visit, the committee observed a signboard displaying the name "Bhawana Boys Hostel" on the same building premises, indicating that another establishment is also operating from the said premises. At the time of the inspection, the Principal of the ITI was present. However, the institute management did Not provide access to the institute premises and did Not facilitate the inspection process. Consequently, the inspection committee was unable to carry out the inspection of the institute. 4. The inspection committee's report and the letters submitted by the institute are enclosed for reference and further necessary action.	
3.	ITI Pangin GR12000009 State: Arunachal Pradesh	1. Solar Technician-1(1+0) 2. Digital Photographer-1(1+0) 3. Catering and hospitality Assistant-1(1+0)	In-principle approval was granted to this new Government ITI vide DGT Order No. DGT-Aff011(12)/1/2025-O/o DIR (TC) dated 08.08.2025 for a period of one year. Subsequently, the SSDEC submitted its recommendations based on the joint inspection and recommended the following trades/units for affiliation:	SCAA recommended the following trades/units: 1. Solar Technician-1(1+0) 2. Digital Photographer-1(1+0) 3. Catering and Hospitality Assistant-1(1+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. Solar Technician-1(1+0) 2. Digital Photographer-1(1+0) 3. Catering and hospitality Assistant-1(1+0)	
4.	ITI Kanubari GR12000010 State: Arunachal Pradesh	1. Plumber-1(1+0) 2. Electrician-1(1+0) 3. Travel &Tour Assistant-1(1+0) 4. Catering and hospitality Assistant-1(1+0)	In-principle approval was granted to this new Government ITI vide DGT Order No. DGT-Aff011(12)/1/2025-O/o DIR (TC) dated 08.08.2025 for a period of one year. Subsequently, the SSDEC submitted its recommendations based on the joint inspection and recommended the following trades/units for affiliation: 1. Plumber-1(1+0) 2. Electrician-1(1+0) 3. Travel &Tour Assistant-1(1+0) 4. Catering and Hospitality Assistant-1(1+0)	SCAA recommended the following trades/units: 1. Plumber-1(1+0) 2. Electrician-1(1+0) 3. Travel &Tour Assistant-1(1+0) 4. Catering and Hospitality Assistant-1(1+0)
5.	ITI Lumla GR12000011	1. Multimedia Animation	In-principle approval was granted to this new Government ITI vide DGT Order No. DGT-	SCAA recommended the following trades/units:

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	State: Arunachal Pradesh	&Special Effect-1(1+0) 2. Electrician- 1(1+0) 3. Physiotherapy Technician- 1(1+0)	Aff011(12)/1/2025-O/o DIR (TC) dated 08.08.2025 for a period of one year. Subsequently, the SSDEC submitted its recommendations based on the joint inspection and recommended the following trades/units for affiliation: 1. Multimedia Animation &Special effect-1(1+0) 2. Electrician- 1(1+0) 3. Physiotherapy Technician- 1(1+0)	1. Multimedia Animation & Special Effect-1(1+0) 2. Electrician- 1(1+0) 3. Physiotherapy Technician- 1(1+0)
6.	Govt ITI Samaguri TMP18297PR1648017 143 State: Assam	1. Electrician-2(1+1) 2. Fitter-4(2+2) 3. Plumber-2(1+1) 4. Stenographer Secretarial Assistant (English)-2(1+1)	The case was earlier placed before the 16th and 18th SCAA Meetings, wherein an issue regarding the validity of the land lease was observed. No clear confirmation in this regard had earlier been received from the State Directorate/RDSDE. The institute has now submitted a communication from the State Directorate mentioning that the ITI is functioning in SCVT mode under the PPP policy of the Government of Assam, formulated for establishment of ITIs in unserved areas of the State. Under the said arrangement, Government land and building have been handed over to the private partner for a period of 10 years, along with a Performance Bank Guarantee of ₹10 lakh.	The State Directorate shall verify and confirm that the land/building arrangement and validity of the lease/agreement are in accordance with the applicable DGT affiliation norms and submit its confirmation to DGT within 15 days from date of issue of these minutes.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			The State has further informed that the ITI is presently functional and is required to be converted from SCVT to NCVT mode as per the directions of the State Government.	
7.	Maa Shitla Private ITI, Vill-Kakobigha Po-Maghra,Ps-Deepnagar,Dist-Nalanda - 803216 PU10001055 Grading: 8.4 State: Bihar	Electrician – 8 (4+4)	24th SCAA Remark- SCAA recommended the following trade: Electrician – 4 (2+2) For remaining Electrician 4(2+2) units, applicant needs to remove the deficiencies as mentioned below and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection and submit the report to DGT with recommendations within the next 15 days. Deficiencies observed in 24th SCAA- 1. Required tools and equipment for Existing trades are available. The tools and equipment for units sought for affiliation in Electrician Trades for (4+4=08) are Not available.	SCAA Recommended the following trade/units: Electrician-4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2. New Electrician Workshop Area-9.1*23.2=211.12 Sqm., Shortage in the required Workshop area as per Norms for 4+4=08(Eight Units). 3. Tools, Equipment and Machinery are partially available for Electrician 4+4. 4. ICVC has Not recommended for rest of the 4 (2+2) units of Electrician trade as workshops, tools, equipment and machinery are Not available as per Norms Compliance report from RDSDE against the deficiencies raise by the 26th SCAA Recommended the following trade with units as per 24th SCAA Instruction: 1. Additional Electrician trade with units as-4(2+2) units, deficiencies have been removed by the ITI.	
8.	Sri Sai Central Private ITI, Vill. +P.O.+P.S.-Kaler, Distt. -Arwal (Bihar)	1. Electrician-12 (6+6) 2. Surveyor-4(2+2)	26th SCAA Remark The SCAA observed that, since the number of units sought for affiliation in the Electrician trade is substantial high, it is necessary to ensure the availability of a	SCAA Recommended the following trade/units: Electrician-12 (6+6)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Arwal – 824127 PU10000915 Grading: 8.2 State: Bihar		dedicated workshop and adequate machinery. The SCAA decided that reverification of the infrastructure and availability of the machineries shall be conducted by a different inspecting member preferably from a nearby RDSDE/NSTI within 30 days from the date of issuance of these minutes and submit the reverification report with recommendations to DGT. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA 1. Affiliated Electrician workshop for the 4(2+2) units verified and match with the ICVC observations. 2. Electrician Workshop for the proposed New units built in two parts. One part is suitable for 8(4+4) units, and another part is suitable for 4(2+2) units, and the area matches with the ICVC observations. 3. Area of existing and proposed units verified and sufficient for units sought for affiliation. 4. Machineries are adequate for affiliated and proposed units 8(4+4) & 4(2+2) of Electrical Trades. Some GPS photos have been attached and put up for observation and records.	Not Recommended- Surveyor-4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			The RD, RDSDE Jharkhand, has stated that the trades/units recommended by the ICVC have been verified and recommended for further affiliation. However, no specific comments/recommendation have been provided for the Surveyor trade. Further, the workshop for the Surveyor trade is located in a half-wall tin-shed structure, and as per the machinery bills submitted, no DGPS equipment is available for the Surveyor trade.	
9.	Ravi Singh Private Industrial Training Institute, Aurangabad Salempur, Itwan, Haspura, Aurangabad, 824120 – Bihar TMP10189PR1582808 446 State: Bihar	1. Electrician- 24(8+8+8) 2. Fitter- 6(2+2+2) 3. Computer Operator and Programming Assistant -3(1+1+1) 4. Electronics Mechanic - 3(1+1+1)	26th SCAA Remark- The SCAA observed that, since the number of units sought for affiliation in the Electrician trade is substantial high, it is necessary to ensure the availability of a dedicated workshop and adequate machinery. Therefore, the ITI shall submit the required documents by rectifying the deficiencies mentioned below. The SCAA decided that re-verification of the institute shall be conducted by a different inspecting member preferably from a nearby RDSDE/NSTI within 30 days from the date of issuance of these minutes and submit the re-verification report with recommendations to DGT.	The SCAA observed that the institute has not complied with the prescribed norms and lacks adequate infrastructure and safety arrangements for training and following deficiencies still persist: 1. The Computer Operator and Programming Assistant lab is located in an open area. 2. The entire workshop appears to have a partially

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Deficiencies observed in 26th SCAA- 1. Tools and equipment are installed as per Norms of the Electrician trade for 04+04 = 08 units only; however, there is a shortage of workshop area as well as major tools and equipment installation for the remaining applied units of the Electrician trade (04+04 = 08 units). 2. Only a single lathe machine was available in the Fitter trade workshop; all other tools and equipment were available. within 30 days from the date of issuance of these minutes. 3. Bills of Computer Operator and Programming Assistant and IT lab computers are required to be reverified. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA 1. With respect to the applied Electrician 24(8+8+8) units. Infrastructure, Machines, Tools is sufficient for Electrician 8(4+4) only. 2. lathe machine in total (2 Nos.) was installed and recorded through GPS Photographs.	open roof, which is Not safe for the trainees. 3. The lathe machines appear to be old and rusted. Accordingly, the State Directorate shall visit the institute, physically verify the above observations and confirm compliance with the applicable DGT affiliation norms and safety requirements. The State Directorate shall submit a detailed verification report, along with specific recommendations and GPS-enabled photographs, to DGT within 15 days from the date of issuance of these Minutes.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			3. Bills of the Computer Operator and Programming Assistant and IT lab computers produced by the ITI authorities were verified and recorded through GPS Photographs. TC section Observation 1. The Computer Operator and Programming Assistant (Computer Operator and Programming Assistant) lab is located in an open area. 2. The entire workshop appears to have a partially open roof, which is Not safe for the trainees. 3. The lathe machines appear to be old and rusted.	
10.	Golden Private Industrial Training Institute, Aurangabad Address: Jasoiya More, Near Lord Buddha Public School, Aurangabad -824101, Bihar	1. Electrician - 16(8+8) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant -2(1+1) 4. Mechanic Diesel -2(1+1)	26th SCAA Remark- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module	SCAA recommended the following trades/units as per recommendation of ICVC: 1. Electrician – 4 (2+2) 2. Computer Operator and Programming Assistant – 2 (1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	TMP10189PU1582264 494 State: Bihar		Deficiencies observed in 26th SCAA- 1. The land and building are available as per prescribed Norms; however, the workshop area for the Electrician trade, as applied for 08+08 = 16 units, is Not ready. 2. Area available in the workshop and RCC building as below: a) Electrician workshop Area- 14.47X14.86=215.46 sqm b) Fitter w/shop Area- 14.48X6.10=88.33 sqm (Shortage for 02+02=04) c) Mech. Diesel W/shop area - 14.48X14.73=213.29 sqm d) COPA-14.07X4.62=65.00 Sqm. e) ED Hall Area- 9.27X6.10=56.54 Sqm., f) Library area-30.50 sqm 3. Machinery: As per Norms only for trade- a) Electrician – 4 (2+2) b) COPA – 2 (1+1) c) Mech. Diesel – 2 (1+1) d) Fitter – 2 (1+1) 4. Tools and equipment of Electrician trade in the workshop are installed and available only for- 02+02=04 units and Not installed and Not available	3. Mechanic. Diesel – 2 (1+1) 4. Fitter – 2 (1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			for rest applied Electrician trade with units for (06+06=12 units). 5. Recommended for the following Trades with units are as follows. a) Electrician – 4 (2+2) b) COPA – 2 (1+1) c) Mech. Diesel – 2 (1+1) d) Fitter – 2 (1+1) 6. Fire safety certificate is expired. 7. Load is sufficient only for trade/units recommended by inspection team 8. Standard Table in Drawing Hall was Not available for training purpose and institute informed to replace with standard table within shortest period of one week. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA 1. Drawing hall with required drawing table is available in the drawing hall area 2. New Fire certificate dated 16.02.2026 issued by Fire Safety office Aurangabad with letter No. 205, dt. 16.02.2026 and valid till 16.02.2027 have been uploaded and available as per Norms. 3. Electricity bill with account No. 108948574 is uploaded and sanctioned electrical load is 25.0 KW/ 27.7 KVA	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
11.	Maa Laxmi Private ITI At. Obra, PS+PO. obra Aurangabad Bihar PR10000479 Grading: 7.7 State: Bihar	Electrician – 16 (8+8)	26th SCAA Remark- The SCAA observed that, since the number of units sought for affiliation in the Electrician trade is substantial high, it is necessary to ensure the availability of dedicated workshops and adequate machinery. Therefore, the ITI shall submit the required documents by rectifying the deficiencies mentioned below: The SCAA decided that re-verification of the institute shall be conducted by a different inspecting member preferably from a nearby RDSDE/NSTI within 30 days from the date of issuance of these minutes and submit the re-verification report with recommendations to DGT. Deficiencies observed in the 26th SCAA- 1. Trainees Tool kit on 2nd Floor Electrician New workshop were less in Counting from S.No.01 to 12 as per Electrician NSQF syllabus. 2. Inverter with 12v. battery (1KVA) was Not installed in the 2nd floor Electrician workshop and solar panel with battery (18 watt)-1set was Not set up with rooftop.	SCAA recommended the following trade/ units: Electrician-12(6+6)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			3. Solar panel with battery (18 watt) -(1set) was Not properly set up with roof top in the workshop for testing and showing output on display board. 4. Discrete component Trainer kits were Not properly arranged for testing in 2nd Electrician Workshop on 2nd Floor for display output. 5. IT Teacher was Not much Experienced and need to be upgraded with the new systems and training process. 6. At least 2(Two Feet) height iron or steel structure enclosure needed to be fitted with cemented concrete on front wall for safety of the trainees on first and 2nd Floor of the both part of the building i.e. Class room Side part and workshop building part. 7. The workshop area is common for some units. Workshop/Classroom bifurcation is Not showing in the layout plan. within 30 days from the date of issuance of these minutes.) Compliance report from RDSDE against the deficiencies raise by the 26th SCAA RD, RDSDE Jharkhand has accepted the request to conduct the inspection of Maa Laxmi Pvt. ITI At- Obra,	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Aurangabad, Bihar (Mis code- PR10000479) on 28.03.2026 as per 26th SCAA instructions and Put the following observational remarks as below: 1. Point rectified by the Institute. Trainer's Tool kit as per NSQF Syllabus is available in the existing as well as in the Extended units of Electrician Trades. GPS Photographs attached. 2. Point rectified by the Institute. An inverter with a 12V battery was installed, and a solar panel was mounted on the side wall 3. Point rectified by the Institute. Solar panel with battery was operational and recorded through GPS Photographs. 4. Point rectified by Institute. the Discrete component Trainer kits were properly recorded through GPS Photographs. 5. Point rectified by the institute. The institute had produced one more trainer with his records as an IT teacher. 6. Steel structure fitted on corridors were wall height is less for the safety of trainees. Recorded through GPS Photographs.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Recommendations by the inspecting member as RD, RDSDE Jharkhand: The infrastructure of ITI is in good condition, and sufficient Area and tools are available for the Trades / Units sought for affiliation. TC section Remarks 1. The ITI has sought affiliation for the Electrician trade with 16 units (8+8). 2. The ICVC had earlier recommended affiliation for the Electrician trade with 12 units (6+6). 3. The re-inspection report does Not clearly specify the number of trades/units recommended for affiliation.	
12.	Adarsh ITC, Daudnagar Aurangabad Old Address: Adarsh ITC, Daudnagar AT-, Growth Centre, Jasoia More Daudnagar Aurangabad Bihar	Electrician – 8 (4+4)	26th SCAA Remark SCAA observed that following details/clarifications are Not available in the inspection report: Therefore, the ITI shall submit the required documents within 30 days from the date of issuance of these minutes. Thereafter, the concerned RDSDE shall verify the documents and submit its verification report with recommendations to DGT Deficiencies observed in the 26th SCAA-	The ITI needs to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	New Address: Adarsh ITC, Daudnagar Aurangabad At-, Growth Centre, Jasoia More Daudnagar - 824143 Aurangabad Bihar PR10000142 Grading: 8.2 (Shifting matter) State: Bihar		1. New Shifting address of the Institute along with details of Plot No./Khasra No. 2. RDSDE Bihar has forwarded the agreement paper of the ITI on 27.01.2026 but the registered land lease copy clearly stating the lease period of the shifted ITI is Not available. Hence, Land lease document of the ITI at New location is required. 3. Land Lease document of old location of the institute. 4. Availability of drawing tables in the drawing hall. 5. BCC of new location as per Norms (For BCC please refer page No.108 of affiliation Norms 2018) 6. Electricity bill of old location and Electricity connection details of new location 7. Fire safety Certificate at the new building. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA 1. Lease deed at new location is Not registered. 2. Fire safety certificate has been expired 3. New Address Plot No. 512/Khata No 326	1. Lease deed at new location is not registered. 2. Fire safety certificate has been expired Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report to DGT within the next 07 days through the online compliance module.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
13.	Gauri Sankar Private ITI, By Pass Road, Near Sanischara Baba Dist Buxar, 802101 PR10000732 State: Bihar	Applied trade in Existing category 1. Electrician - 8(4+4) 2. Fitter - 2(1+1)	28th SCAA Remark- The ITI is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is Not registered. 2. The Building Completion Certificate (BCC) submitted is valid only for the year 2026. 3. The building plan/ blueprint submitted is Not legible. Further, the library area available is only 25 sq. m. against the required area of 40 sq. m. as per Norms. 4. There is a shortage of electrical power load. Available power load: 10 KW Required power load: 22.62 kW	SCAA recommended the following trades/units: 1. Electrician - 8(4+4) 2. Fitter - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. It has been informed that an application for enhancement of power load up to 24 KW was submitted in April 2026. 6. All trade units are applied in existing category The State NOC does Not specifically mention the number of units and trades proposed for affiliation. Compliance report from State against the deficiencies raise by the 28th SCAA State Directorate submitted the compliance and provided documents against removal of all deficiency.	
14.	Sharda Pvt. ITI, Mohamdpur, Garkha - Saran – 841311 PR10000836 Grading: 7.5 State: Bihar	1. Electrician -4(0+4) 2. Fitter - 2(0+2)	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module	The SCAA noted that there is a lack of clarity regarding the exact number of trade units covered under the NOC issued by the State Government and the units recommended by the ICVC. While the ICVC has recommended 04 units of Electrician and 02 units of Fitter, the institute has requested affiliation for 4+4 units of Electrician and 2+2 units of Fitter.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Deficiencies Observed in the 28th SCAA 1. Machinery payment proof and e bay bill Not submitted 2. Dead stock and raw material register indicate less use. 3. All units are recommended in 2nd shift Compliance report from State against the deficiencies raise by the 28th SCAA 1. The ICVC recommended 4 units for Electrician and 2 units for Fitter. However, the State has Not provided clarification regarding the exact number of units for which the NOC was issued. Institute has requested to release 4+4 for Electrician and 2+2 units for Fitter 2. Furthermore, while the pending payment bill amounts to 8 Lakhs, the Institute has claimed for 4+4 units (Electrician) and 2+2 units (Fitter), totaling 9.5 Lakhs as per the submitted bills.	Accordingly, the State Directorate shall provide a clear clarification regarding the exact number of units approved under the NOC and specifically recommend the number of units to be considered for affiliation.
15.	RJ. Private ITI Mansurpur, Dholi, Sakra, Muzaffarpur. 843105	Electrician - 4(2+2)	28th SCAA Remarks- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes	SCAA recommended the following trade/units: Electrician - 4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	PR10001265 Grading: 5.8 State: Bihar		through the compliance module on NIMI affiliation portal. Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA 1. Lease deed is Not registered Compliance report from State against the deficiencies raise by the 28th SCAA The registered lease deed has been submitted, and the State Directorate has confirmed that it is as per the prescribed Norms.	
16.	Mundrika Singh Yadav Pvt ITI Arwal At Sonbhadra P.S Banshi Dist Arwal (Bihar)- 804419	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Computer Operator and	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned RDSDE within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	TMP10611PR1745922 380 State: Bihar	Programming Assistant - 2(1+1)	Thereafter, the RDSDE shall verify the same by conducting joint inspection and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies Observed in the 28th SCAA 1. No infrastructure/ facilities are available for the Mechanic Diesel trade; therefore, the institute is Not fulfilling the mandatory four-trade criteria as per Norms. Further, the ICVC has recommended only three trades. 2. The lease deed submitted is Not registered. 3. The Building Completion Certificate (BCC) submitted is valid only for the year 2025–26. 4. There is a shortage of electrical power load. Required power load: 25.52 kW Available power load: 24.3 kW 5. The electricity bill has Not been submitted. Only the meter sealing report has been provided. 6. The validity of the Fire Safety Certificate has expired. 7. The institute building appears to be a temporary tin-shed structure; however, No specific comments/	the compliance module on NIMI affiliation portal. 1. Latest Electricity Bill 2. Submit the Registration Certificate (RC) of the vehicle in the name of the institute. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			observations in this regard have been made by the ICVC in the inspection report Compliance report from RDSDE against the deficiencies raise by the 28th SCAA 8. All the deficiencies have been removed as per uploading of different photos and different documents as per 28th SCAA comments. The joint inspection committee inspected Mechanic Diesel workshop and inspected the tools and working machines in the workshop. 9. The working engines conditions have been uploaded and recommended the trade with units of Mech. Diesel - 01+01= 02 Units. 10. The Deficiencies mentioned in the SCAA meeting with Serial No.01 to 07 have been removed and on the basis of documents attached and joint inspection report with uploaded online NIMI Portal report, it may be considered for further action at next SCAA level meeting. TC section observation 1. Electricity Bill Not provided at this time also	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2. Registration Certificate (RC) of the vehicle in the name of the institute is not provided	
17.	Basudev Shree Krishna Private ITI AT+PO - Chikni Fulkaha, PS-Gamhariya, Madhepura - 852124 PR10001123 State: Bihar	1. Solar Technician (Electrical)-2(1+1) 2. Electrician (Applied in existing)	28th SCAA Remarks- The ITI is required to remove the deficiencies mentioned in Column IV and V and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies Observed in the 28th SCAA 1. Machinery bills/payment proofs have been submitted as per Norms, except for the Solar Technician trade. 2. Machinery/equipment has been installed as per Norms only for the Electrician trade and Not for the Solar Technician trade.	SCAA recommended the following trade/units: Electrician-4(2+2) Not Recommended- Solar Technician-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			3. All installed machinery/ equipment was found functional, except for the Solar Technician (Electrical) trade. 4. The lease deed submitted is Not registered. 5. The ICVC has recommended addition of 2+2 units in the Electrician trade and Not recommended the Solar Technician trade; however, the institute has Not applied for addition of units in the Electrician trade. 6. The State NOC does Not specifically mention the number of units and trades proposed for affiliation. Compliance report from State against the deficiencies raise by the 28th SCAA 1. The registered lease deed has been submitted. 2. Surrender letter for the Solar Technician (Electrical) trade. 3. Clarification regarding the No Objection Certificate (NOC) for the Electrician trade.	
18.	Mithilanchal Private Industrial Training Institute At- Manni, Mahtha Pokhar	1. Solar Technician (Electrical)-2(1+1)	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20	SCAA recommended the following trades/units. 1. Electrician New-8(4+4)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	(Nayatol) Darbhanga – 846005 PU10001106 State: Bihar	2. Electrician (Existing)-8(4+4)	days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is Not registered. 2. The ICVC has recommended addition of 4+4 units in the Electrician trade along with the Solar Technician trade; however, the institute has Not applied for addition of units in the Electrician trade. The State NOC does Not specifically mention the number of units and trades proposed for affiliation. Compliance report from State against the deficiencies raise by the 28th SCAA	2. Solar Technician (Electrical)New-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			State Directorate submitted compliance report against the deficiency mentioned in previous SCAA	
19.	Chanakya Private ITI Murarka Complex Bela, Po+Ps- Jaynagar, Distt-Madh Madhubani - 847226 PR10001041 State: Bihar	1. Electrician 8(4+4) - 2. Computer Operator and Programming Assistant-2(1+1)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is Not registered. 2. The Building Completion Certificate (BCC) has been issued by a private engineer; however, the date of site inspection/visit has Not been mentioned in the certificate., therefore BCC is Not as per Norms Compliance report from State against the deficiencies raise by the 28th SCAA 1. The registered lease deed has been submitted	SCAA recommended the following trade/units: Electrician-8(4+4) Not Recommended- Computer Operator and Programming Assistant - 2(1+1) due to non-availability of required Infrastructure, tools & equipment, Software As per Norms

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2. Building Completion Certificate (BCC) has been issued by the Assistant Engineer.	
20.	Bandana Private Industrial Training Madhubani At. Marukiya,P.O. Marukiya-847228 New MSTI TMP10206PR1745815783 State: Bihar	1. Electrician - 4(2+2) 2. Fitter - 4(2+2)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is Not registered. 2. The electricity bill has Not been submitted. 3. For the Fitter trade, no machinery/equipment has been installed. Compliance report from State against the deficiencies raise by the 28th SCAA The registered lease deed and the latest electricity bill have been submitted.	SCAA recommended the following trade/units: Electrician-4(2+2) Not Recommended- Fitter-4(2+2) as institute has requested to drop the trade.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
21.	Sutara Private Industrial Training Institute Katihar At Devipur, Nh 31, Post M.T. Devipur, Police Station Kursela, Dist Katihar, Bihar Pin 854101 TMP10201PR1745393414 State: Bihar	1. Electrician - 8(4+4) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Surveyor - 2(1+1)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module Deficiencies Observed in the 28th SCAA 1. The workshop area for the Mechanic Diesel trade is only 119.26 sq. m., and the parking area has Not been defined, which is Not as per DGT Norms. The required workshop area should be 210 sqm. 2. This is new ITI application despite that existing electrical power consumption/load is already very high, which may indicate that some other activity is being carried out from the same premises. 3. Hard punching/engraving indicating the name of the new ITI is Not visible on the machinery/equipment	The SCAA observed that the Mechanic Diesel workshop appears to be as per the prescribed norms; however, the same requires physical verification. Further, the institute has not complied with the prescribed norms regarding proper engraving/identification of machinery and equipment. Accordingly, the institute shall rectify the above deficiencies within 07 days from the date of issuance of these Minutes. Thereafter, the State Directorate shall visit the institute, physically verify the compliance and submit a detailed verification report with specific recommendations and GPS-enabled photographs to DGT within the next 07 days.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from State against the deficiencies raise by the 28th SCAA 1. A revised building plan has been submitted indicating that the proposed Mechanic Diesel workshop is as per the prescribed Norms. However, the same is yet to be verified. 2. The institute has claimed that electricity meter is defective. 3. The name of the ITI engraved on the building is Not as per the prescribed Norms.	
22.	Aaradhya Pvt ITI, Saran Block- Panapur Dist- Saran Bihar 841417 New MSTI TMP10218PR1714285 815 State: Bihar	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant -4(2+2)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.	SCAA recommended the following trades/units: 1. Electrician - 4(2+2) 2. Fitter - 4(2+2) Not Recommended: Computer Operator and Programming Assistant– 4 (2+2) units: Not Recommended due to non-

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Deficiencies Observed in the 28th SCAA 1. Machinery payment proof and E-way bills for the installed machinery/equipment have Not been submitted. 2. The Building Completion Certificate (BCC) does Not contain any file number or issue/reference number for verification purposes. 3. The validity of the Fire Safety Certificate is only up to April 2026. Fire safety certificate required to renew. Compliance report from State against the deficiencies raise by the 28th SCAA 1. The payment proof and E-way bill have been submitted. 2. The Building Completion Certificate (BCC) has been submitted with the file number and date. 3. The Fire Safety Certificate has been submitted.	availability of the prescribed infrastructure, tools and equipment for the COPA trade. Further, the ITI has also submitted a written request for withdrawal of the affiliation proposal for the said trade/units.
23.	Aditya Private ITI (Monghyr) PO Nauagadhi PS-Muffasil Munger – 811211	1. Electrician - 8(4+4) 2. Fitter- 8(4+4) 3. Welder - 4(2+2)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these	SCAA recommended the following trades/units: 1. Electrician-8(4+4)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	PR10001181 State: Bihar	4. Wood Work Technician - 2(1+1)	Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is Not registered. 2. The Building Completion Certificate (BCC) submitted is Not in the prescribed format and does Not indicate the suitability of the building for running an ITI, nor does it mention compliance with the NBC Code. 3. Documentary proof regarding electricity connection/electricity bill has Not been provided. Only documents related to HT connection dated August 2025 were submitted, indicating a connected load of 95 kW. 4. Machinery payment proof and E-way bills for the installed machinery/equipment have Not been submitted.	2. Fitter -6(3+3) 3. Welder-4(2+2) 4. Wood Work Technician- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. Some installed machinery/equipment was found Non-functional at the time of inspection. 6. Complete photographs of the institute building have Not been provided to verify the signage board installed at the main gate. Further, wedding chairs and other unrelated materials were observed placed outside the premises, raising concerns regarding exclusive availability/use of the premises for ITI purposes. Compliance report from State against the deficiencies raise by the 28th SCAA 1. Registered Lease Deed: Not submitted. The State Directorate has informed that the registration process is under progress. 2. Building Completion Certificate (BCC): Submitted and issued by a registered Structural Engineer. 3. Electricity Bill: Submitted for a connected load of 111 kVA. 4. Machinery Payment and Transportation: Payment proof and transportation documents have been submitted.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. Machinery Installation: Installation photographs have been submitted.	
24.	Kunal Private ITI Jamalpur Munger - 811214 Bihar PR10000902 State: Bihar	1. Electrician -4(2+2) 2. Fitter - 2(1+1)	28th SCAA Remark- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is Not registered 2. The area of the Drawing Hall is less than the required area for the Engineering Drawing (ED) Hall. Available area: 47.06 sq. m. Required area: 50 sq. m. 3. There is a shortage of electrical power availability. Available power load: 25.2 kW Required power load: 25.42 kW 4. The Building Completion Certificate (BCC) is Not in the prescribed format and does Not indicate the	SCAA recommended the following trades/units: 1. Electrician -4(2+2) 2. Fitter - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			suitability of the building for running an ITI, nor does it mention compliance with the NBC Code. Compliance report from State against the deficiencies raise by the 28th SCAA 1. All previously observed deficiencies have been addressed. 2. The Building Completion Certificate (BCC), electricity bill for a connected load of 26.1 kW, and a revised building plan indicating the Drawing Hall as per the prescribed Norms have been submitted. 3. The institute has informed that the registration of the lease deed is under process. The inspection has been completed accordingly.	
25.	Swatantrata Senani Mahendra Private Industrial Training Institute At. -Ashram Gate, Darauli Road. P.O.- Anugrah Nagar - Siwan – 841239	Electrician - 6(3+3)	28th SCAA Remark- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report	SCAA recommended the following trade/units: Electrician - 4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	PU10000992 Grading: 7.3 State: Bihar		with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA 1. Lease deed is Not registered 2. BCC is issued by registered architect, which is Not as per Norms Compliance report from State against the deficiencies raise by the 28th SCAA 1. Registered lease deed has been submitted 2. BCC signed by the Assistant Engineer has been issued.	
26.	Sanskar Private ITI Durg 110/2, 110/3 Near Govt Veterinary College, Anjora, Durg Chhattisgarh 491001 TMP22378PR1710743 579 State: Chhattisgarh	1. Electrician -4(2+2) 2. Health Sanitary Inspector- 2(1+1) 3. Smartphone Technician Cum App Tester- 2(1+1) 4. Old Age Care- 2(1+1) 5. Computer Operator and	24th SCAA Remarks SCAA has identified several deficiencies in the institute therefore applicant needs to remove the deficiencies as mentioned in column IV and V and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the institute and submit	The SCAA observed that fundamental deficiencies relating to land, building, machinery, safety, and other essential infrastructural requirements, as detailed in Column IV, still persist. Despite having been provided an opportunity to rectify these deficiencies, the institute has

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		Programming Assistant- 2(1+1)	the report to DGT with recommendations within the next 15 days Deficiency mentioned in the 24th SCAA 1. Building is old and unsafe for running ITI. 2. Most of the installed fire extinguishers were expired. 3. Old and damaged desk and chairs without height adjustment. teaching accessories Not available. 4. Only five computers running. computer specification below Norms 1 GB Ram windows 7 etc pillar in the middle of the IT lab. 5. Children play area intended for primary school present in the campus. electricity bill shows regular power consumption in previous months. 6. BCC Format Not as per Norms. None of the signatories have put date with signatures. The layout do Not tally with physical construction. 7. The ITI could Not show any of the receipt for payment made towards machinery bills. many of the bills could Not be shown except bill attached. 8. Out of thirteen employees listed by ITI only three members present. 9. Majority of machines Not installed as per Norms. 10. Building is old and damaged in many places. Many cracks in ITI lab and class rooms. buildings	failed to address and rectify the same. In view of the above-mentioned, the institute is Not recommended for grant of affiliation. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply on tc-affiliation@dgt.gov.in to DGT within 15 days from the date of issuance of these minutes, clearly explaining why the affiliation application should Not be rejected. In case No reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the affiliation application shall be liable for

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			connected by a passage (bridge) is Not looking safe to use. 11. Land is Not as per Norms. 12. Building is Not as per Norms 13. Drawing Hall is Not as per Norms 14. IT Lab is Not as per Norms. Compliance report from RDSDE against the deficiencies raise by the 24th SCAA 1. Land & Boundary Demarcation: The land area (0.174 + 0.350 = 0.5240 hectares) does Not tally with the approved ITI layout plan. Furthermore, a very old building exists at the rear side of the premises, and it is unclear if this structure falls within the ITI land because permanent site demarcation has Not been carried out. 2. Building Safety & Condition: The building is old, damaged in many places, and deemed unsafe for running an ITI. Structural cracks were explicitly observed on the walls, floor tiles, and ceilings of the workshop building. A passage/bridge connecting the buildings does Not look safe to use. 3. Floor Restrictions: The ITI operates on the ground and first floors. The passage to the second floor has	rejection without any further consideration.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			been closed off, and the second floor was Not offered for inspection. 4. Building Completion Certificate (BCC): The BCC was signed by the Sub-Engineer, Rural Engineering Services, Sub-Division, Durg, dated 15-10-2025. However, records indicate the building was actually constructed around 2005. 5. Play Area: A play area is present on the premises and is equipped with two playground swing bays. 6. Classroom Furniture: Classroom infrastructure—including boards, tables, and desks—is old, previously used, and damaged. Desks and chairs lack height-adjustment features. 7. Drawing Hall: Drawing boards are Not up to standard specifications and are Not adjustable. The stools provided are old, used, and their height adjustment is Not in working condition. 8. IT Lab: There are 15 computers available, all running on an outdated Windows 8 operating system without licensed software and without a UPS backup. 9. Some systems are under-configured, utilizing only 4 GB RAM and 17/18-inch monitors. All computers are assembled units.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			10. A physical structural pillar remains in the middle of the IT Lab, obstructing the layout. 11. The lab furniture is old and previously used. 12. Smartphone Technician Trade: The lab is improperly shaped (L-shape). Additionally, major equipment like the Microscope and the Digitized Touch Screen Glass Separator Machine have been installed without proper power supply connections. 13. Electrician Trade: While most machines are installed, major equipment has Not been provided with separate earthing. Furthermore, the moving parts of the pillar drilling machine are left uncovered, posing a severe safety hazard. 14. Missing Invoices: No purchase bills or payment receipts were produced for the computers and software in the COPA trade (and other sections). 15. Substandard/Missing Equipment: No purchase bills were available for the refrigerator in the Health Sanitary Inspector (HSI) trade or the washing machine in the Electrician trade. 16. As per Norms for a 2+2-unit, two washing machines are required, but only one was available, and it was found to be corroded.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			17. Fire Safety: While the Note mentions "Complied with" regarding expired fire extinguishers in the matrix, the main text highlights that the Fire Safety Certificate does not bear the name of the ITI. Additionally, no emergency exit signage was observed anywhere in the building. 18. Water & Sanitation: Drinking water is exclusively available on the ground floor of the administrative building. Critically, there is No toilet facility available in the workshop block. 19. Signage: The signboard at the plot entrance does Not meet prescribed Norms. 20. Staff Deficiencies: Out of the 14 employees officially listed by the ITI, only 9 members were physically present during the inspection.	
27.	Govt. Industrial Training Institute, Aarang, Distt-Raipur Grading: 9 GR22000023	1. Welder - 1(0+1+0) 2. Computer Operator and Programming Assistant - 1(0+1+0)	28th SCAA Remark- SCAA recommended the following trade: 1. Computer Operator and Programming Assistant - 1(0+1) For the Welder trade the ITI is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate	SCAA recommended the following trade/unit: Welder-1(0+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	State: Chhattisgarh		within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with recommendations to DGT within the next 07 days through the online compliance module. Deficiencies Observed in the 28th SCAA For the Welder trade, all machinery/equipment is available except the following items of the prescribed machinery list: 1. Water cooled induction Welding/Brazing machine 2. Plastic welding machine with hot air gun. Compliance report from State against the deficiencies raise by the 28th SCAA State Remark: All the information requested by you has been updated in the NIMI Affiliation Portal Compliance Module and is being forwarded to you for necessary action.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			TC Section Observation- The deficiency has been rectified, and the required machinery has been purchased.	
28.	Govt. Industrial Training Institute Kharsia GR22000041 State: Chhattisgarh	Mechanic Diesel - 2(1+1)	21st SCAA Remark- The senior officers from the State Directorate, Chhattisgarh, were Not present during the meeting. As a result, the affiliation matter under consideration could Not be discussed and has been deferred for deliberation in the next SCAA meeting. An officer from the State Directorate, at the level of Joint Director or above, must ensure their presence in the upcoming SCAA meeting. 23rd SCAA Remark- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 15 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report	SCAA recommended the following trade/units: Mechanic Diesel - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			with recommendation to DGT within the next 10 days on the online compliance module Deficiencies Observed in the 23rd SCAA 1. Monthly electricity consumption for existing trades is low. Power back up Not available. 2. The tools, equipment and machinery have been bought in between years 2012 to 2024. 3. Shortage of one instructor in welder trade. Two instructors without NCIC. Instructor for Diesel Mechanic Not appointed yet. 4. Biometric attendance Not available 5. The following machinery items of the Mechanic Diesel trade are Not in working conditions. No. 184, 185, 187, 190, 191, 192, 193, 195, 196, 203, and 204. Additionally, items with Sl. No. 190 and 205 are Not available. 6. Cracks in the building. need immediate repair. 7. The NCVT member Noted that the IT lab and drawing hall were Not available; however, the SCVT member and the institute representative uploaded photographs indicating its presence	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from State against the deficiencies raise by the 23rd SCAA State Remark-All the requested information has been successfully updated in the compliance module of the NIMI affiliation portal and is submitted.	
29.	Govt. ITI, Basna GR22000062 State: Chhattisgarh	1. Mechanic Diesel-2(1+1)	15th SCAA Remark- ITI needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate within 30 days from the date of issue of this minute through NIMI compliance portal Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days. Deficiencies observed in 15th SCAA 1. Machinery bills Not available as per Norms, as per Norms machinery bills Not older than 6 months are required. 2. Drawing hall is Not as per Norms. 3. Machinery Not available.	SCAA recommended the following trade/units: Mechanic Diesel-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			4. Instructors Not available as per guidelines. 5. Basic amenities facilities like drinking water and toilets are Not maintained properly 26th SCAA Remark- SCAA observed that the affiliation matter has been pending for a considerable period due to Non-receipt of confirmation regarding removal of the deficiencies from the applicant institute. Despite providing adequate opportunity to the institute to rectify the deficiencies, no compliance has been submitted. Therefore, SCAA has Not recommended the addition of Mechanic Diesel – 2 (1+1) units. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA 1. Machinery had been procured 2. Drawing Hall is Now modified/renovated as mentioned in NEVET Norms 3. Machinery already Purchased by following Government Procurement procedure, hence fresh purchase Not possible.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			4. Water filter etc. installed in proper places, Toilet Blocks are renovated by PWD	
30.	Industrial Training Institute, Tharad (Government) Govt. ITI, Tharad, At Malupur, Tharad-Deesa High – 385565 GU24000125 Grading: 8.6 State: Gujarat	1. Solar Technician (Electrical) - 2(1+1) 2. Welder- 1(0+1) 3. Sewing Technology - 1(0+1)	26th SCAA Remarks Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiency mentioned in the 26th SCAA- 1. No of Computers- Required -16; Available -10 Compliance report from State against the deficiencies raise by the 26th SCAA As per purchase order attached by institute 21 computers have been approved for purchase so, this institute organization may be considered for affiliation.	SCAA recommended the following trades/units: 1. Solar Technician (Electrical) - 2(1+1) 2. Welder- 1(0+1) 3. Sewing Technology - 1(0+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
31.	Govt. ITI, Deodar Opp. Mamlatdar Office, Bhabhar Khimana Highway Banas Kantha 385330 GU24008145 Grading: 7.8 State: Gujarat	1. Electrician - 1(0+0+1) 2. Wireman - 1(0+1)	26th SCAA Remarks SCAA recommended the following trade: 1. Electrician-1(0+0+1) * For wireman trade, ITI needs to remove the following deficiencies related to wireman trade and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. Major Machinery of wireman trade 2. Instructor for wireman trade Compliance report from State against the deficiencies raise by the 26th SCAA Deficiency has been removed by the applicant institute	SCAA recommended the following trade/unit: 1. Wireman - 1(0+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
32.	Sardar Patel ITI Surendranagar Village Zamar Ta. Lakhatar Dist. Surendrnagar 382775 TMP24460PR1742372 136 State: Gujarat	1. Fire Technology and Industrial Safety Management - 2(1+1) 2. Fireman - 2(1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Health Sanitary Inspector (HSI) - 10(5+5)	26th SCAA Remarks Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate and RDSDE will conduct joint inspection and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. The land lease documents have been submitted in Gujarati language- require translated copy 2. The Building Completion Certificate (BCC) is Not as per prescribed Norms and does Not mention anything about building safety. 3. The drawing hall area- Available- 49 sqm Required-50 sqm 4. The IT lab is Not as per Norms.	SCAA recommended the following trades/units: 1. Fire Technology and Industrial Safety Management - 2(1+1) 2. Fireman - 2(1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Health Sanitary Inspector - 10(5+5)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			The required area is 80 sqm, whereas only 25 sqm is available. The number of computers is Not mentioned. 5. Instructor details regarding qualification and experience have Not been submitted. Out of 16 total instructors, appointment letters for only 07 instructors have been provided. 6. The workshop area for Fire Technology and Industrial Safety Management – 2(1+1) units is Not adequate. 7. The workshop area for Fireman – 2 (1+1) units is Not adequate. For practical training, 1000 sqm area is required; however, only 100 sqm is available. Compliance report from State against the deficiencies raise by the 26th SCAA State Directorate has submitted compliance report and mentioned that institute has removed the deficiencies.	
33.	Industrial Training Institute, Himatnagar (Government) Govt. ITI, Himatnagar , Opp-66 K.V. G.E.B.	Computer Operator and Programming Assistant - 3(0+3+0)	26th SCAA Remarks Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.	SCAA recommended the following trade/units: Computer Operator and Programming Assistant - 3(0+3+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Substa Sabar Kantha 383001 GU24000114 Grading: 8.7 State: Gujarat		Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. The Fire safety certificate 2. Power is Not sufficient Required=158.14 KW Available= 109.5 KW Compliance report from State against the deficiencies raise by the 26th SCAA 1. The fire safety system has been installed and is operational at the institution. However, the institution has applied for the Fire NOC, which has Not yet been received. The institute has uploaded the application submitted for the Fire NOC. 2. The institution has adequate power load 174.5 KW as per the shifts and unit entries mentioned in the affiliation order (affiliation order attached). Therefore, the institute may be considered for affiliation.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
34.	Jivuba Institute of ITI Banas Kantha C/O.Lokseva Hospital, Opp. Bhagyoday Hotel, Ambaji Highway, At.Ratanpur(Danta), Ta.Danta, Dist . Banaskantha TMP24441PR1742793 882 State: Gujarat	1. Health Sanitary Inspector - 2(1+1) 2. Computer Operator and Programming Assistant - 2(1+1) 3. Physiotherapy Technician - 2(1+1) 4. Radiology Technician - 2(1+1)	26th SCAA Remarks Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and infrastructure available in the premises of the institute for Physiotherapy technician and Radiology technician submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. The land is registered in the name of one of the members of the Trust, Not in the name of the Trust/Institute. 2. Details of only five (05) instructors have been provided. Required instructor details are incomplete. 3. The electricity bill has been submitted in the name of a Trust member, Not in the name of the Trust/Institute. 4. The sanctioned /available electricity load has Not been mentioned or documented.	The SCAA observed that the trades of Physiotherapy Technician and Radiology Technician require substantial and specialized infrastructure, machinery, and training facilities. The institute has submitted an MoU under the **Dual System of Training (DST); however, no clear justification has been provided regarding how the prescribed practical training requirements under the CTS curriculum will be fulfilled. The SCAA further observed that a DST MoU may be entered into after affiliation of the trade and cannot substitute the mandatory infrastructure and training facilities required to be available in the institute for grant of affiliation.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. The ITI has attached the MoU copy however, it is Not clear that under which clause/order of the CTS syllabus the MoU is signed or how the training will be imparted to trainees. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA DST MOU attached, no clarity has been provided on how the training will be done	Accordingly, clarification may be obtained from CSTARI and the concerned CD Section of DGT within 15 days regarding whether the infrastructure/facilities of the MoU partner under DST can be considered as a substitute for the mandatory infrastructure required at the ITI for affiliation of these trades. The case shall be considered thereafter, based on the clarification received.
35.	Industrial Training Institute, Ankleshwar (Government) Govt. ITI, Ankleshwar ITI, Station Road, Nr City Bharuch - 393001 GU24000403 Grading: 8.7	1. Computer Operator and Programming Assistant - 5(2+3) 2. Electrician - 3(2+1) 3. Fitter - 2(1+1) 4. Mechanic Motor Vehicle - 3(2+1) 5. Turner - 2(1+1)	26th SCAA Remarks Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.	SCAA recommended the following trades/units: 1. Computer Operator and Programming Assistant - 5(2+3), 2. Fitter - 2(1+1), 3. Mechanic Motor Vehicle- 3(2+1) 4. Electrician - 3(2+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	State: Gujarat		Deficiencies mentioned in the 26th SCAA- - Power Shortage- Required:807KW Available:250KVA - Mechanic Motor Vehicle Workshop Area Available: 77 sqm, Required: 210 sqm Compliance report from State against the deficiencies raise by the 26th SCAA - Institute transferred Mechanic Motor Vehicle (MMV) trade has been transferred to a workshop with an area of 228 sq. m (Including Parking area) replacing the previous 77 sq. m. The relevant photographs and floor plans are attached. - Institute applied for an Additional 750 KVA (250KVA + 750KVA = 1000KVA Approx. 900KW) has been submitted to the Electricity Authority. The registration receipt for the same is attached here. - According to DGT-Aff011(51)/4/2025-0/0 DIR (TC) (E-75283) of the Standing Committee's letter, the Electrician trade "NOT Recommended" for the 3 (2+1) units. However, this institute currently holds affiliation for a total of 8 batches. In line with the new requirements for the 3 (2 + 1) configuration, two	Not recommended- Turner - 2(1+1)-surrendered by institute

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			workshops are required, both of which are currently available. Photographs of the equipment, and machinery for these workshops are uploaded by institute. So please consider it. So, this institute organization may be considered for affiliation. TC section remarks: Recommended- 1. Electrician-3(2+1) Not Recommended- 1. Turner -2(1+1)	
36.	Smt. Dahiben Shivabhai Patel ITI, Vasad (Government) Govt. ITI, Vasad B/H Payal Cinema, Brahmin Tekro, Opp Maheshwari Society, Vasad, Anand, -1, Gujarat - Anand - 388306 GR24000216	1. Attendant Operator (Chemical Plant)- 1(0+1+0) 2. Instrument Mechanic (Chemical Plant)- 1(0+1+0) 3. Maintenance Mechanic (Chemical Plant)- 1(1+0+0) 4. Electrician -	26th SCAA Remark- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA-	SCAA recommended the following trade/units: Electrician -2(1+1) Not Recommended: 1. Attendant Operator (Chemical Plant)- 1(0+1+0) 2. Instrument Mechanic (Chemical Plant)- 1(0+1+0) 3. Maintenance

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	State:Gujarat	2(1+1)	Recommended for- (a) Electrician-2 (1+1+0) Not Recommended for- (a) Attendant Operator (Chemical Plant) - 1(0+1+0) (b) Instrument Mechanic (Chemical Plant) - 1(0+1+0) (c) Maintenance Mechanic (Chemical Plant) - 1(1+0+0) 1. As the Additional lab/workshop required for the proposed Additional unit is Not available, and the existing power supply is inadequate as per NCVT Norms. 2. Drawing Hall area-31.72 are less than required 3. Library area-31.72 are less than required 4. Power Shortage-Required Power- 142.91 Kw Available- 87 Kw 5. Workshops are Not available for the Additional units sought for affiliation in Attendant Operator (Chemical Plant), Instrument Mechanic (Chemical Plant), and Maintenance Mechanic (Chemical Plant). Compliance report from State against the deficiencies raise by the 26th SCAA The Engineering Drawing Hall and Library are found to be as per the submitted plan. The ITI has also applied for	Mechanic (Chemical Plant)- 1(1+0+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			power load extension as per the required Norms. Accordingly, the case is recommended for approval. TC Section Remarks: 1. The State Directorate submitted that there is a mismatch between the units mapped on the Affiliation Portal and the units affiliated as per the affiliation order. As per the actual affiliated units, the required power load is 87.4 kW against the available power load of 87 kW. The institute has also applied for enhancement of the sanctioned power load to meet the prescribed requirement. 2. Workshops are Not available for the Additional units sought for affiliation in the following trades: a) Attendant Operator (Chemical Plant) b) Instrument Mechanic (Chemical Plant) c) Maintenance Mechanic (Chemical Plant)	
37.	Industrial Training Institute, Visnagar (Government) Govt. ITI, Visnagar,	1. Health Sanitary Inspector - 2(1+1) 2. Attendant Operator (Chemical Plant)- 2(1+1)	26th SCAA Remark Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes	SCAA recommended the following trade/units: 1. Health Sanitary Inspector - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Kheralu Road, Visnagar, Gujarat, Mahesana – 384315 GR24000107 Grading: 8.5 State: Gujarat	3. Instrument Mechanic - 2(1+1) 4. Fashion Design & Technology - 1(0+1+0) 5. Mechanic Electric Vehicle - 1(0+1+0)	through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. Power Shortage- Required= 646.52 KW Available= 93/298 KW (Not Visible on bill) Compliance report from State against the deficiencies raise by the 26th SCAA The State Directorate has clarified that there is a mismatch in the trade/unit mapping on the DGT MIS portal, resulting in an incorrect assessment of the required power load. As per the details furnished by the State Directorate, the total required power load is 337.72 kW against the available power load of 350 kW, which is sufficient as per the requirement.	2. Attendant Operator (Chemical Plant)-2(1+1) 3. Instrument Mechanic - 2(1+1) 4. Fashion Design & Technology - 1(0+1+0) 5. Mechanic Electric Vehicle - 1(0+1+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			The State has, therefore, requested release of the affiliation. The trade/unit-wise details furnished by the State Directorate are placed at Annexure-14 . Accordingly, the trade/unit mapping may be corrected on the Affiliation Portal, and the case may be considered for release of affiliation.	
38.	Gurukul Private Industrial Training Institute At- Ramsundariya, Po- Ghatkuraba, Ps- Pathargama, Godda, Jharkhand- 814147 PR20000332 Grading-7.4 State: Jharkhand	Electrician 4(2+2)	1. The case was earlier placed before the 23rd SCAA, wherein deficiencies relating to the BCC and Fire Safety Certificate were observed. The same were subsequently submitted by the ITI 2. The case was again placed before the 24th SCAA due to discrepancies between the civil drawings submitted at the time of initial affiliation and trade extension, particularly regarding the Electrician workshop area and the length of the ground floor building. 3. The RDSDE has now physically verified the infrastructure and reported that the workshop area is sufficient. Accordingly, the RDSDE has recommended additional 4 (2+2) units of Electrician trade for affiliation.	SCAA recommended the following trade/units: 1. Electrician – 4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
39.	BDSU Pvt. ITI, & Skill Development Centre Garhwa Farathiya, Po- Hoor 822114 - Garhwa Jharkhand TMP20328PR1714023 451 State: Jharkhand	1. Draughtsman (Civil) - 2(1+1) 2. Fitter - 4(2+2) 3. Welder - 4(2+2) 4. Turner - 2(1+1) 5. Electrician - 4(2+2) 6. Hospital Housekeeping - 2(1+1) 7. Mechanic Electric Vehicle - 4(2+2) 8. Solar Technician (Electrical) - 4(2+2) 9. Fashion Design and Technology - 4(2+2) 10. Computer Operator and Programming Assistant - 4(2+2)	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned RDSDE within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the RDSDE shall verify the same by conducting joint inspection and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies mentioned in the 28th SCAA 1. Clear demarcation of land for the proposed new ITI is Not available. 2. The Building Completion Certificate (BCC) submitted is Not in the prescribed format, and the name of the ITI is also Not mentioned in the certificate. 3. The area details of the IT Lab and Drawing Hall have Not been clearly mentioned/provided. Required area for IT Lab: 85 sq. m. Required area for Drawing Hall: 106.25 sq. m. 4. The required electrical power load is 109.72 kW, whereas 250 kW power load is available in the name of the management.	SCAA recommended the following trade/units: 1. Draughtsman Civil-2(1+1) 2. Fitter-4(2+2) 3. Welder-4(2+2) 4. Turner-2(1+1) 5. Electrician-4(2+2) 6. Hospital Housekeeping - 2(1+1) 7. Mechanic Electrical Vehicle-4(2+2) 8. Solar Technician (Electrical)-4(2+2) 9. Fashion Design and Technology -4 (2+2) 10. Computer Operator and Programming Assistant - 4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. The workshop area available for the Turner trade is only 90 sq. m. against the required area of 110 sq. m. as per Norms. 6. Other institutes are also functioning from the same premises, indicating the possibility of sharing of infrastructure/facilities. Compliance report from RDSDE against the deficiencies raise by the 28th SCAA 1. Land Demarcation: Complied. The land for the proposed ITI is separately and clearly demarcated on-site, aligning with the layout plan issued by the competent authority of the Government of Jharkhand. 2. BCC & Space Allocation: Complied. A Building Completion Certificate (BCC) has been provided. Out of the available 211.60 sqm space, 92.00 sqm is successfully allocated for the IT Lab and 169.60 sqm is combined for Drawing Halls I & II, fulfilling the required Norms. 3. Electrical Load: Complied. A dedicated 110 KW power line via a separate 200 KVA transformer is fully installed exclusively for the ITI on the eastern side of the campus, supported by an Additional 200 KVA DG set for power backup.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			4. Turner Workshop Area: Complied. The workshop area has been extended to 112 sqm (exceeding the required 110 sqm) and arranged according to affiliation Norms. 5. Infrastructure Independence: Complied. Basic training infrastructure, built-up area, and land (2.82 acres) are completely independent and separate from other institutions, with only Non-academic, common facilities (like the canteen and playground) being shared.	
40.	Grizzly ITI, Mahagama Godda Godda Grizzly ITI Mahagama Godda Jharkhand – 814147 TMP20330PR1745929 652 State: Jharkhand	1. Fitter - 2(1+1) 2. Electrician - 4(2+2) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Cutting & Sewing- 2(1+1) 5. Solar Technician (Electrical)- 2(1+1)	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned RDSDE within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the RDSDE shall verify the same by and submit report, with specific recommendations to DGT within the next 07 days through compliance portal. Deficiencies mentioned in the 28th SCAA-	SCAA recommended the following trades/units: 1. Fitter - 2(1+1) 2. Electrician - 4(2+2) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Sewing Technology- 2(1+1) 5. Solar Technician (Electrical)- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. The BCC and Fire Safety Certificate have Not been provided. 2. Laptops are available in the IT Lab, which is not as per Norms. 3. The electricity bill has not been submitted. Further, the consumer number has not yet been allotted by the Electricity Board. Required power load: 21.21kW Available power load: 25 kW Compliance report from RDSDE against the deficiencies raise by the 28th SCAA RDSDE has provided the Fire safety Certificate, BCC and Electricity Bill and IT lab photos and mentioned that the compliance has been verified.	
41.	National Private ITI At Jainamore Bandhdih Jaridih Bokaro, Jharkhand- 829301 PR20000135	Existing trades 1. Electrician -8(4+4)	23rd SCAA remarks: ITI needs to the rectify the deficiencies mentioned in columns IV & V and submit the documents to the concerned RDSDE within 15 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal.	ITI needs to remove the deficiencies the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 07 days. Deficiencies observed in 23rd SCAA meeting 1. Lack of major machines as per the syllabus, Lack of biometric system either for trainers or for the trainees, No CITS certificates to any of the trainers. 2. Water Leakage Near the main electricity connection. 3. Machines for the current running trades and units are working. But new machines for new units' extension are required. 4. Low value bills only. old bills present, limited new bills. No procurement of high worth items. 5. Drawing hall not as per norms 6. Fire safety certificate not available 7. On electricity bill the details of sanction load and applicant name not provided Compliance against 23rd SCAA meeting:	1. Drawing hall is not equipped with proper drawing trades. 2. ITI appears to be in tin shed raise concern about the safety of the institute hereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Joint Inspection has been carried out on dated 29.01.2026 and report has been submitted Trade Recommended by the Committee and under consideration is as follows: Electrician- 2+2= 4 units. TC Section remarks: 1. Drawing hall is not equipped with proper drawing trades 2. ITI appears to be in tin shed raise concern about the safety of the institute	
41.	Govt. ITI, Dhulakhed Govt. Primary School Campus Dhulakhed Tq- Indi -586207 GR29001533 Grading: 7.20 New Address Government ITI Chadachan, Pandharpur Road, Laxmi Nagar, Taluka Panchyat Office	Existing Trades 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) Shifting Case	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies mentioned in the 28th SCAA 1. The Fire Safety Certificate has Not been submitted.	SCAA recommended the shifting with the existing trades/units: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Campus Chadachan, Taluk Chadachan, District: Vijayapur, State: Karnataka PIN Code: 586205 State: Karnataka		2. A Notarized English translation/copy of the land documents is required. 3. The complete new address of the ITI has Not been clearly mentioned in the submitted documents. Compliance report from State against the deficiencies raise by the 28th SCAA The land for construction of the ITI building has been sanctioned, and the institute is awaiting budget approval from the Government to commence construction. Hence, it is recommended to grant affiliation at the shifted location.	
42.	Hi-Tech Pvt. ITI Indu Complex Bellery Road Pavagada, Tumakuru PR29000513 Grading: 0.7 State: Karnataka	Shifting matter Brief facts: 1. Briefly, the case is that the petitioner has shifted its place to another location from the affiliated location and admitted the trainees till 2022-23 through the	26th SCAA remarks: The matter was discussed in the SCAA, and it has been decided that the petitioner ITI needs to remove the deficiencies mentioned by ICVC and the TC section, and submit the documents to the concerned RDSDE Karnataka within 15 days from the date of issue of these minutes. Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents and RDSDE will submit the report with recommendation to DGT within the next 15 days on the NIMI portal and forward to DGT HQ along with recommendation.	The SCAA observed that the petitioner was provided adequate opportunities to rectify the deficiencies identified during inspection, including additional time granted pursuant to the recommendations of the 26th SCAA. However, despite these opportunities, the institute failed to achieve

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		Hon'ble Court orders in earlier petitions. Meanwhile, the petitioner has shifted back to the original place, however, the state directorate has issued the order 03.03.2025 whereby the representation of the petitioner to run institute at its old-affiliated location was rejected. This order is again challenged by the petitioner in present ongoing petition W.P. (C) No. 22527/2025 inter alia prying to	If the petitioner institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall not be considered further and will be rejected without any further notice from DGT Further, the admissions allowed to the petitioner vide DGT OM dated 30.12.2025 for the academic sessions 2023–24, 2024–25, and 2025–26 shall remain provisional in nature and shall be subject to the final outcome of W.P. No. 22527/2025 pending before the Hon'ble High Court of Karnataka, Bengaluru Bench. Deficiencies observed in the 26th SCAA- 1. The institute is under lease for five years from 01.11.2022 to 01.11.2027 Building stability certificate is available but building completion certificate is not available. 2. Tools are available for the trades Fitter (1+1) and Electrician (1+1); 80% Machineries are installed only 50% machineries are in working condition computer are required regular maintenance. 3. Institute is requesting for 6 months to renovate separate classrooms and drawing hall and to maintain all machineries in working condition.	compliance with the prescribed Affiliation Norms. As per the inspection report and the remarks of the TC Section, significant deficiencies continue to exist, including shortage of essential machinery, tools and equipment for the Fitter and Electrician trades, absence of a separate IT Lab, a non-compliant Engineering Drawing Hall, inadequate infrastructure and furniture, and the institute building being constructed with a tin-sheet roof. In view of the above, the SCAA concluded that the institute does not fulfil the minimum infrastructure,

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		allow the admission for session 2025-26 and continue affiliation at original location. 2. The Hon'ble Court has allowed the petitioner provisionally in the interim relief in judgment dated 26.11.2025 to appear the trainees claimed to be admitted for session 2023-25 and 2024-26 in the ensuing Examination scheduled from 24.11.2025 to 26.01.2026 as the prayer made in the	4. 2023-25 academic year 28 trainees are admitted and batch has completed training under the trade Fitter and Electrician but not appeared for examination due to shifting of ITI. 2024-26 academic year the 30 trainees are admitted in the trade Fitter and Electrician are undergoing training of the second year but not appeared to the first-year examination due to shifting of ITI. Machineries are installed but not maintained only 50% are in working conditions. Required separate classroom, drawing hall and toilets to be renovate. 5. Machinery Bills are 95 % available as per norms. 6. IT lab is having only 5 systems against 10 systems. Drawing hall is made up with sheet roof. 7. Only 2 classrooms are available out of one is shown as drawing hall. 8. Drinking water available Ramp for physically handicapped students near classroom First Aid box available Toilets are under construction Parking Available Playground is available but not maintained properly. 9. The ITI is located in prime area of Pavagada, if the institute maintain neat campus, if machineries are in good working condition for the trade Fitter (1+1) and	machinery, and training requirements prescribed under the Affiliation Norms, even at its original affiliated location. Accordingly, restoration of affiliation at the original location is also not recommended. Since the institute is not compliant with the Affiliation Norms, it cannot be permitted to admit trainees. Accordingly, the request for shifting to its original location is not recommended, and the institute is hereby de-affiliated. The petitioner may submit a fresh application for affiliation under the Affiliation Norms, 2025, subject to fulfilment of

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		IA 01/2025. The state directorate has forwarded the letter 12.12.2025 to comply the interim judgment passed in petitioner case, for issuance of an examination center code in the supplementary examination scheduled for December 2025 for the petitioner, Hi-Tech Pvt. ITI for trainees claimed to have been admitted in sessions 2023–25 and 2024–26. 3. Since the admission data for the 2023–25 session and 2024–	Electrician (1+1) and if renovation of building is taken place then, the trade Fitter (1+1) and Electrician (1+1) are Recommended. 10. The institute has not rectified the deficiencies of 1st inspection conducted on 21.05.2025, even after grant of 6 months' time period by SSDEC. 11. Building completion certificate is not available. (For BCC please refer page no.108 of affiliation norms 2018) 12. Lease is not sufficient as per norms; minimum 3 years period is required. 13. Electricity bill is in the name of Mr Balaji GA, not in the name of ITI. 14. Classroom is made of tin shade which seems not safe for the trainees, from photos it seen that it is poorly maintained. One of the classrooms no-1 is made in open space without any wall. 15. IT lab and drawing hall is not as per norms as per report. Compliance report from RDSDE against the deficiencies raise by the 26th SCAA	all the prescribed requirements.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		26 is not available on the Skill India Digital Hub (SIDH) portal, the examination activities cannot be carried out in the absence of the Permanent Registration Number (PRN) for each trainee. There is a technical constraint to alter the ongoing examination cycle of the supplementary/left over examination in December 2025, therefore, once the PRN is generated on the SIDH portal, the eligible trainees	The remarks of the 26th SCAA was communicated to the petitioner on 09.03.2026 to rectify the deficiencies. A joint verification was conducted on 12.05.2026 and the following remarks are made by the verification team- IT Lab; Area: 52.50 sqm No separate IT lab available, no licensed and anti ware software found installed. Fitter: Unit/shift:1: Work shop area:89.5484Sqm Class room area:35.54 Sqm Electrician: unit/shift:1, Work shop area:138.77Sqm Class room area:33.634Sqm Library: Not available Engg. Drawing Hall: Area: 58.24 Sqm Engg Drg lab not as per norms, has Tin sheet roof, No requisite furniture available for Drawing hall. Fitter: General Machinery: only one lathe available as against two. Additional tools and Equipment for allied trades viz., Sheet metal worker, Welding and hydraulic and pneumatics per Machineries not available. Electrician: Major Electrical machineries and Tools and Equipment as per Machineries and Tools and Equipment list not available. Shortage of Equipment of list (ii) of Shop Tools and Equipment. Shortage in list (C)Shop Machinery noticed.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		may appear in next subsequent examination cycle of regular or supplementary cycle subject to fulfilling the examination guidelines. 4. In compliance to the judgement DGT has issued an OM on 30.12.2025 inter alia allowing the petitioner provisionally to upload the data of 28 trainees for the 2023–25 session and 30 trainees for the 2024–26 session, as furnished by the State Directorate.	1.Fitter: General Machineries: only one lathe available as against two. Additional tools for allied trades viz., Sheet metal worker, Welding and hydraulic and pneumatics per Machineries not available. 2.Electrician: Major Electrical machineries and Tools and Equipment as per Machineries and Tools and Equipment list not available. Shortage of Equipment of list (ii) of Shop Tools and Equipment.Shortage in (C)Shop Machinery 3.No separate IT Lab available. IT lab located at the drawing room of ITI. No licensed and antiwar/soft ware found installed in the systems. 4.Entire ITI building is made up of tin sheet roof. 5.Engg.Drawing Hall: Engg Drg hall not as per norms, has Tin sheet roof, No Drawing table available. Requisite furniture as per norms for Drawing hall available. Not recommended for Affiliation of Fitter and Electrician trades and units due to shortages of Tools and Equipment, machinery, Deficiencies and discrepancies noticed in IT lab, Engg Drawing hall noticed during the Inspection. TC section remarks:	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		5. As per 4th SSDEC meeting held on 02.09.2025, it has been decided that the institute needs to remove deficiencies observed in the Joint Inspection held on 21.05.2025, within 6 months. hence State directorate and RDSDE officials are instructed to re-inspect ITI and submit the report in next SSDEC meeting. 6. Existing trade is Electrician 2(1+1) and Fitter -2(1+1) at location	The petitioner has not rectified the deficiencies despite providing the multiple opportunities. There is storage of the major machineries. The building of the ITI is made up of the tin shade.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		Address: Indu Complex Bellery Road Pavagada, Dist Tumakuru on SIDH portal. 7. The reinspection was conducted on 30.12.2025 and the major deficiencies were found in the petitioner institute.		
43.	N.S.S Computer Private Industrial Training Institute Old Address: N.S.S Computer Private Industrial Training Institute P.O. Pulamon Kottarakkara Kollam - 691531	Shifting case Existing trades: 1. Computer Operator and Programming Assistant - 2(1+1)	26th SCAA Remarks Applicant is required to rectify the following deficiencies and submit the requisite documents to the concerned State Directorate within 30 days from the date of issuance of these minutes through the compliance module on the NIMI Affiliation Portal: Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with clear recommendations and confirmation as to whether the shifting is in accordance with the prescribed Norms, to DGT within	SCAA recommended the shifting with the existing trade/units: 1. Computer Operator and Programming Assistant - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	New Address: N S S Computer Private ITI Kollam N S S Computer Private ITI, Asoka Complex, Opp. Govt. Girls High School, Chanthamukku, Kottarakara, Kollam (Dist)-691506 PR32000458 Grading: 6.6 State: Kerala		the subsequent 15 days through the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. Fire Safety Certificate 2. Translated copy of the land document 3. New address along with all relevant supporting documents as proof of the revised address Compliance report from State against the deficiencies raise by the 26th SCAA The State Directorate has verified all the documents submitted by N S S Computer Private ITI Kollam and confirmed that the shifting process has been conducted by observing all the DGT Affiliation Norms in connection with the shifting of ITI. In this context, The State Directorate Request and Recommend to consider the continuation of NCVET Affiliation for N S S Computer Private ITI Kollam to ensure uninterrupted academic progression for the Trainees.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
44.	Datatech Computer Private Industrial Training Institute Mitchel Junction, Mavelikkara Alappuzha – 690101 New Address: Datatech Computer Private ITI, Pulimoodu Junction, Mavelikara Alappuzha 690101 Pin: 690101 Alappuzha, PU32000403 State: Kerala	Applied for Shifting. Existing Trade: Computer Operator and Programming Assistant - 2(1+1)	26th SCAA Remarks Applicant is required to rectify the following deficiencies and submit the requisite documents to the concerned State Directorate within 30 days from the date of issuance of these minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with clear recommendations and confirmation as to whether the shifting is in accordance with the prescribed Norms, to DGT within the subsequent 15 days through the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. Fire Safety Certificate is Not available. 2. No Comments provided regarding location i.e., whether shifting is within block or outside 3. No separate IT Lab is provided. Practical lab of COPA is used as IT Lab Compliance report from State against the deficiencies raise by the 26th SCAA	SCAA recommended the shifting with the existing trade/units: 1. Computer Operator and Programming Assistant - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. Since the ITI is offering only the COPA trade, the COPA practical lab is also being used as the IT Lab. 2. The State Directorate has confirmed that the new location of Datatech Computer Private ITI falls within the same block as its previous location. 3. The Fire Safety Certificate has been submitted to the State Directorate, and the certificate forwarded by the State Directorate has been attached. The institute has applied for the Fire NOC.	
45.	Government Industrial Training Institute, Akot, Dist: Akola Popatkhed Road - 444101 GR27000081 Grading: 9 State: Maharashtra	1. Computer Operator and Programming Assistant- 1(1+0) 2. Draughtsman (Civil) - 1(1+0)	26th SCAA Remarks Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal. Deficiencies mentioned in the 26th SCAA- 1. Power Shortage- Required-170.45 KW Available- 94 KW	SCAA recommended the following trades: Computer Operator and Programming Assistant- 1(1+0) Not Recommended- Draughtsman Civil1(1+0) as Tools and Equipment not available.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from State against the deficiencies raise by the 26th SCAA The Institute has submitted the following documents: 1. Power Calculation Sheet. 2. De-affiliation Proposal & Shift Correction Proposal. The Directorate has verified the trades and units actually running in the ITI against those recorded on the SIDH Portal. During the verification, it was observed that certain Additional trades and units are reflected on the SIDH Portal, and there are discrepancies in the shift details. Accordingly, a proposal for de-affiliation of the Additional trades and units and for correction of shifts is enclosed herewith. Based on the above, it is observed that the ITI has adequate electrical load as per the prescribed Norms. The required electrical load is 113.3 kW, whereas the available electrical load is 150 kW. Hence Recommended for COPA – 1 Unit (1+0) w.e.f. Aug.2026 session	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			TC Section Remark- Surrender of the extra units as per the State recommendations	
46.	Government Industrial Training Institute, Manora, Dist: Washim M.I.D.C. Area Devthana Road Washim – 444404 GR27000518 Grading: 8.9 State: Maharashtra	Surveyor - 2(1+1)	26th SCAA Remarks ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. Power Shortage- Required= 50.71 KW Available= 47 KW Compliance report from State against the deficiencies raise by the 26th SCAA The Institute has submitted the following documents:	SCAA recommended the following trade/units: Surveyor - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. Power Calculation Sheet. 2. De-affiliation Proposal & Shift Correction Proposal The Directorate has verified the trades and units actually running in the ITI against those recorded on the SIDH Portal. During the verification, it was observed that certain Additional trades and units are reflected on the SIDH Portal, and there are discrepancies in the shift details. Accordingly, a proposal for de-affiliation of the Additional trades and units and for correction of shifts is enclosed herewith. Based on the above, it is observed that the ITI has adequate electrical load as per the prescribed Norms. The required electrical load is 40.71 kW, whereas the available electrical load is 47 kW. Hence Recommended for Surveyor-2(1+1) w.e.f. Aug.2026 session	
47.	Government Industrial Training Institute (Adivasi), Karjat, Dist: Raigad BamNoli, Post-Kirvali	1. Machinist - 2(1+1) 2. Painter (General) - 2(1+1)	26th SCAA Remarks Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes	SCAA recommended the following trades/units: 1. Machinist - 2(1+1) 2. Painter (General) - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Raigad – 410201 GR27000357 Grading: 9 State: Maharashtra		through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiencies mentioned in the 26th SCAA- 1. Power Shortage- Required= 69.67 KW Available= 60 KW Compliance report from State against the deficiencies raise by the 26th SCAA The ITI has submitted the following documents: 1. Clarification and request letter regarding the power load. 2. Tax invoices of tools, tool kits, and equipment. It is submitted that under the CSR initiative of Godrej & Boyce co., modern laboratories, along with machinery, tools, and equipment have been	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			established for the following trades: Machinist-2 Units (1+1) Painter (General) - 2 Units (1+1) 3. During the inspection, the ITI had submitted an incorrect Power Calculation and, therefore, the actual requirement of power load could Not be properly assessed at that time. Accordingly, it has Now been observed that the available power load at the ITI is 60 kW, whereas the required power load is 69.67 kW. The ITI has applied to Maharashtra State Electricity Distribution Company Limited (MSEDCL) for enhancement of the power load up to 80 kW, and the process is expected to be completed within approximately two months. 4. Further, at the time of inspection, the delivery of certain tools and equipment required for the second units of the above trades had Not been completed. Therefore, the Inspection Committee had recommended only one unit each for the concerned trades. However, upon subsequent verification by the Directorate, it has been confirmed that the delivery of all remaining tools and equipment has been completed, and the ITI Now possesses adequate tools and equipment for 02 units each of the above trades.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. In view of the above facts, and considering that modern laboratories, machinery and equipment have been established under the CSR initiative of Godrej & Boyce, it is requested that affiliation may kindly be granted in order to facilitate admissions for the concerned trades. Further, the Directorate assures that the ITI shall obtain the required power load before commencement of admissions for trainees. 6. Accordingly, the proposal is recommended for the following trades/units: a) Machinist - 2(1+1) b) Painter (General) - 2(1+1) w.e.f. August 2026 session.	
48.	Smt.Sulochana Bhat Private ITI,Kundal. Palus-Karad Road;Near Ghatage Pool,Kundal(Sangli) - 416309 MIS Code: PR27001026 Grading: 7.00	1. Fitter - 2(1+1) 2. Machinist - 2(1+1)	19th SCAA Remark- Applicant needs to remove the following deficiencies and submit the documents through Compliance module on NIMI affiliation portal within 30 days from the date of issue of these minutes. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days. Deficiencies mentioned in the 19th SCAA	SCAA recommended the following trade/units: Machinist - 2(1+1) Fitter is already recommended in 21st SCAA

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	State: Maharashtra		1. MPSC and UPSC Preparation Training Centre are running in the same premises. 2. Separate dedicated IT Lab Not available. 3. In Machinist Trade CNC Vertical Machining Center Not Working. 4. In Machinist Trade as Per Syllabus Sr No 161 Drilling Machine Pillar, Sr No 166 Horizontal Milling Machine, Sr No 167 Vertical Milling Machine are Not available, Sr No 172 Simulator and Desktop Computer Not available, Sr No 175 LCD Projector Not available which are major items as per syllabus. 5. Qualification details of instructors Not available) 21st SCAA Remark- SCAA recommended following trades: 1. Fitter: 2(1+1) 2. For the Machinist trade – 2 (1+1) units, the institute is required to remove the deficiencies related to machinery, equipment, and instructor. The institute must submit the compliance report through the NIMI Affiliation Portal. Thereafter, the State	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Directorate will verify the removal of deficiencies and submit its verification report within 15 days. Deficiencies mentioned in the 21st SCAA- Machinist: 1. Syllabus sr.No.159 SS & SC Centre Lathe (All geared) - 03/03 available but with under capacity motors. 2. Syllabus sr.No.162: Radial Machine - 01/01 available but with under capacity motor. 3. Syllabus sr.No.165: Universal Milling Machine with minimum specification - 01/02 Nos. available. 4. Syllabus sr.No.166: Horizontal Milling Machine - 01/01 available but Purchased old machine. 5. Syllabus sr.No.167: Vertical Milling Machine - 01/01 available but with under capacity motor and has Purchased old machine. 6. Syllabus sr.No.172: - Desktop Computers compatible to run simulation software with LAN facility - 10Nos. available, trial version simulator software are installed. Computers are donated by trust to ITI. 7. Syllabus sr.No.175:- LCD Projector - Available - Donated by trust to ITI.) within one month from the date of issue of these minutes.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from State against the deficiencies raise by the 21st SCAA State Remark: The Institute has submitted the tax bill and relevant photographs in respect of the deficiencies observed in the Machinist trade. The Directorate has carried out a physical verification of the Institute and observed the following: 1. Out of the total deficiencies at Sr. Nos. 1 to 7, the Institute has complied with deficiencies at Sr. Nos. 1 to 4, 6 and 7. 2. However, deficiency at No. 5 has Not been complied with, as detailed below- Deficiency No. 5: Syllabus Sr. No. 167 – Vertical Milling Machine (Equipment Sr. No. 117) As per the syllabus, - 01 Vertical Milling Machine is required. 01 Vertical Milling Machine is available at the Institute; however, it is old / reused. 3. The Institute has Not purchased a new Vertical Milling Machine, still on the day of inspection. Hence, deficiency No. 05 remains unfulfilled. Subject	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			to the fulfilment of the said deficiency, the following trade(s) and unit(s) of the ITI are recommended- Machinist- 2 (1+1) w.e.f. Aug.2026 session	
49.	Hon. Ratnakarraoji Gutte Industrial Training Institute, Wadgaon (St.) Tq- Sonpeth, Dist-Parbhani – 431516 PR27000792 Grading: 5.9 State: Maharashtra	1. Solar Technician (Electrical) - 2(1+1) 2. Health Sanitary Inspector-2(1+1)	26th SCAA Remarks- The State Directorate and RDSDE shall conduct a fresh joint inspection of the institute and submit a report to DGT within 30 days, clearly indicating whether any other activity is being carried out on the institute premises and verifying the adequacy of tools, equipment, and instructors, along with their recommendations Compliance report from RDSDE against the deficiencies raise by the 26th SCAA Joint inspection carried out and following were the remarks of ICVC: 1. Total 40400 Sq. m. of land belongs to the Sudharatna Charitable trust and land area of 7743.92 sq. m. was allocated to the said ITI by trust vide resolution dated 17.05.2022 2. Consequently, lease deed has been made for 20 years on 16.06.2022. 3. Recommending the following trades: a) Solar Technician (Electrical)-	SCAA recommended the following trades/units: 1. Solar Technician (Electrical) - 2(1+1) 2. Health Sanitary Inspector- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2 (1+1) b) Health Sanitary Inspector- 2 (1+1)	
50.	Mahatma Gandhi Private Industrial Training Institute Nanded, Balantwadi Post. Ghodaj Tq. Kandhar Dist. Nanded (MS), 431714 TMP27485PR1649834 771 State: Maharashtra	1. Electrician-2(1+1) 2. Wireman-2(1+1) 3. Fitter-2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Fashion Design and Technology - 2(1+1)	23rd SCAA Remark- This case was first placed in 23rd SCAA meeting, remarks of that was as follows: Applicant Institute needs to remove the following deficiencies and submit the required documents within 15 days from the date of issue of these Minutes in the Compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate to verify the documents submitted by the ITI and submit the report to DGT within the next 07 days on the online compliance module. Deficiencies observed in 23rd SCAA 1. Loose wiring in workshop 2. Half of the wall of the workshop is made up of tin shed 3. Safety mat Not available 4. Engraving on machinery is Not done 5. Remarks of inspecting member regarding the land is Not clear, whether the society has embarked the land for the use of ITI purpose	SCAA recommended the following trades/units: 1. Electrician-2(1+1) 2. Wireman-2(1+1) 3. Fitter-2(1+1) 4. Solar Technician (Electrical) -2(1+1) 5. Fashion Design and Technology -2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			6. Electricity consumption is huge and it is a new ITI, school activities is also mentioned in the campus. Compliance report from State against the deficiencies raised by the 23rd SCAA 1. The Institute has submitted the following documents. 2. Photos of machinery wires are fitted properly. 3. Workshop Photos of profiled industrial roof sheets & Clarification. 4. Photos of Safety mat & Tax Invoice bill 5. Photos of work done on Engraving on machinery 6. Resolution regarding embarkation of land & building for uses for ITI. 7. Photos of replacement of faulty old meter and installation of new meter. The Directorate has verified the institute's submitted documents & Photos. It is as per Norms. Hence Recommended for- a) Electrician- 2 (1+1) b) Wireman-2(1+1) c) Fitter- 2(1+1) d) Solar Technician (Electrical)- 2(1+1) e) Fashion Design and Technology - 2(1+1)	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			24th SCAA Remark- This case is reviewed in 24th SCAA remark of that was as follows- SCAA observed that, despite the opportunity provided in the 23rd SCAA, half of the workshop wall continues to be made of a tin shed/prefabricated structure, which is Not in conformity with the prescribed Norms. Accordingly, SCAA decided that senior officers from the State Directorate and RDSDE shall conduct a fresh joint inspection of the ITI and submit a detailed report with recommendations to DGT within 30 days. Thereafter the case shall be placed in next SCAA. Compliance report from State against the deficiencies raised by the 24th SCAA 1. NCVT final Remark-Deficiency has been rectified by ITI and same has been verified. Hence Upheld the recommendations of trades and units in earlier inspection 2. SCVT Final Remark-Deficiency has been rectified by ITI as observed by 23rd SCAA and same has been verified a) Wires fitted properly b) Full wall has been constructed in Workshop	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			c) Safety Mat provided 26th SCAA Remark- This case is again reviewed in 26th SCAA, remark of that was as follows: SCAA observed that the status of removal of deficiencies is Not clearly indicated by inspection team. Therefore, inspection team need to submit the status against each and every deficiency and submit the documents to the DGT along with recommendation through the RD, RDSDE within 15 days from the date of issue of these Minutes. Compliance report from RDSDE against the deficiencies raised by the 26th SCAA 1. Electrical wiring has been properly fitted. 2. A full-height wall has been constructed in the workshop area as required. 3. Safety mats have been provided wherever required. 4. Names are labelled on machines but Not engraved. 5. The Society Resolution earmarking sufficient land for the proposed ITI is available. 6. Installation of meter has been rectified and minimum demand rate observed in last electricity bills.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Observed that an Open University Centre is located adjacent to the ITI building; during inspection, it was found that this does Not adversely affect the functioning of the ITI. Recommendation: - Considering the above status, and the same has been verified, the Committee upholds the recommendations pertaining to the trades and units made by the earlier Committee subject to the point 4 above names are Labelled on machines but Not engraved. 28th SCAA Remark- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA-	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. Engraving on machinery is Not done. Compliance report from State against the deficiencies raised by the 28th SCAA 1. The Institute has submitted geo-tagged photographs showing engraving on the machinery 2. The Directorate has verified the submitted document and confirmed that the engraving on the machinery has been carried out as per the prescribed Norms. 3. The compliance submitted by the Institute is found satisfactory. 4. Hence, recommended for- a) Electrician – 2(1+1) b) Wireman – 2 (1+1) c) Fitter – 2 (1+1) d) Solar Technician (Electrical) – 2(1+1) e) Fashion Design and Technology – 2(1+1) w.e.f. August 2026 session.	
51.	Government Industrial Training Institute Amalner, Dist: Jalgaon	1. Electrician - 1(0+1) 2. Wiremen-1(0+1)	28th SCAA Remarks- Applicant is required to remove the deficiencies	SCAA recommended the following trades/units: 1. Electrician - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	At Post. Amalner 425401 GR27000313 Grading: 8.9 State: Maharashtra		mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module Deficiencies Observed in the 28th SCAA 1. The Fire Safety Certificate has not been submitted/is required to be provided. 2. Availability of Drawing Hall tables as per prescribed Norms needs to be ensured. 3. ICVC recommended the Electrician-2(1+1) and Wiremen-2(1+1), however applied number are Electrician - 1(0+1) Wireman - 1(0+1) Compliance report from State against the deficiencies raised by the 28th SCAA The Institute has submitted the following documents: 1. Fire Safety Certificate issued by Malegaon Municipal Corporation dated 13.06.2025. 2. Geo-tagged photographs of Drawing Hall tables.	2. Wiremen-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			3. Clarification regarding the trades and units considered during affiliation inspection. The Directorate has verified the submitted documents and confirmed that the Fire Safety Certificate has been submitted and the Drawing Hall tables are available as per the prescribed Norms. Further, the clarification submitted by the Institute regarding the trades and units has been examined and found satisfactory. The compliance submitted by the Institute is found satisfactory. Hence, recommended for: - a) Electrician – Additional 2 (1+1) units b) Wireman – 2 (1+1) Units w.e.f. August 2026 session.	
52.	Govt Industrial Training Institute Nandura Dist Buldhana Ward No-2 - Buldhana – 443404 GR27000433 Grading: 9 State: Maharashtra	Turner-1(0+1)	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module.	SCAA recommended the following trades/units: Turner-1(0+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Deficiencies Observed in the 28th SCAA 1. There is a shortage of electrical power load. Required power load: 80.81 kW Available power load: 75.20 kW Compliance report from State against the deficiencies raised by the 28th SCAA The Institute has submitted the following documents: 1. Power Calculation Sheet. 2. De-affiliation Proposal & Shift Correction Proposal The Directorate has verified the trades and units actually running in the ITI against those recorded on the SIDH Portal. During the verification, it was observed that certain Additional trades and units are reflected on the SIDH Portal, and there are discrepancies in the shift details. Accordingly, a proposal for de-affiliation of the Additional trades and units and for correction of shifts is enclosed herewith.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Based on the above, it is observed that the ITI has adequate electrical load as per the prescribed Norms. The required electrical load is 60.01 kW, whereas the available electrical load is 75.20 kW. Hence Recommended for Turner 1(0+1) w.e.f. Aug.2026 session	
53.	Government Industrial Training Institute, Wani, Di Chandrpur Road - Yavatmal – 445304 GR27000077 Grading: 8.3 State: Maharashtra	1. Textile Mechatronics- 2(1+1) 2. Electronics Mechanic- 1(0+1)	28th SCAA Remarks- Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies Observed in the 28th SCAA 1. There is a shortage of electrical power load. Required power load: 113.86 kW Available sanctioned load: 47 kW Compliance report from State against the deficiencies raised by the 28th SCAA	SCAA recommended the following trades/units: 1. Textile Mechatronics- 2(1+1) 2. Electronics Mechanic- 1(0+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			- The ITI has submitted the following document: Electricity Bill indicating an available power load of 116 kW. - The Directorate has verified the submitted document and confirmed that the ITI's available power load is as per Norms for the proposed units/trades. Required Power Load: 113.86 kW Available Power Load: 116 kW - Accordingly, the proposal is recommended for the following trades/units with effect from the August 2026 session: Trade Units Recommended are given below: - Textile Mechatronics-2(1+1) - Electronics Mechanic 1 (0+1)	
54.	Vishweshwarayya ITI At- Post- Almala (S. Wadi), Tq, AUSA, Dist Latur- 413520 PR27000994 Grading: 8.3 State: Maharashtra	- Electrician-2(1+1) - Solar Technician (Electrical)-1(1+0)	28th SCAA Remarks- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days Deficiencies Observed in the 28th SCAA	SCAA recommended the following trades/units: - Electrician-2(1+1) - Solar Technician (Electrical)-1(1+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. Latest Electricity Bill as per Norms Compliance report from State against the deficiencies raised by the 28th SCAA 1. The Institute has submitted the following document: Sanction letter issued by the Assistant Engineer, MSEDCL, Yerandi, Dist. Latur, dated 04.06.2026, indicating an available power load of 29.50 kW against the required power load of 21.51 kW. 2. The Directorate has verified the submitted document and confirmed that the available power load is adequate and complies with the prescribed Norms. 3. The compliance submitted by the Institute is found satisfactory. Hence, recommended for: a) Electrician – 2 (1+1) b) Solar Technician (Electrical) – 1 (1+0) Unit w.e.f. August 2026 session.	
55.	Government Industrial Training Institute, Basmatnager, Dist: Hingoli Parbhani Road Basmathnagar	1. Electronics Mechanic - 2(1+1) 2. Refrigeration and Air Conditioning Technician-	26th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.	SCAA recommended the following trades/units: 1. Electronics Mechanic - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Hingoli – 431512 GR27000108 Grading: 8.6 State: Maharashtra	2(1+1) 3. Computer Operator and Programming Assistant- 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Cosmetology- 1(1+0) 6. Dress Making- 1(1+0) 7. Wood Work Technician - 1(1+0) 8. Electrician - 1(0+1) 9. Mechanic Motor Vehicle -1(0+1)	Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with clear recommendation on the trade/units to DGT within the next 15 days on the online compliance module. Deficiencies Observed in the 26th SCAA- 1. Power Shortage- Required=79.87 KW Available= 67 2. Electronics 2. Mechanic –Machinery is available and functional; however, machines are Not installed in the lab and power outlets are Not provided. 3. RAC (Refrigeration & Air Conditioning) –Partial machinery available; tools are Not available. Not recommended. 4. COPA – Tools and equipment are available and installed for one unit; however, only 20 computers are available. 5. Solar Technician – Tools are Not available and machinery is Not installed. 6. Cosmetology – Machinery and tools are available for one unit, but Not installed.	2. Refrigeration and Air Conditioning Technician- 2(1+1) 3. Cosmetology -1(1+0) 4. Mechanic Motor Vehicle - (0+1) 5. Electrician 1(0+1) 6. Computer Operator and Programming Assistant- 2(1+1) Not Recommended- 7. Dress Making-1(1+0) 8. Wood Work Technician- 1(1+0) Solar Technician (Electrical) (NSQF) Already affiliated (green channel through) w.e.f. Aug.2026 session

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			7. Dress Making -No machinery and No tools available. 8. Woodwork Technician – No machinery and No tools available; trade may be de-affiliated. 9. Electrician – Partial machinery available; workbenches are insufficient. 10. MMV (Mechanic Motor Vehicle)– Partial machinery available; vehicles such as truck and Tata Sumo are available. Compliance report from State against the deficiencies raised by the 26th SCAA 1. The ITI has submitted geo-tagged photographs, tax invoices, and other supporting documents in compliance with the deficiencies communicated by DGT with regard to affiliation. Based on the documents submitted by the ITI, the Directorate has carried out a detailed physical inspection of the ITI. During the inspection, it has been confirmed that the ITI has complied with all the deficiencies as per the Norms. 2. With regard to the deficiency of Power Shortage, it is submitted that adequate electrical load is available in the ITI. The total required electrical load for the running trades/units, as well as the trades/units	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			proposed for new affiliation, is 59.23 kW, whereas the available electrical load is 67 kW. 3. Further, a proposal for de-affiliation of the Additional trades/units reflected on the SIDH Portal has already been submitted to DGT. 4. Accordingly, the following trades/units are recommended for affiliation: a) Electronics Mechanic -2(1+1) b) Refrigeration and Air Conditioning Technician-2(1+1) c) Cosmetology -1(1+0) d) Mechanic Motor Vehicle - (0+1) e) Electrician 1(0+1) f) COPA-2(1+1) g) Solar Technician (Electrical) (NSQF) Already affiliated (green channel through) w.e.f. Aug.2026 session 5. Further, the ITI has Not sought affiliation for the following trades/units: a) Dressmaking-1(1+0) b) Woodwork Technician- 1(1+0)	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
56.	G.K. Private Industrial Training Institute Gondia At-Kawrabandh Ta-Salekasa Dist-Gondia 441916 TMP27476PR1711183 835 State: Maharashtra	1. Electrician - 2(1+1) 2. Computer Operator and Programming Assistant - 2(1+1) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical)-2(1+1) 5. Basic Cosmetology- 2(1+1)	22nd SCAA Remark- G. K. Pvt. ITI, Kawarabandh, Gondia was Not ready for the joint inspection. A letter in this regard has been submitted by the institute. The SCAA has accepted the request for rescheduling the inspection. The ITI may submit a fresh request to the RDSDE within the next three months. Thereafter, the RDSDE may reschedule the inspection batch accordingly and submit the report. Inspection conducted on 18.07.2025 The ICVC submitted the following observations: 1. No document establishing the availability/ownership of land in the name of GK ITI Kawarabandh has been submitted. Further, the land documents are in Marathi and a translated copy has not been provided. 2. The ICVC has reported non-availability of the Building Completion Certificate (BCC); however, a BCC issued by the Gram Panchayat, based on the certification of an Architect and Structural Engineer,	SCAA has observed that the institute has not fully complied with affiliation norms and the deficiencies indicated in column IV still persist in the institute: SCAA has decided to grant a final opportunity to the institute to remove the deficiencies mentioned in column IV and submit the necessary supporting documents through the compliance module on the NIMI Affiliation Portal within 15 days from the date of issue of these minutes. Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			has been submitted. The validity/admissibility of the BCC requires clarification/verification. 3. In the IT Lab, only 06 computers are available against the requirement of 12 computers as per the prescribed norms. 4. The required power load is 23.21 kW, whereas the meter sealing report dated 2023 indicates a connected load of only 18.01 kW. Further, the electricity bill has not been provided. Hence, there is a shortage of the required power load. 5. The required machinery are available only for the Fitter, Electrician, and Solar trades and are not available for the COPA trade 6. Biometric attendance is not available for staff 7. In COPA Trade Computer brand shown in Invoice physically different brand	module within the next 07 days. Failure to comply within the stipulated timeline will result in rejection of the affiliation application.
57.	Siddheswar Industrial Training Centre, At/Po- Amarda Road, Ps- Basta, Baleshwar, Odisha, 756030 PR21000451	Existing trades: Electrician (Existing)-4(2+2) Fitter (Existing)-4(2+2) New Trade	28th SCAA Remarks- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal.	SCAA recommended shifting with Existing trades/units: 1. Electrician (Existing)-4(2+2) 2. Fitter (Existing)-4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Grading-4.7 State: Odisha	1. Computer Operator and Programming Assistant- 2(1+1+0) 2. Warehouse Technician- 2(1+1+0)	Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA 1. BCC is issued by a consulting agency which is Not as per Norms. (For BCC please refer page No.108 of affiliation Norms 2018) 2. Safety mats are Not available. 3. The roofs of works shops are made of Tin shade. 4. Electric load is less Required- 12.22 KW available 8.71 KW 5. Dead Stock register are Not maintained properly and needs improvement 6. Instructor qualifications are Not as per Norms. 7. There is lack of amenities in the institutes 8. Teacher records are Not maintained in the institute properly. 9. Fire safety certificate is Not available. Compliance report from State against the deficiencies raised by the 28th SCAA	SCAA not recommended the following trades/units due to non-availability of infrastructure 1. Computer Operator and Programming Assistant – 2 (1+1+0) 2. Warehouse Technician – 2 (1+1+0)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. The Building Completion Certificate (BCC) has been submitted and is issued by a State Government Engineer/Official, as the institute is located in a rural area. 2. Safety rubber mats are available in the workshop. 3. The workshop roof is made of industrial sheets and Not tin sheets. 4. The available contracted electrical load is 15 kW, which is sufficient against the required load of 12.22 kW. 5. The institute is an existing institute undergoing shifting. The Dead Stock Register was maintained at the time of the affiliation. 6. Amenities such as the library/reading room, multipurpose hall, first-aid room, playground, drinking water facility, toilets, canteen, and parking area are available. Photographs of some of these facilities were already uploaded during the joint inspection. 7. The Fire Safety Certificate has been submitted as per the prescribed Norms. Photographs of the fire-fighting equipment were also submitted during the inspection.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			State Remark: The deficiencies are compiled by the Institute and the documents are verified and found as per Norms. Recommended for consideration in SCAA for shifting with existing trades Electrician and Fitter. During the meeting, the State Directorate confirmed that the infrastructure for the proposed new trades was not available at the shifted location. Accordingly, the proposals for the following trades are not recommended: Computer Operator and Programming Assistant – 2 (1+1+0) Warehouse Technician – 2 (1+1+0)	
58.	Fathima Industrial Training Centre Kothur-Via Makule Fatimapur Ranga Reddy - 509001 PR36000268 Grading: 8.3 State: Telangana	1. Electrician - 6(3+3) 2. Fitter - 2(1+1)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with	SCAA recommended the following trades/units: 1. Electrician - 6(3+3) 2. Fitter - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			recommendation to DGT within the next 07 days on the online compliance module. Deficiencies Observed in the 28th SCAA 1. The lease deed submitted is not registered. 2. The Fire Safety Certificate has not been submitted. 3. Machinery payment proof/invoices for the installed machinery/ equipment have Not been submitted. Compliance report from RDSDE against the deficiencies raised by the 28th SCAA 1. The fresh lease deed submitted has been verified and found to be valid. 2. The State has provided a letter stating that a Fire No Objection Certificate (NOC) is Not required for educational buildings with a height below 15 metres. 3. The equipment purchases bills submitted have been verified and found to be in order.	
59.	Fatima Industrial Training Centre Kazipeta REC post,	1. Computer Operator and Programming Assistant - 2(1+1)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 20 days from the date of issue of these	SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Fathimanagar, Warangal. Hanumakonda - 506004 PU36000020 Grading: 7.8 State: Telangana	2. Electrician - 2(1+1)	Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module Deficiencies Observed in the 28th SCAA 1. The validity of the Building Completion Certificate (BCC)/ Structural Stability Certificate (SCC) has expired. 2. A classroom has been shown/used as the Drawing Hall; however, drawing boards/tables required for the Drawing Hall are Not available. 3. If COPA trade is surrender then power load requirement would be sufficient 4. The Fire Safety certificate has Not been submitted. Compliance report from RDSDE against the deficiencies raised by the 28th SCAA RDSDE Remark:	SCAA meeting. The following deficiencies are still pending: 1. Drawing hall is not as per norms SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the necessary supporting documents through the compliance module on the NIMI Affiliation Portal within 15 days from the date of issue of these minutes. Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			The ITI has rectified all the deficiencies as per the observations of the SCAA. Accordingly, it is recommended that the grant of affiliation for the Electrician trade be considered. TC Section remarks 1. The Building Completion Certificate (BCC) is submitted 2. The Drawing Hall appears to be used as a store room. 3. A Fire No Objection Certificate (NOC) is Not required. 4. The COPA trade has been surrendered.	module within the next 07 days. Failure to comply within the stipulated timeline will result in rejection of the affiliation application.
60.	A.P.V. ITC - Kanpur Nagar 117/H-1/209 Pandu Nagar Kanpur Nagar – 208005 PR09001207 Grading: 9 State: Uttar Pradesh	Existing Trades 1. Electrician- 2(1+1) 2. Computer Operator and Programming Assistant -2(1+1)	28th SCAA Remarks Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within 07 days. Deficiency mentioned in the 28th SCAA	SCAA recommended the following trades/units: 1. Electrician- 2(1+1) 2. Computer Operator and Programming Assistant - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. The Building Completion Certificate (BCC) has been issued by the Tehsildar, which is Not as per prescribed Norms. 2. The Fire Safety Certificate has not been submitted. Compliance report from State against the deficiencies raise by the 28th SCAA BCC and fire safety provided State Remarks Compliance has been resolved by the respective institute.	
61.	HRD Verma Private Industrial Training Institute, Firozabad Prempur, Repura Fatehabad Road Firozabad 283203 TMP9143PU15818372 59 State: Uttar Pradesh	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2) 3. Mechanic Motor Vehicle - 3(1+1+1) 4. Mechanic Diesel - 3(1+1+1)	26th SCAA Remarks Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module Deficiency mentioned in the 26th SCAA 1. IT Lab Not as per Norms	SCAA recommended the following trades/units: 1. Electrician – 4 (2+2) 2. Fitter – 4 (2+2) 3. Mechanical Motor Vehicle – 2 (1+1) 4. Mechanic Diesel – 2 (1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2. BCC Not as per Norms (For BCC please refer page No.108 of affiliation Norms 2018) Compliance report from State against the deficiencies raise by the 26th SCAA The Building Completion Certificate (BCC) has been submitted, and the photographs indicate that the equipment for the IT Lab has been purchased. State Remarks Compliance has been resolved by the respective institute.	
62.	Dulam Singh Private Industrial Training Institute Unnao Village-Melaalamshah Ehatmali Post & Block-Bangarmau District-Unnao U.P. - 209868 TMP9186PR16819802 64 State: Uttar Pradesh	1. Electrician - 4(2+2) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	28th SCAA Remarks Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes. Thereafter, the concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days. Deficiency mentioned in the 28th SCAA 1. Fire safety Certificate is Not available	SCAA recommended the following trades/units: 1. Electrician - 4(2+2) 2. Fitter - 2(1+1) 3. Computer Operator and Programming Assistant- 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from State against the deficiencies raise by the 28th SCAA Fire safety certificate has been provided	
63.	Suresh Mishra Private Industrial Training Institute, Kheri Ramiya behar - 262907 Uttar Pradesh New MSTI TMP9159PR1580378978 State: Uttar Pradesh	Electrician - 4(2+2)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiency mentioned in the 28th SCAA 1. The ITI is proposed to be opened under the MSTI category; however, the required NOC has Not been submitted. 2. The lease deed submitted expired on 24.03.2025 and is also Not registered.	SCAA recommended the following trades: Electrician - 4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from State against the deficiencies raise by the 28th SCAA Lease has been extended upto 2035 and declaration for unserved block has been provided	
64.	S M D Private Industrial Training Institute, Firozabad Gali No 5 Gandhi Nagar Firozabad 283203 TMP9143PU15808835 76 State: Uttar Pradesh	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2) 3. Health Sanitary Inspector 3(1+1+1) 4. Hospital Housekeeping- 3(1+1+1)	28th SCAA Remarks- ITI needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiency mentioned in the 28th SCAA 1. The Building Completion Certificate (BCC) has Not been submitted. Only a Public Works Department inspection letter has been attached/provided. Compliance report from State against the deficiencies raise by the 28th SCAA	SCAA recommended the following trades/units: 1. Electrician 4(2+2) 2. Fitter 4(2+2) 3. Health Sanitary Inspector - 2(1+1) 4. Hospital Housekeeping 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			BCC is issued by the executive engineer	
65.	S.K.D. Private Industrial Training Institute, Azamgarh Village-Dhanhuan, Post- Mande, Tehsil-Sadar, District-Azamgarh, Uttar Pradesh, Pin Code-276129 TMP9123PR15811566 15 State: Uttar Pradesh	1. Health Sanitary Inspector-(HSI)-2(1+1) 2. Electrician - 6(2+2+2) 3. Fitter - 2(1+1) 4. Computer Operator and Programming Assistant -2(1+1)	28th SCAA Remarks- ITI needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module Deficiency mentioned in the 28th SCAA 1. An Earthquake Resistance Certificate issued by the PWD has been submitted; however, the Building Completion Certificate (BCC) has Not been provided. 2. One DC shunt generator control panel was found Non-functional/Not working at the time of inspection. Compliance report from State against the deficiencies raise by the 28th SCAA	SCAA recommended the following trades: 1. Health Sanitary Inspector (HSI)- 2(1+1) 2. Electrician -4(2+2) 3. Fitter- 2(1+1) 4. Computer Operator and Programming Assistant- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			BCC and DC shunt generator details has been provided.	
66.	Shri Ram Private ITI Vill. Pondari Post Podari Dist Etah -301307 PR09900671 Grading: 6.5 State: Uttar Pradesh	1. Fitter - 3(1+1+1) 2. Computer Operator and Programming Assistant -4(2+2) 3. Solar Technician (Electrical)-2(1+1) 4. Electrician - 9(3+3+3)	26th SCAA Remarks- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance. Module. Deficiency mentioned in the 26th SCAA 1. The Fire safety certificate 2. IT Lab Not as per Norms Compliance report from State against the deficiencies raise by the 26th SCAA Fire safety and Photos of IT lab has been provided ICVC recommended the following trades:	SCAA recommended the following trades and units as per ICVC recommendation: 1. Electrician-2(1+1) 2. Solar Technician (Electrical)- 02(1+1) 3. Computer Operator and Programming Assistant 2(1+1) Not Recommended 1. Fitter-3(1+1+1)-

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			As per infrastrure available Recommended Electrician (New) – 02 (1+1), Solar Technician (Electrical) – 02 (1+1), Computer Operator and Programming Assistant– 02 (1+1) Fitter 3(1+1+1)- Not Recommended workshop, tools machines, electric load and staff not available	
67.	Govt ITI Rajatalab, Varanasi (PPP) State: Uttar Pradesh	1. Fitter - 2(1+1) 2. Mechanic Refrigeration and Air Conditioning - 2(1+1) 3. Electrician- 2 (1+1) 4. Computer Operator and Programming Assistant -2(1+1) 5. Welder - 2(1+1)	26th SCAA Remarks- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days. Deficiencies observed in the 26th SCAA- 1. Fire safety Certificate Not available	SCAA recommended the following trades/units as per ICVC recommended: 1. Fitter - 2 (1+1) 2. Refrigeration and Air Conditioning Technician- 2 (1+1) 3. Electrician - 2 (1+1) 4. Computer Operator and Programming Assistant- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		6. Electronics Mechanic -2 (1+1) 7. Plumber -2 (1+1) 8. Mechanic Motor Vehicle -2(1+1)	Compliance report from State against the deficiencies raise by the 26th SCAA Fire safety certificate provided ICVC not recommended Mechanic Motor Vehicle 2 (1+1) -due to shortage of Tool & Equipment	5. Welder - 2 (1+1) 6. Electronics Mechanic - 2 (1+1) 7. Plumber - 2 (1+1) Not Recommended Mechanic Motor Vehicle 2 (1+1)
68.	Govt ITI Shahbad, Hardoi (PPP) State: Uttar Pradesh	1. Electrician-2 (1+1) 2. Fitter -2 (1+1) 3. Welder -2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Machinist - 2 (1+1) 6. Mechanic R & AC -2 (1+1) 7. Wireman -	26th SCAA Remarks- ITI need to remove the deficiencies as mentioned below and submit the documents to the concerned State Directorate within 30 days from date of issue of these minutes. The State Directorate shall verify the documents and thereafter forward the same to DGT for further necessary action within next 15 days. Deficiencies observed in the 26th SCAA- 1. IT Lab area is less (30 sqm) required 50 sqm 2. Drawing Hall area is less(50sqm) as trainees are more than 160. required 62.5 sqm 3. Fire Safety certificate is Not available.	SCAA recommended the following trades: 1. Electrician-2 (1+1) 2. Fitter -2(1+1) 3. Welder -2(1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Refrigeration and Air Conditioning Technician- 2(1+1) 6. Wireman -2 (1+1) 7. MechanicDiesel -2(1+1) 8. Electronic Mechanic - 2(1+1) 9. Cosmetology -2 (1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		2 (1+1) 8. Mechanic Diesel -2 (1+1) 9. Electronic Mechanic -2(1+1) 10. Basic Cosmetology -2 (1+1) 11. Fashion Designing-2 (1+1) 12. Desktop Publishing-2(1+1)	Compliance report from State against the deficiencies raise by the 26th SCAA 1. The IT Lab has been shifted to the Library Hall having an area of 63.36 sq. m. against the required 50 sq. m. The Library has been shifted to an area of 47.64 sq. m., and the Office has been shifted to the erstwhile IT Lab area of 30 sq. m. 2. The State/Institute clarified that the Drawing Hall area was inadvertently reported as 50 sq. m. The actual area of the Drawing Hall is 63.36 sq. m., as per the building plan and physical measurement. 3. The Fire Safety Certificate has been obtained and submitted for compliance.	10. Fashion Design and Technology-2 (1+1) Not Recommended 1. Machinist -2 (1+1) 2. Desktop Publishing-2(1+1)
69.	Gyan Private ITI 1149 A Etah Road Firozabad - 283135 PU09900583 Grading: 7.7 State: Uttar Pradesh	1. Electrician-3(1+1+1) 2. Fitter-3(1+1+1)	28th SCAA Remarks- Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within 07 days.	SCAA recommended the following trade/ units: Electrician-2 (1+1) Not Recommended- Fitter-3(1+1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Deficiency observed in the 28th SCAA 1. The lease deed submitted expired on 28.11.2023. 2. The Drawing Hall is available; however, the required furniture/seating arrangements are insufficient as per Norms. 3. The Fire Safety Certificate submitted was issued in the year 2017 and appears to be expired, required to renew. Compliance report from State against the deficiencies raise by the 28th SCAA Fire safety, drawing hall photos and renewed lease deed as per norms has been submitted	
70.	Adarsh Private ITI Vill-Hetimpur (Jalalpur)Zamania, Ghazipur (U.P)- 232329, Ghazipur, Uttar Pradesh. PR09000953 Grading 6.5	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2)	28th SCAA Remark- ITI needs to remove the deficiencies mentioned in column V and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days.	SCAA recommended the following trades/units: 1. Electrician-4(2+2) 2. Fitter-4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	State: Uttar Pradesh (Bank guarantee matter)		The proposal for 3rd Shift is Not recommended, as operating a 3rd Shift is allowed only under the Dual System of Training (DST) mode as per prevailing Norms. Deficiency observed in the 28th SCAA A Fire Safety inspection letter has been submitted; however, the copy of the valid Fire Safety Certificate has Not been provided. Compliance report from State against the deficiencies raise by the 28th SCAA Fire safety certificate has been submitted	
71.	Govt. ITI, Thana, Bhawan-2, Shamli (PPP) TMP9660GR1714365239 State: Uttar Pradesh	1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Welder-2 (1+1) 4. Computer Operator and	26th SCAA Remark Applicant need to remove the deficiencies as mentioned below and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes.	SCAA recommended the following trades/units: 1. Electrician-2 (1+1) 2. Fitter-2(1+1) 3. Welder-2(1+1) 4. Computer Operator and Programming Assistant-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		Programmi ng Assistant-2 (1+1) 5. Fashion Design & Technology -2 (1+1)	The State Directorate shall verify the documents and thereafter forward the same to DGT for further necessary action within next 15 days. Deficiency observed in the 26th SCAA 1. Not Recommended-Drone Pilot (Junior)Drone Technician- Due to shortage of Tools & Equipment 2. Drawing hall area is less Compliance report from State against the deficiencies raise by the 26th SCAA 1. Drawing hall shown in building plan but in photos, 2. Purchase details of machinery is Not visible	5. Fashion Design & Technology -2 (1+1) Not Recommended: 1. Drone Pilot (Junior) 2. Drone Technician The RD, RDSDE shall visit the institute and physically verify the availability and prescribed area of the Drawing Hall as per DGT norms and submit the verification report
72.	Govt ITI, Madihan, Mirzapur TMP9170GR17143826 65 (PPP) State: Uttar Pradesh	1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and	26th SCAA Remark Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. Not available	SCAA recommended the following trades/units: 1. Electrician-2 (1+1) 2. Fitter –2(1+1) 3. Welder – 2(1+1) 4. Computer Operator and Programming Assistant -2 (1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		Programmi ng Assistant - 2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) – 2 (1+1) 7. Drone Technician-2 (1+1)	Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days. Deficiency observed in the 26th SCAA Fire safety Certificate Compliance report from State against the deficiencies raise by the 26th SCAA Fire safety certificate provided	5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) – 2 (1+1) 7. Drone Technician-2 (1+1)
73.	Govt. ITI, Charthwal, Muzaffarnagar TMP9172GR17143746 24(PPP) State: Uttar Pradesh	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant-	26th SCAA Remark- SCAA recommended the following trades: 1. Electrician-2 (1+1) 2. Fitter- 2(1+1) 3. Welder- 2(1+1) 4. Computer Operator and Programming Assistant-2 (1+1) 5. Fashion Design & Technology -2 (1+1) Not Recommended-	The SCAA observed that the compliance submitted by the applicant for the Drone Pilot (Junior) and Drone Technician trades is not satisfactory. Since these trades were already Not Recommended in the 26 th SCAA, the institute may apply afresh for affiliation of these trades in the next affiliation

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		2 (1+1) 5. Fashion Design & Technology -2 (1+1) 6. Drone Pilot (Junior) -2 (1+1) 7. Drone Technician-2 (1+1) 8.	1. Drone Pilot (Junior) 2. Drone Technician Due to shortage of Tools and Equipment. Compliance report from State against the deficiencies raise by the 26th SCAA No compliance sought for Drone Pilot (Junior) and Drone Technician- Compliance submitted is also Not satisfactory	cycle, as per the applicable norms
74.	Governemnt ITI, Tilhar, Shahjahnpur TMP9180GU17125517 83 (PPP) State: Uttar Pradesh	1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Computer Operator and Programming Assistant -2 (1+1) 4. Fashion Design and Technology -2 (1+1) 5. Drone Pilot (Junior)-2(1+1)	26th SCAA Remark- Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days. Deficiency observed in the 26th SCAA 1. Fire safety Certificate Not available.	SCAA recommended the following trades/units: 1. Electrician-2 (1+1) 2. Fitter-2(1+1) 3. Computer Operator and Programming Assistant -2 (1+1) 4. Fashion Design and Technology -2 (1+1) 5. Drone Pilot (Junior)-2(1+1) 6. Drone Technician-2 (1+1) 7. Cosmetology- 2 (1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
		6. Drone Technician-2 (1+1) 7. Basic Cosmetology- 2 (1+1) 8. Motor Mechanic Vehicle 2(1+1)	Compliance report from State against the deficiencies raise by the 26th SCAA Fire safety certificate is Now available.	Not Recommended- Motor Mechanic Vehicle 2(1+1)
75. .	Kaka shyamlal I.T.I vill palchandrha taribadagaon - Ballia – 221711 MIS Code: PR09001963 Grading: 7.70 State: Uttar Pradesh (Bank Guarantee Matter)	Electrician - 6(2+2+2)	20th SCAA Remark- Applicant institute needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days Deficiencies mentioned in the 20th SCAA 1. BCC Not as per Norms. 2. Stools Not available for trainees in Drawing Hall. 3. Electrician Workshop area Not as per Norms. Required area 98x4 Sq meters, whereas available area 92.8x2 + 182.7 Sq meter.	SCAA recommended the following trades/units: Electrician-4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Compliance report from RDSDE against the deficiencies raised by the 20th SCAA RDSDE Remark- RDSDE submitted the joint re verification report wherein the members mentioned that BCC certificate verified and in Drawing Hall Stools available in required quantity as per Norms. Electrician work shop area modified by the Institute management as per Norms TC Section remarks BCC is still Not as per Norms 24th SCAA Remark- ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			Deficiency observed in the 24th SCAA- 1. BCC Not as per Norms Compliance report from State against the deficiencies raised by the 24th SCAA BCC issued by executive engineer	
76.	G.S.M ITC- Mainpuri G.T. Road Bewar Mainpuri 205301 PR09000940 Grading: 7 State: Uttar Pradesh (Bank Guarantee matter)	1. Electrician 6(3+3) -	24th SCAA Remark- ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. Deficiency observed in the 24th SCAA	SCAA recommended the following trades/units: 1. Electrician - 6(3+3)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			1. BCC not as per Norms Compliance report from State against the deficiencies raised by the 24th SCAA BCC is issued by the Assistant Engineer	
77.	Shri Arjun Bhai Private Industrial Training Institute, Chitrakoot ITI Code: TMP9136PR1581142945 State: Uttar Pradesh	1. Electrician3(1+1+1) 2. Fitter- 3(1+1+1) 3. Plumber-3(1+1+1) 4. Computer Operator and Programming Assistant- 3(1+1+1)	28th SCAA Remark- ITI needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the same by conducting the join reinspection submit the report with recommendation to DGT within next 07 days. Deficiencies observed in the 28th SCAA- 1. A certificate regarding construction of the building has been issued by the PWD; however, the Building Completion Certificate (BCC) has Not been submitted.	SCAA recommended the following trades/units: 1. Electrician2(1+1) 2. Fitter -2(1+1) 3. Plumber-2(1+1) 4. Computer Operator and Programming Assistant - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2. The total land of the ITI is divided into two separate parts, wherein one part consists of the administrative/training building and the other part consists of the playground. Further, the layout plan/building plan submitted is Not proper, and dimensions have Not been clearly mentioned. 3. The electricity bill is Not in the name of the institute and is instead in the name of an individual/person. 4. There is a shortage of electrical power load. Required power load: 17.21 kW Available power load: 15 KVA / 13.5 Kw Compliance report from RDSDE against the deficiencies raised by the 28th SCAA RDSDE has submitted Electricity bill with 22 KVA load and other documents related to compliance and mentioned found satisfactory.	
78.	Merger of Siddharth Pvt. Industrial Training Institute Palhipatti, Varanasi, Uttar Pradesh (PR09001652) with J.S. Pvt. Industrial Training Institute,	Electrician-12(6+6)	Matter was placed in the 26th SCAA, brief facts and 26th SCAA remark of this case are given below: 1. SSDEC UP in its 4th meeting has recommended merger of Siddharth Pvt. Industrial Training Institute Palhipatti, Varanasi, Uttar Pradesh (PR09001652)	In view of the compliance submitted by the RDSDE, the SCAA recommended the merger of Electrician – 12 (6+6) units of Siddharth Pvt. Industrial Training Institute (PR09001652) with J.S. Pvt.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
	Palhipatti, Varanasi – Varanasi Uttar Pradesh (PR09000085) Grading: 7.50 State: Uttar Pradesh		with J.S. Pvt. Industrial Training Institute ((PR09000085). 2. However, No clarity was provided regarding the availability of infrastructure, machinery, instructors, or safety provisions in the proposal received either from the SSDEC. 3. Further, RSDSE and State were requested to conduct joint inspection of these ITIs along with following documents. a) A self-declaration from the society confirming that there is No ongoing legal dispute among its members. b) A resolution passed by a two-thirds (2/3) majority of the society members confirming that both the parent and child institutes are operated by the same entity. c) A separate resolution, also passed by a two-thirds (2/3) majority, clearly stating the rationale for the merger and expressing the society's formal consent to the proposed merger. Inspection has been conducted and the required documents have been provided by the RDSDE. 26th SCAA Remark-	Industrial Training Institute (PR09000085). Accordingly, Siddharth Pvt. Industrial Training Institute (PR09001652) shall be de-affiliated on the portal after completion of the merger process.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			The matter discussed and the SCAA recommended the merger of Electrician – 12 (6+6) units of Siddharth Pvt. Industrial Training Institute (PR09001652) with J.S. Pvt. Industrial Training Institute (PR09000085). However, the ITI is required to convert all relevant document in the name of J.S. Pvt. Industrial Training Institute, Palhipatti, Varanasi (MIS Code: PR09000085), and submit the same to RDSDE within 30 days from the date of issuance of these Minutes. Further, RDSDE to submit the documents to DGT. Thereafter, the Siddharth Pvt. Industrial Training Institute (PR09001652) shall be de-affiliated on the portal. Compliance report from RDSDE against the deficiencies raised by the 26th SCAA Basic documents are still Not available in the name of J.S. Pvt. Industrial Training Institute (PR09000085). Documents Required in the name of J.S. Pvt. Industrial Training Institute: 1. Land Document 2. BCC 3. Building Plan 4. Electricity Bill 5. Fire Safety Certificate 28th SCAA Remarks:	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			This case was again reviewed in the 28th SCAA. SCAA observed that ITI needs to submit the following documents in the name of J.S. Pvt. Industrial Training Institute (PR09000085) to the concerned RDSDE within 20 days from the date of issue of these Minutes. 1. Land Document 2. BCC 3. Building Plan 4. Electricity Bill 5. Fire Safety Certificate Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module Compliance report from RDSDE against the deficiencies raised by the 28th SCAA RDSDE submitted and verified the Land Documents, Building Completion Certificate (BCC), Building Plan, Electricity Bill, and Fire Safety Certificate.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
79.	Gandhi Private ITI, Jhansi, Uttar Pradesh PR09001927 Grading: 6.30 State: Uttar Pradesh	1. Electrician-36(12+12+12) 2. Fitter-6(2+2+2)	18th SCAA Remark: This case was initially placed in the 18th SCAA meeting, remark of that was as follows: Applicant Institute needs to remove the deficiencies mentioned below, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal. Thereafter, Senior Officer at the level of Director/Joint Director from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal. Deficiencies observed in the 18th SCAA- 1. Building plan Not available 2. For fitter trade instructors are Not appointed 3. For Electrician trades against requirement of 36 only 21 are appointed 4. Power is Not sufficient- Power required- 50.31 KW Power available - 47 KVA= 47*.9=42.3KW	The SCAA noted that, despite these opportunities, the institute has not submitted any supporting documents along with its compliance report to substantiate the claimed rectification of deficiencies. Accordingly, the compliance submitted by the institute is not satisfactory. The SCAA further observed that, during its 28th meeting, a re-inspection by a higher-level committee comprising officials of the RDSDE and the State Directorate was directed to verify the institute's claims of compliance. However, the Regional Director, RDSDE, informed that no further inspection was required since the last inspection had been conducted by the Regional Director himself and requested

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			5. Electricity Bill is on the name of individual person, which is Not as per Norms Compliance report from RDSDE against the deficiencies raised by the 18th SCAA The stipulated time period has expired, and the institute has Not submitted any compliance. 24th SCAA Remark- The case was again reviewed in 24th SCAA, remark of that was as follows: Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID. Therefore, the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should Not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance	that the case be decided on the basis of the findings recorded therein. The SCAA also considered the subsequent reply submitted by the institute. However, in the absence of documentary evidence supporting the claimed compliance, the deficiencies recorded during the physical inspection remain unsubstantiated. The SCAA observed that mere assertions of compliance, without supporting documents or independent verification, cannot outweigh the findings of the inspection team. Nevertheless, in the interest of natural justice, the SCAA decided to grant the institute one final opportunity to submit a comprehensive compliance report along with all

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			within the prescribed time will result in the rejection of the application. Compliance report against 24th SCAA 1. Building Plan is approved by registered Architect and approved by Sachiv, Gram Pradhan, Ambavay Panchayat (copy enclosed) 2. For Fitter trade, the ITI proposes to surrender the trade. Application in this regard submitted to NCVT. 3. The ITI Now says that it proposes 10+10+0 units of Electrician trade. Hence, only 20 instructors are required to run aforementioned trades. However, only 04 instructors are physically present. Appointment letters are claimed to have been submitted during previous inspections. 4. For 10+10+0 units of Electrician (proposed) and 06 units of Electrician already running, it is claimed that power requirement is of 41.6 KW. The power available is of 47 KVA. With fitter trade surrendered, it is claimed to be sufficient. 5. The electric bill is presented in the name of Gandhi Pvt. ITI. Other Observation: IT Lab:	supporting documentary evidence to substantiate the rectification of the deficiencies observed during inspection within 07 days from date of this minutes. In the event of failure to furnish satisfactory documentary evidence within the stipulated period, the proposal for extension of trades/units shall be rejected without any further opportunity.

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			6. 10 computers available out of which 01 working. No internet facility available for the IT Lab. 7. Machines are Not properly installed and lack basic grouting. Earthing/Grounding is Not done. 8. Aadhar Based Biometric Attendance system is Not available in the premises. 9. A degree college is functional in the adjacent building in the same premises. 10. No trainees are available even in the earlier affiliated 06 units of Electrician during the working hours/during inspection, Attendance records Not presented either. 26th SCAA Remark: This case is again reviewed in 26th SCAA, remark of that was as follows: The applicant ITI has sought substantially high number of units in Electrician trades and the deficiencies are yet to be rectified. Therefore, as a last opportunity, the ITI needs to remove the deficiencies mentioned by the inspection conducted on 03.12.2025 and the remarks given against the compliance report of 24th SCAA (mentioned above) and submit the	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			documents to the concerned RDSDE within 30 days from the date of issue of these Minutes through compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents by a senior level officer preferably in the rank of Joint Director with clear recommendation of trade/units. RDSDE will submit the report to DGT within the next 15 days on the online compliance module. If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall Not be considered further and will be rejected without any further Notice from DGT. Compliance report from Applicant against the deficiencies raised by the 26th SCAA Points mentioned below are submitted by the applicant on email dated.03.04.2026, 26th SCAA MOM was issued on 05.03.2026 1. The building plan of the institute has been prepared and approved by a registered architect and verified by the Secretary and Gram Pradhan of Gram Panchayat Ambabay.	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			2. The Fitter trade has been voluntarily surrendered by the institute and an application in this regard has already been submitted to the competent authority. 3. The required instructors for the proposed Electrician Trade (10+10+0 units) have been duly appointed and their appointment letters are available. 4. Adequate electrical power supply is available in the institute (required approx. 41.6 KW and available capacity approx. 47 KVA). 5. The electricity connection is Now in the name of Gandhi Pvt. ITI, Jhansi and the latest electricity bill is available. Clarification regarding other remarks With regard to other observations mentioned in the inspection report, necessary improvements and compliance have already been ensured by the institute. At the time of inspection, all relevant documents, machinery, equipment, instructor appointment letters, electrical arrangements and training-related facilities were presented before the inspection committee. All workshop machines in the institute have been properly installed and necessary earthing and grouting arrangements have been ensured. The IT Lab has an	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			adequate number of computers with internet connectivity. An Aadhaar-based biometric attendance system has also been installed and is operational in the institute, and all trainees are regularly attending their training programs. It is respectfully submitted that the Degree College and Gandhi Pvt. ITI are functioning independently. Both institutions are located in separate buildings with separate entrance gates. Remarks of 28th SCAA The SCAA observed that the reply/clarification submitted by the institute requires verification; therefore, a re-inspection of the institute shall be conducted through a higher-level committee. The committee shall comprise a quorum of four members, including two officials from the RDSDE and two officials from the State Directorate. Additionally, trade expert member may be included in the committee. The committee shall submit its report within 20 days from the date of issuance of these Minutes, duly verifying the rectification of deficiencies pertaining to the infrastructure and machinery specified in this and the	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
			ITI's reply, along with its recommendations regarding the relevant trades/units for affiliation.	
80.	V.B.S Private ITI Vill Manpur urf Bagai Kala Block Phulpur Dist Alla Prayagraj - 212401 PR09901289 (Bank Guarantee Matter)	1. Electrician 4(2+2) 2. Electronic Mechanic 2(1+1) 3. Fitter 4(2+2)	ICVC Recommendation: Recommended for trades and units: 1. Electrician 4(2+2) 2. Electronic Mechanic 2(1+1) 3. Fitter 4(2+2)	SCAA recommended the following trades/units: 1. Electrician 4(2+2) 2. Electronic Mechanic 2(1+1) 3. Fitter 4(2+2)
81.	Mata Jamwanti Kuldeep Private ITI Vill. Post - Raikwardih Distt. - Mau 275101 PR09900354 Grading: 7.1 (Bank Guarantee Matter)	Electrician 3(1+1+1)	ICVC Recommendation: Recommended for trades and units: Electrician-2(1+1) TC Section Remark- BCC (Building completion certificate) is issued by the Architect.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. BCC is not as per Norms Thereafter, concerned RDSDE will verify the documents submitted by the ITI and

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	32 nd SCAA Remark
I	II	III	IV	V
				submit the report with recommendation to DGT.
82.	Tara Shankar MSTI Shiviar, Gosaiganj, Mohanlalganj Road, Lucknow, 221106 PU09002121 Grading: 5.8 (Bank Guarantee Matter)	Electrician 3(1+1+1)	ICVC Recommendation: Recommended for trades and units: Electrician 2(1+1) TC Section Remarks- 1. Land Lease is Not registered. 2. BCC is without file number.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. BCC is Not as per Norms 2. Land lease is Not registered Thereafter, concerned State will verify the documents submitted by the ITI and submit the report with recommendation to DGT.

Annexure 4 as referred in Agenda SSDEC Gujarat -DST

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
1	Industrial Training Institute, Chandkheda (Government), Govt. ITI, Chandkheda ITI Chandkheda, Opp. Vraj Tenament, I.O.C. Road, Chandkheda, Ahmed, Ahmedabad, Gujarat, Ahmedabad, Gujarat-382424	GU24000115	Govt	Lubi Industries LLP Plot No.A1 A2, Santej- Khatraj Road, Vadasar-Gujarat-382165	6/27/2025	6/30/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
2	Industrial Training Institute, Chandkheda (Government), Govt. ITI, Chandkheda ITI Chandkheda, Opp. Vraj Tenament, I.O.C. Road, Chandkheda, Ahmed, Ahmedabad, Gujarat, Ahmedabad, Gujarat-382424	GU24000115	Govt	Protek G Power Electronics Pvt.Ltd. 1,Protek House,Ioc Road,Chandkheda, Ahmedabad - 382424 Gujarat	6/25/2025	6/30/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
3	Industrial Training Institute, Chandkheda (Government), Govt. ITI, Chandkheda ITI Chandkheda, Opp. Vraj Tenament, I.O.C. Road, Chandkheda, Ahmed, Ahmedabad, Gujarat, Ahmedabad, Gujarat-382424	GU2 4000 115	Govt	Silosystem Outsourcing Pvt. Ltd. 4th Floor, Mistry Chamber, Beside Cama Hotel-Khanpur Ahmedabad-Gujarat-380001	6/26/ 2025	6/30/ 2028	Computer Operator and Programming Assistant (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
4	Gu24000120-Industrial Training Institute, Deesa (Government), Govt. ITI, Deesa , At &&&& Post-, Banas Kantha, Gujarat-385535	GU2 4000 120	Govt	Vikash Electricals, Vikas Estate, Akhol Char Rasta,Dhanera Road,Moti Akhol, Deesa-385535,Ta.Deesa,Dist-Banaskantha-Gujarat	8/1/2 024	7/31/ 2027	Electrician (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
5	Gu24000120-Industrial Training Institute, Deesa	GU2 4000 120	Govt	Vikash Electricals, Vikas Estate, Akhol Char Rasta,Dhanera	8/1/2 024	7/31/ 2027	Wireman (NSQF)	1	2	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	(Government), Govt. ITI, Deesa , At &&&Am p;Post-, Banas Kantha, Gujarat-385535			Road,Moti Akhol, Deesa-385535,Ta.Deesa,D ist-Banaskantha-Gujarat						Affiliated Unit		
6	Gu24000120-Industrial Training Institute, Deesa (Government), Govt. ITI, Deesa , At &&&Am p;Post-, Banas Kantha, Gujarat-385535	GU24000120	Govt	Master Enterprise, Ground Floor, Flat No -6,Krishna Residensi,Sarve No 14-11, Plot No-152, Behind Tafe Show Room, Deesa , Palanpur Highway,Bhoyan, Banaskantha, Gujarat	8/1/2024	7/31/2027	Refrigeration and Air Conditioning Technician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
7	Gu24000120-Industrial Training Institute, Deesa (Government), Govt. ITI, Deesa , At	GU24000120	Govt	Universal Computer, 12 Arihant Complex, Near Dimple Cinema, Deesa,	8/1/2024	7/31/2027	Computer Operator and Programming	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	&Amp;Amp;Amp;Amp; Post-, Banas Kantha, Gujarat-385535			Banaskantha, Gujarat			Assistant (NSQF)					
8	Govt ITI Deodar Opp.Mamlatdar Office Bhabhar-Khimana Highway Deodar	GU2 4008 145	Govt	Tanu Motor Near Hanuman Tekri Palanpur Gujarat 385001	9/1/2024	8/31/2027	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
9	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Eternity Power Solution Pvt Ltd A/33 Gidc Electronic Estate, Sector-25,Gandhinagar 382024 Gujarat	7/28/2025	7/27/2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
10	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Bodhi Energy Solutions A/33 Gidc Electronic Estate,Sector-25,Gandhinagar 382024 Gujarat	7/28/2025	7/27/2028	Electrician (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
11	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Pcb Globe (India) Pvt Ltd B-11/2,Sector -25 Gidc Gandhinagar, Gujarat	7/28/2025	7/27/2028	Electrician (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
12	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Bodhi Energy Solutions A/33 Gidc Electronic Estate,Sector-25,Gandhinagar 382024 Gujarat	7/28/2025	7/27/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
13	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Pcb Globe (India) Pvt Ltd B-11/2,Sector -25 Gidc Gandhinagar, Gujarat	7/28/2025	7/27/2028	Wireman (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
14	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Kalpataru Project International Ltd 101, Past -Iii,Gidc Estate,Sector-28,Gandhinagar 382024 Gujarat	9/1/2023	7/31/2026	Welder (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
15	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Accumax Instruments Pvt Ltd B-95 Electronic Estate Sector -25 Gidc Gandhinagar,Gujarat	9/1/2023	7/31/2026	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
16	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Shree Khodal Electronics Pvt Ltd Plot No:E-117&118 Electronic Zone,Sector-26 Gandhinagar,382028gujarat	9/1/2023	7/31/2026	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
17	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Sahjanand Laser Tech Ltd Gidc Sector-26 Gandhinagar	9/1/2023	7/31/2026	Welder (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
18	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Modern Communication And Broadcast Systems Pvt Ltd B-	7/29/2025	7/29/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				134-139 Gidc Electronic Zone,Sector -25 Gandhinagar - 382024 Gujarat								
19	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Kalpataru Project International Ltd 101, Past -Iii,Gidc Estate,Sector-28,Gandhinagar 382024 Gujarat	9/1/2025	7/30/2028	Fitter (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
20	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Modern Communication And Broadcast Systems Pvt Ltd B-134-139 Gidc Electronic Zone,Sector -25 Gandhinagar - 382024 Gujarat	9/1/2025	7/30/2028	Machinist (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
21	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	K Bela Creation C-10, Gujarat Garment Zone Near Pdupu Cross Road Gandhinagar 382021 Gujarat.	8/1/2025	8/31/2028	Sewing Technology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
22	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Riddhi Maruti Shree Arbuda Motors Nr-K7 Circle,Gandhinagar 382026 Gujarat	9/1/2025	8/31/2029	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
23	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Riddhi Automotive Nr Sargasan Cross Road Gandhinagar	9/1/2025	8/31/2029	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
24	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Nanda Auto Mobiles PvtLtd Nexa Kudasan Gandhinagar Gujarat	9/1/2025	8/31/2029	Mechanic (Motor Vehicle) (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
25	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Mahindra Pavan Automobiles Plot No :1001 Oppo. Dsp Office Sector 28 Gidc Gandhinagar Gujarat	9/1/2025	7/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
26	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Nanda Auto Mobiles Pvt Ltd Nexa Sector-28 Gandhinagar Gujarat	9/1/2025	7/31/2028	Mechanic Diesel (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
27	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Mrvp Consultancy Services Pvt Ltd Sector -22 Gandhinagar Gujarat	7/28/2025	7/27/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
28	Industrial Training Institute Gandhinagar	GU2 4000 102	Govt	Akvalo Instruments Pvt Ltd B-130 &131 Sector -25	1/9/2025	7/31/2029	Instrument Mechanic (NSQF)	1	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	(Government) Sector - 15 Gandhinagar			Gidc Gandhinagar Gujarat						Affiliated Unit		
29	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Modern Communication And Broadcast Systems Pvt Ltd B-134-139 Gidc Electronic Zone,Sector -25 Gandhinagar - 382024 Gujarat	1/9/2025	7/31/2029	Instrument Mechanic (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
30	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Accumax Instruments Pvt Ltd B-95 Electronic Estate Sector -25 Gidc Gandhinagar,Gujarat	1/9/2025	7/31/2029	Instrument Mechanic (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
31	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Gandhinagar Municipal Corporation Health Department Nr District Panchayat Office,B/H Fire Station Sector -17 Gandhinagar Gujarat	1/9/2024	7/31/2027	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
32	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Secured Security Solutions Pvt Ltd Nobles Commercial Complex A/38 2nd Floor Oppo. Nehru Bridge Near Gandhigram Rly.Station,Ashram Road Ahmedabad 380008 Gujarat	1/9/2025	8/31/2029	Electronics Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
33	Industrial Training Institute Gandhinagar	GU2 4000 102	Govt	Espee Refrigeration & Electricals 194/4 Cheep Type	1/9/2025	7/31/2029	Refrigeration and Air Conditioni	1	3	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	(Government) Sector - 15 Gandhinagar			Shopping Oppo. Inquiry Office Sector-20 Gandhinagar Gujarat			ng Technician(NSQF)			Affiliated Unit		
34	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	Ice Make Refrigeration Ltd226 Dantali Industrial Estate Gota Vadsar Road Nr Ahmedabad City At Dantali,Ta:Kalol Gandhinagar-382721 Gujarat	7/29/2025	7/31/2029	Refrigeration and Air Conditioning Technician(NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
35	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	(Rudraksh Auto Link Pvt.Ltd)Toyota Shreeji Automation Plot No 27 Uriashakti Marge Besides Bansari Bajaj Sector -30	1/9/2025	7/31/2028	Mechanic Diesel (NSQF)	2	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gandhinagar Gujarat								
36	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	The Hair Theory Unisex Salon & Academy 116 Hiltown Landmark, Nikol Ahmedabad 382350 Gujarat	8/7/2025	8/7/2027	Cosmetology (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
37	Industrial Training Institute Gandhinagar (Government) Sector - 15 Gandhinagar	GU2 4000 102	Govt	N & B Unisex Saloon 107 Pramukh Target Sargasan Gandhinagar 382421	8/7/2025	8/7/2027	Cosmetology (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
38	Industrial Training Institute, Kalol (Government), Govt. ITI, Kalol , At-Arsodiya, Ta-Kalol, Gandhinagar, Gujarat	GU2 4000 122	Govt	Apollo Screens Pvt Ltd, Dharti Apollo Industrial Park, Kadi Road, Chhatral, Ta.Kalol, District. Gandhinagar, State. Gujarat	7/28/2025	7/31/2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
39	Govt. ITI, GANDHINAGAR (WOMEN)	GU2 4008 129	Govt	Sahajanand Laser Technology Ltd. E-30, G.I.D.C., Electronics Estate,	9/1/2025	9/30/2028	Computer Operator and Programm	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Sector-26, Gandhinagar - 382028, Gujarat			ing Assistant (NSQF)					
40	ITI Dehgam Opposite New Civil Court Nr Bsnl Office, Dehgam	GU2 4000 118	GO VT	I D Technocom , Sector 6/B, Plot No. 194/1, 2nd Floor, District - Gandhinagar State - Gujarat	7/14/ 2025	7/31/ 2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
41	ITI Dehgam Opposite New Civil Court Nr Bsnl Office, Dehgam	GU2 4000 118	GO VT	Xstar Energy Private Limited, Dehgam Vasna Road, Sr. No. 791	6/27/ 2025	7/31/ 2028	Information Communication Technology System Maintenance (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
42	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Rushil Decor Ltd,125, Village Itla, Near Kalyanpura Patiya , Ta-Mansa ,Dist-	7/14/ 2025	7/13/ 2028	Computer Operator and Programming	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gandhinagar, State-Gujarat			Assistant (NSQF)					
43	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Rushil Decor Ltd,125, Village Itla, Near Kalyanpura Patiya , Ta-Mansa ,Dist-Gandhinagar, State-Gujarat	7/14/ 2025	7/13/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
44	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Rushil Decor Ltd,125, Village Itla, Near Kalyanpura Patiya , Ta-Mansa ,Dist-Gandhinagar, State-Gujarat	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
45	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Shri Vinayak Autocare Llp,Near Gayatri Temple, Mansa-Gandhinagar Highway, Mansa, Dist- Gandhinagar, State- Gujarat	7/11/ 2025	7/10/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
46	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Nanda Automobiles Pvt Ltd, Bloch No.403,Near Sangath Gateway,Kudasan, Gandhinagar, Dist-Gandhinagar, State-Gujarat	7/11/2025	7/10/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
47	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Punjab Cars Pvt Ltd,Plot 501/502,Sector 28,Gandhinagar,Dist - Gandhinagar, State- Gujarat	7/11/2025	7/10/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
48	Govt. ITI, Mansa ,At.Po.-Charada, Ta.-Mansa, Dist-Gandhinagar, Pin Code - 382810	GR2 4008 074	Govt	Rushil Decor Ltd,125 ,Village Itla, Near Kalyanpura Patiya , Ta-Mansa ,Dist-Gandhinagar, State-Gujarat	7/14/2025	7/13/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
49	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Bhurawala Motors, Himatnagar, Sabarkantha, Gujarat	11/22 /2023	11/21/2026	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
50	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Sp Cars, Himatnagar, Sabarkantha, Gujarat	7/17/ 2025	7/16/ 2028	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
51	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Ganpatey Construction, Sabarkantha, Gujarat	6/30/ 2025	6/29/ 2028	Surveyor (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
52	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Asian Granito Ind. Ltd., Prantij, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Electrician (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
53	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Montage Laboratories Pvt. Ltd., Himatnagar, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Electrician (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
54	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Airona Tiles Ltd., Prantij, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Electrician (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
55	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Asian Granito Ind. Ltd., Prantij, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
56	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Montage Laboratories Pvt. Ltd., Himatnagar, Sabarkantha, Gujarat	6/30/ 2025	6/29/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
57	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Airona Tiles Ltd., Prantij, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Wireman (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
58	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Asian Granito Ind. Ltd., Prantij, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
59	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Montage Laboratories Pvt. Ltd., Himatnagar, Sabarkantha, Gujarat	6/30/ 2025	6/29/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
60	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Airona Tiles Ltd., Prantij, Sabarkantha, Gujarat	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
61	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Jyoti Automobile Pvt. Ltd., Himatnagar, Sabarkantha, Gujarat	4/25/ 2024	4/24/ 2027	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
62	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Raj Motors, Himatnagar, Sabarkantha, Gujarat	1/1/2 025	12/3 1/20 28	Mechanic Diesel (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
63	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Yates Steel Pvt. Ltd., Himatnagar, Sabarkantha, Gujarat	6/27/ 2025	6/26/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
64	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist: Sabarkantha, Gujarat - 383001	GU2 4000 114	Govt	Sigma Computer Institute, Himatnagar, Sabarkantha, Gujarat	6/27/ 2025	6/26/ 2028	Computer Operator and Programming Assistant (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
65	Govt. ITI, Kankrej, Shihori Khimana Highway, At. Ratanpura (Shihori) Ta: Kankrej, District: Banaskantha, State: Gujarat, Pin: 385550	GR2 4008 150	Govt	Tanu Motors Pvt. Ltd. Maruti Suzuki Arena, Hanuman Tekri, Abu Road Highway, Palanpur, District: Banaskantha, State: Gujarat, Pin: 385001	6/27/2025	6/27/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
66	Govt. ITI, KANKREJ, Shihori Khimana Highway, At. Ratanpura (Shihori) Ta: Kankrej, District: Banaskantha, State: Gujarat, Pin: 385550	GR2 4008 150	Govt	Royal Manufactures At. Nr. Husain Tekri Bus Stand KaNodar- Ahmedabad Highway, KaNodar, Ta: Palanpur, Dist: Banaskantha, State: Gujarat, Pin: 385520	10/16/2024	10/16/2027	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
67	Govt.ITI, Kankrej, Shihori Khimana Highway,At. Ratanpura (Shihori) Ta:Kankrej,District:Banaskantha, State: Gujarat, Pin:385550	GR2 4008 150	Govt	P-CUBE Software Solutions Near Flyover, Behind Mangalmurati Mart, Nnad Bunglows Society, Laxmipura, Palanpur, Dist:Banaskantha, State:Gujarat , Pin: 385001	6/27/ 2025	6/27/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
68	Maninagar(Mahila) Near Rto (East), Vastral Road, Mahadevnagar Tekra, Ahmedabad -382418	GU2 4008 064	Govt	Accent Data Out Sourcing 325,326, Metro Mall, Meghamall Bapa Sitaram Chowk, Vatsral, Dist. Ahmedabad , State : Gujarat	8/31/ 2024	8/31/ 2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
69	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Khodiyar Cad Center India Pvt Ltd, 17-18, Shivani Plaza, 3rd Floor, Business Square, Above Jalaram Khaman House, Nr Rajivbhai Tower, Bhairavnath, Maninagar, Ahmedabad, Gujarat.	7/11/2025	7/10/2028	Draughtsman (Civil) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
70	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Gayatri Control And Automation Pvt Ltd. 29, Krishna Estate, Nr. Cadmach, Phase-4, Gidc Vatva, Ahmedabad, Gujarat.	7/8/2025	7/7/2028	Wireman (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
71	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Mahalaxmi Autocare Pvt Ltd. Ring Road, Vastral, Ahmedabad, Gujarat	7/11/ 2025	7/10/ 2028	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
72	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Eminent Motocorp Pvt Ltd. Ring Road, Vastral, Ahmedabad, Gujarat	7/11/ 2025	7/10/ 2028	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
73	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Mahalaxmi Autocare Pvt Ltd. Ring Road, Vastral, Ahmedabad, Gujarat	7/11/ 2025	7/10/ 2028	Mechanic Diesel (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
74	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Eminent Motocorp Pvt Ltd. Ring Road, Vastral, Ahmedabad, Gujarat	7/11/ 2025	7/10/ 2028	Mechanic Diesel (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
75	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Prashant Gamatex Pvt Ltd. Plot No. 4/B-1, Phase-1, Vatva Gidc, Ahmedabad, Gujarat.	7/11/ 2025	7/10/ 2028	Fitter (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
76	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Speed O Control Pvt Ltd. Unit-2, Plot No. 4912, G.I.D.C., Phase-4, Vatva Ahmedabad, Gujarat	7/11/ 2025	7/10/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
77	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Gayatri Control And Automation Pvt Ltd. 29, Krishna Estate, Nr. Cadmach, Phase-4, Gidc Vatva, Ahmedabad, Gujarat.	7/8/2025	7/7/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
78	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Unison Control Pvt Ltd. 165 A-D, Devraj Industrial Park, Piplaj-Pirana Road, Piplaj, Nr. 200 Ft S.P.Ring Road, Kamod Circle, Ahmedabad, Gujarat	10/8/2024	10/7/2027	Information Communication Technology System Maintenance (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
79	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Cadmach Machinery Co. Pvt Ltd. Plot No. 3604 & 3605, Gidc Industrial Estate, Phase-4, Vatva, Ahmedabad, Gujarat	7/14/ 2025	7/13/ 2028	Machinist (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
80	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Prasad Gwk Cooltech Pvt Ltd. 14 & 16, Phase-1, Gidc Estate, Vatva, Ahmedabad, Gujarat	7/10/ 2025	7/9/2 028	Refrigeration and Air Conditioning Technician(NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
81	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr	GU2 4000 134	Govt	Cadmach Machinery Co. Pvt Ltd. Plot No. 3604 & 3605, Gidc Industrial Estate,	7/14/ 2025	7/13/ 2028	Turner (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Rto (East), Vastral Road, -1, Gujarat			Phase-4, Vatva, Ahmedabad, Gujarat								
82	Industrial Training Institute, Maninagar (Khokhra) (Government),Nr Kharikat Canal, Nr Rto (East), Vastral Road, -1, Gujarat	GU2 4000 134	Govt	Cadmach Machinery Co. Pvt Ltd. Plot No. 3604 & 3605, Gidc Industrial Estate, Phase-4, Vatva, Ahmedabad, Gujarat	7/14/ 2025	7/13/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
83	Industrial Training Institute, Himatnagar (Government), Opp-66 K.V. G.E.B. Substation, Bypass Road,Hansalpur (Virpur), Ta: Himatnagardist:	GU2 4000 114	Govt	Hari Naresh Sports, Himatnagar	6/30/ 2025	6/29/ 2028	Sewing Technology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Sabarkantha, Gujarat - 383001											
84	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Gujarat Print Pack Publications Pvt.Ltd. Plot No:308/309, Dediyasan Gidc, Phase-2, Modhera Road, Mehsana-384002	7/24/ 2025	7/23/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
85	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Gujarat Print Pack Publications Pvt.Ltd. Plot No:308/309, Dediyasan Gidc, Phase-2, Modhera Road, Mehsana-384002	7/24/ 2025	7/23/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
86	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Pranjal Enterprise Gidc Phase-1, Modhera Chokdi, Mehsana-384002	7/23/ 2025	7/23/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
87	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Suresh Enterprise C1/155, Dediyasan, Gidc Phase-2 Mehsana-384002	7/23/ 2025	7/23/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
88	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Suresh Enterprise C1/155, Dediyasan, Gidc Phase-2 Mehsana-384002	7/23/ 2025	7/23/ 2028	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
89	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Gujarat Print Pack Publications Pvt.Ltd. Plot No:308/309, Dediyasan Gidc, Phase-2, Modhera Road, Mehsana-384002	7/23/ 2025	7/23/ 2030	Turner (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
90	Mehsana Government I T I 204, Gidc Phase-1, Nr-Water Tank, Modhera Cross Road, Mehsana	GU2 4008 040	Govt	Gujarat Print Pack Publications Pvt.Ltd. Plot No:308/309, Dediyasan Gidc, Phase-2, Modhera Road, Mehsana-384002	7/23/ 2025	7/23/ 2030	Turner (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
91	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, RAILWAY STATION , JOTANA, MEHSANA, Gujarat.	PR2 4000 572	Pvt	Fortune Panel System(India) Pvt.Ltd. Plot No 113, G.I.D.C 2 (North Gujarat) 384002, Dediyasan, Mehsana, Gujarat 384002	6/25/ 2025	6/24/ 2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
92	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, Railway Station , Jotana, Mehsana, Gujarat.	PR2 4000 572	Pvt	Golf Ceramics Pvt.Ltd, Village Balol, Bechraji-Mehsana Road, Mehsana, Gujarat 384410	6/27/ 2025	6/26/ 2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
93	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, Railway Station , Jotana, Mehsana, Gujarat.	PR2 4000 572	Pvt	Burner India, I/208, Gidc-2, Dediyaan, Mehsana, Gujarat 384002	6/30/ 2025	6/29/ 2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
94	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, Railway Station , Jotana, Mehsana, Gujarat.	PR2 4000 572	Pvt	Johnson Controls-Hitachi Air Conditioning India Ltd. 79mr+W8v, Hitachi Complex Nr. Tulsi Petrol Pump Chattral, Karan Nagar, Kadi, Gujarat 384440	7/15/ 2025	7/14/ 2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
95	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, Railway Station , Jotana, Mehsana, Gujarat.	PR2 4000 572	Pvt	Johnson Controls-Hitachi Air Conditioning India Ltd. 79mr+W8v, Hitachi Complex Nr. Tulsi Petrol Pump Chattral, Karan Nagar, Kadi, Gujarat 384440	7/15/ 2025	7/14/ 2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
96	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, Railway Station , Jotana, Mehsana, Gujarat.	PR2 4000 572	Pvt	Johnson Controls-Hitachi Air Conditioning India Ltd. 79mr+W8v, Hitachi Complex Nr. Tulsi Petrol Pump Chattral, Karan Nagar, Kadi, Gujarat 384440	7/15/ 2025	7/14/ 2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
97	Dr.N.P Patel PVT ITI, Shree Ram Sarve Vidyalaya Campus, Near Railway Sta, Railway Station ,	PR2 4000 572	Pvt	Fortune Panel System(India) Pvt.Ltd. Plot No 113, G.I.D.C 2 (North Gujarat) 384002, Dediyaan,	6/25/ 2025	6/24/ 2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Jotana, Mehsana, Gujarat.			Mehsana, Gujarat 384002								
98	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
99	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
100	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal,	9/4/2020	11/17/2026	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
101	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
102	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
103	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
104	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic (Motor Vehicle) (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
105	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
106	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
107	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Diesel (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
108	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
109	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
110	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Auto Body Painting (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
111	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Auto Body Painting (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
112	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Auto Body Painting (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
113	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Auto Body Repair (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
114	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Auto Body Repair (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
115	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Mechanic Auto Body Repair (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
116	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Welder (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
117	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
118	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Suzuki Motor Gujarat Pvt. Ltd. Block No. 334/335, Hansalpur, Near Becharaji, Mandal, Ahmedabad District, Gujarat – 382130, India	9/4/2020	11/17/2026	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad District, Gujarat – 382130, India								
119	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
120	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
121	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
122	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
123	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
124	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
125	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic (Motor Vehicle) (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
126	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
127	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
128	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana,Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Diesel (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
129	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
130	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
131	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Auto Body Painting (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
132	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Auto Body Painting (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
133	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Auto Body Painting (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
134	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Auto Body Repair (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
135	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Auto Body Repair (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
136	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Mechanic Auto Body Repair (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
137	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Welder (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
138	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
139	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Starline Cars Pvt. Ltd. Nagalpur Highway, Mehsana – 384002, District: Mehsana, Gujarat, India	12/15 /2022	11/1 7/20 26	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
140	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/ 2023	3/31/ 2026	Mechanic (Motor Vehicle) (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
141	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
142	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
143	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Diesel (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
144	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
145	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
146	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Auto Body Painting (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
147	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Auto Body Painting (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
148	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Auto Body Painting (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
149	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Auto Body Repair (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
150	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Auto Body Repair (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
151	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Kataria Automobiles Pvt. Ltd. Kataria Arcade, Behind Adani Cng Pump, Near Makarba Railway Crossing, Makarba, S G Highway, Ahmedabad – 380051, Gujarat, India	6/19/2023	3/31/2026	Mechanic Auto Body Repair (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
152	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Technico Industries Limited Survey No. 668, Dasada-Becharaji Highway, Village VaNod, Taluka Dasada, Surendranagar, Gujarat - 382750	8/17/2023	3/31/2026	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
153	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Technico Industries Limited Survey No. 668, Dasada-Becharaji Highway, Village VaNod, Taluka Dasada, Surendranagar, Gujarat - 382750	8/17/ 2023	3/31/ 2026	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
154	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Technico Industries Limited Survey No. 668, Dasada-Becharaji Highway, Village VaNod, Taluka Dasada, Surendranagar, Gujarat - 382750	8/17/ 2023	3/31/ 2026	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
155	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Technico Industries Limited Survey No. 668, Dasada-Becharaji Highway, Village VaNod, Taluka Dasada,	8/17/ 2023	3/31/ 2026	Welder (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Surendranagar, Gujarat - 382750								
156	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Technico Industries Limited Survey No. 668, Dasada-Becharaji Highway, Village VaNod, Taluka Dasada, Surendranagar, Gujarat - 382750	8/17/ 2023	3/31/ 2026	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
157	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Technico Industries Limited Survey No. 668, Dasada-Becharaji Highway, Village VaNod, Taluka Dasada, Surendranagar, Gujarat - 382750	8/17/ 2023	3/31/ 2026	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
158	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
159	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
160	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway,	4/4/2024	3/31/2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ta: Chansma, Dist: Patan, Gujarat – 384220, India								
161	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
162	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
163	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
164	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Welder (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
165	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway,	4/4/2024	3/31/2029	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ta: Chansma, Dist: Patan, Gujarat – 384220, India								
166	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Asahi India Glass Limited (Ais Glass) Village: DhaNodharda, Mehsana–Chansma Highway, Ta: Chansma, Dist: Patan, Gujarat – 384220, India	4/4/2024	3/31/2029	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
167	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/2025	3/31/2026	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
168	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
169	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
170	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad,	6/19/ 2025	3/31/ 2026	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gujarat – 384220, India								
171	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
172	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
173	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Mechanic (Motor Vehicle) (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
174	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
175	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad,	6/19/ 2025	3/31/ 2026	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gujarat – 384220, India								
176	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Mechanic Diesel (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
177	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
178	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
179	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Welder (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
180	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad,	6/19/ 2025	3/31/ 2026	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gujarat – 384220, India								
181	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Subros Limited Plot No. 508, 509, 512, 514, 516, 517, Village: Karsanpura, Ta: Mandal, Dist: Ahmedabad, Gujarat – 384220, India	6/19/ 2025	3/31/ 2026	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
182	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2 025	3/31/ 2026	Mechanic (Motor Vehicle) (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
183	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
184	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
185	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area,	7/5/2025	3/31/2026	Mechanic Diesel (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Wadhwan City, Surendranagar, Gujarat – 363035, India								
186	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
187	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
188	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Auto Body Painting (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
189	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Auto Body Painting (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
190	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana ,Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area,	7/5/2025	3/31/2026	Mechanic Auto Body Painting (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Wadhwan City, Surendranagar, Gujarat – 363035, India								
191	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Auto Body Repair (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
192	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Auto Body Repair (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
193	Japan India Institute For Manufacturing (JIIM) Pvt. ITI Ganpat Vidya Nagar Mehsana, Gujarat	PU2 4008 055	Pvt	Dream Vehicles Private Limited Plot No. 261/P, Opp. Marketing Yard, G.I.D.C Area, Wadhwan City, Surendranagar, Gujarat – 363035, India	7/5/2025	3/31/2026	Mechanic Auto Body Repair (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
194	Industrial Training Institute, Modasa (Government) Address Govt. ITI, MODASA ,Malpur Road, Modasa, Dist- Arvalli Gujarat	GU2 4000 105	Govt	Gopal Snacks Limited Ahmedabad - Modasa Hwy, Rakhiyal, Rahiyol, Dist: Arvalli,Gujarat 383310	7/14/2025	7/13/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
195	Industrial Training Institute, Modasa (Government) Address Govt. ITI, MODASA ,Malpur Road, Modasa, Dist- Arvalli Gujarat	GU2 4000 105	Govt	Gopal Snacks Limited Ahmedabad - Modasa Hwy, Rakhiyal, Rahiyol, Dist: Arvalli,Gujarat 383310	7/14/2025	7/13/2028	Electrician (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
196	Industrial Training Institute, Modasa (Government) Address Govt. ITI, Modasa ,Malpur Road, Modasa, Dist-Arvalli Gujarat	GU2 4000 105	Govt	Gopal Snacks Limited Ahmedabad - Modasa Hwy, Rakhiyal, Rahiyol, Dist: Arvalli,Gujarat 383310	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
197	Industrial Training Institute, Modasa (Government) Address Govt. ITI, Modasa ,Malpur Road, Modasa, Dist-Arvalli Gujarat	GU2 4000 105	Govt	Gopal Snacks Limited Ahmedabad - Modasa Hwy, Rakhiyal, Rahiyol, Dist: Arvalli,Gujarat 383310	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
198	Industrial Training Institute, Modasa (Government) Address Govt. ITI, Modasa ,Malpur Road, Modasa, Dist-Arvalli Gujarat	GU2 4000 105	Govt	Gopal Snacks Limited Ahmedabad - Modasa Hwy, Rakhiyal, Rahiyol, Dist: Arvalli,Gujarat 383310	7/14/ 2025	7/13/ 2028	Attendant Operator (Chemical Plant) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
199	Industrial Training Institute, Modasa (Government) Address Govt. ITI, Modasa ,Malpur Road, Modasa, Dist-Arvalli Gujarat	GU2 4000 105	Govt	KARMA COMPUTERS Second Floor, Yash Avenue, Near Court, Malpur Road , Modasa, Dist: Arvalli Gujarat 383315	6/30/2025	6/29/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
200	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Gokul Agri International Ltd Near Sujanpura Patiya Nh -8 Siddhpur ,Dis: Patan , Gujarat Pin 384151	5/5/2025	4/5/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
201	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Gokul Agri International Ltd Near Sujanpura Patiya Nh -8 Siddhpur ,Dis: Patan , Gujarat Pin 384151	5/5/2025	4/5/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
202	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Suzuki Motor Gujarat Private Limited ,Village Hansalpur Ta.	6/13/2025	5/31/2028	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Mandal Dis : Ahmedaba Pin 382130 Gujrat								
203	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Gokul Agri International Ltd Near Sujanpura Patiya Nh -8 Siddhpur ,Dis: Patan , Gujarat Pin 384151	7/14/ 2025	7/13/ 2028	Information Communication Technology System Maintenance (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
204	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Gokul Agri International Ltd Near Sujanpura Patiya Nh -8 Siddhpur ,Dis: Patan , Gujarat Pin 384151	5/5/2 025	4/5/2 028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
205	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Starline Cars Pvt. Ltd. (Maruti Suzuki) At Hansapur Patan Pin : 384265 Gujarat	7/14/ 2025	7/13/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
206	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Suzuki Motor Gujarat Private Limited ,Village Hansalpur Ta. Mandal Dis : Ahmedaba Pin 382130 Gujrat	6/13/ 2025	5/31/ 2028	Mechanic Diesel (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
207	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Mrk Healthcare Pvt. Ltd , At: Hansapur Patan Pin :384265 Gujarat	7/14/ 2025	7/13/ 2028	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
208	Govt. ITI, Patan , At & Post - Rajpur , Ta & Dist - Patan, Patan, Gujarat	GU2 4000 121	Govt	Patan Nagarpalika , Nera Bhadra ,Patan 384265, Gujarat	7/15/ 2025	7/14/ 2028	Health Sanitary Inspector (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
209	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta,Siddh	GU2 4000 116	Govt	Gokul Agri International,Siddhpur	8/1/2 025	7/31/ 2028	Fitter (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
210	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta,Siddh	GU2 4000 116	Govt	Royal Castor Product Ltd, Siddhpur	1/8/2023	7/31/2026	Fitter (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
211	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta,Siddh	GU2 4000 116	Govt	Makwel Industries, Siddhpur	8/1/2023	7/31/2026	Welder (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
212	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta,Siddh	GU2 4000 116	Govt	Gokul Agri International, Siddhpur	8/1/2025	7/31/2028	Welder (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
213	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta,Siddh	GU2 4000 116	Govt	Suzuki Motor Gujarat Pvt.Ltd, Siddhpur	8/1/2025	7/31/2028	Electrician (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
214	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta, Siddh	GU2 4000 116	Govt	Gokul Agri International, Siddhpur	8/1/2025	7/31/2028	Wireman (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
215	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta, Siddh	GU2 4000 116	Govt	Suzuki Motor Gujarat Pvt.Ltd, Siddhpur	8/1/2025	7/31/2028	Wireman (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
216	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta, Siddh	GU2 4000 116	Govt	Suzuki Motor Gujarat Pvt.Ltd, Siddhpur	8/1/2025	7/31/2028	Mechanic Diesel (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
217	Industrial Training Institute, Siddhpur (Government), Near Khali Char Rasta, Siddh	GU2 4000 116	Govt	Suzuki Motor Gujarat Pvt.Ltd, Siddhpur	8/1/2025	7/31/2028	Mechanic (Motor Vehicle) (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
218	Govt.ITI, Prantij, Sabar Kantha, Gujarat	GU2 4008 134	Govt	Greenlam Industries	7/12/2025	11/7/2028	Computer Operator and	3	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ltd,Prantij,Dist. Sabarkantha			Programming Assistant (NSQF)			Affiliated Unit		
219	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Greenlam Industries Ltd,Prantij,Dist. Sabarkantha	7/12/ 2025	11/7/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
220	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Asian Grenito India Ltd,Prantij,Dist. Sabarkantha	7/12/ 2025	11/7/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
221	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Asian Grenito India Ltd,Prantij,Dist. Sabarkantha	7/12/ 2025	11/7/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
222	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Asian Grenito India Ltd,Prantij,Dist. Sabarkantha	7/12/ 2025	11/7/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
223	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Australian Premium Solar(India) Pvt.Ltd.	1/1/2 024	1/1/2 027	Wireman (NSQF)	3	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Prantij,Dist. Sabarkantha						Affiliated Unit		
224	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Airolam Limited, Dalpur,Prantij,Dist. Sabarkantha	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
225	Govt.ITI, Prantij,Sabar Kantha,Gujarat	GU2 4008 134	Govt	Airolam Limited, Dalpur,Prantij,Dist. Sabarkantha	7/14/ 2025	7/13/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
226	Industrial Training Institute, Visnagar (Government)	GR2 4000 107	Govt	Ammann India Pvt.Ltd Block No. 157, At Ditasan, P.O. – Jagudan, State Highway, Mehsana Gujarat 382710 India	7/4/2 025	7/3/2 029	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
227	Industrial Training Institute, Visnagar (Government)	GR2 4000 107	Govt	Ammann India Pvt.Ltd Block No. 157, At Ditasan, P.O. – Jagudan, State Highway, Mehsana	7/4/2 025	7/3/2 029	Welder (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gujarat 382710 India								
228	Gr24008155-Industrial Training Institute, Dantiwada (Government), Govt. ITI, Dantiwada , Opp. Model School , Dantiwada Colony, 385505	GR24008155	Govt	Stone Artison Park Training Institute, Near Geb Substation Gmdc, Ambaji, Ta-Danta, Dist-Banaskantha	3/1/2024	2/28/2027	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
229	Gr24008155-Industrial Training Institute, Dantiwada (Government), Govt. ITI, Dantiwada , Opp. Model School , Dantiwada Colony, 385505	GR24008155	Govt	Tanu Motors Pvt. Ltd Palanpur, Abu Highway , Opp. Nexa Showroom, Palanpur	3/12/2024	3/11/2027	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
230	Gr24008155-Industrial Training Institute, Dantiwada (Government), Govt. ITI, Dantiwada , Opp. Model School , Dantiwada Colony, 385505	GR2 4008 155	Govt	Starline Cars Pvt. Ltd. Opp. Bharat Petrol Pump Deesa Highway,Chadotar, Palanpur	1/10/2023	1/9/2026	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
231	Govt.ITI, Dhanera. At.Post. Samarvada, Ta.- Dhanera, District - Banaskantha, State - Gujarat, Pincode - 385310	GR2 4008 148	Govt	M G Threads. Survey No. 540, Village: Khimat, Ta.-Dhanera, District-Banaskantha, , State - Gujarat. Pincode : 385545	7/10/2025	7/9/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
232	Govt.ITI, Dhanera. At.Post. Samarvada, Ta.- Dhanera, District - Banaskantha, State - Gujarat, Pincode - 385310	GR2 4008 148	Govt	M G Threads. Survey No. 540, Village: Khimat, Ta.-Dhanera, District-Banaskantha, , State - Gujarat. Pincode : 385545	7/10/2025	7/9/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
233	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Sayaji Industries Ltd., Unit Maize Products, P.O. Kathwada, Ahmedabad-382430	7/15/2025	7/14/2028	Attendant Operator (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
234	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Airen Limited 408, Kirtiman Complex, C.G. Road, Ahmedabad 380001, Dist- Ahmedabad, State- Gujarat, India	7/14/2025	7/14/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
235	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Airen Limited 408, Kirtiman Complex, C.G. Road, Ahmedabad 380001, Dist- Ahmedabad, State- Gujarat, India	7/14/2025	7/14/2028	Computer Operator and Programming Assistant (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
236	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Airen Limited 408, Kirtiman Complex, C.G. Road, Ahmedabad 380001 , Dist- Ahmedabad, State- Gujarat, India	7/14/2025	7/14/2028	Computer Operator and Programming Assistant (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended
237	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Silo Sytem Pvt Ltd 401, Mistry Chember, Nr Kama Hotel, Khanpur, Ahmedabad - 380001, Dist- Ahmedabad, State- Gujarat	7/14/2025	7/14/2028	Desktop Publishing Operator(NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
238	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Zaab Fashion Pvt Ltd	7/19/2025	7/19/2028	Dress Making (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
239	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Gujarat Switchgear Pvt. Ltd., I 19, New Madhupura Market, Shahibaug, Ahmedabad-38004	2/13/2025	2/12/2028	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
240	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Horizon Microtech Pvt Ltd., Road 4 A, Kathwada Gidc, Odhav Industrial Estate, Odhav, Ahmedabad-382350	7/16/2025	7/16/2028	Electrician (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
241	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Active Engineers, Plot 236/237, Road 2, Kathwada Gidc, Ahmedabad-382430	3/21/2024	3/21/2027	Electrician (NSQF)	1	10	Conversion of Existing Affiliated Unit	Recommended	Recommended
242	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Tirex Transmission Pvt Ltd., 4/A, Hitendranagar, Audyogik Vasahat Ltd., Nr. Naroda Railway Crossing, Kubernagar,	2/1/2025	2/1/2028	Electrician (NSQF)	1	11	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad-382340								
243	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mehta Hitech Industries Ltd., Plot No 3, Road No. 1, Kathwada Gidc, S.P.Ring Road, Ahmedabad-382430	7/14/ 2025	7/14/ 2028	Electrician (NSQF)	1	12	Conversion of Existing Affiliated Unit	Recommended	Recommended
244	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mehta Hitech Industries Ltd., Plot No 3, Road No. 1, Kathwada Gidc, S.P.Ring Road, Ahmedabad-382430	7/15/ 2025	7/15/ 2028	Electronics Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
245	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Multispan Control Instruments Pvt. Ltd., 72-B, Phase 1, Vatva Gidc, Ahmedabad-382445	7/15/ 2025	7/14/ 2028	Electronics Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
246	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Multispan Control Instruments Pvt. Ltd., 72-B, Phase 1, Vatva Gidc, Ahmedabad-382445	7/15/2025	7/14/2028	Electronics Mechanic (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended
247	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Hi Life Machine Tools Ltd., ITI Road, Kubernagar, Naroda, Ahmedabad-382340	10/15/2024	10/15/2027	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
248	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mehta Hitech Industries Ltd., Plot No 3, Road No. 1, Kathwada Gidc, S.P.Ring Road, Ahmedabad-382430	7/14/2025	7/14/2028	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
249	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mehta Hitech Industries Ltd., Plot No 3, Road No. 1, Kathwada Gidc, S.P.Ring Road, Ahmedabad-382430	7/14/2025	7/14/2028	Fitter (NSQF)	1	12	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
250	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Horizon Microtech Pvt Ltd., Road 4 A, Kathwada Gidc, Odhav Industrial Estate, Odhav, Ahmedabad-382350	7/16/2025	7/16/2028	Fitter (NSQF)	1	13	Conversion of Existing Affiliated Unit	Recommended	Recommended
251	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Systronics India Ltd., 89-92, Naroda Industrial Area, Naroda, Ahmedabad-382330	4/24/2025	4/24/2028	Fitter (NSQF)	1	16	Conversion of Existing Affiliated Unit	Recommended	Recommended
252	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Multispan Control Instruments Pvt. Ltd., 72-B, Phase 1, Vatva Gidc, Ahmedabad-382445	7/15/2025	7/14/2028	Information Communication Technology System Maintenance (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
253	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Multispan Control Instruments Pvt. Ltd., 72-B, Phase 1, Vatva Gidc, Ahmedabad-382445	7/15/2025	7/14/2028	Information Communication Technology System Maintenance (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
254	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Multispan Control Instruments Pvt. Ltd., 72-B, Phase 1, Vatva Gidc, Ahmedabad-382445	7/15/2025	7/14/2028	Information Communication Technology System Maintenance (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
255	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Alfa Instruments, 1 Kailash Estate, Part- 3, Opp. Municipal Garden, Viratnagar, Odhav, Ahmedabad-382415	7/16/2025	7/16/2028	Instrument Mechanic (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
256	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Elegant Green Energy Pvt.Ltd., Behind Systronic Ltd., Nr. Reliance Industries, Gidc, Naroda, Ahmedabad	7/16/ 2025	7/16/ 2028	Instrument Mechanic (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
257	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Sayaji Industries Ltd., Unit Maize Products, P.O. Kathwada, Ahmedabad-382430	7/15/ 2025	7/14/ 2028	Instrument Mechanic (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
258	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Sayaji Industries Ltd., Unit Maize Products, P.O. Kathwada, Ahmedabad-382430	7/15/ 2025	7/14/ 2028	Lab Assistant (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
259	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Vintech Ind Pvt Ltd., 7/2, Phase 3, Naroda Gidc, Ahmedabad-382330	7/15/ 2025	7/15/ 2028	Machinist (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
260	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Vintech Ind Pvt Ltd., 7/2, Phase 3, Naroda Gidc, Ahmedabad-382330	7/15/2025	7/15/2028	Machinist (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
261	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Vintech Ind Pvt Ltd., 7/2, Phase 3, Naroda Gidc, Ahmedabad-382330	7/15/2025	7/15/2028	Machinist (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
262	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Sayaji Industries Ltd., Unit Maize Products, P.O. Kathwada, Ahmedabad-382430	7/15/2025	7/14/2028	Maintenance Mechanic (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
263	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mss Medi TechNo India Pvt Ltd (Force Motors), N.H. 8, Nana Chiloda Road, Ahmedabad	7/15/2025	7/14/2028	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
264	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Nextek Equipment, 245-246, Phase 1, Naroda Gidc, Ahmedabad	7/15/2025	7/14/2028	Mechanic Diesel (NSQF)	2	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
265	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Kloeckner Desma Machinery Pvt. Ltd., Gidc Kathwada, Ahmedabad-1584/29291/2009	7/15/2025	7/14/2028	Painter General (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
266	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Premier Polymers, 608-B, Phase Iv, Gidc Estate, Gate 2, Naroda, Ahmedabad-382330	7/19/2025	7/19/2028	Plastic Processing Operator (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
267	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mehta Hitech Industries Ltd., PLOT NO 3, ROAD NO. 1, KATHWADA GIDC, S.P.RING ROAD,	7/14/2025	7/14/2028	Sheet Metal Worker (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad-382430								
268	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Mehta Hitech Industries Ltd., Plot No 3, Road No. 1, Kathwada Gidc, S.P.Ring Road, Ahmedabad-382430	7/14/ 2025	7/14/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
269	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Horizon Microtech Pvt Ltd., Road 4 A, Kathwada Gidc, Odhav Industrial Estate, Odhav, Ahmedabad-382350	7/16/ 2025	7/16/ 2028	Wireman (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
270	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Active Engineers, Plot 236/237, Road 2, Kathwada Gidc, Ahmedabad-382430	7/16/ 2025	7/16/ 2028	Wireman (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
271	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Flowchem Industries, Survey No. 417,418,419, Indore-Ahmedabad Highway, Near Amba Hotel, Vill. Chamla, Dehgam, Gujarat-382433	8/12/2025	8/12/2028	Fitter (NSQF)	1	14	Conversion of Existing Affiliated Unit	Recommended	Recommended
272	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Flowchem Industries, Survey No. 417,418,419, Indore-Ahmedabad Highway, Near Amba Hotel, Vill. Chamla, Dehgam, Gujarat-382433	8/12/2025	8/12/2028	Fitter (NSQF)	1	15	Conversion of Existing Affiliated Unit	Recommended	Recommended
273	Industrial Training Institute, Kubernagar (Government) Nr Galaxy Cinema, Kubernagar, Ahmedabad	GU2 4000 101	Govt	Lotte India Corporation Ltd., Plot No. 185/A, Phase 1, Near Sbi, Naroda, Gidc Naroda, Ahmedabad, Gujarat-382330	7/23/2025	7/22/2028	REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
274	Govt. ITI, MANDAL, Mandal Dasada Road, Mandal	GR2 4008 164	Govt	Varroc Polymers Limited, Karshanpura Dist. Ahmedabad, Gujarat	7/11/2025	7/10/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
275	Govt. ITI, MANDAL, Mandal Dasada Road, Mandal	GR2 4008 164	Govt	Varroc Polymers Limited, Karshanpura Dist. Ahmedabad, Gujarat	7/11/2025	7/10/2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
276	Govt. ITI, MANDAL, Mandal Dasada Road, Mandal	GR2 4008 164	Govt	Subros Limited, Karshanpura Dist. Ahmedabad, Gujarat	7/14/2025	7/13/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
277	Govt. ITI, MANDAL, Mandal Dasada Road, Mandal	GR2 4008 164	Govt	Subros Limited, Karshanpura Dist. Ahmedabad, Gujarat	7/14/2025	7/13/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
278	Govt. ITI, Modasa (Women) Malpur Road Modasa Arvalli Gujarat	GU2 4008 140	Govt	Karma Computers Malpur Road Modasa Arvalli Gujarat	7/11/2025	7/10/2028	Computer Operator and Programming	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
							Assistant (NSQF)					
279	Industrial Training Institute Kumbhariya At-Kumbhariya Po-Ambaji Ta-Danta Di-B.K	GR2 4000 112	Govt	Robert F Smith Technology Centre Abu High Way Palanpur Di-B.K Gujarat	7/12/ 2025	7/11/ 2030	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
280	Industrial Training Institute Kumbhariya At-Kumbhariya Po-Ambaji Ta-Danta Di-B.K	GR2 4000 112	Govt	Fortuna Engineering Industries At-Jetvas Po-Ambaji Ta-Danta Di-B.K	7/11/ 2025	7/10/ 2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
281	Industrial Training Institute Kumbhariya At-Kumbhariya Po-Ambaji Ta-Danta Di-B.K	GR2 4000 112	Govt	Fortuna Engineering Industries At-Jetvas Po-Ambaji Ta-Danta Di-B.K	7/11/ 2025	7/10/ 2030	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
282	Industrial Training Institute Kumbhariya At-Kumbhariya Po-	GR2 4000 112	Govt	Fortuna Engineering Industries At-Jetvas Po-	7/11/ 2025	7/10/ 2030	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ambaji Ta-Danta Di-B.K			Ambaji Ta-Danta Di-B.K								
283	Govt.ITI, RANIP-GOTA Address : Opp. I.O.C. Petrol Pump, New Ranip-Chenpur Road, Chenpur, Ahmedabad-382480	GU2 4008 161	Govt	Shri Swaminarayan Computing Services Pvt. Ltd. Address : 99/590, Vijaynagar, Opp. Veraimata Temple, 132 Ft. Ring Road, Nr. Akhabarnagar Underbridge, Opp. Vadaj Crossing, Naranpura, Ahmedabad, Gujarat -380013	7/11/2025	7/10/2029	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
284	Govt.ITI, RANIP-GOTA Address : Opp. I.O.C. Petrol Pump, New Ranip-Chenpur Road, Chenpur, Ahmedabad-382480	GU2 4008 161	Govt	LUBI INDUSTRIES LLP -VADSAR Address : Lubi Industrial Park, Khatraj-Vadsar Road, Gandhinagar, Gujarat-382010	7/14/2025	7/13/2029	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
285	Govt. ITI, RANIP-GOTA Address : Opp. I.O.C. Petrol Pump, New Ranip-Chenpur Road, Chenpur, Ahmedabad-382480	GU2 4008 161	Govt	LUBI INDUSTRIES LLP -VADSAR Address : Lubi Industrial Park, Khatraj-Vadsar Road, Gandhinagar, Gujarat-382010	7/14/ 2025	7/13/ 2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
286	Govt. ITI, RANIP-GOTA Address : Opp. I.O.C. Petrol Pump, New Ranip-Chenpur Road, Chenpur, Ahmedabad-382480	GU2 4008 161	Govt	Kataria Automobiles Pvt Ltd. Address : Silver Star Mall Road, Opp Shreeji Residency, Gayatrinagar, Chandlodia, Ahmedabad, Gujarat -380081	7/11/ 2025	7/10/ 2029	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
287	Govt ITI Sanand Vasna(Iyava) Sanand Viramgam Road, Sanand Di: Ahmedabad	GR2 4000 119	Govt	Mehta Hitech Industries Limited, Vill: Bol Sanand-2 Gidc Sanand Di: Ahmedabad, Gujarat	7/11/ 2025	8/31/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
288	Govt ITI Sanand Vasna(Iyava) Sanand Viramgam Road, Sanand Di: Ahmedabad	GR2 4000 119	Govt	Mehta Hitech Industries Limited, Vill: Bol Sanand-2 Gidc Sanand Di: Ahmedabad, Gujarat	7/11/ 2025	8/31/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
289	ITI Saraspur, Kalabhuvan, Opp. Gurudwara, Saraspur	GU2 4000 109	Govt	Swastik Automation & Control, Vivekanand Estate, Rakhiyal, Ahmedabad	7/14/ 2025	7/14/ 2029	Electronics Mechanic (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
290	ITI Saraspur, Kalabhuvan, Opp. Gurudwara, Saraspur	GU2 4000 109	Govt	Omega Elevators, Archana Industrial Estate, Rakhiyal, Ahmedabad	7/14/ 2025	7/14/ 2029	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
291	ITI Saraspur, Kalabhuvan, Opp. Gurudwara, Saraspur	GU2 4000 109	Govt	Ankur Textiles Div. Of Arvind Ltd, Raipur Gate, Geeta Mandir, Ahmedabad	7/14/ 2025	7/14/ 2029	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
292	ITI Saraspur, Kalabhuvan, Opp. Gurudwara, Saraspur	GU2 4000 109	Govt	Omega Elevators, Archana Industrial Estate, Rakhiyal, Ahmedabad	11/7/ 2025	11/7/ 2029	Electrician (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
293	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Nbe Motors Pvt Ltd, Tirupati Estate, Opp Bombay Housing, Saraspur	11/7/ 2025	11/7/ 2029	Electrician (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
294	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Ankur Textiles Div. Of Arvind Ltd, Raipur Gate, Geeta Mandir ,Ahmedabad	7/15/ 2025	7/15/ 2029	Fitter (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
295	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Omega Elevators,Archana Industrial Estate, Rakhiyal, Ahmedabad	7/15/ 2025	7/15/ 2029	Fitter (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
296	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Nbe Motors Pvt Ltd, Tirupati Estate, Opp Bombay Housing, Saraspur	11/7/ 2025	11/7/ 2029	Wireman (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
297	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Ankur Textiles Div. Of Arvind Ltd, Raipur Gate, Geeta Mandir ,Ahmedabad	11/7/ 2025	11/7/ 2029	Wireman (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
298	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Omega Elevators,Archana Industrial Estate, Rakhiyal, Ahmedabad	11/7/ 2025	11/7/ 2029	Wireman (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
299	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Mangal Murti Mold, Ground Floor, Grand Vishala Industrial Estate, Odhav ,Ahmedabad	11/7/ 2025	11/7/ 2029	Tool & Die Maker (Press Tools, Jigs & Fixtures) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
300	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Omega Elevators,Archana Industrial Estate, Rakhiyal, Ahmedabad	11/7/ 2025	11/7/ 2029	Turner (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
301	ITI Saraspur, Kalabhuvan,Opp. Gurudwara,Saraspur	GU2 4000 109	Govt	Swastik Automation &Control, Vivekanand Estate, Rakhiyal, Ahmedabdad	7/14/ 2025	7/14/ 2029	Information Communication Technology System Maintenance (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
302	Industrial Training Institute (W), Thaltej,(Women) Govt. Iti, Thaltej,(Women) , Nr. Andh Kanya Prakash Gruh, Memnagar, B/H Sukhipura Water Tank, -1, Gujarat	GU2 4000 131	Govt	ACCENT DATA OUTSOURCING 325,326, Metro Mall Nr Rystal English School,Opp.Bapa Sitaram Chowk,Vastral,Ah medabad-382418	7/19/ 2025	7/19/ 2028	Computer Operator and Programm ing Assistant (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended
303	Industrial Training Institute (W), Thaltej,(Women) Govt. Iti, Thaltej,(Women) , Nr. Andh Kanya Prakash Gruh, Memnagar, B/H Sukhipura Water Tank, -1, Gujarat	GU2 4000 131	Govt	MORNING STAR(A UNISEX SALON & ACADEMY) H-203, Sayona Tilak-1,New S.G.Road,At Life Line Hospital,Opp Andemataram Road,Gota,Ahmeda bad-380081	7/19/ 2025	7/19/ 2028	Cosmetolo gy (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended
304	ITI Unjha, Near Aithor Gidc, Unjha- Visnagar Road, Aranipura	GR2 4008 167	Govt	Navarang Engineering Works, Mehsana, Gujarat	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
305	ITI Unjha, Near Aithor Gidc, Unjha-Visnagar Road, Aranipura	GR2 4008 167	Govt	Pratiman Engineering, Mehसा na , Gujarat	7/14/ 2025	7/13/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
306	ITI Vadgam Near Kharodiya Chokdi, Vadgam Ta:- Vadgam District Banaskantha State Gujarat	GR2 4008 141	Govt	Leak Proof Private Limited At And Post :Chhapi Ta:- Vadgam Dist:- Banaskantha State :-Gujarat	6/1/2 026	7/31/ 2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
307	ITI Vadgam Near Kharodiya Chokdi, Vadgam Ta:- Vadgam District Banaskantha State Gujarat	GR2 4008 141	Govt	Maheswari Global Industries Pvt Ltd At And Post:Khodla Ta:-Palanpur Dist:- Banaskantha State:- Gujarat	6/1/2 026	7/31/ 2029	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
308	ITI Vadgam Near Kharodiya Chokdi, Vadgam Ta:- Vadgam District Banaskantha State Gujarat	GR2 4008 141	Govt	Maheswari Paper Industries Pvt Ltd AT And Post:Khodla Ta:-Palanpur Dist:- Banaskantha State:- Gujarat	6/1/2 026	7/31/ 2029	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
309	ITI Vadgam Near Kharodiya Chokdi, Vadgam Ta:- Vadgam District Banaskantha State Gujarat	GR2 4008 141	Govt	GSRTC WORKSHOP Highway Roadpalanpur Ta:-Palanpur Dist:-Banaskantha State:- Gujarat	6/1/2 026	7/31/ 2029	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
310	ITI Vadgam Near Kharodiya Chokdi, Vadgam Ta:- Vadgam District Banaskantha State Gujarat	GR2 4008 141	Govt	Gajanand Motors Pvt Ltd Near Old Rto, Palanpur Ta:-Palanpur Dist:-Banaskantha State:- Gujarat	6/1/2 026	7/31/ 2028	Computer Operator and Programm ing Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
311	ITI Vadgam Near Kharodiya Chokdi, Vadgam Ta:- Vadgam District Banaskantha State Gujarat	GR2 4008 141	Govt	Leak Proof Private Limited At And Post :Chhapi Ta:- Vadgam Dist:- Banaskantha State :-Gujarat	6/1/2 026	7/31/ 2029	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
312	ITI Viramgam, Opp. Avadh Complex, Near Nilki Fatak, Bechraji Road, Viramgam- 382150	GR2 4008 052	Govt	PPAP Automotive Limited, Survey No. 866, Village- Ukhlod, Ta- Viramgam, District	7/24/ 2025	7/23/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ahmedabad, Gujarat -382150.								
313	ITI Viramgam, Opp. Avadh Complex, Near Nilki Fatak, Bechraji Road, Viramgam-382150	GR2 4008 052	Govt	Mehta Hitech Industries Limited, Village-Bol, Ta-Sanand, Dist-Ahmedabad, Gujarat, PIN-382170	8/14/2025	8/13/2028	Electronics Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
314	ITI Viramgam, Opp. Avadh Complex, Near Nilki Fatak, Bechraji Road, Viramgam-382150	GU2 4000 123	Govt	PPAP Automotive Limited, Survey No. 866, Village-Ukhlod, Ta-Viramgam, District Ahmedabad, Gujarat -382150.	7/24/2025	7/23/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
315	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd, Vadnagar	7/24/2025	7/23/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
316	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/2025	7/23/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
317	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/ 2025	7/23/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
318	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/ 2025	7/23/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
319	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/ 2025	7/23/ 2028	Mechanic Diesel (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
320	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/ 2025	7/23/ 2028	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
321	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/ 2025	7/23/ 2028	Mechanic (Motor Vehicle) (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
322	ITI Vadnagar, Nr. Polytechnic College Vadnagar	GR2 4000 132	Govt	Suzuki Motors Gujarat Pvt.Ltd Vadnagar	7/24/ 2025	7/23/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
323	ITI Detroj Behind. Mamalatdar Office, Detroj, Ta - Detroj, Dist - Detroj	GR2 4008 036	Govt	Subros Limited, Karasanpura, Ta. Mandal Di. Ahmedabad - Gujarat	7/14/2025	7/13/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
324	ITI Detroj Behind. Mamalatdar Office, Detroj, Ta - Detroj, Dist - Detroj	GR2 4008 036	Govt	Subros Limited, Karasanpura, Ta. Mandal Di. Ahmedabad - Gujarat	7/14/2025	7/13/2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
325	ITI Detroj Behind. Mamalatdar Office, Detroj, Ta - Detroj, Dist - Detroj	GR2 4008 036	Govt	Subros Limited, Karasanpura, Ta. Mandal Di. Ahmedabad - Gujarat	7/14/2025	7/13/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
326	ITI Detroj Behind. Mamalatdar Office, Detroj, Ta - Detroj, Dist - Detroj	GR2 4008 036	Govt	Subros Limited, Karasanpura, Ta. Mandal Di. Ahmedabad - Gujarat	7/14/2025	7/13/2028	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
327	Govt. ITI, Amirgadh, Behind Mamlatdar Office, Banaskantha	GR2 4000 128	Govt	Pcube Software Solution, Palanpur, Banaskantha, Gujarat	7/10/2025	7/9/2028	Computer Operator and Programming	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
							Assistant (NSQF)					
328	Govt. Iti, Amirgadh, Behind Mamlatdar Office, Banaskantha	GR2 4000 128	Govt	Coach International Technique Private Limited, Palanpur, Banaskantha, Gujarat	7/14/2025	7/13/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
329	Govt. ITI, Amirgadh, Behind Mamlatdar Office, Banaskantha	GR2 4000 128	Govt	Coach International Technique Private Limited, Palanpur, Banaskantha, Gujarat	7/14/2025	7/13/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
330	Govt. ITI, Amirgadh, Behind Mamlatdar Office, Banaskantha	GR2 4000 128	Govt	Coach International Technique Private Limited, Palanpur, Banaskantha, Gujarat	7/14/2025	7/13/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
331	Govt. ITI, Amirgadh, Behind Mamlatdar Office, Banaskantha	GR2 4000 128	Govt	Arihant Pumpms Pvt Ltd, Palanpur, Banaskantha, Gujarat	9/4/2024	9/3/2027	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
332	Govt. ITI, Amirgadh, Behind Mamlatdar Office, Banaskantha	GR2 4000 128	Govt	Gajanand Motors Pvt Ltd, Palanpur, Banaskantha, Gujarat	9/9/2025	9/8/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
333	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej ITI SARKHEJ, Opp PHC, SARKHEJ, DASKROI, Gujarat	GR2 4000 108	Govt	Marengo Cims Hospital Pvt. Ltd. Off, Science City Rd, Science City, Panchamrut Bunglows Ii, Sola, Ahmedabad, Gujarat 380060	2/2/2026	2/2/2029	Computer Operator and Programming Assistant (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
334	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Saibaba Steel Industries 273 Vijay Industrial Estate Odhav B/H Bhikshukh Gruh Ahmedabad, Gujarat, 382415	3/10/2025	3/10/2028	Wireman (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
335	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	ELE+MECH ENGINEERING SOLUTIONS Block No. 389/1, Changodar Industrial Estate, Opposite Fluid Logistic Systems, Sakhej-Bavla Highway, Village: Changodar,	2/28/2025	2/28/2028	Wireman (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Ta. Sanand, Dist. Ahmedabad,,Gujarat – 3800013.								
336	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Gayatri Private Limited House, 18, Drive In Tenament, Opp Goyal Intercity Row House, Thaltej, , Ahmedabad, Gujarat, India - 380054.	3/4/2025	3/4/2028	Wireman (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
337	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Harsha Engineers International Ltd.Changodar Sarkhej-Bavla Road , Changodar, Ahmedabad, Gujarat – 382213,	3/11/2025	3/11/2028	Wireman (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
338	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Jvr Powertech, Changodar Block No. 389/1, Changodar Industrial Estate, Sarkhej Bavla Highway, Ta. Sanand, ., Changod, Opposite Fluid Logistic Systems, Changodar, Sanand-382213,	2/28/2025	2/28/2028	Wireman (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
339	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Ele+Mech Engineering Solutions Block No. 389/1, Changodar Industrial Estate, Opposite Fluid Logistic Systems, Sarkhej-Bavla Highway, Village: Changodar, Ta. Sanand, Dist. Ahmedabad, Gujarat- 3800013.	2/28/2025	2/28/2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
340	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Gayatri Private Limited House, 18, Drive In Tenament, Opp Goyal Intercity Row House, Thaltej, , Ahmedabad, Gujarat - 380054.	3/4/2025	3/4/2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
341	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Harsha Engineers International Ltd.Changodar Sarkhej-Bavla Road , Changodar, Ahmedabad,Gujarat – 382213,	3/11/2025	3/11/2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
342	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Jvr Powertech, Changodar Block No. 389/1, Changodar Industrial Estate, Sarkhej Bavla Highway, Ta. Sanand, ., Changod, Opposite Fluid Logistic Systems,	2/28/2025	2/28/2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Changodar, Sanand,Ahmedabad ,Gujarat-382213,								
343	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Jalaram Lithium Battery Pvt.Ltd Shop No 16, Shunshine Ind, Sanand,Ahmedabad Gujarat, 382213.	1/20/2026	1/20/2029	Electrician (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
344	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Darshil Automation , Control And Service 28, Silver Industrial Estate, Opposite Hof Furniture Near Nova Petrochemical, Sarkhej- Bavla Highway, Changodar, Changodar, Ahmedabad Gujarat	1/6/2024	1/5/2027	Electrician (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
345	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Leedaxlighting Technology 7171, Tulsi Estate, Opp. Bhagyoday Hotel, Changodar, Ahmedabad, Gujarat -382213	1/6/2024	1/5/2027	Electrician (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
346	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	OM Industries GIDC Industrial Estate, Plot No C-1-28/1, Gandhinagar, CEPT ROAD Kalol, Gujarat, 382721	2/27/2026	2/27/2029	Fitter (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
347	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Harsha Engineering Sarkhej-Bavla Road, Changodar, Ahmedabad, Gujarat-382213	1/16/2023	1/15/2026	Fitter (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
348	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	HCC Hospital 302-305, Shital Varsha Complex, Shivranjini Cross Road, Ahmedabad, Gujarat - 380015	1/2/2023	1/1/2026	Health Sanitary Inspector (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
349	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Kataria Automobile Pvt.Ltd(Bavla) Sarkhej Gandhinagar Hwy, At, Opposite Rajoda Gate, Near Essar Petrol Pump, Bavla, Ahmedabad,Gujarat -382220	4/8/2025	4/8/2028	Mechanic (Motor Vehicle) (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
350	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Kataria Automobile Pvt Ltd(Makarba) Shop No. 5/6/7, Aditya Complex, Bareja, National Highway -08 Dist - Ahmedabad, Gujarat	3/5/2026	3/4/2029	Mechanic (Motor Vehicle) (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
351	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Kiran Motors Pvt.Ltd Sarkhej Sanand Road Ahmedabad 382210	2/21/ 2023	2/20/ 2026	Mechanic (Motor Vehicle) (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
352	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Pegasus (Visual Motors) Survey No.393 – Village – Moraiya, Changodar, Taluka, Sun, Distt, Sanand, Gujarat 382213	2/14/ 2023	2/13/ 2026	Mechanic (Motor Vehicle) (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
353	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Paras Trucks and Buses 271P, SP Ring Road, Near Concept Motors, Sanathal Circle, Sanathal Ahmedabad, Gujarat, 382210	3/12/ 2026	6/11/ 2026	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
354	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Gallops Autolink Pvt.Ltd Survey Number 264, Sardar Patel Ring Rd, Near Sanathal, Chowkdi, Sanathal, Ahmedabad, Gujarat 382210	12/23 /2022	12/22/2025	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
355	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Veeglow Industries Pvt.Ltd C-102, Siddhi Vinayak Tower, Off S. G. Highway, Makarba, , Ahmedabad, Gujarat, India - 380051.	10/18 /2026	10/18/2028	Plastic Processing Operator (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
356	Industrial Training Institute, Sarkhej (Government) Govt. Iti, Sarkhej Iti Sarkhej, Opp Phc, Sarkhej, Daskroi, Gujarat	GR2 4000 108	Govt	Harsha Engineers International Ltd.Changodar Sarkhej-Bavla Road, Changodar, Ahmedabad – 382213, Gujarat	2/10/ 2023	2/10/ 2027	Turner (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
357	Sheth Shri R.V. Raval ITI Gozaria	PR2 4000 508	Pvt	Sahajanand Laser Technology Ltd.,	9/1/2025	7/31/2030	Electronics Mechanic (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
358	Sheth Shri R.V. Raval ITI Gozaria	PR2 4000 508	Pvt	Sahajanand Laser Technology Ltd.	9/1/2025	7/31/2030	Fitter (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
359	Shri Gozaria Kelavani Mandal Sanchalit Self Finance Private ITI , Sf Gozaria (Self Finance)	PR2 4005 515	Pvt	Sahajanand Laser Technology Ltd.,Gandhinagar	9/1/2025	9/30/2030	Fitter (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
360	Shri Punamchand Devraj Foundation Trust Private ITI, Gia Panthawada (Grant In Aid)	PR2 4000 554	Pvt	Umiya Industry, B/H- Mahavirdham, Deesa Highway , At -Chadotar-385001, Ta- Palanpur, Dist- Banaskantha, N- Gujarat	4/25/2024	4/24/2029	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
361	Shri Punamchand Devraj Foundation Trust Private ITI, Gia	PR2 4000 554	Pvt	Umiya Industry, B/H- Mahavirdham, Deesa Highway ,	4/25/2024	4/24/2029	Fitter (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Panthawada (Grant In Aid)			At -Chadotar-385001, Ta-Palanpur, Dist-Banaskantha, N-Gujarat								
362	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU24000106	Govt	Coach International Technique Private Limited Ahmedabad Highway Gathaman Patiya Palanpur Ta-Palanpur Di-Banaskantha State-Gujarat	1/2/2025	7/31/2030	Computer Operator and Programming Assistant (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
363	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU24000106	Govt	The Collector Office, Banaskantha Ta-Palanpur Di-Banaskantha Sate-Gujarat	8/1/2022	7/31/2026	Computer Operator and Programming Assistant (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
364	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU24000106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta-	8/1/2025	7/31/2029	Electrician (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Palanpur Di-Banaskantha State-Gujarat								
365	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta-Palanpur Di-Banaskantha State-Gujarat	8/1/2025	7/31/2029	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
366	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta-Palanpur Di-Banaskantha State-Gujarat	8/1/2025	7/31/2029	Electrician (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
367	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Coach International Technique Private Limited Ahmedabad Highway Gathamani Patiya Palanpur Ta-	8/1/2022	7/31/2026	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Palanpur Di-Banaskantha State-Gujarat								
368	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Sapti(Stone Artisan Park Training Institute , Ambaji Kumbhariya Ta-Danta Di-Banaskantha State-Gujarat	10/18 /2023	7/31/ 2029	Fitter (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
369	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Sapti(Stone Artisan Park Training Institute , Ambaji Kumbhariya Ta-Danta Di-Banaskantha State-Gujarat	10/18 /2023	7/31/ 2029	Fitter (NSQF)	1	10	Conversion of Existing Affiliated Unit	Recommended	Recommended
370	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Sapti(Stone Artisan Park Training Institute , Ambaji Kumbhariya Ta-Danta Di-Banaskantha State-Gujarat	10/18 /2023	7/31/ 2029	Fitter (NSQF)	1	11	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
371	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Shivkrupa Pump Industries Chandisar Ta- Palanpur Di- Banaskantha State - Gujarat	1/10/ 2025	7/31/ 2029	Fitter (NSQF)	1	12	Conversion of Existing Affiliated Unit	Recommended	Recommended
372	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Worth Industries Plot No 114/4b Gidc Chandisar Ta- Palanpur Di- Banaskantha State - Gujarat	8/1/2 022	7/31/ 2026	Machinist (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
373	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Yash Honda Abu Road Highway Palanpur Ta- Palanpur Di- Banaskantha State- Gujarat	1/22/ 2024	7/31/ 2027	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
374	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Halleys Motors Pvt Ltd(Kia) Abu Road Highway Palanpur Ta-Palanpur Di- Banaskantha State- Gujarat	1/22/ 2024	7/31/ 2027	Mechanic Diesel (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
375	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Shivam Sales Corporation (Mahindra), Abu Road Highway Palanpur Ta- Palanpur Di- Banaskantha State- Gujarat	9/9/2022	7/31/2026	Mechanic Diesel (NSQF)	3	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
376	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Shivam Sales Corporation (Mahindra), Abu Road Highway Palanpur Ta- Palanpur Di- Banaskantha State- Gujarat	8/1/2022	7/31/2026	Mechanic (Motor Vehicle) (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
377	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Gajanand Motors Pvt,Ltd Abu Road Highway Palanpur Ta-Palanpur Di- Banaskantha State- Gujarat	8/1/2022	7/31/2026	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
378	Industrial Training Institute, Palanpur (Government) , Nr	GU2 4000 106	Govt	D S Patel Construction Co. Laxmanpura Abu Road Highway	8/1/2022	7/31/2026	Surveyor (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Sonariya Bunglows ,Banas			Palanpur Ta-Palanpur Di-Banaskantha State-Gujarat								
379	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta-Palanpur Di-Banaskantha State-Gujarat	8/1/2025	7/31/2029	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
380	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta-Palanpur Di-Banaskantha State-Gujarat	8/1/2025	7/31/2029	Wireman (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
381	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta-Palanpur Di-	8/1/2025	7/31/2029	Wireman (NSQF)	1	10	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Banaskantha State-Gujarat								
382	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Getco(Gujarat Energy Transmission Corporation Ltd, Palanpur Ta- Palanpur Di- Banaskantha State-Gujarat	8/1/2025	7/31/2029	Wireman (NSQF)	1	11	Conversion of Existing Affiliated Unit	Recommended	Recommended
383	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	District Health Office Palanpur Ta- Palanpur Di- Banaskantha State-Gujarat	1/3/2025	7/31/2028	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
384	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Banaskantha District Co-Operative Milk Producer Union Ltd- Palanpur. Ta- Palanpur Di- Banaskantha State-Gujarat	9/20/2022	9/20/2027	Instrument Mechanic (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
385	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Duke Pipe Pvt Ltd - Chadotar Ta- Palanpur Di - Banaskantha	9/20/2022	9/20/2027	Instrument Mechanic (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
386	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Step Up Electronics Unjha Ta- Unjha Di- Mahesana State- Gujarat	1/3/2025	7/31/2028	Information Communication Technology System Maintenance (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
387	Industrial Training Institute, Palanpur (Government) , Nr Sonariya Bunglows ,Banas	GU2 4000 106	Govt	Mbr Service Center, 6 To 9 Hk Tower Opp Hanuman Tekri Abu Highway Palanpur Ta- Palanpur Di- Banaskantha State - Gujarat	2/14/2025	7/31/2028	Refrigeration and Air Conditioning Technician(NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
388	Industrial Training Institute, Amreli (Government)	GU2 4000 306	GOVT	Red & White Multimedia At-	7/16/2025	7/15/2027	Computer Operator and	3	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Amreli, Dist-Amreli			Programming Assistant (NSQF)			Affiliated Unit		
389	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Red & White Multimedia At-Amreli, Dist-Amreli	7/16/ 2025	7/15/ 2027	Computer Operator and Programming Assistant (NSQF)	2	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
390	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Red & White Multimedia At-Amreli, Dist-Amreli	7/16/ 2025	7/15/ 2027	Computer Operator and Programming Assistant (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
391	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Tulip Cotspin Pvt Ltd Malaviya Pipariya Ta-Lathi Dist Amreli	7/15/ 2025	7/14/ 2027	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
392	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Tulip Cotspin Pvt Ltd Malaviya Pipariya Ta-Lathi Dist Amreli	7/15/ 2025	7/14/ 2027	Electrician (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
393	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Tulip Cotspin Pvt Ltd Malaviya Pipariya Ta-Lathi Dist Amreli	7/15/ 2025	7/14/ 2027	Electrician (NSQF)	3	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
394	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Sheetal Cool Products Limited At-Amreli Dist-Amreli	7/15/ 2025	7/14/ 2027	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
395	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Sheetal Cool Products Limited At-Amreli Dist-Amreli	7/15/ 2025	7/14/ 2027	Information Communication Technology System Maintenance (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
396	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Rosefinch Pharmaceutique Pvt Ltd At-Malaviya Pipariya Dist-Amreli	7/18/ 2025	7/17/ 2027	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
397	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Rosefinch Pharmaceutique Pvt Ltd At-Malaviya	7/18/ 2025	7/17/ 2027	Wireman (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Pipariya Dist-Amreli								
398	Industrial Training Institute, Amreli (Government)	GU2 4000 306	Govt	Rosefinch Pharmaceutique Pvt Ltd At-Malaviya Pipariya Dist-Amreli	7/18/ 2025	7/17/ 2027	Wireman (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
399	Govt.ITI, Bagasara(Women), Amreli Road, Bagsara,Amreli	GR2 4008 120	Govt	Alday Healthcare Plot No. 15, Umiya Industrial Zone-4, National Highway 27, Opp. Umiya Steel, At Ribda Nr Sapar Di Rajkot-360004	7/16/ 2025	7/15/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
400	Govt.ITI, Bagasara(Women), Amreli Road, Bagsara,Amreli	GR2 4008 120	Govt	SHEETAL COOL PRODUCT LIMITED Plot No 75 To 81, GIDC Estate,Amreli-365601,Dist Amreli Gujarat India	7/18/ 2025	7/17/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
401	Govt.ITI, Dhari Himkhimdi Para ,Tulshisyam Road	GR2 4008 121	Govt	Sheetal Cool Products Limited , At: Amreli , Gidc	7/16/ 2025	7/15/ 2028	Computer Operator and	3	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Dhari-365640, Dist- Amreli			Area , Dist: Amreli State: Gujarat			Programming Assistant (NSQF)			Affiliated Unit		
402	Govt.ITI, Dhari Himkhimdi Para ,Tulshisyam Road Dhari-365640, Dist- Amreli	GR2 4008 121	Govt	Jay Ganesh Auto Hub At: Amreli , Lathi Road , Dist: Amreli State : Gujarat	7/16/ 2025	7/15/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
403	Govt.ITI, Dhari Himkhimdi Para ,Tulshisyam Road Dhari-365640, Dist- Amreli	GR2 4008 121	Govt	Sheetal Cool Products Limited , At: Amreli , Gidc Area , Dist: Amreli State: Gujarat	7/16/ 2025	7/15/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
404	Industrial Training Institute, Kukavav (Government) Govt. ITI, Kukavav,Bagasara Road, Opp. Shiv Temple, Kukavav-Moti, Di-Amreli, Gujarat	GR2 4000 331	Government	SHEETAL COOL PRODUCT LIMITED Plot No. 75 To 81, GIDC Estate, Amreli -365601, Gujarat, India	7/18/ 2025	7/17/ 2028	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
405	Industrial Training Institute, Kukavav (Government) Govt. ITI, Kukavav, Bagasara Road, Opp. Shiv Temple, Kukavav-Moti, Di-Amreli, Gujarat	GR2 4000 331	Government	Sheetal Cool Product Limited Plot No. 75 To 81, GIDC Estate, Amreli -365601, Gujarat, India	7/18/ 2025	7/17/ 2028	Wireman (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
406	Industrial Training Institute, Vadiya Govt. ITI, Barvala-Baval Road, Ta-Kukavav, Di-Amreli, Gujarat	GR2 4000 336	Government	Ravi Technoforge Limited, Plot No: 50/P-1, B/H Toll Plaza, Rajkot Gondal NH-27, Village: Pipaliya, District:, Rajkot, Gujarat 360311	09-01-2025	31-07-2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
407	Industrial Training Institute, Savarkundla (Government), Nr. Railway Crossing Mahuva Road	GR2 4000 322	GOVT.	Bhakti Infrastructure, Savarkundla	7/24/ 2025	7/23/ 2029	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
408	Industrial Training Institute, Savarkundla (Government), Nr. Rail	GR2 4000 322	GOVT.	Raghuvir Corporation, Savarkundla	7/24/ 2025	7/23/ 2029	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	way Crossing Mahuva Road											
409	Industrial Training Institute,Savarkundla(Government),Nr.Rail way Crossing Mahuva Road	GR2 4000 322	GO VT.	Amar Tractors & Farm Implement,Lathi Road By Pass Amreli	7/15/ 2025	7/14/ 2029	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
410	Industrial Training Institute,Savarkundla(Government),Nr.Rail way Crossing Mahuva Road	GR2 4000 322	GO VT.	Shree Lallubhai Seth Arogya Mandir,Savarkundla	7/16/ 2025	7/15/ 2029	Computer Operator and Programming Assistant (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
411	Industrial Training Institute,Savarkundla(Government),Nr.Rail way Crossing Mahuva Road	GR2 4000 322	GO VT.	Bhakti Infrastructure,Savarkundla	7/24/ 2025	7/23/ 2029	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
412	Industrial Training Institute,Savarkundla(Government),Nr.Rail way Crossing Mahuva Road	GR2 4000 322	GO VT.	Raghuvir Corporation,Savarkundla	7/24/ 2025	7/23/ 2029	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
413	Govt. ITI Babara Khakhriya Road, Opp. Patidar Cotton Industry-Babra. Dist. Amreli Gujarat. PIN 365421	GR2 4008 123	Govt.	Radheshyam Cotspin Pvt. Ltd. Survey No.49/P3 & 50/P3, Vasavad Road, At-Babra. Dist.Amreli, Gujarat. Pin 365421	7/11/ 2025	7/10/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
414	Industrial Training Institute, Bhavnagar (Government), Vidhyanagar, Bhavnagar	GU2 4000 304	Govt.	Bhavnagar Municipal Corporation, Sir Mangal Sinhji Road, Near Kalanala, Bhavnagar, Gujarat - 364001	7/19/ 2025	7/19/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
415	Industrial Training Institute, Bhavnagar (Government), Vidhyanagar, Bhavnagar	GU2 4000 304	Govt.	Bhavnagar Municipal Corporation, Sir Mangal Sinhji Road, Near Kalanala, Bhavnagar, Gujarat - 364002	7/19/ 2025	7/19/ 2028	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
416	Industrial Training Institute, Bhavnagar (Government), Vidhyanagar, Bhavnagar	GU2 4000 304	Govt.	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/21/ 2025	7/21/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
417	Industrial Training Institute, Bhavnagar (Government), Vidhyanagar, Bhavnagar	GU2 4000 304	Govt.	Bhavnagar Municipal Corporation, Sir Mangal Sinhji Road, Near Kalanala, Bhavnagar, Gujarat - 364002	7/21/ 2025	7/19/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
418	Industrial Training Institute, Bhavnagar (Government), Vidhyanagar, Bhavnagar	GU2 4000 304	Govt.	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/19/ 2025	7/21/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
419	Govt.ITI, Shihor, Near Pgvcl Office, Dist-Bhavnagar	GR2 4008 128	Govt	Leeway Softech(P)LTD, 3rd Floor, Swara Parklane, 306, Atabhai Chwok, Opp.Jogger's Park,Sardar Nagar, Bhavnagar,	7/29/ 2025	7/28/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Dist-Bhavnagar, State-Gujarat								
420	Govt.ITI, Shihor, Near Pgvcl Office, Dist-Bhavnagar	GR2 4008 128	Govt	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/28/ 2025	7/27/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
421	Govt.ITI, Shihor, Near Pgvcl Office, Dist-Bhavnagar	GR2 4008 128	Govt	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/28/ 2025	7/27/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
422	Govt.ITI, Shihor, Near Pgvcl Office, Dist-Bhavnagar	GR2 4008 128	Govt	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/28/ 2025	7/27/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
423	Industrial Training Institute, Ghogha (Government), Ro Ro Feri Service Road,Ghogha.	GR2 4000 312	Govt	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/17/ 2025	7/16/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
424	Govt.ITI, Bhavnagar (Women) , Vidhyanagar, Bhavnagar	GU2 4008 133	Govt.	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	7/16/ 2025	7/31/ 2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
425	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	GOVT	TALUKA PANCHAYAT OFFICE - TALAJA, Ta.- Talaja, Dist. Bhavnagar	8/1/2 025	7/31/ 2028	Computer Operator and Programming Assistant (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
426	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	GOVT	Aspire Disruptive Skill Foundation , Adalaj, Near Shani Temple, Behind Trimandir, Adalaj Crossing, Gandhinagar- 382421, Gujarat	8/1/2 025	7/31/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
427	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	GO VT	Ambika Engineering Works,Talaja Ta. - Talaja,Dist. - Bhavnagar	8/1/2025	7/31/2028	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
428	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	GO VT	Ambika Engineering Works,Talaja Ta. - Talaja,Dist. - Bhavnagar	8/1/2025	7/31/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
429	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	GO VT	Aspire Disruptive Skill Foundation , Adalaj, Near Shani Temple, Behind Trimandir, Adalaj Crossing, Gandhinagar-382421, Gujarat	8/1/2025	7/31/2028	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
430	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	GO VT	Aspire Disruptive Skill Foundation , Adalaj, Near Shani Temple, Behind Trimandir, Adalaj Crossing,	8/1/2025	7/31/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gandhinagar-382421, Gujarat								
431	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	Govt	Bhagawati Engineering Works, Talaja, Ta. - Talaja,Dist. - Bhavnagar	8/1/2025	7/31/2028	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
432	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	Govt	Bhagawati Engineering Works, Talaja, Ta. - Talaja,Dist. - Bhavnagar	8/1/2025	7/31/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
433	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	Govt	AMAR FARM EQUIPMENTS, PALITANA CHOKDI, SHOP NO-13, AMIZARA MARKET, TALAJA, Ta. - Talaja,Dist. - Bhavnagar	8/1/2025	7/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
434	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	Govt	Aspire Disruptive Skill Foundation , Adalaj, Near Shani Temple, Behind Trimandir, Adalaj Crossing, Gandhinagar-382421, Gujarat	8/1/2025	7/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
435	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	Govt	JAY AUTO AGENCY TALAJA, Ta. - Talaja, Dist. - Bhavnagar	8/1/2025	7/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
436	Industrial Training Institute, Talaja (Government) Opp.Mamlatdar Office, Nr.Royal Chowkdi, Talaja	GU2 4000 350	Govt	Kataria Automobiles Pvt. Ltd., Nari- Circle, Rajkot- Bhavnagar Highway, Vartej, Bhavnagar	8/1/2025	7/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
437	Govt. ITI, Umarala, To Timbi, Ta: Umralla, Dist: Bhavnagar	GR2 4008 132	Govt	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	9/1/2025	8/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
438	Govt.ITI, Umarala, To Timbi, Ta: Umralla, Dist: Bhavnagar	GR2 4008 132	Govt	GSRTC Bhavnagar, ST Division Office, Bhavnagar, Dist-Bhavnagar, State-Gujarat	9/1/2025	8/31/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
439	Govt.ITI, Botad Dhankaniya Road Fulvadi Botad	GU2 4008 125	Govt.	District Panchayat Botad	16/09/2021	15/09/2031	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
440	Govt.ITI, Botad Dhankaniya Road Fulvadi Botad	GU2 4008 125	Govt.	District Rural Development Agency Botad	16/09/2021	15/09/2031	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
441	Govt.ITI, Botad Dhankaniya Road Fulvadi Botad	GU2 4008 125	Govt.	Domak Engimach Llp	03/08/2021	02/08/2031	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
442	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Rmp Bearing Pvt. Ltd., Station Road, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
443	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Texspin Bearing Ltd., Station Road, Opp Baps Temple, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
444	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Rmp Bearing Pvt. Ltd., Station Road, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
445	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Texspin Bearing Ltd., Station Road, Opp Baps Temple, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
446	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Rmp Bearing Pvt. Ltd., Station Road, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
447	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Texspin Bearing Ltd., Station Road, Opp Baps Temple, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
448	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Rmp Bearing Pvt. Ltd., Station Road, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
449	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Texspin Bearing Ltd., Station Road, Opp Baps Temple, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
450	Govt.ITI, Ranpur, Paliyad Road Near Girnari Ashram Narsari Ranpur	GR2 4008 139	Govt	M/S Rmp Bearing Pvt. Ltd., Station Road, Ranpur, District - Botad, State - Gujarat, Pin -382245	09/07 /2025	08/0 7/20 30	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
451	Govt. ITI, Barvala Opp. Khodiyar Mandir, Ahmedabad-Bhavnagar Highway	GR2 4008 136	Govt	M/S Rmp Bearing Pvt. Station Road, Ranpur District - Botad State - Gujarat Pin -382245	7/9/2025	7/8/2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
452	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	Fenex Electricals Madhapar Highway, Bhuj - Kachchh - 370001, Gujarat	24/07/2025	31/07/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
453	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	Altret Industries Pvt.Ltd. Village Paddhar, Bhuj-Kachchh- 370105, Gujarat	08/08/2025	31/07/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
454	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital,	GU2 4000 329	Govt	K. D. Motors, Mirzapar Highway Bhuj-Kachchh- 370001, Gujarat	19/07/2025	31/07/2028	Mechanic (Motor Vehicle) (NSQF)	3	1, 2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Bhuj, Kachchh - 370001											
455	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	K. D. Motors, Mirzapar Highway Bhuj-Kachchh-370001, Gujarat	19/07 /2025	31/0 7/20 28	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
456	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	Anchor Consumer Products Pvt. Ltd. Village Paddhar, Bhuj-Kachchh-370105, Gujarat	19/07 /2025	31/0 7/20 28	Electrician (NSQF), Turner (NSQF), Welder (NSQF),	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
457	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	Anchor Consumer Products Pvt. Ltd. Village Paddhar, Bhuj-Kachchh-370105, Gujarat	19/07 /2025	31/0 7/20 28	Wireman (NSQF)	3	1, 2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
458	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	Fenex Electricals Madhapar Highway, Bhuj - Kachchh - 370001, Gujarat	24/07/2025	31/07/2028	Wireman (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
459	Industrial Training Institute, Bhuj (Government), Mundra Road, B/H Leva Patel Hospital, Bhuj, Kachchh - 370001	GU2 4000 329	Govt	Altret Industries Pvt.Ltd. Village Paddhar, Bhuj-Kachchh- 370105, Gujarat	08/08/2025	31/07/2028	Wireman (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
460	Govt. Iti, Mandvi (Kachchh) Near T.B. Clinic, Maska Road, Taluka-Mandvi, Dist.-Kachchh, State-Gujarat, India. Pincode-370465	GU2 4000 311	Govt	Nagarpalika Mandvi, Taluka-Mandvi, Dist.-Kachchh, State-Gujarat, India. Pincode-370465	07/08/2025	06/08/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
461	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Computer Operator and Programming Assistant (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
462	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Mdm Land Consultant F-02,1st Floor,Harikrupa Complex Plot No 306,Ward 12/B,Opp.Soni Samajwadi,Old Court Road,	7/22/ 2025	7/22/ 2028	Draughtsman (Civil) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
463	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
464	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Electrician (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
465	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	B.Mangatram Hyundai,Gandhidham	7/30/ 2025	7/30/ 2028	Mechanic Diesel (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
466	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	CARGO MOTORS AHMEDABAD PRIVATE LIMITED,KANDLA PORT ROAD NATIONAL HIGHWAY 8/A ROAD,L	7/22/ 2025	7/22/ 2028	Mechanic (Motor Vehicle) (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
467	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
468	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
469	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
470	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Wireman (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
471	Industrial Training Institute, Gandhidham (Government) Govt. ITI, Gandhidham G.I.D.C Area, Nr.Oslo Cinema	GU2 4000 307	Government	Welspun Living Limited Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/28/ 2025	7/28/ 2028	Wireman (NSQF)	2	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
472	Industrial Training Institute Anjar , Bhuj-Anjar Bypass Road, Near New Session Court-Anjar	GR2 4008 143	Government	Welspun Living Ltd Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat - 370110	7/15/ 2025	7/14/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
473	Govt. ITI , Bhachau (Kutch) National-Highway 8a, Opp. Dhanraj Hotel , At : Vondh	GR2 4008 144	Government	Aarti Industries Ltd , Surway No. 1430/1 , Nh 8a Bhachau - 370140 Kutch - Gujarat	7/11/ 2025	7/10/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
474	Govt. ITI , Bhachau (Kutch) National-Highway 8a, Opp. Dhanraj Hotel , At : Vondh	GR2 4008 144	Government	Electrotherm India Ltd , Surway No. 325 , Nh 8a Near Toll Plaza Samkhiyari - 370150 Ta - Bhachau Kutch - Gujarat	7/24/ 2025	7/23/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
475	Govt. ITI , Bhachau (Kutch) National-Highway 8a, Opp. Dhanraj Hotel , At : Vondh	GR2 4008 144	Government	Electrotherm India Ltd , Surway No. 325 , Nh 8a Near Toll Plaza Samkhiyari - 370150 Ta - Bhachau Kutch - Gujarat	7/24/ 2025	7/23/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
476	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	GO VT.	Commissioner Shri Jmc, Jubilee Garden, Lal Bunglow Circle, Dist. Jamnagar, State Gujarat, Pin 361001	9/1/2025	7/31/2028	Computer Operator and Programming Assistant (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
477	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	GO VT.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
478	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	GO VT.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Electrician (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
479	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
480	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
481	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar,	10/1/ 2025	9/30/ 2028	Electrician (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				State Gujarat, Pin 361002								
482	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
483	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Jay Electronics, A-2 Shankar Tekri, Udhyognagar, Gidc Phase-1, Dist. Jamnagar, State Gujarat, Pin- 361004	9/1/2 025	8/31/ 2028	Electronics Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
484	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Jay Electronics, A-2 Shankar Tekri, Udhyognagar, Gidc Phase-1, Dist. Jamnagar, State Gujarat, Pin-361004	9/1/2025	8/31/2028	Electronics Mechanic (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
485	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Newbie Technology Pvt. Ltd., Near Shree K J High School, Village Theba, Dist. Jamnagar, State Gujarat, Pin 361110	9/1/2025	7/31/2028	Electronics Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
486	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Newbie Technology Pvt. Ltd., Near Shree K J High School, Village Theba, Dist. Jamnagar, State Gujarat, Pin 361110	9/1/2025	7/31/2028	Electronics Mechanic (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
487	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Uma Powertronics Pvt. Ltd., B/H Metro Automobile, Near Railway Overbridge, Rajkot Highway, Hapa, Dist. Jamnagar, State Gujarat - 361120	9/1/2025	8/31/2028	Electronics Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
488	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Uma Powertronics Pvt. Ltd., B/H Metro Automobile, Near Railway Overbridge, Rajkot Highway, Hapa, Dist. Jamnagar, State Gujarat - 361120	9/1/2025	8/31/2028	Electronics Mechanic (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
489	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Auto Industries, Plot No. 1, Survey No. 363, Jamnagar-Rajkot Highway, Near Vishram Hotel, Village Khijadiya, Dist. Jamnagar,	9/1/2025	8/31/2028	Fitter (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				State Gujarat, Pin 361120								
490	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Auto Industries, Plot No. 1, Survey No. 363, Jamnagar-Rajkot Highway, Near Vishram Hotel, Village Khijadiya, Dist. Jamnagar, State Gujarat, Pin 361120	9/1/2025	8/31/2028	Fitter (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
491	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Fitter (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
492	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Fitter (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
493	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Fitter (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
494	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar,	10/1/ 2025	9/30/ 2028	Fitter (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				State Gujarat, Pin 361002								
495	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Cabtech Engineering Llp, Gidc Phase-2, Dared, Dist. Jamnagar, State Gujarat, Pin 361004	4/1/2023	3/31/2026	Machinist (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
496	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Cabtech Engineering Llp, Gidc Phase-2, Dared, Dist. Jamnagar, State Gujarat, Pin 361004	4/1/2023	3/31/2026	Machinist (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
497	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Machinist (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
498	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/ 2025	9/30/ 2028	Machinist (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
499	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar,	10/1/ 2025	9/30/ 2028	Machinist (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				State Gujarat, Pin 361002								
500	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Machinist (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
501	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Automotives, Plot No. 14-15, Jamnagar-Rajkot Highway, Near Atul Motors, Village Hapa, Dist. Jamnagar, State Gujarat, Pin 361120	1/1/2024	12/31/2026	Mechanic Diesel (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
502	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Automotives, Plot No. 14-15, Jamnagar-Rajkot Highway, Near Atul Motors, Village Hapa, Dist. Jamnagar, State Gujarat, Pin 361120	1/1/2024	12/31/2026	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
503	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Automotives, Plot No. 14-15, Jamnagar-Rajkot Highway, Near Atul Motors, Village Hapa, Dist. Jamnagar, State Gujarat, Pin 361120	1/1/2024	12/31/2026	Mechanic (Motor Vehicle) (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
504	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Automotives, Plot No. 14-15, Jamnagar-Rajkot Highway, Near Atul Motors, Village Hapa, Dist. Jamnagar, State Gujarat, Pin 361120	1/1/2024	12/31/2026	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
505	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Airon Corporation, Village Meghapar Padana, Ta. Lalpur, Dist. Jamnagar, State Gujarat-361140	9/1/2025	7/31/2028	Refrigeration and Air Conditioning Technician(NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
506	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Airon Corporation, Village Meghapar Padana, Ta. Lalpur, Dist. Jamnagar, State Gujarat-361140	9/1/2025	7/31/2028	Refrigeration and Air Conditioning Technician(NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
507	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Cabtech Engineering Llp, Gidc Phase-2, Dared, Dist. Jamnagar, State Gujarat, Pin 361004	4/1/2023	3/31/2026	Turner (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
508	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Cabtech Engineering Llp, Gidc Phase-2, Dared, Dist. Jamnagar, State Gujarat, Pin 361004	4/1/2023	3/31/2026	Turner (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
509	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Turner (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
510	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Energy Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Turner (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
511	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Turner (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
512	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Geeta Machine Tools Pvt Ltd, Beside New Bharat Engineering, Pandit Nehru Marg, Bedeshwar Road, Dist. Jamnagar, State Gujarat, Pin 361002	10/1/2025	9/30/2028	Turner (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
513	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Atul Automotives, Plot No. 14-15, Jamnagar-Rajkot Highway, Near Atul Motors, Village Hapa, Dist. Jamnagar, State Gujarat, Pin 361120	9/1/2025	8/31/2028	Welder (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
514	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Commissioner Shri Jmc, Jubilee Garden, Lal Bunglow Circle, Dist. Jamnagar, State Gujarat, Pin 361001	9/1/2025	7/31/2028	Wireman (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
515	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Commissioner Shri Jmc, Jubilee Garden, Lal Bunglow Circle, Dist. Jamnagar, State Gujarat, Pin 361001	9/1/2025	7/31/2028	Wireman (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
516	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Commissioner Shri Jmc, Jubilee Garden, Lal Bunglow Circle, Dist. Jamnagar, State Gujarat, Pin 361001	9/1/2025	7/31/2028	Wireman (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
517	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Newbie Technology Pvt. Ltd., Near Shree K J High School, Village Theba, Dist. Jamnagar, State Gujarat, Pin 361110	9/1/2025	7/31/2028	Wireman (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
518	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Newbie Technology Pvt. Ltd., Near Shree K J High School, Village Theba, Dist. Jamnagar, State Gujarat, Pin 361110	9/1/2025	7/31/2028	Wireman (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
519	Industrial Training Institute, Jamnagar (Government) Opposite St Bus Depot, Summer Club Road, Ta. Jamnagar Dist.Jamnagar, State. Gujarat Pin. 361005	GU2 4000 303	Govt.	Newbie Technology Pvt. Ltd., Near Shree K J High School, Village Theba, Dist. Jamnagar, State Gujarat, Pin 361110	9/1/2025	7/31/2028	Wireman (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
520	Jodiya Government ITI, Opp : Reliance Petrol Pump, Bhadara Road, Jodiya, Jamnagar, Gujarat-361250	GR2 4008 061	Govt.	E Powertronics Pvt. Ltd., Village Moti Banugar, District Jamnagar, State Gujarat, 361120	7/9/2025	7/9/2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
521	Industrial Training Institute, Dhrol (Government) Kharva Road Dhrol - Dist : Jamnagar--361210 State :Gujarat	GR2 4000 332	Govt.	Uma Powertronics Pvt. Ltd. Plot No 10, Uma House, Behind Metro Automobile, Hapa, Dist : Jamnagar-361120, State: Gujarat	7/10/2025	7/31/2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
522	Industrial Training Institute, Dhrol (Government) Kharva Road Dhrol - Dist : Jamnagar--361210 State :Gujarat	GR2 4000 332	Govt.	E Powertronics Pvt. Ltd. Survey No. 1517 , Jamnagar - Rajkot Highway, Village Moti Banugar , Dist : Jamnagar - 361120 State : Gujarat	7/10/2025	7/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
523	Industrial Training Institute, Dhrol (Government) Kharva Road Dhrol - Dist : Jamnagar-- 361210 State :Gujarat	GR2 4000 332	Govt.	Jyoti Cnc Automation Ltd G-506 & 2839, Lodhika, G.I.D.C., Vill. Metoda, Dist : Rajko – 360 021 State : Gujarat	7/21/ 2025	7/31/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
524	Industrial Training Institute, Dhrol (Government) Kharva Road Dhrol - Dist : Jamnagar-- 361210 State :Gujarat	GR2 4000 332	Govt.	E Powertronics Pvt. Ltd. Survey No. 1517 , Jamnagar - Rajkot Highway, Village Moti Banugar , Dist : Jamnagar - 361120 State : Gujarat	7/15/ 2025	7/31/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
525	Industrial Training Institute, Dhrol (Government) Kharva Road Dhrol - Dist : Jamnagar-- 361210 State :Gujarat	GR2 4000 332	Govt.	E Powertronics Pvt. Ltd. Survey No. 1517 , Jamnagar - Rajkot Highway, Village Moti Banugar , Dist : Jamnagar - 361120 State : Gujarat	7/12/ 2025	7/31/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
526	ITI Gulabnagar Ramtirth Nagar, Opposite Ravi Petrol Pump, Rajkot Highway, Hapa, Jamnagar - 361007	GU2 4000 8159	Govt.	Jamnagar Municipal Corporation Dist.- Jamnagar State- Gujarat	9/1/2025	8/31/2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
527	Industrial Training Institute Jamnagar City(Mahila)	GU2 4008 048	Govt.	Jamnagar Municipal Corporation Dist.- Jamnagar State- Gujarat	9/1/2025	8/31/2027	Computer Operator And Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
528	Industrial Training Institute Jamnagar City(Mahila)	GU2 4008 048	Govt.	Khushi Beauty Care 3, Vinayak Tenament, Near Shreeji Hall, Amuzment Park, Jamnagar, Gujarat 361006	9/1/2025	8/31/2027	Cosmetology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Not recommended, as the industry does Not meet the minimum employee strength criteria. Employee strength :2 Required as per Norms :6

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
529	ITI Kalavad, Nr. Bapa Sitaram Gaushalaa, Jamnagar Highway	GR2 4000 326	Govt.	Angel Fibers Limited Rs No. 100/1, Ranuja-Kalavad Road, The. Kalavad, Dist. Jamnagar, State Gujarat.	7/9/2025	8/31/2029	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
530	ITI Kalavad, Nr. Bapa Sitaram Gaushalaa, Jamnagar Highway	GR2 4000 326	Govt.	Akshar Spintex Limited Rs No. 102/2, Plot No. 2, Kalavad-Ranuja Road, Kalavad, Vill. Haripar, Dist. Jamnagar, State Gujarat-361013	7/9/2025	8/31/2029	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
531	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Cavier Bath Fittings Ltd, 01, Vision Industrial Park Changa, Lalpur Road Jamnagar 361 012, Gujarat	9/1/2025	8/31/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
532	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	New Kamal Auto Garage, Hapa Industrial Area, Jamnagar, Gujarat 361120	9/1/2025	8/31/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
533	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Sunrise Holidays, 1st Floor, Office, Neo Square, 149-150-151, Pandit Nehru Marg, Nr. Amber Cinema, Jamnagar, Gujarat 361006	9/1/2025	8/31/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
534	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Atlas Metal Industry Pvt Ltd, Survey No. 472, Jamnagar – Lalpur Highway, Village : Changa, Tal & Dist : Jamnagar – 361012, Gujarat – India	9/1/2025	8/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
535	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Axelon Wires & Cables (Axelon Industries), Plot No. 3050, G.I.D.C - Phase 3, Dared, Jamnagar, Gujarat - 361004, India.	9/1/2025	8/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
536	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Ravi Brass (India) Pvt Ltd, Plot No. - 341, Vision Industrial Park, Changa, Jamnagar, Gujarat 361012	9/1/2025	8/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
537	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Atul Automotives, Plot No. 14-15, Jamnagar - Rajkot Hwy, Near Atul Motors, Hapa Industrial Area, Hapa, Jamnagar, Gujarat 361120	9/1/2025	8/31/2028	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
538	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Atul Motors Jam Llp, Survey No.422 Plot No. 16, 17 & 19, Jamnagar - Rajkot Hwy, Hapa Industrial Area, Jamnagar, Gujarat 361120	9/1/2025	8/31/2028	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
539	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Bhagvati Autolink Pvt Ltd, B & Paiki, Rs No 383, Jamnagar - Rajkot Hwy, Hapa Industrial Area, Jamnagar, Gujarat 361120	9/1/2025	8/31/2028	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
540	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Atlas Metal Industry Pvt Ltd, Survey No. 472, Jamnagar – Lalpur Highway, Village : Changa, Tal & Dist : Jamnagar – 361012, Gujarat – India	9/1/2025	8/31/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
541	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Axelon Wires & Cables (Axelon Industries), Plot No. 3050, G.I.D.C - Phase 3, Dared, Jamnagar, Gujarat - 361004, India.	9/1/2025	8/31/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
542	Government ITI Lalpur, Near Telephone Exchange, Jamnagar- Lalpur Road, Lalpur, Dist. Jamnagar - 361170 (Gujarat)	GR2 4008 062	Govt.	Ravi Brass (India) Pvt Ltd, Plot No. - 341, Vision Industrial Park, Changa, Jamnagar, Gujarat 361012	9/1/2025	8/31/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
543	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
544	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Creative Casting Limited Junagadh	8/5/2025	8/5/2031	Electrician (NSQF)	3	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
										Affiliated Unit		
545	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Creative Casting Limited Junagadh	8/5/2025	8/5/2031	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
546	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Creative Casting Limited Junagadh	8/5/2025	8/5/2031	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
547	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
548	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
549	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
550	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Austin Engineering Co. Ltd At-Patla,Tal-	8/4/2025	8/4/2031	Fitter (NSQF)	1	1	Conversion of Existing	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Bhesan,District-Junagadh,State-Gujarat						Affiliated Unit		
551	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Creative Casting Limited Junagadh	8/5/2025	8/5/2031	Fitter (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
552	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	GMERS Civil Hospital,Mullawada .Near Majewadi Gate Junagadh	7/15/2025	7/15/2027	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
553	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Junagadh District Co-Operative Milk Producer Union Ltd , Savaj Dairy Junagadh	7/17/2025	7/17/2028	Instrument Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
554	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Junagadh District Co-Operative Milk Producer Union Ltd , Savaj Dairy Junagadh	7/17/2025	7/17/2028	Instrument Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
555	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Perfect Auto (Tata Motors)Pvt. Ltd. At-Junagadh District-	11/7/2025	11/7/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Junagadh,State-Gujarat								
556	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Perfect Auto (Tata Motors)Pvt. Ltd. At-Junagadh District-Junagadh,State-Gujarat	11/7/2025	11/7/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
557	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Bhagvati Autolink Pvt Ltd. Dolatpara ,Rajkot Highway Junagadh	8/4/2025	8/4/2030	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
558	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Om Cars Pvt. Ltd. Sabalpur Rajkot Highway Junagadh	8/2/2025	8/2/2030	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
559	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispecialty Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
560	Govt. ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Austin Engineering Co. Ltd At-Patla, Tal-Bhesan, District-Junagadh, State-Gujarat	8/4/2025	8/4/2031	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
561	Govt. ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Austin Engineering Co. Ltd At-Patla, Tal-Bhesan, District-Junagadh, State-Gujarat	8/4/2025	8/4/2031	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
562	Govt. ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	Austin Engineering Co. Ltd At-Patla, Tal-Bhesan, District-Junagadh, State-Gujarat	8/4/2025	8/4/2031	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
563	Govt. ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
564	Govt. ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
565	Govt.ITI Junagadh Pancheswar Road	GU2 4000 305	Govt	K J Multispeciality Hospital ,Zanzarda Road ,Baypass Highway -Junagadh	8/2/2025	8/2/2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
566	Industrial Training Institute, Junagadh Mahila, Bilakha Road, Behind Swami Vivekanand School, Junagadh	GU2 4008 059	Govt	Qualitude Technology , Office No 204, 2nd Floor, Baba Complex, Zanzrada Road, Junagadh, Gujarat Pin-362001	7/14/2025	7/14/2029	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
567	Industrial Training Institute, Junagadh Mahila, Bilakha Road, Behind Swami Vivekanand School, Junagadh	GU2 4008 059	Govt	Nikhar Beauty Studio, Near Bus Station, Behind Railway Station, Sardarpara Main Road, Junagadh, Gujarat Pin-362001	7/14/2025	7/14/2029	Cosmetology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
568	Govt.ITI, BHESAN Parab Road, Bhesan	GR2 4008 078	Govt	Hero Pumps At-Samrat Industrial Area,Gondal Road,District-Rajkot State-Gujarat	8/5/2025	7/31/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
569	Govt.ITI, Bhesan Parab Road, Bhesan	GR2 4008 078	Govt	Austin Engineering Co. Ltd At-Patla,Tal-Bhesan,District-Junagadh,State-Gujarat	8/4/2025	7/31/2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
570	Govt.ITI, Bhesan Parab Road, Bhesan	GR2 4008 078	Govt	Perfect Auto (Tata Motors)Pvt. Ltd. At-Junagadh District-Junagadh,State-Gujarat	8/4/2025	7/31/2030	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
571	Govt.ITI, Bhesan Parab Road, Bhesan	GR2 4008 078	Govt	Hero Pumps At-Samrat Industrial Area,Gondal Road,District-Rajkot State-Gujarat	8/5/2025	7/31/2030	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
572	Govt.ITI,Mendarda, B/H New Mamlatdar Office, Alidhra Road, Mendarda	GR2 4008 160	Govt	Hero Pumps, At. 16, Samrat Industrial Area, B/H St Workshop, Gondal Road, Rajkot, Gujarat	8/5/2025	7/31/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
573	Govt. ITI, Mendarda, B/H New Mamlatdar Office, Alidhra Road, Mendarda	GR2 4008 160	Govt	Austin Engineering Co. Ltd At-Patla, Tal-Bhesan, District-Junagadh, State-Gujarat	8/6/2025	7/31/2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
574	ITI Keshod, Gidc Area, Mangrol Road, Keshod, 362220	GU2 4000 333	Govt	Savaj Dairy Khokharada, Junagadh, Gujarat	7/29/2025	7/28/2030	Attendant Operator (Chemical Plant) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
575	ITI Keshod, Gidc Area, Mangrol Road, Keshod, 362220	GU2 4000 333	Govt	Perfect Auto Services, Junagadh, Gujarat	7/12/2025	7/11/2030	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
576	ITI Keshod, Gidc Area, Mangrol Road, Keshod, 362220	GU2 4000 333	Govt	Yuvi Agro Industries, Keshod, Junagadh, Gujarat	7/29/2025	7/28/2030	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
577	ITI Keshod, Gidc Area, Mangrol Road, Keshod, 362220	GU2 4000 333	Govt	Keshod Municipality, Keshod, Junagadh, Gujarat	8/7/2025	8/6/2030	Computer Operator and Programming Assistant (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
578	ITI Keshod,Gidc Area,Mangrol Road,Keshod,362220	GU2 4000 333	Govt	Maruti Transformer Maintenance, Keshod,Junagadh Gujarat	7/29/ 2025	7/28/ 2030	Electrician (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
579	ITI Keshod,Gidc Area,Mangrol Road,Keshod,362220	GU2 4000 333	Govt	Max Precision Bearing.Pvt.Ltd,Shapur(Sorath), Junagadh, Gujarat	7/29/ 2025	7/28/ 2030	Fitter (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
580	ITI Keshod,Gidc Area,Mangrol Road,Keshod,362220	GU2 4000 333	Govt	Om Cars Pvt-Ltd Hyundai Junagadh, Gujarat	7/29/ 2025	7/28/ 2030	Mechanic Diesel (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
581	ITI Keshod,Gidc Area,Mangrol Road,Keshod,362220	GU2 4000 333	Govt	Max Precision Bearing.Pvt.Ltd, Shapur(Sorath), Junagadh, Gujarat	7/29/ 2025	7/28/ 2030	Turner (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
582	ITI Keshod,Gidc Area,Mangrol Road,Keshod,362220	GU2 4000 333	Govt	Maruti Transformer Maintenance, Keshod, Junagadh, Gujarat	7/29/ 2025	7/28/ 2030	Wireman (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
583	Govt. ITI, Maliya (Hatina) Galodar Maliya Road, Taluka: Maliya Hatina,	GR2 4008 075	Govt	Castech Foundries Pvt. Ltd. 1708/1709 Gidc-2,Dolatpara Junagadh,Gujarat	8/24/ 2025	8/23/ 2028	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	District Junagadh State Gujarat Pincode 362245											
584	Govt. ITI, Maliya (Hatina) Galodar Maliya Road, Taluka: Maliya Hatina, District Junagadh State Gujarat Pincode 362245	GR2 4008 075	Govt	Yuvi Agro Industries Gir Somnath Highway,Koyalana, Ta-Keshod,Dist- Junagadh,Gujarat	7/30/ 2025	7/30/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
585	Govt. ITI, Maliya (Hatina) Galodar Maliya Road, Taluka: Maliya Hatina, District Junagadh State Gujarat Pincode 362245	GR2 4008 075	Govt	Yuvi Agro Industries Gir Somnath Highway,Koyalana, Ta-Keshod,Dist- Junagadh,Gujarat	7/30/ 2025	7/30/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
586	Govt. ITI, Maliya (Hatina) Galodar Maliya Road, Taluka: Maliya Hatina, District Junagadh State Gujarat Pincode 362245	GR2 4008 075	Govt	Castech Foundries Pvt. Ltd. 1708/1709 Gidc-2, Dolatpara Junagadh, Gujarat	8/24/2025	8/23/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
587	ITI, Vanthali At- Naredi, Manavadar Road, Taluka- Vanthali, Dist- Junagadh, Gujarat, Pin 362610	GR2 4008 082	Govt	Max Precision Bearing Pvt. Ltd. At- Shapur(Sorath), Junagadh-Vanthali Road, Taluka- Vanthali, Dist- Junagadh, Gujarat, Pin 362610	12/07/2025	11/07/2027	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
588	Government Industrial Training Institute ITI-Mangrol At-Shil Zariyavada Road, Taluka-Mangrol District-Junagadh	GU2 4008 037	Govt	Jyoti Cnc Automation Ltd., Rajkot, Gujarat	8/25/2025	8/24/2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
589	Government Industrial Training Institute ITI-Mangrol At-Shil Zariyavada Road, Taluka-Mangrol District-Junagadh	GU2 4008 037	Govt	Jyoti Cnc Automation Ltd., Rajkot, Gujarat	8/25/ 2025	8/24/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
590	Government Industrial Training Institute ITI-Mangrol At-Shil Zariyavada Road, Taluka-Mangrol District-Junagadh	GU2 4008 037	Govt	One Stop Auto Hub, Junagadh, Gujarat	7/29/ 2025	7/28/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
591	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat- 360311	GU2 4000 308	Govt	Shri Ram Hospital Kashi Vishvanath Road, Ramji Mandir Chowk, Gondal-360311 Dist-Rajkot State-Gujarat	17/07 /2025	16/0 7/20 26	Computer Operator and Programm ing Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
592	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat,	GU2 4000 308	Govt	Shri Ram Hospital Kashi Vishvanath Road, Ramji Mandir Chowk, Gondal-360311	17/07 /2025	16/0 7/20 26	Computer Operator and Programm ing	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Rajkot, Gujarat-360311			Dist-Rajkot State-Gujarat			Assistant (NSQF)					
593	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	Govt	Jupiter Roll Forming Pvt Ltd Sr No 70/P1, Gondal Road, NH 27, At Bhunava Gondal Dist-Rajkot State-Gujarat	14/07 /2025	13/07/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
594	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	Govt	Ravi TechNoforge Pvt Ltd Pipaliya, Gondal Dist-Rajkot State-Gujarat	01/09 /2025	31/08/2028	Electrician (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
595	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	Govt	Riddhi Display Equipment Pvt Ltd P4/P2 Ploat 1, Survey 2/1, Nh-27, Bhojrajpara, Gondal	14/07 /2025	13/07/2028	Electrician (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Dist-Rajkot State-Gujarat								
596	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	Govt	Shri Ram Hospital Kashi Vishvanath Road, Ramji Mandir Chowk, Gondal-360311 Dist-Rajkot State-Gujarat	17/07 /2025	16/0 7/20 26	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
597	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	Govt	Ravi TechNoforge Pvt Ltd Pipaliya, Gondal Dist-Rajkot State-Gujarat	01/09 /2025	31/0 8/20 28	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
598	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat,	GU2 4000 308	Govt	Shri Ram Hospital Kashi Vishvanath Road, Ramji Mandir Chowk, Gondal-360311	17/07 /2025	16/0 7/20 26	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Rajkot, Gujarat-360311			Dist-Rajkot State-Gujarat								
599	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	Govt	Jupiter Roll Forming Pvt Ltd Sr No 70/P1, Gondal Road, NH 27, At Bhunava Gondal Dist-Rajkot State-Gujarat	14/07 /2025	13/07/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
600	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	GOVT	Ravi Techno forge Pvt Ltd Pipaliya, Gondal Dist-Rajkot State-Gujarat	01/09 /2025	31/08/2028	Wireman (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
601	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	GOVT	Riddhi Display Equipment Pvt Ltd P4/P2 Ploat 1, Survey 2/1, Nh-27, Bhojrajpara, Gondal	14/07 /2025	13/07/2028	Wireman (NSQF)	3	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Dist-Rajkot State-Gujarat								
602	M.B.Industrial Training Institute, Gondal (Government), Govt. ITI, Gondal , Gondal, Gujarat, Rajkot, Gujarat-360311	GU2 4000 308	GOVT	Ultracab(India) Ltd SR NO 262, BH Galaxy Bearing Ltd, Shapar(Veraval) 360024 Dist-Rajkot State Gujarat	14/07 /2025	13/0 7/20 28	Wireman (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
603	ITI Upleta Near National Highway 27, Tool Booth Plaza, Dumiyani	GU2 4000 337	Government	Jupiter Roll Forming Pvt. Ltd. Nh - 27, Nr. Bhunava(Village), Behind Singhal Power Press, Taluka : Gondal,, Dist. : Rajkot - 360311	14/07 /2025	14/0 7/20 28	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
604	Govt.ITI, Kotada Sangani Nr.Suryamukhi Balaji Temple, Bhadva Road, Kotda Sangani	GR2 4008 152	Govt.	Hayat Pumps Pvt Ltd	19/07 /2025	18/0 7/20 28	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
605	Govt. ITI Lodhika, At Khirasara, Chibhada Chowkdi, Ta. Lodhika Dist Rajkot 360021	GR2 4008 087	Govt.	Daylight Technology	01/08 /2025	31/0 7/20 28	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
606	Govt. ITI Dhoraji Near Jamkandorna Cross Bridge,National Highway, Dhoraji Di-Rajkot 360410 State: Gujarat	GU2 4000 323	GOVT	Jupiter Rollforming Pvt Ltd.	7/14/ 2025	7/13/ 2028	Electrician (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
607	Govt. ITI Dhoraji Near Jamkandorna Cross Bridge,National Highway, Dhoraji Di-Rajkot 360410 State: Gujarat	GU2 4000 323	GOVT	Heropumps Pvt. Ltd.	5/8/2 025	4/8/2 028	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
608	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District- Rajkot, State-Gujarat	GU2 4000 301	GOVT	ENDOC LIFECARE PVT LTD - Plot No. 4 To 7, Survey No. 53, B/H Saurashtra Paper Board Mill, Shapar Veraval Industrial Area,	19/07 /2025	18/0 7/20 29	Attendant Operator (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Shapar, Dist. Rajkot, Gujarat 360026								
609	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Snj Lab Private Limited - Plot No. 5 To 16 Survey No. 137, Village, Padavala, Dist. Rajkot, Gujarat 360024	23/07 /2025	22/0 7/20 29	Attendant Operator (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
610	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Epp Composites Pvt.Ltd. - Plot No. 2646, Kranti Gate Main Road Lodhika Industrial Estate, Kalawad Road, Gidc, Metoda, Rajkot, Gujarat 360021	15/07 /2025	14/0 7/20 29	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
611	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt.	GU2 4000 301	Govt	Silver Consumer Electricals Limited - Revenue Survey No. 36, 37, 38, 43 To 47/1, Plot No. 1, 3, 5 & 6, Village	14/07 /2025	14/0 7/20 29	Computer Operator and Programming	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Polyte, District-Rajkot, State-Gujarat			Haripar (Tarvada), Lodhika, Rajkot, Gujarat - 360035			Assistant (NSQF)					
612	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Jyoti Cnc Automation Ltd - G-506 & 2839, Lodhika G.I.D.C., Vill. Metoda, Dist. Rajkot – 360 021, Gujarat, India	21/07 /2025	21/07/2029	Computer Operator and Programming Assistant (NSQF)	3	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
613	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Orbit Bearings India Pvt Ltd - 2233, Lodhika, Metoda, Kalavad Rd, Gidc, Rajkot, Gujarat 360021	14/07 /2025	14/07/2029	Computer Operator and Programming Assistant (NSQF)	3	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
614	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt.	GU2 4000 301	Govt	Coreline Consultant - Shree Hari Empire, Opp. Tulsi Supermarket, Rajkot, Gujarat - 360005	28/07 /2025	27/07/2029	Draughtsman (Civil) (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Polyte, District-Rajkot, State-Gujarat											
615	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Epp Composites Pvt.Ltd. - Plot No. 2646, Kranti Gate Main Road Lodhika Industrial Estate, Kalawad Road, Gidc, Metoda, Rajkot, Gujarat 360021	15/07 /2025	14/07/2029	Electrician (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
616	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	GOVT	Jyoti Cnc Automation Ltd - G-506 & 2839, Lodhika G.I.D.C., Vill. Metoda, Dist. Rajkot – 360 021, Gujarat, India	21/07 /2025	21/07/2029	Electrician (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
617	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt.	GU2 4000 301	GOVT	Aarohi Embedded Systems PVT LTD - G 1004-1008/A Kishan Gate Main Road, Near Durga Weigh Bridge,	14/07 /2025	14/07/2029	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Polyte, District-Rajkot, State-Gujarat			GIDC, Metoda, Rajkot, Gujarat 360021								
618	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Hero Pumps - 16, Gondal Rd, Mavadi Industrial Area, Samrat Industrial Area, Rajkot, Gujarat 360004	12/07 /2025	14/07/2029	Electrician (NSQF)	2	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
619	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Silver Consumer Electricals Limited - Revenue Survey No. 36, 37, 38, 43 To 47/1, Plot No. 1, 3, 5 & 6, Village Haripar (Tarvada), Lodhika, Rajkot, Gujarat - 360035	14/07 /2025	14/07/2029	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
620	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Echjay Industries Pvt Ltd - Dudhsagar Rd, Near Lalpari Lake, Shakti Industrial Zone, Rajkot, Gujarat 360003	10/07 /2025	11/07/2028	Fitter (NSQF)	2	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
621	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Silver Consumer Electricals Limited - Revenue Survey No. 36, 37, 38, 43 To 47/1, Plot No. 1, 3, 5 & 6, Village Haripar (Tarvada), Lodhika, Rajkot, Gujarat - 360035	14/07 /2025	14/07/2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
622	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Cie Automotive Limited - Survey No. 278/P, Shapar Village Road, Shapar (Veraval), Tal:-Kotdasangani, Dist:-Rajkot, Gujarat-360024.	15/07 /2025	14/07/2029	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
623	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Jyoti Cnc Automation Ltd - G-506 & 2839, Lodhika G.I.D.C., Vill. Metoda, Dist. Rajkot – 360 021, Gujarat, India	21/07 /2025	21/07/2029	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
624	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Orbit Bearings India Pvt Ltd - 2233, Lodhika, Metoda, Kalavad Rd, Gidc, Rajkot, Gujarat 360021	14/07 /2025	14/07/2029	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
625	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Uflow Automation - Survey No: 275/276, Ankur Industrial Complex, Plot No: 31, Nr. Intol Cast Pvt. Ltd, Shapar, Rajkot, Gujarat 360024	15/07 /2025	14/07/2029	Fitter (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
626	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Epp Composites Pvt.Ltd. - Plot No. 2646, Kranti Gate Main Road Lodhika Industrial Estate, Kalawad Road, Gidc, Metoda, Rajkot, Gujarat 360021	15/07 /2025	14/07/2029	Instrument Mechanic (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
627	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	GOVT	Aarohi Embedded Systems Pvt LTD - G 1004-1008/A Kishan Gate Main Road, Near Durga Weigh Bridge, GIDC, Metoda, Rajkot, Gujarat 360021	14/07 /2025	14/07/2029	Instrument Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
628	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	GOVT	Cie Automotive Limited - Survey No. 278/P, Shapar Village Road, Shapar (Veraval), Tal:-Kotdasangani, Dist:-Rajkot, Gujarat-360024.	15/07 /2025	14/07/2029	Instrument Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
629	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	GO VT	Jyoti Cnc Automation Ltd - G-506 & 2839, Lodhika G.I.D.C., Vill. Metoda, Dist. Rajkot – 360 021, Gujarat, India	21/07 /2025	21/07/2029	Instrument Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
630	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	GO VT	Orbit Bearings India Pvt Ltd - 2233, Lodhika, Metoda, Kalavad Rd, Gidc, Rajkot, Gujarat 360021	14/07 /2025	14/07/2029	Instrument Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
631	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	GO VT	Uflow Automation - Survey No: 275/276, Ankur Industrial Complex, Plot No: 31, Nr. Intol Cast Pvt. Ltd, Shapar, Rajkot, Gujarat 360024	15/07 /2025	14/07/2029	Instrument Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
632	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Atul Motors Pvt Ltd - Tagore Road, Nr Bhaktinagar Station, Rajkot, Gujarat - 360002	10/07 /2025	14/07/2029	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
633	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Jay Ganesh Auto Hub - 258/2, Mavdi, Behind Laxman Township, Speed Party Plot, Rajkot, Gujarat - 360005	12/07 /2025	14/07/2029	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
634	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	PARIN MOTORS - Plot No 02, NH 83, Gondal Road, Rajkot, Gujarat - 360004	11/07 /2025	14/07/2029	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
635	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Perfect Retreads Pvt. Ltd. - "Perfect House" , National Highway 8-B, Near Perfect Tata Commercial Showroom, Vavdi, Rajkot, Gujarat 360004	11/07 /2025	14/07/2029	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
636	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	ATUL MOTORS PVT LTD - Tagore Road, Nr Bhaktinagar Station, Rajkot, Gujarat - 360002	10/07 /2025	14/07/2029	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
637	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	JAY GANESH AUTO HUB - 258/2, Mavdi, Behind Laxman Township, Speed Party Plot, Rajkot, Gujarat - 360005	12/07 /2025	14/07/2029	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
638	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	PARIN MOTORS - Plot No 02, NH 83, Gondal Road, Rajkot, Gujarat - 360004	11/07 /2025	14/07/2029	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
639	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Perfect Retreads Pvt. Ltd. - "Perfect House" , National Highway 8-B, Near Perfect Tata Commercial Showroom, Vavdi, Rajkot, Gujarat - 360004	11/07 /2025	14/07/2029	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
640	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	HIMALAYA REFRIGERATION INDUSTRIES - Plot No 2222, Kranti Gate-1, Metoda G.I, D.C, Kalavad Rd, Rajkot, Gujarat 360021	21/07 /2025	21/07/2029	REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
641	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Hero Pumps - 16, Gondal Rd, Mavadi Industrial Area, Samrat Industrial Area, Rajkot, Gujarat 360004	12/07 /2025	14/07/2029	Wireman (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
642	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	SILVER CONSUMER ELECTRICALS LIMITED - Revenue Survey No. 36, 37, 38, 43 To 47/1, Plot No. 1, 3, 5 & 6, Village Haripar (Tarvada), Lodhika, Rajkot, Gujarat - 360035	14/07 /2025	14/07/2029	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
643	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Jyoti Cnc Automation Ltd - G-506 & 2839, Lodhika G.I.D.C., Vill. Metoda, Dist. Rajkot – 360 021, Gujarat, India	21/07 /2025	21/07/2029	Wireman (NSQF)	2	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
644	Industrial Training Institute, Rajkot (Government) Govt. ITI, Rajkot , Nr. Aji Dam, Nr. Govt. Polyte, District-Rajkot, State-Gujarat	GU2 4000 301	Govt	Jyoti Cnc Automation Ltd - G-506 & 2839, Lodhika G.I.D.C., Vill. Metoda, Dist. Rajkot – 360 021, Gujarat, India	21/07 /2025	21/07/2029	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
645	ITI Jasdan, Nr Jileshwar Park, Chotila Road, Ta. Jasdan. Dist. Rajkot	GR2 4008 086	Govt	Sky Software Exports Ltd., 301, J.P.Towers, Tagore Road, Gidc Udhyognagar, Bhaktinagar, Rajkot. Di. Rajkot. State. Gujarat.	23/07 /2025	22/07/2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
646	ITI Jasdan, Nr Jileshwar Park, Chotila Road, Ta. Jasdan. Dist. Rajkot	GR2 4008 086	Govt	Hero Pumps, 16, Gondal Road, Samrat Industrial Area, Bh St Workshop, Rajkot. Di. Rajkot. State. Gujarat.	25/07 /2025	24/07/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
647	ITI Jasdan, Nr Jileshwar Park, Chotila Road, Ta. Jasdan. Dist. Rajkot	GR2 4008 086	Govt	Shakti Auto(Hero), Vinchhiya Road, Opp Chamunda Mataji Temple,	29/07 /2025	28/07/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Jasdan. Di. Rajkot. State. Gujarat.								
648	ITI Jasdan, Nr Jileshwar Park, Chotila Road, Ta. Jasdan. Dist. Rajkot	GR2 4008 086	Govt	Om Tvs, Atkot Bypass Circle, Near Jasdan Gate, Jasdan. Di. Rajkot. State. Gujarat.	29/07 /2025	28/07/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
649	Industrial Training Institute (Women), Rajkot (City)	GU2 4000 335	Govt	SynNova Gears & Transmissions Pvt. Ltd. Survey No-83, Near Toll Plaza, Pipaliya, Dist. Rajkot, Gujarat.	21/08 /2025	20/08/2028	Computer Operator and Programming Assistant (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
650	Industrial Training Institute (Women), Rajkot (City)	GU2 4000 335	Govt	Hi - Tech Salon, Sanidhya Complex 2nd Floor, Above Hdfc Bank, Nirmala Convent Road, Rajkot, Gujarat.	15/07 /2025	14/07/2028	Cosmetology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
651	Industrial Training Institute (Women), Rajkot (City)	GU2 4000 335	Govt	Pioneer Drape & Sofa Comfort, Shivam Society Main Road, Behind Tulsi Supermarket, Raiya Road Rajkot, Gujarat.	11/07 /2025	10/0 7/20 27	Dress Making (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
652	Industrial Training Institute (Women), Rajkot (City)	GU2 4000 335	Govt	Pioneer Drape & Sofa Comfort, Shivam Society Main Road, Behind Tulsi Supermarket, Raiya Road Rajkot, Gujarat.	11/07 /2025	10/0 7/20 27	Fashion Design & Technology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
653	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Keval Infocom Pvt. Ltd. Registration & Head Office : First Floor, Shop No - F 31, Ashapura Tower, Sanala Road, Morbi-363641, District- Morbi, State- Gujarat	9/1/2 025	8/31/ 2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
654	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Jetco Industries Opp. Old Pipli Bus- Stand, Jetpar Road, Morbi - 363642, District-Morbi, State-Gujarat	9/1/2025	8/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
655	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Astila Ceramic Pvt Ltd. Jetpar Road, At, Opp. Bela, Rangpar, Morbi, 363641 District-Morbi, State-Gujarat	9/1/2025	8/31/2028	Electronics Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
656	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Jetco Industries Opp. Old Pipli Bus- Stand, Jetpar Road, Morbi - 363642, District-Morbi, State-Gujarat	9/1/2025	8/31/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
657	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Nexion Surfaces Private Limited, Survey No 171 P, Near Unchi Mandal, Morbi-Halvad Highway, Morbi - 363642	9/1/2025	8/31/2028	Instrument Mechanic (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				District-Morbi, State-Gujarat								
658	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Jay Ganesh Auto Zone Revenue Survey No 241/1p, Morbi Rajkot Highway Sakat Sanala Road Morbi - 363641 District-Morbi, State-Gujarat	9/1/2025	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
659	Morbi Government ITI Mahendranagar Crossing, Halvad Road, Morbi, Morbi, Gujarat-363642	GU2 4008 067	Govt	Perfect Auto Services Morbi Sanala Road, Morbi-Rajkot Highway, 363641, District-Morbi, State-Gujarat	9/1/2025	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
660	Govt ITI Tankara Near Ramdevpir Temple Morbi Rajkot Highway Tankara Di	GR2 4008 088	Govt	Sunbond Pvt Ltd Sur. No 181/P2 Padadhari Bypass Road, Opp. 66kv Sub Station,	01-09-2025	31-08-2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Morbi State Gujarat Pin Code-363650			Mitana,Di Morbi State Gujarat Pin Code 363650								
661	Govt. ITI, HALVAD B/H. New Mamlatdar Office, O/P. Court District Morbi Pincode 363330	GR2 4008 092	Govt	Ac Agro Technology , Bhuj Highway Road, Halvad -363330	9/1/2 026	8/31/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
662	Govt. ITI, HALVAD B/H. New Mamlatdar Office, O/P. Court District Morbi Pincode 363330	GR2 4008 092	Govt	Jetco Industries Opp. Old Pipli Bus- Stand, Jetpar Road, Morbi - 363642, District-Morbi, State-Gujarat	9/1/2 025	8/31/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
663	Industrial Training Institute, Wankaner (Government),Rajkot Road,Nr. Swaminarayan	GU2 4000 316	Government	Executive Magistrate & Mamlatdar, Wankaner Dist :- Morbi State :-Gujarat	7/28/ 2025	7/31/ 2028	Computer Operator and Programm ing Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
664	Industrial Training Institute, Wankaner (Government),Rajkot Road,Nr. Swaminarayan	GU2 4000 316	Government	Slogan Polypack Pvt. Ltd. Nesda Road To-Saraya Ta-Tankara Dist-Morbi State :-Gujarat	7/30/2025	7/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
665	Industrial Training Institute, Wankaner (Government),Rajkot Road,Nr. Swaminarayan	GU2 4000 316	Government	Echjay Industries Pvt. Ltd. Survey Number 184/1 186/1 Rajkot Wankaner Road ,Jiyana Dist: Rajkot State :-Gujarat	7/30/2025	7/31/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
666	Industrial Training Institute, Wankaner (Government),Rajkot Road,Nr. Swaminarayan	GU2 4000 316	Government	Echjay Industries Pvt. Ltd. Survey Number 184/1 186/1 Rajkot Wankaner Road ,Jiyana Dist: Rajkot State :- Gujarat	7/30/2025	7/31/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
667	Industrial Training Institute, Wankaner (Government),Rajkot Road,Nr. Swaminarayan	GU2 4000 316	Government	Perfect Auto Service Rajpar Road Morbi Dist-Morbi State :-Gujarat	7/30/2025	7/31/2028	Mechanic (Motor Vehicle) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
668	Industrial Training Institute, Wankaner (Government), Rajkot Road, Nr. Swaminarayan	GU2 4000 316	Government	Slogan Fib Pvt. Ltd. TO-Harbatiyali Rajkot Morbi Road Ta-Tankara Dist:-Morbi State :-Gujarat	7/30/2025	7/31/2028	Electronics Mechanic (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
669	Industrial Training Institute, Wankaner (Government), Rajkot Road, Nr. Swaminarayan	GU2 4000 316	Government	Samay Engineering Works 8-A National Highway Makamsar Dist-Morbi State :-Gujarat	7/30/2025	7/31/2028	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
670	Industrial Training Institute - Mahuva Vaghnagar Road, Near 66 Kv Sub Station, Vadli, Mahuva, Dist-Bhavnagar, Pin-364290 Phone : 02844-224103	GR2 4000 328	Government	Shree Ram Computer Mahuva	8/1/2025	7/31/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
671	Industrial Training Institute - Mahuva Vagnagar Road, Near 66 Kv Sub Station, Vadli, Mahuva, Dist- Bhavnagar, Pin- 364290 Phone : 02844-224103	GR2 4000 328	Govt	Aspire Disruptive Skill Foundation	8/1/2025	7/31/2028	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
672	Industrial Training Institute - Mahuva Vagnagar Road, Near 66 Kv Sub Station, Vadli, Mahuva, Dist- Bhavnagar, Pin- 364290 Phone : 02844-224103	GR2 4000 328	Govt	Aspire Disruptive Skill Foundation	8/1/2025	7/31/2028	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
673	Industrial Training Institute - Mahuva Vagnagar Road, Near 66 Kv Sub Station, Vadli, Mahuva, Dist- Bhavnagar, Pin- 364290 Phone : 02844-224103	GR2 4000 328	Govt	Aspire Disruptive Skill Foundation	8/1/2025	7/31/2028	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
674	Industrial Training Institute - Mahuva Vagnagar Road, Near 66 Kv Sub Station, Vadli, Mahuva, Dist- Bhavnagar, Pin- 364290 Phone : 02844-224103	GR2 4000 328	Govt	Aspire Disruptive Skill Foundation	8/1/2025	7/31/2028	Wireman (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
675	Industrial Training Institute - Mahuva Vagnagar Road, Near 66 Kv Sub Station, Vadli, Mahuva, Dist- Bhavnagar, Pin- 364290 Phone : 02844-224103	GR2 4000 328	Govt	Aspire Disruptive Skill Foundation	8/1/2025	7/31/2028	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
676	Industrial Training Institute, Palitana (Government)Near Circuit House, Gariyadhar Road, Bhavnagar, Gujarat- 364270	GU2 4000 317	Govt	A.M. Solution G-2, Ashtavinayak 7, Opp. Muktalaxmi Girls High School, Momin Wad, Bhavnagar, Gujarat 364001	8/1/2025	7/31/2026	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
677	Industrial Training Institute, Palitana (Government) Near Circuit House, Gariyadhar Road, Bhavnagar, Gujarat-364270	GU24000317	Govt	Sant Krupa Fabrication Plot No. 4, Tulsi Cottage, Opp. Top 3 Circle,, Talaja Road, Bhavnagar, Gujarat, 364002, India	8/1/2025	7/31/2026	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
678	ITI GARIYADHAR, Opp. Shriji Petrol Pump, Navagam Road, Gariyadhar - 364505	GR24008127	Govt	Kathan Infotech, Gariyadhar, Bhavnagar, Gujarat - 364505	9/1/2026	8/31/2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
679	Industrial Training Institute, Rajula (Government) Dungar Road Rajula 365560	GR24000310	Govt	Contrans Logistics Pvt Ltd-Pipavav Dis- Amreli Gujarat	7/22/2025	7/31/2029	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
680	Industrial Training Institute, Rajula (Government) Dungar Road Rajula 365560	GR2 4000 310	Govt	Swan Defence And Heavy Industries Limited Pipavav Dis- Amreli Gujarat	7/8/2025	7/31/2029	Fitter (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
681	Industrial Training Institute, Rajula (Government) Dungar Road Rajula 365560	GR2 4000 310	Govt	Swan Defence And Heavy Industries Limited Pipavav Dis- Amreli Gujarat	7/8/2025	7/31/2029	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
682	Industrial Training Institute, Rajula (Government) Dungar Road Rajula 365560	GR2 4000 310	Govt	Swan Defence And Heavy Industries Limited Pipavav Dis- Amreli Gujarat	7/8/2025	7/31/2029	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
683	Industrial Training Institute, Rajula (Government) Dungar Road Rajula 365560	GR2 4000 310	Govt	Swan Defence And Heavy Industries Limited Pipavav Dis- Amreli Gujarat	7/8/2025	7/31/2029	Wireman (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
684	Govt. ITI, Jafrabad , Near Model School , Vapalliya Visatar, Una Road Jafrabad 365540 Dist Amreli Gujarat	GR2 4008 119	Govt	Jyoti Cnc Automation Ltd Lodhika Gidc At Moteda District Rajkot Gujarat	8/1/2025	7/31/2027	Computer Operator and Programming	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
							Assistant (NSQF)					
685	Govt. ITI, Jafrabad , Near Model School , Vapalliya Visatar, Una Road Jafrabad 365540 Dist Amreli Gujarat	GR2 4008 119	Govt	Nagarpalika Jafrabad Dist Amreli Gujarat	8/1/2025	7/31/2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
686	Govt. ITI, Jafrabad , Near Model School , Vapalliya Visatar, Una Road Jafrabad 365540 Dist Amreli Gujarat	GR2 4008 119	Govt	Jyoti Cnc Automation Ltd Lodhika Gidc At Moteda District Rajkot Gujarat	8/1/2025	7/31/2027	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
687	Govt. ITI, Jafrabad , Near Model School , Vapalliya Visatar, Una Road Jafrabad 365540 Dist Amreli Gujarat	GR2 4008 119	Govt	Nagarpalika Jafrabad Dist Amreli Gujarat	8/1/2025	7/31/2027	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
688	Govt. ITI, Jafrabad , Near Model School , Vapalliya Visatar, Una Road Jafrabad 365540 Dist Amreli Gujarat	GR2 4008 119	Govt	Jyoti Cnc Automation Ltd Lodhika Gidc At Moteda District Rajkot Gujarat	8/1/2025	7/31/2027	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
689	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Surendranagar Municipal Corporation, Surendranagar, Gujarat	1/9/2026	8/31/2027	Computer Operator and Programming Assistant (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
690	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Prem Electrical Industries. Rajkot Highway, Opp-Jalaram Petrol Pump, Surendranagar-363020 Gujarat	9/1/2026	8/31/2028	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
691	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Vinayak Electrical Industrie, Srajkot Highway, Opp-Jalaram Petrol Pump, Surendranagar-363020 Gujarat	9/1/2026	8/31/2028	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
692	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Kci Bearing (I) Pvt.Ltd., Old Junction Road, Near Water Tank	9/1/2026	8/31/2028	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Surendranagar, Gujarat								
693	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Makson Pharmaceuticals Pvt Ltd, Rajkot Highway Surendranagar-363020 Gujarat	9/1/2026	8/31/2028	Fitter (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
694	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Shree Patel Industries, Wadhwan City-363035, Gujarat	9/1/2026	8/31/2028	Fitter (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
695	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	S.S White TechNologies India Pvt.Ltd.,Ahmedabad Highway, Near Krishna Petrol Pump,Wadhwan, Gujarat	9/1/2026	8/31/2028	Machinist (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
696	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Dream Vehicles Pvt.Ltd., Gidc Opp Market Yard, Wadhwan-	9/1/2026	8/31/2027	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				363035,Surendranagar								
697	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Infinity Vehicles Pvt Ltd, Opp Bodatalav, Wadhwan Road, Surendranagar, Gujarat	9/1/2026	8/31/2027	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
698	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Shreeji Motor Service, Opp-M P Vora Commerce College,Wadhwan-363030 Gujarat	9/1/2026	8/31/2027	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
699	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Shreeji Motors, Opp-Soham Party Plot, Near B Division Police Station Wadhwan-363030 Gujarat	9/1/2026	8/31/2027	Mechanic Diesel (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
700	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Dream Vehicles Pvt.Ltd., Gidc Opp Market Yard, Wadhwan-	9/1/2026	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				363035,Surendranagar								
701	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Infinity Vehicles Pvt Ltd, Opp Bodatalav, Wadhwan Road, Surendranagar, Gujarat	9/1/2026	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
702	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Shreeji Motor Service, Opp-M P Vora Commerce College,Wadhwan-363030 Gujarat	9/1/2026	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
703	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Shreeji Motors, Opp-Soham Party Plot, Near B Division Police Station Wadhwan-363030 Gujarat	9/1/2026	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
704	Shri M.P.Shah Indu.Trg.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Newage House Mfg.Co, Ambawadi Ind, Estate Surendranagar, Gujarat	9/1/2026	8/31/2028	Turner (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
705	Shri M.P.Shah Indu.Trng.Institute, Surendranagar (Government)	GU2 4000 302	Govt	Thermochem Furnaces Pvt.Ltd.,Wadhwan Gidc, Gujarat	9/1/2026	8/31/2027	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
706	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Dcw Ltd. , Dhrangadhra,Dist-Surendranagar-Gujarat-363310	7/14/2025	7/13/2028	Attendant Operator (Chemical Plant) (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
707	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Taluka Seva Sadan, Dhrangadhra,Dist-Surendranagar-Gujarat-363310	7/16/2025	7/15/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
708	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Omax Cotspin Pvt Ltd. Address-Survey No.842, 843, 845/1, Nr. Petrol Pump, Rajsitapur Village, Ta. Dhrangadhra, Dist. Surendranagar - 363320 Gujarat. (India).	7/15/ 2025	7/15/ 2029	Electrician (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
709	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Ramkrushna Cotspin Pvt. Ltd. Address -Survey No. 606-607, Near Soldi Toll Plaza, Soldi, Dhrangadhra, Surendranagar, Gujarat, - 363310.	7/14/ 2025	7/13/ 2028	Fitter (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
710	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Dream Vehicle , Address - Opp. Military Camp,Dhrangadhra . Dist- Surendranagar,Gujarat-PIN-363310	7/15/ 2025	7/15/ 2028	Mechanic Diesel (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
711	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Shree Maruti Tractors - Opp. Bhagvat Dham Gurukul, Halvad Road, Dhrangadhra, Dist- Surendranagar, Gujarat-363310	7/14/ 2025	7/14/ 2028	Mechanic Diesel (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
712	Industrial Training Institute, Dhrangadhra (Government),Govt. ITI, Dhrangadhra , Near Bhala Hanuman Halvad Road, Surendranagar, Gujarat	GU2 4000 320	Govt	Omax Cotspin Pvt Ltd. Address- Survey No.842, 843, 845/1, Nr. Petrol Pump, Rajsitapur Village, Ta. Dhrangadhra, Dist. Surendranagar - 363320 Gujarat. (India).	7/15/ 2025	7/15/ 2029	Wireman (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
713	Govt ITI Lakhtar ,Near Mamlatdar Office,Railway Station Road,Lakhtar	GR2 4008 090	Govt	Mrs Bearings Pvt Ltd Zamar,Surendranagar-Ahmedabad Highway Ta:Lakhtar,District: Surendranagar,State :Gujarat	15/07 /2025	15/0 7/20 28	Wireman (NSQF)	2	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
714	Govt. ITI, Surendranagar (Women), Technical High School Compound, 60 Feet Road, Near Law College, Surendranagar.	GU2 4008 089	Govt	Omax Cotspin Pvt Ltd,Rajsitapur Dist : Surendranagar State : Gujarat	7/29/ 2025	7/28/ 2030	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
715	Govt. ITI, Surendranagar (Women), Technical High School Compound, 60 Feet Road, Near Law College, Surendranagar.	GU2 4008 089	Govt	Omax Cotspin Pvt Ltd,Rajsitapur Dist : Surendranagar State : Gujarat	7/29/ 2025	7/28/ 2030	Sewing Technology (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
716	Govt ITI Veraval B/H Sai Baba Temple, Dari Road, Veraval 362265 Dist. Gir Somnath State Gujarat	GU2 4008 081	Govt	Bhagwati Autolink. Private Limited, Near Saibaba Temple Junagadh Road, Veraval, Pin-362265 Ta.-Veraval, Dist.- Gir Somnath, State-Gujarat	9/1/2 026	8/31/ 2029	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
717	Govt. ITI Sutrapada Near 66 Kv Sub Station, Rampara Road, At-Gorakhmadhi, Ta.-Sutrapada, Dist.-Gir Somnath, Pin-362268	GR2 4008 077	Govt	Honda Trimurti, Prachi At-Prachi, Ta.-Sutrapada, Dist.-Gir Somnath, State-Gujarat, Pin-362268	8/1/2026	7/31/2029	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
718	Govt. ITI Kodinar, Velan Road, At.Kaj,Ta.Kodinar, Dist.Gir Somnath, State- Gujarat. 362720	GR2 4008 076	Govt.	Indian Potash Limited Sugar Unit Kodinar. Ta.Kodinar, Dist.Gir Somnath, State-Gujarat	1/8/2026	31/08/2029	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
719	Govt. ITI Kodinar, Velan Road, At.Kaj,Ta.Kodinar, Dist.Gir Somnath, State- Gujarat. 362720	GR2 4008 076	Govt.	Indian Potash Limited Sugar Unit Kodinar. Ta.Kodinar, Dist.Gir Somnath, State-Gujarat	1/8/2026	31/08/2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
720	Govt. ITI Kodinar, Velan Road, At.Kaj,Ta.Kodinar, Dist.Gir Somnath, State- Gujarat. 362720	GR2 4008 076	Govt.	Trimurti Honda Kodinar. Ta.Kodinar, Dist.Gir Somnath, State-Gujarat	1/9/2026	31/08/2029	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
721	Govt. ITI Kodinar, Velan Road, At.Kaj,Ta.Kodinar, Dist.Gir Somnath, State- Gujarat. 362720	GR2 4008 076	Govt.	Indian Potash Limited Sugar Unit Kodinar. Ta.Kodinar, Dist.Gir Somnath, State-Gujarat	1/9/2026	31/08/2029	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
722	Govt. ITI Kodinar, Velan Road, At.Kaj,Ta.Kodinar, Dist.Gir Somnath, State- Gujarat. 362720	GR2 4008 076	Govt.	Indian Potash Limited Sugar Unit Kodinar. Ta.Kodinar, Dist.Gir Somnath, State-Gujarat	1/8/2026	31/08/2029	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
723	ITI Una ,Guptprayag Road ,At-Delvada,Ta-Una,Dist-Gir Somnath	GU2 4000 309	Govt	Indian Potash Limited Sugar Unit-Kodinar ,At-Kodinar ,Ta-Kodinar ,Dist-Gir Somnath ,State-Gujarat	9/1/2026	8/31/2028	Attendant Operator (Chemical Plant) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
724	Industrial Training Institute, Pardi (Government) Govt. ITI, Pardi , Ishwarnagar, Nr.Par River Dist-Valsad	GR2 4000 405	Govt	Shrimad Rajchandra Hospital & Research Center Bilpudi Dharampur Dist- Valsad State-Gujarat	8/29/2025	8/28/2027	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
725	Industrial Training Institute, Pardi (Government) Govt. ITI, Pardi , Ishwarnagar, Nr.Par River Dist-Valsad	GR2 4000 405	Govt	G.S.R.T.C.VALSA D Valsad Abrama Road Dist- Valsad State-Gujarat.	8/12/ 2025	8/11/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
726	Industrial Training Institute, Opp. Bus Stand, At. Post. Uchavan. Ta. Umarpada. Dist.Surat. (Gujarat)-394445	GR2 4008 033	Govt	Mamlatdar Office-Umarpada Ta. Umarpada Dist. Surat. (Gujarat)-394445	8/30/ 2025	8/29/ 2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
727	Industrial Training Institute, Opp. Bus Stand, At. Post. Uchavan. Ta. Umarpada. Dist.Surat. (Gujarat)-394445	GR2 4008 033	Govt	Shahlon Silk Industries Ltd. 4,5a, Composite Unit 2, Fairdeal Textlie Park, Nh-48, Block Nos 692/A, Plot Nos. 3 Mahuvej Kosamba, Ta. Mangrol Dist Surat (Gujarat)-394125	8/30/ 2025	8/29/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
728	Industrial Training Institute, Opp. Bus Stand, At. Post. Uchavan. Ta. Umarpada. Dist.Surat. (Gujarat)-394445	GR2 4008 033	Govt	Shahlon Silk Industries Ltd. 4,5a, Composite Unit 2, Fairdeal Textlie Park, Nh-48, Block Nos 692/A, Plot Nos. 3 Mahuvej Kosamba, Ta. Mangrol Dist Surat (Gujarat)-394125	8/30/2025	8/29/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
729	Industrial Training Institute, Opp. Bus Stand, At. Post. Uchavan. Ta. Umarpada. Dist.Surat. (Gujarat)-394445	GR2 4008 033	Govt	Shahlon Silk Industries Ltd. 4,5a, Composite Unit 2, Fairdeal Textlie Park, Nh-48, Block Nos 692/A, Plot Nos. 3 Mahuvej Kosamba, Ta. Mangrol Dist Surat (Gujarat)-394125	8/30/2025	8/29/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
730	Industrial Training Institute, Mandvi (Surat) (Government)	GU2 4000 406	Govt	The Mamlatdar Mandvi(Surat) At&Po-Mandvi, Ta-Mandvi, Dist-	1/16/2025	1/15/2028	Computer Operator and Programm	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Govt. ITI, Mandvi (Surat) ITI Mandvi			Surat, 394160 - Gujarat			ing Assistant (NSQF)					
731	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	(1) Hair 'N' Beauty Clinic & Salon, Sugar Factory Road, Madhi, Ta-Bardoli, Dist-Surat, Gujarat-394340 (2) New Tuch Hair And Beauty Care Shop No.-1059, Laxmi Market, At&Po-Mandvi, Ta-Mandvi, Dist-Surat, Gujarat-394160 (3) Bridal Studio Make Up And Hair Style Db Complex, Collage Road Mandvi, Ta-Mandvi, Dist-Surat, GujaraT-394160	8/2/2025	8/1/2028	COSMETOLOGY (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
732	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	Himson Engineering Pvt. Ltd. At & Po-Palod, 119, Near-Kim, Dist-Surat, 394111-Gujarat	7/25/2025	7/24/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
733	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	Xyxx Apparels Pvt. Ltd Plot No.-747, Road No.-07, Gidc Sachin, Gujarat-394230	7/15/2025	7/14/2028	SEWING TECHNOLOGY (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
734	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	The Taluka Health Center, Mandvi Taluka Health Office Mandvi, Ta-Mandvi, Dist-Surat, Gujarat-394160	1/6/2025	1/5/2028	Health Sanitary Inspector (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
735	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	The Taluka Health Center, Mandvi Taluka Health Office Mandvi, Ta-Mandvi, Dist-Surat, Gujarat-394160	1/6/2025	1/5/2028	Health Sanitary Inspector (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
736	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	The Taluka Health Center, Mandvi Taluka Health Office Mandvi, Ta-Mandvi, Dist-Surat, Gujarat-394160	1/6/2025	1/5/2028	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
737	Industrial Training Institute, Mandvi (Surat) (Government) Govt. ITI, Mandvi (Surat) ITI Mandvi	GU2 4000 406	Govt	Kiran Motors Ltd. Zankhvav Road, Mandvi, Ta-Mandvi, Dist-Surat, Gujarat-394160	12/13 /2024	12/1 2/20 27	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
738	Industrial Training Institute, Palsana (Government) Govt. ITI, Palsana , Bardoli Road, Swami Narayan Temple, Palsana, Palsana, Gujarat,Surat-394315	GR2 4000 419	Govt	Gujarat Polyfilms Private Limited Block No. 492, N.H. No. 8 Palsana, Surat, Gujarat,394315	8/29/ 2025	8/28/ 2028	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
739	Industrial Training Institute, Palsana (Government) Govt. ITI, Palsana , Bardoli Road, Swami Narayan Temple,	GR2 4000 419	Govt	Spectrum DYES And Chemicals Private Limited Block Nos. 484, 502, 503A, 504, 505A, 481A, 483, National Highway	8/30/ 2025	8/29/ 2028	Electrician (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Palsana, Palsana, Gujarat,Surat-394315			No. 8, Palsana - 394315 Surat, Gujarat								
740	Industrial Training Institute, Palsana (Government) Govt. ITI, Palsana , Bardoli Road, Swami Narayan Temple, Palsana, Palsana, Gujarat,Surat-394315	GR2 4000 419	Govt	Laxmipati Engineering Works Limited Plot No. A/187, Palsana, Makhinga, Surat, Gujarat 396475	8/30/ 2025	8/29/ 2028	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
741	Industrial Training Institute, Palsana (Government) Govt. ITI, Palsana , Bardoli Road, Swami Narayan Temple, Palsana, Palsana, Gujarat,Surat-394315	GR2 4000 419	Govt	Shree Ambica Auto Sales & Service Gate 3, Nh 08, Toll Plaza, Near Choryasi, Kathor, Kamrej, Surat, Gujarat 394150	8/30/ 2025	8/29/ 2028	Mechanic Diesel (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
742	Industrial Training Institute, Palsana (Government) Govt. ITI, Palsana , Bardoli Road, Swami Narayan Temple, Palsana, Palsana, Gujarat, Surat-394315	GR2 4000 419	Govt	Yantra Design Private Limited 85-86, Shiv Bhakti Industrial Village Sanki, Kadodara To Palsana, NH 48, Surat, Gujarat 394305	8/29/2025	8/28/2028	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
743	Industrial Training Institute, Palsana (Government) Govt. ITI, Palsana , Bardoli Road, Swami Narayan Temple, Palsana, Palsana, Gujarat, Surat-394315	GR2 4000 419	Govt	Khan Engineering Works Plot No 25/26/27, National Highway No 8, Palsana Char Rasta, Palsana, Surat , Bardoli, Surat, Pin - 394317	8/30/2025	8/29/2028	Welder (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
744	Industrial Training Institute, Zankhvav (Government) Govt. ITI, Zankhvav , Near Chc, Zankhvav, Mangrol, Surat, Gujarat	GR2 4000 409	Govt	The Mamlatdar Office Mandvi(Surat), Ta Mandvi, Di Surat, Gujarat 394160	8/28/2025	8/27/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
745	Industrial Training Institute, Zankhvav (Government) Govt. ITI, Zankhvav , Near Chc, Zankhvav, Mangrol, Surat, Gujarat	GR2 4000 409	Govt	Brakes India Ltd, Plot #824b, Near Flow Metallic, Gidc, Jhagadia, Di Bharuch Gujarat 392110	8/6/2 025	8/5/2 028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
746	Industrial Training Institute, Zankhvav (Government) Govt. ITI, Zankhvav , Near Chc, Zankhvav, Mangrol, Surat, Gujarat	GR2 4000 409	Govt	Brakes India Ltd, Plot #824b, Near Flow Metallic, Gidc, Jhagadia, Di Bharuch Gujarat 392110	8/6/2 025	8/5/2 028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
747	Industrial Training Institute, Ukai (Government) Govt. ITI, Ukai ITI, Ukai , Nr. Lal Tekari, Bhd. Jivansadhana Vidyalaya, Ukai, Sonagadh, Tapi, Gujarat	GR2 4000 407	Govt	Mamlatdar Office, Songadh, Ta. Songadh Di.Tapi, State. Gujarat	8/29/ 2025	8/28/ 2027	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
748	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo German Tool Room, Ahmedabad Plot No.5003, Mehmedabad Road, Phase Iv, Gidc Estate, Vatva, Ahmedabad, Gujarat-382445	11/1/ 2025	10/3 1/20 29	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
749	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo German Tool Room, Ahmedabad Plot No.5003, Mehmedabad Road, Phase Iv, Gidc Estate, Vatva, Ahmedabad, Gujarat-382445	11/1/ 2025	10/3 1/20 29	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
750	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo German Tool Room, Ahmedabad Plot No.5003, Mehmedabad Road, Phase Iv, Gidc Estate, Vatva, Ahmedabad, Gujarat-382445	11/1/ 2025	10/3 1/20 29	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
751	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo German Tool Room, Ahmedabad Plot No.5003, Mehmedabad Road, Phase Iv, Gidc Estate, Vatva, Ahmedabad, Gujarat-382445	11/1/2025	10/31/2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
752	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo German Tool Room, Ahmedabad Plot No.5003, Mehmedabad Road, Phase Iv, Gidc Estate, Vatva, Ahmedabad, Gujarat-382445	11/1/2025	10/31/2029	Wireman (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
753	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo Count Industries Limited, Bhilad Plot No - 191/192. Village - Bhilad. Mahala Faliya. Tal-Umbergaoun. District- Valsad, Gujarat - 396105	2/6/2026	2/5/2030	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
754	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo Count Industries Limited, Bhilad Plot No - 191/192. Village - Bhilad. Mahala Faliya. Tal-Umbergaoun. District- Valsad, Gujarat - 396105	2/6/2026	2/5/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
755	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo Count Industries Limited, Bhilad Plot No - 191/192. Village - Bhilad. Mahala Faliya. Tal-Umbergaoun. District- Valsad, Gujarat - 396105	2/6/2026	2/5/2030	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
756	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo Count Industries Limited, Bhilad Plot No - 191/192. Village - Bhilad. Mahala Faliya. Tal-Umbergaoun.	2/6/2026	2/5/2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				District- Valsad, Gujrat - 396105								
757	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Indo Count Industries Limited, Bhilad Plot No - 191/192. Village - Bhilad. Mahala Faliya. Tal-Umbergaoun. District- Valsad, Gujrat - 396105	2/6/2026	2/5/2030	Wireman (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
758	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Western Refrigeration Pvt. Ltd., Tadgam Survey No. 633/1 634, 635, 636, 638, 641, 726 732, 741, 743, 747, 748, 752 Village- Tadgam, Taluka Umbergaon,	2/13/2026	2/12/2030	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				District-Valsad, Gujarat-396135								
759	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Western Refrigeration Pvt. Ltd., Tadgam Survey No. 633/1 634, 635, 636, 638, 641, 726 732, 741, 743, 747, 748, 752 Village-Tadgam, Taluka Umbergaon, District-Valsad, Gujarat-396135	2/13/ 2026	2/12/ 2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
760	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Western Refrigeration Pvt. Ltd., Tadgam Survey No. 633/1 634, 635, 636, 638, 641, 726 732, 741, 743, 747,	2/13/ 2026	2/12/ 2030	Fitter (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				748, 752 Village-Tadgam, Taluka Umbergaon, District-Valsad, Gujarat-396135								
761	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Western Refrigeration Pvt. Ltd., Tadgam Survey No. 633/1 634, 635, 636, 638, 641, 726 732, 741, 743, 747, 748, 752 Village-Tadgam, Taluka Umbergaon, District-Valsad, Gujarat-396135	2/13/ 2026	2/12/ 2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
762	Industrial Training Institute, Bhilad Govt. ITI, Bhilad, Bhilad, Umargam, Valsad, Gujarat - 396105	GR2 4000 455	Govt	Western Refrigeration Pvt. Ltd., Tadgam Survey No. 633/1 634, 635, 636, 638, 641, 726 732, 741, 743, 747,	2/13/ 2026	2/12/ 2030	Wireman (NSQF)	1	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				748, 752 Village-Tadgam, Taluka Umbergaon, District-Valsad, Gujarat-396135								
763	Women Industrial Training Institute, Sachin (Women) (Government)	GU2 4000 460	Govt	Hema Automation	5/29/2025	5/28/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
764	Industrial Training Institute, Dharampur (Government)	GR2 4000 411	Govt	Hex-Brass Copper And Alloy(I) Ltd. 11 Vadkhambha Nanapondha Char Rastta Plant Ta Kaprada Di Valsad	8/1/2026	7/31/2029	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
765	Industrial Training Institute, Dharampur (Government)	GR2 4000 411	Govt	Hex-Brass Copper And Alloy(I) Ltd. 11 Vadkhambha Nanapondha Char Rastta Plant Ta Kaprada Di Valsad	8/1/2026	7/31/2029	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
766	Industrial Training Institute, Hazira At Mora Tran Rasta ,Tachoryasi, Surat, Gujarat394510	GR2 4008 099	Govt	Astek Electricals India Pvt. Ltd Plot No. 202-203-204, Gate 2, Unity Estate, Bhestan, Surat, Gujarat 395023, India	8/30/2025	8/29/2030	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
767	Industrial Training Institute, Bilimora (Government)	GU2 4000 402	Govt	Deepmoulesh Industries Pvt. Ltd. Address: A1/4106,Gidc Ankleshwar District-Bharuch State-Gujarat	29/08/2025	28/08/2032	Attendant Operator (Chemical Plant) (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
768	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Deepmoulesh Industries Pvt. Ltd. Address: A1/4106,Gidc Ankleshwar District-Bharuch State-Gujarat	29/08/2025	28/08/2030	Computer Operator and Programming Assistant (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
769	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Ansa Decoglass Pvt Ltd Address: Block No.552 Paikee(Plot No 60 To 121) &55,Kuvarada-Kharach Road, Village Kosamba Taluko- Mangrol, District-Surat, State- Gujarat	8/29/2025	8/28/2032	Electrician (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended
770	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Five Bros Forging Pvt. Ltd. Address:145/A, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08/2025	28/08/2032	Electrician (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended
771	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Ansa Decoglass Pvt Ltd Address: Block No.552 Paikee(Plot No 60 To 121) &55,Kuvarada-Kharach Road, Village Kosamba Taluko- Mangrol,	8/29/2025	8/28/2032	Fitter (NSQF)	1	10	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				District-Surat, State- Gujarat								
772	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Godrej And Boyce Ltd. Dahej Address: Dahej Sez Part-Ii, Plot No.Z90, Luvara, Vagra, District-Bharuch State-Gujarat	18/11 /2024	17/1 1/20 27	Fitter (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
773	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Godrej And Boyce Ltd. Dahej Address: Dahej Sez Part-Ii, Plot No.Z90, Luvara, Vagra, District-Bharuch State-Gujarat	18/11 /2024	17/1 1/20 27	Fitter (NSQF)	1	11	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
774	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Varun Engineering Address: 276/A, Gidc Ankleshwar, District- Bharuch, State- Gujarat	8/29/ 2025	8/28/ 2032	Instrument Mechanic (Chemical Plant) (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
775	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Varun Engineering Address: 276/A, Gidc Ankleshwar, District- Bharuch, State- Gujarat	8/29/ 2025	8/28/ 2032	Instrument Mechanic (NSQF)	1	3	Conversion of Existing Affiliated Unit	Recommended	Recommended
776	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Deepmoulesh Industries Pvt. Ltd. Address: A1/4106,Gidc Ankleshwar District-Bharuch State-Gujarat	29/08 /2025	28/0 8/20 30	Instrument Mechanic (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
777	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Varun Engineering Address: 276/A, Gidc Ankleshwar, District- Bharuch, State- Gujarat	8/29/ 2025	8/28/ 2032	Machinist (NSQF)	1	4	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
778	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Shraddha Motors Pvt. Ltd. Address: N.H.No-48, Opp.Queen Of Angel School Vadadla, Bharuch 392015 District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Mechanic (Motor Vehicle) (NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
779	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Manya Automobiles Pvt Ltd. Address: Shop-305/3064 Aanand Complex, Nr Idbi Bank, Bharuch District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Mechanic Diesel (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended
780	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Sheree Gopinathji Cars Pvt. Ltd. Address:Near Atithi Restaurant, N.H.No-48, Vaghusana, Bharuch	8/29/2025	28/08/2032	Mechanic Diesel (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				District-Bharuch State-Gujarat								
781	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Shraddha Motors Pvt. Ltd. Address: N.H.No-48, Opp.Queen Of Angel School Vadadla, Bharuch 392015 District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Mechanic Diesel (NSQF)	1	9	Conversion of Existing Affiliated Unit	Recommended	Recommended
782	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Maxcool Address: 209/5, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Refrigeration and Air Conditioning Technician(NSQF)	1	2	Conversion of Existing Affiliated Unit	Recommended	Recommended
783	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Five Bros Forging Pvt. Ltd. Address:145/A, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Turner (NSQF)	1	8	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
784	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Varun Engineering Address: 276/A, Gidc Ankleshwar, District- Bharuch, State- Gujarat	8/29/2025	8/28/2032	Welder (NSQF)	1	5	Conversion of Existing Affiliated Unit	Recommended	Recommended
785	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Godrej And Boyce Ltd. Dahej Address: Dahej Sez Part-Ii, Plot No.Z90, Luvara, Vagra, District-Bharuch State-Gujarat	18/11/2024	17/11/2027	Welder (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
786	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Five Bros Forging Pvt. Ltd. Address:145/A, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08/2025	28/08/2032	Wireman (NSQF)	1	6	Conversion of Existing Affiliated Unit	Recommended	Recommended
787	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Five Bros Forging Pvt. Ltd. Address:145/A, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08/2025	28/08/2032	Wireman (NSQF)	1	7	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
788	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Five Bros Forging Pvt. Ltd. Address:145/A, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Wireman (NSQF)	1	13	Conversion of Existing Affiliated Unit	Recommended	Recommended
789	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Maxcool Address: 209/5, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Wireman (NSQF)	1	14	Conversion of Existing Affiliated Unit	Recommended	Recommended
790	Industrial Training Institute, Ankleshwar (Government)	GU2 4000 403	Govt	Maxcool Address: 209/5, Gidc, Ankleshwar District-Bharuch State-Gujarat	29/08 /2025	28/08/2032	Wireman (NSQF)	1	15	Conversion of Existing Affiliated Unit	Recommended	Recommended
791	Gu24000212-Industrial Training Institute, Zalod	GU2 4000 212	Govt	Nagarpalika Zalod, Ta Zalod, Di Dahod, St Gujarat-389170	8/30/2025	8/30/2029	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MO U end date	Name of the Trade for DST	Sh ift ID	Unit ID as per port al	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recom mendati on of SSDEC	Remarks of 32nd SCAA
792	ITI KARJAN , Near Seva Sadan. Juna Bazar, Karjan.DI. Vadodara	GR2 4008 117	GO V.	Gujarat Infra Pipes Pvt. Ltdsurvey No. 53/A, Manglej-Nareshwar Road, Manglej, Vadodara, Gujarat 391210, India.	7/1/2 025	6/30/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended
793	Smt. M.C.Patel Industrial Training Institute ,Uttarsanda, Bhumel Cross Road,Uttarsanda	GR2 4000 211	Gov t	Anupam Industries Ltd,Anand,Gujarat	7/11/ 2025	7/11/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended
794	Smt. M.C.Patel Industrial Training Institute ,Uttarsanda, Bhumel Cross Road,Uttarsanda	GR2 4000 211	Gov t	Anupam Industries Ltd,Anand,Gujarat	7/11/ 2025	7/11/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended
795	Vakal Industrial Training Institute, Dashrath (Government) Govt.ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Gov t	Schaeffler India Limited Plot No.1,Alindra,Manj usar Gidc,Ta-Savli,Dist-Vadodara-391775,Gujarat	7/11/ 2025	7/10/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recom mended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
796	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Govt	Agarwal Tanks And Allied Works Plot No.17,Gidc Ranoli,N.H.NO.08, Ta&Dist-Vadodara-391350,Gujarat	7/14/2025	7/13/2028	Maintenance Mechanic (Chemical Plant) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
797	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Govt	Agarwal Tanks And Allied Works Plot No.17,Gidc Ranoli,N.H.No.08, Ta&Dist-Vadodara-391350,Gujarat	7/29/2025	7/28/2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
798	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel,	GR2 4000 203	Govt	Farmson Basic Drugs Pvt. Ltd. 14,Gidc Ind.Estate,Nandesari,Ta&Dist-Vadodara-391340,Gujarat	7/30/2025	7/29/2028	Attendant Operator (Chemical Plant) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Dashrath, Vadodara, Gujarat											
799	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Govt	TechNo Electromech Pvt. Ltd. RS-858,Near Suresh Timber,Opp.Gsfc Main Gate,Nh.48-391740,Ta&Dist-Vadodara	7/12/2025	7/11/2025	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
800	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Govt	Vidya Wires Ltd. Plot No.8/1-2,Gidc Industrial Estate,Vithal Udyognagar-388121,Ta&Dist-Anand,Gujarat.	8/7/2025	8/6/2028	Electrician (NSQF)	3	2	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
801	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Govt	Sabic InNovative Plastics India Pvt. Ltd. Plastic Avenue Po Jawaharnagar, Ta& Dist- Vadodara, Gujarat- 391320	8/4/2025	8/3/2028	Plastic Processing Operator (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
802	Vakal Industrial Training Institute, Dashrath (Government) Govt. ITI Dashrath, N.H. No:8, Opp Petrol Pump ,Nr Tapi Hotel, Dashrath, Vadodara, Gujarat	GR2 4000 203	Govt	N J Thakker And Co. At.115-116, The Hub Complex, Opp. Election Engineering, Nr. Hyundai Car Showroom, V.U. Nagar-388121 Ta&Dist- Anand, Gujarat.	7/25/2025	7/24/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
803	Industrial Training Institute, Gorwa (Government)	GU2 4000 218	GOVT	Banco Product India Ltd. Dist- Vadodara, State- Gujarat.	7/8/2025	7/7/2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
804	Industrial Training Institute, Gorwa (Government)	GU2 4000 218	GO VT	Banco Product India Ltd. Dist-Vadodara, State-Gujarat.	7/8/2025	7/7/2028	Draughtsman (Mechanical) (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
805	Industrial Training Institute, Godhara (Government), Prabha Road Godhara	GU2 4000 204	GO VT	R.B.Cars Pvt. Ltd, Vavadi Buzarg Godhara, Dist - Panchmahal - Gujarat	9/1/2025	8/31/2028	Mechanic (Motor Vehicle) (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
806	Industrial Training Institute, Godhara (Government), Prabha Road Godhara	GU2 4000 204	GO VT	R.B.Cars Pvt. Ltd, Vavadi Buzarg Godhara, Dist - Panchmahal - Gujarat	9/1/2025	8/31/2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
807	Industrial Training Institute, Godhara (Government), Prabha Road Godhara	GU2 4000 204	GO VT	Jcb Industries Pvt.Ltd, Plot No. 699-703, Halol 2, Halol Maswad Industrial Estate, Panchmahal-Gujarat	5/31/2023	5/31/2026	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
808	Industrial Training Institute, Vaghodiya (Government), Opp Dutt Petrolpump, Kamlapura Road, Waghodia, Vadodara, Gujarat	GR2 4000 223	Government	Matrix Somsec Pvt Ltd, 19, WAGHODIA GIDC, Vadodara, Gujarat, 391760	8/26/2025	8/25/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
809	Industrial Training Institute, Vaghodiya (Government), Opp Dutt Petrolpump, Kamlapura Road, Waghodia, Vadodara, Gujarat	GR2 4000 223	Government	Galaxy Sivtec Pvt Ltd, Siddhi Industrial Infra Park, Plot No. 2, Waghodia, Gujarat 391760	8/8/2025	8/7/2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
810	Industrial Training Institute, Vaghodiya (Government), Opp Dutt Petrolpump, Kamlapura Road, Waghodia, Vadodara, Gujarat	GR2 4000 223	Government	Kaizan Switchgear Products Pvt Ltd, Plot 1414, GIDC Road, Waghodia, Vadodara, Gujarat 391760	9/1/2025	8/31/2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
811	Industrial Training Institute, Vaghodiya (Government), Opp Dutt Petrolpump, Kamlapura Road, Waghodia, Vadodara, Gujarat	GR2 4000 223	Government	Kaizan Switchgear Products Pvt Ltd, Plot 1414, GIDC Road, Waghodia, Vadodara, Gujarat 391760	9/1/2025	8/31/2028	Wireman (NSQF)	2	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
812	Gr24000222-Industrial Training Institute, Padra (Government)	GR2 4000 222	GOVT	Banco Product(India) Ltd. Vadodara, Gujarat	6/11/2025	6/10/2028	Computer Operator and Programming Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
813	Gr24000222-Industrial Training Institute, Padra (Government)	GR2 4000 222	GOVT	Banco Product(India) Ltd. Vadodara, Gujarat	6/11/2025	6/10/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
814	Govt. ITI, Thasara Address :- Vada-Jargal Road, Ferkuva,Thasra,Kheda ,Gujarat-388225	GR2 4008 168	Govt	Satyendra Packaging Ltd Address :- Dakor-Mahudha Road,Bordi,Dakor, Thasra,Kheda,Gujarat-388225	30/08/2025	1/8/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
815	Govt. ITI, Dahod , Zalod Road, Dahod, - 1, Gujarat	GU2 4000 202	Govt	Orbit Bearing India Pvt Ltd Metoda GIDC, At Rajkot Dist : Rajkot Mo: 9106465395 Email: Hr@Ornitbearing.Com State: Gujarat	8/10/ 2025	8/10/ 2028	Electrician (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
816	Govt. ITI, Dahod , Zalod Road, Dahod, - 1, Gujarat	GU2 4000 202	Govt	Orbit Bearing India Pvt Ltd Metoda GIDC, At Rajkot Dist : Rajkot Mo: 9106465395 Email: Hr@Ornitbearing.Com State: Gujarat	8/10/ 2025	8/10/ 2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
817	Govt. ITI, Dahod , Zalod Road, Dahod, - 1, Gujarat	GU2 4000 202	Govt	Orbit Bearing India Pvt Ltd Metoda GIDC, At Rajkot Dist : Rajkot State: Gujarat	8/10/ 2025	8/10/ 2028	Mechanic Diesel (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
818	Govt. ITI, Dahod , Zalod Road, Dahod, - 1, Gujarat	GU2 4000 202	Govt	Orbit Bearing India Pvt Ltd Metoda GIDC, At Rajkot Dist : Rajkot State: Gujarat	8/10/ 2025	8/10/ 2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
819	Govt. ITI, Dahod , Zalod Road, Dahod, - 1, Gujarat	GU2 4000 202	Govt	Orbit Bearing India Pvt Ltd Metoda GIDC, At Rajkot Dist : Rajkot State: Gujarat	8/10/ 2025	8/10/ 2028	Health Sanitary Inspector (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
820	ITI Dabhoi, Outside Hirabhagol, Vadhvana Road, Dabhoi-391110	GU2 4008 116	GO VT.	Baroda Maulds & Dies Pvt Ltd 48 & 30-31-32, Gidc Estate, Waghodia-391760, Dist. Vadodara, Gujarat	7/31/ 2025	7/31/ 2028	Computer Operator and Programm ing Assistant (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
821	ITI Dabhoi, Outside Hirabhagol, Vadhvana Road, Dabhoi-391110	GU2 4008 116	GO VT.	Baroda Maulds & Dies Pvt Ltd 48 & 30-31-32, Gidc Estate, Waghodia-391760,	7/31/ 2025	7/31/ 2028	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
				Dist. Vadodara, Gujarat								
822	ITI Dabhoi, Outside Hirabhagol, Vadhvana Road, Dabhoi-391110	GU2 4008 116	Govt.	Kizen Switchgear Products Private Limited Plot No. 1414, Gidc Waghodia, Waghodia-391760, Dist. Vadodara, Gujarat	7/31/2025	7/31/2028	Wireman (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
823	ITI Dabhoi, Outside Hirabhagol, Vadhvana Road, Dabhoi-391110	GU2 4008 116	Govt.	Optima Diamond Tools Pvt. Ltd Plot No. 956, Gidc Waghodia, Waghodia-391760, Dist. Vadodara, Gujarat	7/31/2025	7/31/2028	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
824	Govt. ITI, Jesavada Kharedi Dungari Atpo Jesavada, Ta Garbada District-Dahod	GR2 4008 103	Govt.	New Janta Metal Works At&Po-Rabdal Ta-Dahod District-Dahod State Gujarat	9/1/2025	8/31/2030	Fitter (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
825	Govt. ITI, Jesavada Kharedi Dungari Atpo Jesavada,Ta Garbada District-Dahod	GR2 4008 103	Govt.	Narmada Chemtech At & Po-Kharedi Ta-Dahod District-Dahod State Gujarat	9/1/2025	8/31/2030	Welder (NSQF)	3	1	Conversion of Existing Affiliated Unit	Recommended	Recommended
826	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Trans Electro	7/19/2023	7/19/2027	Wireman	3	1	Additional Units	Recommended	Recommended
827	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Trans Electro	7/19/2023	7/19/2027	Electrician	3	1	Additional Units	Recommended	Recommended
828	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Arsh Fashions	10/26/2024	10/26/2028	Wireman	3	1	Additional Units	Recommended	Recommended
829	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Arsh Fashions	10/26/2024	10/26/2028	Electrician	3	1	Additional Units	Recommended	Recommended
830	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Mitra Solar Energy	3/18/2025	3/18/2029	Solar Technician	3	1	Additional Units	Recommended	Not recommended, as the industry does Not meet

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
												the minimum employee strength criteria.
831	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Mitra Solar Energy	3/18/ 2025	3/18/ 2029	Wireman	3	1	Additional Units	Recommended	Not recommended, as the industry does Not meet the minimum employee strength criteria.
832	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Mitra Solar Energy	3/18/ 2025	3/18/ 2029	Electrician	3	1	Additional Units	Recommended	Not recommended, as the industry does Not meet the minimum employee strength criteria.
833	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Jjpv Solar Pvt Ltd	3/27/ 2025	3/27/ 2029	Solar Technician	3	1	Additional Units	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
834	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Jjpv Solar Pvt Ltd	3/27/ 2025	3/27/ 2029	Wireman	3	1	Additional Units	Recommended	Recommended
835	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Jjpv Solar Pvt Ltd	3/27/ 2025	3/27/ 2029	Electrician	3	1	Additional Units	Recommended	Recommended
836	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Aristoplast Products Pvt Ltd	4/21/ 2025	4/21/ 2029	Wireman	3	1	Additional Units	Recommended	Recommended
837	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Aristoplast Products Pvt Ltd	4/21/ 2025	4/21/ 2029	Electrician	3	1	Additional Units	Recommended	Recommended
838	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Hle Glascoat Ltd	5/16/ 2025	5/16/ 2029	Fitter	3	1	Additional Units	Recommended	Recommended
839	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Hle Glascoat Ltd	5/16/ 2025	5/16/ 2029	Wireman	3	1	Additional Units	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
840	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Hle Glascoat Ltd	5/16/ 2025	5/16/ 2029	Electrician	3	1	Additional Units	Recommended	Recommended
841	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Waaree Energies Ltd	6/16/ 2025	6/16/ 2029	Solar Technician	3	1	Additional Units	Recommended	Recommended
842	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Waaree Energies Ltd	6/16/ 2025	6/16/ 2029	Wireman	3	1	Additional Units	Recommended	Recommended
843	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Waaree Energies Ltd	6/16/ 2025	6/16/ 2029	Electrician	3	1	Additional Units	Recommended	Recommended
844	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt.	Bluestar Ltd	6/30/ 2025	6/30/ 2029	Refrigeration &Air Conditioning Technician	3	1	Additional Units	Recommended	Recommended
845	Pramukh Swami Vocational Training	PR2 4008 196	Pvt.	Bluestar Ltd	6/30/ 2025	6/30/ 2029	Wireman	3	1	Additional Units	Recommended	Recommended

S. No.	Name and Address of ITI	MIS Code	ITI Category	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID as per portal	Conversion of Existing Affiliated Unit /Seeking Affiliation for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Centre,Dharampur Valsad											
846	Pramukh Swami Vocational Training Centre,Dharampur Valsad	PR2 4008 196	Pvt .	Bluestar Ltd	6/30/ 2025	6/30/ 2029	Electrician	3	1	Additional Units	Recommended	Recommended

Annexure 5 As referred in agenda 4.4 – SSDEC Kerala SCVT to NCVET Conversion

Sl. No	ITI name & Address	District	Whether ITI already affiliated under NCVET	NCVT MIS Code	Grading	Shift wise Trade and Units	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks
I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.
1	Government Industrial Training Institute Elappara, Elappara PO, Idukki 685501	Idukki	No	Nil	NA	1. Refrigeration and Air Conditioning Technician (1+1) 2. Plumber (1+1)	Recommended	This is new ITIs that has never been affiliated under NCVET. Accordingly, these institutes are required to satisfy the minimum four-trade criterion applicable to new ITIs and submit their applications through the Affiliation Portal as new ITIs.
2	Govt ITI Karunapuram, Karunapuram P.O, Idukki 685552	Idukki	No	Nil	Nil	1. Draughtsman Civil (1+1) 2. Computer Operator Programming Assistant (1+1)	Recommended	This is new ITIs that has never been affiliated under NCVET. Accordingly, these institutes are required to satisfy the minimum four-trade criterion applicable to new ITIs and submit their applications through the Affiliation Portal as new ITIs.
3	Government Industrial Training Institute ChathanNoor	Kollam	Yes	GR32000426	8.9	1.Driver Cum Mechanic (L.M.V) (1+1)	Recommended	Recommended

Sl. No	ITI name & Address	District	Whether ITI already affiliated under NCVET	NCVT MIS Code	Grading	Shift wise Trade and Units	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks
I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.
	ChathanNoor PO. Kollam 691572							
4	Govt. ITI Kottarakkara veliyam west p.o kolam-691540 (GR32000653),	Kollam	Yes	GR32000653	8.2	1.Driver Cum Mechanic (L.M.V) (1+1)	Recommended	Recommended
5	Govt.ITI Mayyanad (GR32000680), Near Govt Model Lps Sasthamkovil, Mayyanad PO, Kollam 691303	Kollam	Yes	GR32000680	8.7	1.Driver Cum Mechanic (L.M.V) (1+1)	Recommended	Recommended
6	Government Industrial Training Institute Kulathupuzha, Koovakkadu Kulathupuzha PO, Kollam 691310	Kollam	No	Nil	Nil	1. Fitter (1+1) 2. Plumber (1+1)	Recommended	This is new ITIs that has never been affiliated under NCVET. Accordingly, these institutes are required to satisfy the minimum four-trade criterion applicable to new ITIs and submit their applications through the Affiliation Portal as new ITIs.
7	Govt.ITI Poruvazhy,	Kollam	No	Nil	Nil	1. Electrician (1+1) 2. Fitter (1+1)	Recommended	This is new ITIs that has never been affiliated under NCVET.

Sl. No	ITI name & Address	District	Whether ITI already affiliated under NCVET	NCVT MIS Code	Grading	Shift wise Trade and Units	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks
I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.
	Chathakulam Post Poruvazhi-Kollam-690520					3. Mechanic auto electrical & electronics (1+1)		Accordingly, these institutes are required to satisfy the minimum four-trade criterion applicable to new ITIs and submit their applications through the Affiliation Portal as new ITIs.
8	Government Industrial Training InstituteChalai, Killippalam Junction , Chalai Post Office , Thiruvananthapuram 695036	Thiruvananthapuram	No	Nil	Nil	1. Additive manufacturing & 3D Printing (1+1) 2. Multimedia Animation & Special Effects (MASE) (1+1) 3. Marine fitter (1+1) 4. Industrial Robotics & Digital Manufacturing Technician (1+1)	Recommended	Recommended
9	Govt. ITI Attingal (GR32000246), Attingal P.O, Thiruvananthapuram 695 101	Thiruvananthapuram	Yes	GR32000246	8.8	Driver Cum Mechanic (L.M.V) (1+1)	Recommended	Recommended

Sl. No	ITI name & Address	District	Whether ITI already affiliated under NCVET	NCVT MIS Code	Grading	Shift wise Trade and Units	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks
I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.
10	Nainar Pilla Memorial Govt ITI Aryanad (GR32000349), Pallivetta, Aryanad P.O, Thiruvananthapuram 695542	Thiruvananthapuram	Yes	GR32000349	9.1	Interior Design & Decoration (1+0)	Recommended	Recommended
11	Government Industrial Training Institute Nagalassery, Velliyamkallu, Thrithala P O, Palakkad District, PIN-679534	Palakkad	No	Nil	Nil	1. Draughtsman Civil (1+1) 2. Information Technology (1+1) 3. Additive Manufacturing & 3D Printing (1+1) 4. Computer Aided Embroidery & Designing (1+1)	Recommended	Recommended
12	Government Industrial Training Institute Peechi, Peechi P.O, Thrissur – 680653	Thrissur	No	Nil	Nil	1. Draughtsman Civil (1+1) 2. Mechanic Motor Vehicle (1+1) 3. Fashion Design & Technology (1+1) 4. Electrician Power Distribution (1+1)	Recommended	Recommended

Sl. No	ITI name & Address	District	Whether ITI already affiliated under NCVET	NCVT MIS Code	Grading	Shift wise Trade and Units	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks
I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.
13	Govt ITI Thuravoor (GR32000681), Angamali, Thuravur Post, Ernakulam 683672	Ernakulam	Yes	GR32000681	8.1	Mechanic Diesel (1+1)	Recommended	Recommended
14	Govt. ITI For Women Changanacherry, Perunna P.O Changanacherry Kottayam-682102 (GU32000657)	Kottayam	Yes	GU32000657	8.9	Computer Operator Programming Assistant (1+1)	Recommended	Recommended

Annexure -6 As referred in agenda 4.5.1-SSDEC Madhya Pradesh-SCVT to NCVET Conversion

S.N o.	ITI name and Address	District	MIS Code	Grading in case of existing ITI	NCVT Affiliation required Trade Name	Shift wise trade and units recommended by SSDEC Committee	Remarks of 32nd SCAA
1	Govt ITI New ramnagar	Maihar	GU23000059	8.4	Computer operator and programming assistant (1+1)	Recommended (1+1)	Recommended
2	Govt ITI Lakhnadon	Seoni	GR23001142	9	Fitter (1+1)	Recommended (1+1)	Recommended
					Mechanic Diesel (0+1)	Recommended (0+1)	Recommended
3	Govt ITI Morena	Morena	GR23000034	8.6	Computer operator and programming assistant (1+1)	Recommended (1+1)	Recommended
4	Govt Industrial Training Institute, Narmada Nagar	Khandwa	GR23000018	8.9	Turner (1+1)	Recommended (1+1)	Recommended
5	Govt. Divisional ITI Jabalpur	Jabalpur	GR23000011	8.2	Fitter (1+1)	Recommended (1+1)	Recommended
					Tools and die maker (Dies and moulds) (1+1)	Recommended (1+1)	Recommended
6	Divisional ITI SAGAR	Sagar	GR23000016	8.3	Sewing Technology (0+1)	Recommended (0+1)	Recommended

S.N o.	ITI name and Address	District	MIS Code	Grading in case of existing ITI	NCVT Affiliation required Trade Name	Shift wise trade and units recommended by SSDEC Committee	Remarks of 32nd SCAA
					SteNo Hindi (0+1)	Recommnded (0+1)	Recommended
7	Govt ITI Sohagpur	Narmadapuram	GR23001096	8.9	Draughtsman Civil (1+1)	Recommnded (1+1)	Already affiliated as per MIS portal

Annexure -7 As referred in agenda 4.5.2-SSDEC Madhya Pradesh-DST Affiliation

S. No	Name of the ITI and Address of ITI	MIS Code	Name of the industry and complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift Id	Units Id	Conversion / New Unit	Recommendation of SSDEC	32nd SCAA Remarks
1	Ashoka Pvt ITI,Kolua Khurd, Bhopal	PR23000331	Betwa Infrastructures Private Limited Plot No. 213, Zone Ii, M.P. Nagar , 462011. , Bhopal , Madhya Pradesh	01/04/2025	01/04/2028	Electrician	Shift 3	(Unit 1+ Unit 2+ Unit 3)	Conversion	Recommended	Recommended
2	Malwa Private Iti Binaganj, Guna	PU23000602	Kailtech Test And Research Centre Pvt. Ltd. Plot No. 141C, Electronic Complex, Pardesipura - 452010 , Indore , Madhya Pradesh	30/09/2024	30/09/2027	Electrician	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended

S. No	Name of the ITI and Address of ITI	MIS Code	Name of the industry and complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift Id	Units Id	Conversion / New Unit	Recommendation of SSDEC	32nd SCAA Remarks
3	Vaishnav Pvt ITI, Katni	PU2300 0777	USJ Refractories Pvt Ltd Jahrwahi , 483442 , Katni , Madhya Pradesh	13.03.2025	13.09.2030	Electrician	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended
4	New MS Pvt ITI, Katni	PR23000 926	Premier refractories of india Pvt Ltd New katni junction , 483501 , Katni , Madhya Pradesh	03.08.2023	03.08.2028	Electrician	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended
	New MS Pvt ITI , Katni	PR23000 926	Premier refractories of india Pvt Ltd New katni junction , 483501 , Katni , Madhya Pradesh	03.08.2023	03.08.2028	Fitter	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended

S. No	Name of the ITI and Address of ITI	MIS Code	Name of the industry and complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift Id	Units Id	Conversion / New Unit	Recommendation of SSDEC	32nd SCAA Remarks
5	Sanawad Pvt ITI, Khargone	PR23000678	Shakti pumps (India) Ltd Plot no 401,402,400 and 412 A sector 3 pithampur , Dhar , Madhya Pradesh	26.04.2025	25.04.2030	Electrician	Shift 3	(Unit 1+ Unit 2+ Unit 3)	Conversion	Recommended	Recommended
6	Vigya jyoti Pvt ITI, Sagar	PR23000785	M/S Jeevan Jyoti Transformer Near Toll Plaza Jabalpur Road, Industrial Area Sidgwa , Sagar , Madhya Pradesh	20/04/2025	19/04/2030	Electrician	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended
7	Bansal Private ITI, Satna	PR23000824	Aa Auto Link Satna Chamariya Complex Gahra Nala Rewa Road , Satna , Madhya Pradesh	20/05/2025	19/05/2028	Electrician	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended

S. No	Name of the ITI and Address of ITI	MIS Code	Name of the industry and complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift Id	Units Id	Conversion / New Unit	Recommendation of SSDEC	32nd SCAA Remarks
8	Vardhman ITC, Sagar	PR23000133	Shree Laxmi Industries Plot No. 49 Sector Old Behind Ghadi Factory , Sagar , Madhya Pradesh	1-Apr-2025	31-Mar-2030	Electrician	Shift 3	(Unit 1+ Unit 2)	Conversion	Recommended	Recommended

Annexure -8 As referred in agenda 4.6-DST Affiliation of Maharashtra State

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
1	Government Industrial Training Institute, Wangaon Dist Palghar	GR27000 051	Govt	MSRTC Dist Palghar Dist Palghar	07.07 .2025	30/07/ 2030	Mech Diesel	1	1	Conversion	Recommended	Recommended
2	Government Industrial Training Institute, Wangaon Dist Palghar	GR27000 051	Govt	MSRTC Dist Palghar Dist Palghar	07.07 .2025	30/07/ 2030	Mech Diesel	2	1	Conversion	Recommended	Recommended
3	Fr. Agnel Technical Education Complex Pvt ITI, Vashi Dist Thane	PR27000 190	Pvt	SS Filters Pvt Ltd.Turbhe Navi Mumbai Dist Thane	12.03 .2026	11.03. 2031	Fitter	1	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
4	Fr. Agnel Technical Education Complex Pvt ITI, Vashi Dist Thane	PR27000190	Pvt	Fortune Cars Pvt.Ltd (Tata Motors), Navi Mumbai Dist Thane	24.02.2026	30.07.2031	Mechanic Motor Vehicle	3	1	Conversion	Recommended	Recommended
5	Pradmukh Swami Maharaj Govt.I.T.I.Borivali Dist Mumbai Suburban	GR27000504	Govt	Schindler India Pvt.Ltd,Powai Dist Mumbai Suburban	27.3.2026	31.07.2029	Lift & Escalator Mechanic	1	1	Conversion	Recommended	Recommended
6	Pradmukh Swami Maharaj Govt.I.T.I.Borivali Dist Mumbai Suburban	GR27000504	Govt	Schindler India Pvt.Ltd,Powai Dist Mumbai Suburban	27.3.2026	31.07.2029	Lift & Escalator Mechanic	2	1	Conversion	Recommended	Recommended
7	K.J.Somaiya Pvt ITI, Vidyavihar Dist Mumbai Suburban	PR27000189	Pvt	Nandan Ground Support Equipment Pvt. Ltd, Turbhe,Navi	15.1.2025	14.01.2030	Welder	2	1	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				Mumbai Dist Thane								
8	Ahmed Abdullah Garib Pvt. ITI, Mumbra Dist Thane	PR27000525	Pvt	Salasar Aveneu Megacorp Private Limited, Thane Dist Thane	11.3.2026	30.07.2029	Mechanic Motor Vehicle	3	1	Conversion	Recommended	Recommended
9	Ahmed Abdullah Garib Pvt. ITI, Mumbra Dist Thane	PR27000525	Pvt	PowerCorn Switchgear LLP, Navi Mumbai Dist Thane	11.3.2026-	10.3.2029	Electrician	3	1	Conversion	Recommended	Recommended
10	Ahmed Abdullah Garib Pvt. ITI, Mumbra Dist Thane	PR27000525	Pvt	Desmi Equipments Private Limited, Thane Dist Thane	7.3.2026	30.07.2029	Welder	1	1	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
11	Shrimad Rajchandraji Govt. Industrial Training Institute, Mulund Dist Mumbai Suburban	GU27000 050	Govt	Deshmi Equipments Private Limited , Thane Dist Thane	1.8.2 026	31.7.2 030	Fitter	3	1	Conversion	Recommended	Recommended
12	Shrimad Rajchandraji Govt. Industrial Training Institute, Mulund Dist Mumbai Suburban	GU27000 050	Govt	Electrolyte Solutions, Navi Mumbai Dist Thane	1.8.2 026	31.7.2 030	Electronics Mechanic	3	1	Conversion	Recommended	Recommended
13	Govt ITI Panvel Dist Raigad	GU27000 034	Govt	The Commissioner of Panvel Municipal Corporation Dist Raigad	24.11 .2025	23.11. 2029	Computer operation & Prog Asst	1	1	Conversion	Renewal MOU	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
14	Govt ITI Panvel Dist Raigad	GU27000 034	Govt	The Commissioner of Panvel Municipal Corporation Dist Raigad	24.11 .2025	23.11. 2029	Computer operation & Prog Asst	2	1	Conversion	Renewal MOU	Recommended
15	Government Industrial Training Institute, Dadar Dist Mumbai City	GR27000 705	Govt	TechNorobotic Machines Pvt LTD, Vasai Dist Palghar	07.05 .2026	07.05. 2029	Electronic Mechanic	2	1	Conversion	Recommended	Recommended
16	Government Industrial Training Institute, Dadar Dist Mumbai City	GR27000 705	Govt	Ascent Network Private Limited,Goregaon Dist Mumbai Suburban	07.05 .2026	07.05. 2029	Information & Communication Technology System Maintenance	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
17	Government Industrial Training Institute, Dadar Dist Mumbai City	GR27000705	Govt	TechNorobotic Machines Pvt LTD, Vasai Dist Palghar	07.05.2026	07.05.2029	Technician Mechatronics	3	1	Conversion	Recommended	Recommended
18	Government Industrial Training Institute, Ulhasnagar Dist Thane	GR27000593	Govt	Precision TechNologies, Bhiwandi Dist Thane	07.05.2026	06.05.2030	Electronic Mechanic	3	1	Conversion	Recommended	Recommended
19	Government Industrial Training Institute, Lower Parel Dist Mumbai City	GR27000461	Govt	AVS InsoTech Pvt LTD, Mahape Dist Thane	19.5.2026	30.08.2029	COPA	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
20	Government Industrial Training Institute, Lower Parel Dist Mumbai City	GR27000461	Govt	AVS InsoTech Pvt LTD, Mahape Dist Thane	19.5.2026	30.08.2029	Electrician	3	1	Conversion	Recommended	Recommended
21	Government Industrial Training Institute, Lower Parel Dist Mumbai City	GR27000461	Govt	AVS InsoTech Pvt LTD, Mahape Dist Thane	19.5.2026	30.08.2029	Wireman	3	1	Conversion	Recommended	Recommended
22	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000508	Pvt	M/S Auro Engineering Company, Andheri (E) , Dist Mumbai Suburban	1.7.2026	30.07.2031	Fitter	3	1	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
23	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000 508	Pvt	M/S Aplab Limited,Diga, Thane Dist Thane	1.8.2 026	31.7.2 031	Technician Power Electronic System	3	1	Conversion	Industry Partner Change	Recommended
24	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000 508	Pvt	Midway Comfort, Andheri (w) Dist Mumbai Suburban	1.7.2 026	30.6.2 031	Refrigeration & Air Condition Technician	3	1	Conversion	Industry Partner Change	Recommended
	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000 508	Pvt	M/S Aura Enginnering Company, Andheri Dist Mumbai Suburban	1.7.2 026	30.6.2 031						

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
25	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000 508	Pvt	Midway Comfort, Andheri (w) Dist Mumbai Suburban	1.7.2 026	30.6.2 031	Electrician	3	1	Conversion	Industry Partner Change	Recommended
	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000 508	Pvt	M/S Aura Enginnering Company, Andheri Dist Mumbai Suburban	1.7.2 026	30.6.2 031						
26	Lalji Mehrotra Pvt ITI, Jogeshwari, Dist Mumbai Suburban	PR27000 508	Pvt	T.K.Elevators India Pvt.LTD, Andheri (East) Dist Mumbai Suburban	1.7.2 026	30.6.2 029	Electrician	3	2	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
27	Shrimad Rajchandraji Govt. Industrial Training Institute, Mulund Dist Mumbai Suburban	GU27000 050	Govt	AVS Infotech Pvt. Ltd, Mahape, Navi Mumbai Dist Thane	20.05 .2026	30.8.2 029	Computer Operator and Programming Assistant	3	1	Conversion	Recommended	Recommended
28	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	MSRTC, Thane Dist Thane	01.09 .2026	31.08. 2030	Fitter	3	1	Conversion	Recommended	Recommended
29	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	MSRTC, Thane Dist Thane	01.09 .2026	30.07. 2030	Welder	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
30	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Ashida Electronics Pvt. Ltd, Thane Dist Thane	1.9.2 027	31.08. 2030	Electrician	3	1	Conversion	Recommended	Recommended
31	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	S S Natu Plastic & Metal Pvt Ltd, Thane Dist Thane	1.9.2 026	31.08. 2029	Electrician	3	1	Conversion	Recommended	Recommended
32	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	S S Natu Plastic & Metal Pvt Ltd, Thane	1.9.2 026	31.08. 2029	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
33	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Turbonet Systems pvt Ltd, Thane Dist Thane	1.9.2 026	31.08. 2029	Computer Hardware and Network Maintainance	3	1	Conversion	Recommended	Recommended
34	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Powertron India Private Limited, Thane Dist Thane	1.9.2 026	31.08. 2029	ICTSM	3	1	Conversion	Recommended	Recommended
35	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	MSRTC, Thane Dist Thane	1.9.2 027	31.08. 2030	MMV	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
36	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Hy Tech Engineers Limited, Thane Dist Thane	1.9.2 026	31.08. 2029	Turner	3	1	Conversion	Recommended	Recommended
37	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Kal Energy, Navi Mumbai Dist Thane	1.9.2 027	31.08. 2029	MMTM	3	1	Conversion	Recommended	Recommended
38	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Echaar Equipments Pvt. Ltd, Thane Dist Thane	1.9.2 026	31.08. 2029	Machinist	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
39	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Echaar Equipments Pvt. Ltd, Thane Dist Thane	1.9.2 026	31.08. 2029	Turner	3	2	Conversion	Recommended	Recommended
40	Government Industrial Training Institute, Thane Dist Thane	GR27000 040	Govt	Skill Tech Engineers, Thane Dist Thane	1.9.2 026	31.08. 2029	Machinist	3	2	Conversion	Recommended	Recommended
41	Govt ITI Deopur Tal & Dist Dhule	GU27000 014	Govt	Ujjwal Automotives Pvt Ltd, Tal & Dhule	24.12 .2025	23.12. 2028	Mech Diesel	1	2	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
42	Ujjwal Shaikshanik & Samajik Industrial Training Center, Nashirabad, Dist-Jalgaon	PR27000441	Pvt	Mass- Tech Controls PVT Ltd, Jalgaon Dist Jalgaon	1/1/2026	12/31/2030	Electrician	3	1	Conversion	Recommended	Recommended
43	Ujjwal Shaikshanik & Samajik Industrial Training Center, Nashirabad, Dist-Jalgaon	PR27000441	Pvt	Delta Engineering Jalgaon Dist Jalgaon	1/1/2026	12/31/2030	Fitter	3	3	Conversion	Recommended	Recommended
44	Ujjwal Shaikshanik & Samajik Industrial Training Center, Nashirabad, Dist-Jalgaon	PR27000441	Pvt	Samrup Engineers, MIDC Area Tal & Dist Jalgaon	1/1/2026	12/31/2030	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
45	Shri Tatyasaheb Arun Bajirao Chaudhari Private ITI At Post Anturli Kh. Tal Erandol Dist Jalgaon	PR27000 918	Pvt	Shradha Polymats,MID C Jalgaon Dist Jalgaon	3/12/ 2026	12/31/ 2030	Fitter	3	1	Conversion	Recommended	Recommended
46	Shri Tatyasaheb Arun Bajirao Chaudhari Private ITI At Post Anturli Kh. Tal Erandol Dist Jalgaon	PR27000 918	Pvt	Shradha Polymats,MID C Jalgaon Dist Jalgaon	3/12/ 2026	12/31/ 2030	Electrician	3	1	Conversion	Recommended	Recommended
47	Shri Tatyasaheb Arun Bajirao Chaudhari Private ITI At Post Anturli Kh. Tal Erandol Dist Jalgaon	PR27000 918	Pvt	Sai Engineers,MID C Area Tal & Dist Jalgaon	3/12/ 2026	12/31/ 2030	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
48	Shri Tatyasaheb Arun Bajirao Chaudhari Private ITI At Post Anturli Kh. Tal Erandol Dist Jalgaon	PR27000 918	Pvt	Sai Engineers,MID C Area Tal & Dist Jalgaon	3/12/ 2026	12/31/ 2030	Welder	3	1	Conversion	Recommended	Recommended
49	Shri Tatyasaheb Arun Bajirao Chaudhari Private ITI At Post Anturli Kh. Tal Erandol Dist Jalgaon	PR27000 918	Pvt	Swami Industries,MID C Area Tal & Dist Jalgaon	3/12/ 2026	12/31/ 2030	Electrician	3	2	Conversion	Recommended	Recommended
50	Mahajan Private ITI,Shriram eregision near pal road post, Tal Raver. Dist Jalgaon 425508	PR27000 936	Pvt	Shri Sai Ram Plastic & Irrigation Pvt Ltd Raver, Nashirabad Tal & Dist jalgaon	3/16/ 2026	12/31/ 2030	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
51	Rajashree Shahu Private ITI Bambhori, Infront of main gate of university, gat.No .181, Bambhori, Tal. Dharangaon, Dist. Jalgaon	PR27000893	Pvt	Star Fabricator, MIDC Aera Dist Jalgaon	3/18/2026	3/17/2029	Fitter	3	1	Conversion	Recommended	Recommended
52	Rajashree Shahu Private ITI Bambhori, Infront of main gate of university, gat.No .181, Bambhori, Tal. Dharangaon, Dist. Jalgaon	PR27000893	Pvt	Star Fabricator, MIDC Aera Dist Jalgaon	3/18/2026	3/17/2029	Electrician	3	1	Conversion	Recommended	Recommended
53	Late. Mandodari Khalane Industrial Training Institute, Chalisgaon Tal. Chalisgaon Dist. Jalgaon	PR27000217	Pvt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajinagar	15.05.2026	14.05.2031	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
54	Late. Mandodari Khalane Industrial Taining Institute,Chaliskaon Tal. Chalisgaon Dist. Jalgaon	PR27000 217	Pvt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajin agar	15.05 .2026	14.05. 2031	Electrician	3	2	Conversion	Recommended	Recommended
55	Late. Mandodari Khalane Industrial Taining Institute,Chaliskaon Tal. Chalisgaon Dist. Jalgaon	PR27000 217	Pvt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajin agar	15.05 .2026	14.05. 2031	Fitter	3	1	Conversion	Recommended	Recommended
56	Late. Mandodari Khalane Industrial Taining Institute,Chaliskaon Tal. Chalisgaon Dist. Jalgaon	PR27000 217	Pvt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajin agar	15.05 .2026	14.05. 2031	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
57	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Kushal Enterprises, Golani Market, Jalgaon Dist Jalgaon	1/1/2027	31/12/2030	Copa	1	1	Conversion	Recommended	Recommended
58	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Bajaj Auto Ltd, Plot No A-1, Near Bajaj Nagar, Waluj Industrial Area, Dist Chhatrapati Sambhajinagar , 431133	1/1/2027	31/12/2030	Fitter	2	1	Conversion	Recommended	Recommended
59	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Bajaj Auto Ltd, Plot No A-1, Near Bajaj Nagar, Waluj Industrial Area, Dist Chhatrapati	1/1/2027	31/12/2030	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				Sambhajinagar , 431133								
60	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Bajaj Auto Ltd, Plot No A-1, Near Bajaj Nagar, Waluj Industrial Area, Dist Chhatrapati Sambhajinagar , 431133	1/1/2027	31/12/2030	Machinist	3	2	Conversion	Recommended	Recommended
61	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Bajaj Auto Ltd, Plot No A-1, Near Bajaj Nagar, Waluj Industrial Area, Dist Chhatrapati Sambhajinagar , 431133	1/1/2027	31/12/2030	Mechanic Motor Vehicle	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
62	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajin agar	1/1/2027	31/12/2030	Refrigeration and Air Conditioner Technician	2	1	Conversion	Recommended	Recommended
63	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Velangi Connectivity Pvt.Ltd. Walunj chh.sambhajin agar	1/1/2027	31/12/2030	Turner	1	4	Conversion	Recommended	Recommended
64	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Star Fabricators,Y-13,MIDC Dist Jalgaon 426003	1/1/2027	31/12/2030	Tool & Die Mould (Press Tool,Jig Fixture)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
65	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Star Fabricators,Y-13,MIDC Dist Jalgaon 426003	1/1/2027	31/12/2030	Tool & Die Mould (Press Tool,Jig Fixture)	2	1	Conversion	Recommended	Recommended
66	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Star Fabricators,Y-13,MIDC Dist Jalgaon 426003	1/1/2027	31/12/2030	Tool & Die Mould (Dies & Mould)	1	1	Conversion	Recommended	Recommended
67	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Star Fabricators,Y-13,MIDC Dist Jalgaon 426003	1/1/2027	31/12/2030	Machinist (Grainder)	1	6	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
68	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Star Fabricators,Y-13,MIDC Dist Jalgaon 426003	1/1/2027	31/12/2030	Machinist (Grainder)	3	2	Conversion	Recommended	Recommended
69	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Chhabhi Electricals Pvt.Ltd., N-66,MIDC, Dist Jalgaon 425003	1/1/2027	31/12/2030	Electrician	1	8	Conversion	Recommended	Recommended
70	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Chhabhi Electricals Pvt.Ltd., N-66,MIDC, Dist Jalgaon 425003	1/1/2027	31/12/2030	Electrician	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
71	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Chhabhi Electricals Pvt.Ltd., N-66,MIDC, Dist Jalgaon 425003	1/1/2027	31/12/2030	Electronics Mechanics	1	3	Conversion	Recommended	Recommended
72	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Pratiksha Engineering Works & Pratiksha Logistics, Gut No 107/4, Plot No 01, Tal Dharangaon Dist. Jalgaon	1/1/2027	31/12/2030	Mechanic Machine Tool Maintenance	1	3	Conversion	Recommended	Recommended
73	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000015	Govt	Pratiksha Engineering Works & Pratiksha Logistics, Gut No 107/4, Plot No 01, Tal Dharangaon Dist. Jalgaon	1/1/2027	31/12/2030	Machinist	3	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
74	Government Industrial Training Institute Jalgaon,National High Way No 6, Dist Jalgaon 425001	GU27000 015	Govt	Jain Irrigation Systems Ltd,Bhambhori , Dist. Jalgaon	1/1/2 027	31/12/ 2030	Machinist	1	8	Conversion	Recommended	Recommended
75	Ekvira Private Industrial Training Institute Erandol dist.Jalgaon	PR27000 932	Pvt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajin agar	4636 1	47118	Electrician	3	1	Conversion	Recommended	Recommended
76	Ekvira Private Industrial Training Institute Erandol dist.Jalgaon	PR27000 932	Pvt	Velangi Connectivity Pvt.Ltd. Walunj Dist chh.sambhajin agar	4636 1	47118	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
77	Ekvira Private Industrial Training Institute Erandol dist.Jalgaon	PR27000932	Pvt	Vithai Weaves Pvt Ltd Pimpalesim Tal Dharangaon Dist jalgaon	5/18/2026	31/06/2028	Electrician	2	1	Conversion	Recommended	Recommended
78	Shantiwan Private Industrial Training Institute, Shewali (DT) Tal.Sakri.dist.Dhule	PR27000969	Pvt	Navkar Motors,Tal Sakari Dist Dhule	46178	46147	Electrician	3	1	Conversion	Recommended	Recommended
79	Shantiwan Private Industrial Training Institute, Shewali (DT) Tal.Sakri.dist.Dhule	PR27000969	Pvt	Navkar Motors,Tal Sakari Dist Dhule	46178	46147	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
80	Samode Private Industrial Training Institute, Samode Tal.Sakri. Dist. Dhule	PR27000801	Pvt	Dwarkadhish Sakhae Karkhana Ltd. Shewage Tal. Satana, Dist. Nashik	46178	47243	Electrician	3	1	Conversion	Recommended	Recommended
81	Samode Private Industrial Training Institute, Samode Tal.Sakri. Dist. Dhule	PR27000801	Pvt	Dwarkadhish Sakhae Karkhana Ltd. Shewage Tal. Satana, Dist. Nashik	46178	47243	Fitter	3	1	Conversion	Recommended	Recommended
82	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Bajaj Sons Limited,Plot No. 31, M.I.D.C. Area, Satpur, Dist Nashik Maharashtra 422 007.	4/20/2026	4/20/2031	Turner	1	11	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
83	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Fortuna Engineering, E-109, MIDC Ambad, Dist Nashik – 422010.	4/24/2026	4/24/2031	Turner	1	10	Conversion	Recommended	Recommended
84	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Fortuna Engineering,E-109, MIDC Ambad, Dist Nashik – 422010.	4/24/2026	4/24/2031	Machinist Grinder	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
85	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Memco Engineering Pvt Ltd,lot No F-5, MIDC, Satpur, Dist Nashik - 422007, Maharashtra.	0-04-2026	4/1/2031	Turner	1	6	Conversion	Recommended	Recommended
86	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Memco Engineering Pvt Ltd,lot No F-5, MIDC, Satpur, Dist Nashik - 422007, Maharashtra.	4/1/2026	4/1/2031	Machinist	1	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
87	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Bosch Limited,Plot No. 75, MIDC Estate, Satpur, Trimbak Road, Dist Nashik - 422007, Maharashtra, India	5/5/2026	5/5/2031	Machinist Grinder	3	2	Conversion	Recommended	Recommended
88	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Bosch Limited,Plot No. 75, MIDC Estate, Satpur, Trimbak Road, Dist Nashik - 422007, Maharashtra, India	5/5/2026	5/5/2031	Mechanic machine tool maintainance	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
89	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Bosch Limited,Plot No. 75, MIDC Estate, Satpur, Trimbak Road, Dist Nashik - 422007, Maharashtra, India	5/5/2026	5/5/2031	Operator Advance Machine Tool	1	3	Conversion	Recommended	Recommended
90	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Genext Precision Autotech Pvt Ltd.,E-20/21, MIDC Satpur Colony, Dist Nashik – 422007.	4/1/2026	4/1/2031	Fitter	2	4	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
91	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Slidewell Meilleur-Tech Pvt Ltd,MIDC Ambad Dist Nashik	4/10/2026	4/10/2031	Fitter	3	1	Conversion	Recommended	Recommended
92	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Gogate Electrosystems Pvt Ltd. A-6, MIDC, Ambad, Dist Nasik 422010,	4/1/2026	4/1/2031	Electronics Mechanic	1	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
93	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Ukay Metal Industries Pvt Ltd. F-139, MIDC Ambad, Dist Nasik, Maharashtra, India. Pin – 422 010.	4/1/2 026	4/1/20 31	Machinist	2	3	Conversion	Recommended	Recommended
94	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Ukay Metal Industries Pvt Ltd. F-139, MIDC Ambad, Dist Nasik, Maharashtra, India. Pin – 422 010.	4/1/2 026	4/1/20 31	Mechanic Refrigeration and Air Conditioner	1	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
95	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Satish Injectoplast Pvt.Ltd. MIDC,Ambad Dist Nashik-422007,Maharashtra.	5/8/2026	5/8/2031	Plastic Processing Operator	3	1	Conversion	Recommended	Recommended
96	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Seva Trucking (Eicher),Vilholi, Dist Nashik, Maharashtra 422010	5/1/2026	5/1/2031	Diesel Mechanic	1	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
97	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Vaibhav Energy Saving Equipments Pvt Ltd. MIDC Ambad, Dist Nashik, Maharashtra 422010	4/1/2026	4/1/2031	Wireman	3	1	Conversion	Recommended	Recommended
98	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000024	Govt	Entraco BKS Bus Ducts Pvt. Ltd. Plot No. D6, Ambad, Dist Nashik, Maharashtra, 422010	20/05/2026	20/05/2031	Wireman	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
99	Swatantryaveer Savarkar Government Industrial Training Institute , Nashik Babubhai Rathi Chowk,MIDC ,Satpur Nashik.- 422007	GR27000 024	Govt	Shan Cars PvtLtd Plot No. E -3, MIDC Satpur ,Dist Nashik 422007	5/7/2 026	5/7/20 31	Motor Mechanic Vehicle	1	2	Conversion	Recommended	Recommended
100	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000 187	Pvt	Fortuna Engineering,E-109, MIDC Ambad, Dist Nashik – 422010.	1/7/2 026	31/07/ 2030	Electrician	1	5	Conversion	Recommended	Recommended
101	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000 187	Pvt	Fortuna Engineering,E-109, MIDC Ambad,Dist Nashik – 422010.	1/7/2 026	31/07/ 2030	Electrician	2	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
102	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000187	Pvt	Fortuna Engineering,E-109, MIDC Ambad, Nashik – 422010.	1/7/2026	31/07/2030	Fitter	1	5	Conversion	Recommended	Recommended
103	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000187	Pvt	Fortuna Engineering,E-109, MIDC Ambad, Dist Nashik – 422010.	1/7/2026	31/07/2030	Fitter	2	5	Conversion	Recommended	Recommended
104	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000187	Pvt	Fortuna Engineering,E-109, MIDC Ambad, Dist Nashik – 422010.	1/7/2026	31/07/2030	Fitter	1	4	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
105	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000187	Pvt	Fortuna Engineering,E-109, MIDC Ambad, Dist Nashik – 422010.	1/7/2026	31/07/2030	Machinist	3	1	Conversion	Recommended	Recommended
106	Late G.S.Varade Private Industrial Training Institute, Muktainagar Dist Jalgaon	PR27000187	Pvt	Ivaan Solar System, Jagaon Dist Jalgaon	1/7/2026	31/07/2030	Welder	1	2	Conversion	Recommended	Recommended
107	Govt ITI Dhule,Old Agra Road, DeopurDist Dhule 424002	GU27000014	Govt	Devraj Electomechanical Services Dhule, NH-03, Mumbai-Agra Road, Awdhan,Dist Dhule	5/5/2026	4/5/2026	Fitter	1	6	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
108	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Agro Industries Ltd. A-38, MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Mechanic Machine Tool Maintenance (NSQF)	3	1	Conversion	Recommended	Recommended
109	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Agro Industries Ltd. A-38, MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Tool & Die Maker (Press Tools, Jigs & Fixtures) (NSQF)	2	2	Conversion	Recommended	Recommended
110	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Agro Industries Ltd. A-38, MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Mechanic (Motor Vehicle) (NSQF)	2	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
111	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	ECE India Energies, F-27, Amravati MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Wireman (NSQF)	3	1	Conversion	Recommended	Recommended
112	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	ECE India Energies, F-27, Amravati MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Electrician (NSQF)	1	3	Conversion	Recommended	Recommended
113	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Electrician (NSQF)	2	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
114	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended
115	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Fitter (NSQF)	3	2	Conversion	Recommended	Recommended
116	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Machinist (NSQF)	1	4	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
117	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Machinist (NSQF)	1	5	Conversion	Recommended	Recommended
118	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Turner (NSQF)	1	3	Conversion	Recommended	Recommended
119	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Gears Ltd. D-9/2,10,11, MIDC Area,Dist Amravati	01.08.2026	31.07.2030	Turner (NSQF)	2	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
120	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Shankar Refrigeration and Engineering A-20, MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Refrigeration and Air Conditioning Technician(NSQF)	2	2	Conversion	Recommended	Recommended
121	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Steel Alloys A-81, MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Machinist (Grinder) (NSQF)	3	1	Conversion	Recommended	Recommended
122	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	Jadhao Steel Alloys A-81, MIDC Area, Dist Amravati	01.08.2026	31.07.2030	Foundryman (NSQF)	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
123	Govt. I.T.I. Amravati,Morshi Road, Dist Amravati 444603	GR27000013	Govt	GUKSS Industries, D-23/2, Opposite Paturkar Plastic, MIDC, Dist Amravati	01.08.2026	31.07.2030	Welder (NSQF)	1	1	Conversion	Recommended	Recommended
124	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000012	Govt	VISHWANATH ENGG. MIDC PHASE, SHIVNI,Dist AKOLA	30/4/26	31/7/30	Fitter	1	2	Conversion	Recommended	Recommended
125	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000012	Govt	SAINATH AGRO ENGG. MIDC PHASE, SHIVNI, AKOLA	1/8/2029	31/7/30	Machinist	1	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
126	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000012	Govt	SAINATH AGRO ENGG. MIDC PHASE, SHIVNI, AKOLA	1/8/2029	31/7/30	Machinist	1	6	Conversion	Recommended	Recommended
127	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000012	Govt	Maharashtra State Road Transport Corporation, Akola Dist Akola	1/8/2026	31/7/30	Mechanic Motor Vehicle	3	1	Conversion	Recommended	Recommended
128	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal	GR27000012	Govt	Maharashtra State Road Transport Corporation, Akola Dist Akola	1/8/2026	31/7/30	Refrigeration and Air Condition Technician	1	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
	Plot , Dist Akola 444001											
129	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000 012	Govt	Baba Agro,MIDC Kumbhari Dist Akola	8/1/2 026	31/7/3 0	TURNER	1	6	Conversion	Recommended	Recommended
130	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000 012	Govt	Baba Agro,MIDC Kumbhari Dist Akola	8/1/2 026	31/7/3 0	TURNER	1	5	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
131	Samrat Chandragupta Mourya Govt. Industrial Training Institute, Akola,Ratanlal Plot , Dist Akola 444001	GR27000 012	Govt	Maharashtra State Road Transport Corporation, Akola Dist Akola	1/8/2 026	31.07. 2030	Welder	1	3	Conversion	Recommended	Recommended
132	Vidyabharti ITI, Camp Amravati,C.K.Naidu Road Camp Dist Amravati 444602	PR27000 511	Pvt	Senger Industries,MID C Amravati Dist Amravati	30/3/ 26	31/7/3 1	Fitter	3	1	Conversion	Recommended	Recommended
133	Vidyabharti ITI, Camp Amravati,C.K.Naidu Road Camp Dist Amravati 444602	PR27000 511	Pvt	Senger Industries,MID C Amravati Dist Amravati	30/3/ 26	31/7/3 1	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
134	Vidyabharti ITI, Camp Amravati,C.K.Naidu Road Camp Dist Amravati 444602	PR27000511	Pvt	Sunseed Power Pvt Ltd, plot No 48 Govind Park Amravati Dist Amravati	30/3/26	31/7/31	Electrician	3	1	Conversion	Recommended	Recommended
135	Vidyabharti ITI, Camp Amravati,C.K.Naidu Road Camp Dist Amravati 444602	PR27000511	Pvt	Sunseed Power Pvt Ltd, plot No 48 Govind Park Amravati Dist Amravati	30/3/26	31/7/31	Electrician	3	2	Conversion	Recommended	Recommended
136	Vidyabharti ITI, Camp Amravati,C.K.Naidu Road Camp Dist Amravati 444602	PR27000511	Pvt	Aspa Bandson Auto Pvt Ltd, Badnera Road Dist Amravati	30/3/26	31/7/31	MMV	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
137	Vidyabharti ITI, Camp Amravati, C.K. Naidu Road Camp Dist Amravati 444602	PR27000511	Pvt	Raj Enterprises, Opp Ekta Jewelers, Jaystambha chowk Dist Amravati	30/3/26	31/7/31	Refrigeration and Air Conditioning Technician	3	1	Conversion	Recommended	Recommended
138	Vidyabharti ITI, Camp Amravati, C.K. Naidu Road Camp Dist Amravati 444602	PR27000511	Pvt	Yash Engineering , VMV Road Dist Amravati	28/3/26	31/7/31	Wiremen	3	1	Conversion	Recommended	Recommended
139	Vidyabharti ITI, Camp Amravati, C.K. Naidu Road Camp Dist Amravati 444602	PR27000511	Pvt	Senger Industries, MID C Amravati Dist Amravati	30/3/26	31/7/31	Welder	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
140	AnS Infovally ITI Khamgaon At. Post Chandmari Chowk, Shelodi Road Tal Khamgaon Dist Buldhana	PR27000773	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar,MIDC Shendra Dist Chh Sambhaji Nagar	25/3/26	30/8/28	Electrician	3	1	Conversion	Recommended	Recommended
141	AnS Infovally ITI Khamgaon At. Post Chandmari Chowk, Shelodi Road Tal Khamgaon Dist Buldhana	PR27000773	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar	25/3/26	30/8/28	Electrician	3	2	Conversion	Recommended	Recommended
142	AnS Infovally ITI Khamgaon At. Post Chandmari Chowk, Shelodi Road Tal Khamgaon Dist Buldhana	PR27000773	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar	25/3/26	30/8/28	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
143	AnS Infovally ITI Khamgaon At. Post Chandmari Chowk, Shelodi Road Tal Khamgaon Dist Buldhana	PR27000773	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar,MIDC Shendra Dist Chh Sambhaji Nagar	25/3/26	30/8/28	Welder	3	1	Conversion	Recommended	Recommended
144	AnS Infovally ITI Khamgaon At. Post Chandmari Chowk, Shelodi Road Tal Khamgaon Dist Buldhana	PR27000773	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar	25/3/26	30/8/28	Wiremen	3	1	Conversion	Recommended	Recommended
145	Vidyaniketan Private Industrial Training Center,Takerkhe da Road,Taluka-Anjangaon Surji,Dist-Amravati	PR27000879	Pvt	Utsav Cotton Industries, Aivjapur, Paratwada Anjangaon Raod Tal Anjangaon Surji Dist Amravati	18/4/26	31/7/29	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
146	Vidyaniketan Private Industrial Training Center,Takerkhe da Road,Taluka-Anjangaon Surji,Dist-Amravati	PR27000879	Pvt	Utsav Cotton Industries, Aivjapur, Paratwada Anjangaon Raod Tal Anjangaon Surji Dist Amravati	18/4/26	31/7/29	Electrician	3	2	Conversion	Recommended	Recommended
147	Vidyaniketan Private Industrial Training Center,Takerkhe da Road,Taluka-Anjangaon Surji,Dist-Amravati	PR27000879	Pvt	Utsav Cotton Industries, Aivjapur, Paratwada Anjangaon Raod Tal Anjangaon Surji Dist Amravati	18/4/26	31/7/29	Fitter	3	1	Conversion	Recommended	Recommended
148	Vidyaniketan Private Industrial Training Center,Takerkhe da Road,Taluka-Anjangaon Surji,Dist-Amravati	PR27000879	Pvt	Utsav Cotton Industries, Aivjapur, Paratwada Anjangaon Raod Tal Anjangaon	18/4/26	31/7/29	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				Surji Dist Amravati								
149	S.L. Pvt. Industrial Training Institute, Badnera, Dist: Amravati.	PR27000877	Pvt	Jadhav Gear Ltd, MIDC Area, Dist Amravati	1/8/2026	31/07/2030	Electrician	3	1	Conversion	Recommended	Recommended
150	S.L. Pvt. Industrial Training Institute, Badnera, Dist: Amravati.	PR27000877	Pvt	Jadhav Gear Ltd, MIDC Area, Dist Amravati	1/8/2026	31/07/2030	Fitter	3	1	Conversion	Recommended	Recommended
151	S.L. Pvt. Industrial Training Institute, Badnera, Dist: Amravati.	PR27000877	Pvt	JPS MOTO CORP LLP(KIA Vehicals WS) Badnera Road Dist Amravati.	1/8/2026	31/07/2030	Mechanic Diesel	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
152	S.L. Pvt. Industrial Training Institute, Badnera, Dist: Amravati.	PR27000 877	Pvt	Starka Innovative system Pvt, Ltd,MIDC Area Dist Amravati	1/8/2 026	31/07/ 2030	Electrician	3	2	Conversion	Recommended	Recommended
153	Smt. Kamlabai Deshmukh iti Kanheri Sarap Tq.Barshitakli Dist.Akola	PR27000 971	Pvt	Heramb Industries,New Osmanpura Dist Chatrapati SmabhajiNagar	9/4/2 026	31/7/2 029	Electrician	3	1	Conversion	Recommended	Recommended
154	Smt. Kamlabai Deshmukh iti Kanheri Sarap Tq.Barshitakli Dist.Akola	PR27000 971	Pvt	Heramb Industries,New Osmanpura Dist Chatrapati SmabhajiNagar	9/4/2 026	31/7/2 029	Fitter	3	1	Conversion	Recommended	Recommended
155	Smt. Kamlabai Deshmukh iti Kanheri Sarap Tq.Barshitakli Dist.Akola	PR27000 971	Pvt	Heramb Industries,New Osmanpura Dist Chatrapati SmabhajiNagar	9/4/2 026	31/7/2 029	Wireman	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
156	New Citizen PVT ITI, Buldhana, Bhadech Layout Malkapur Road,Dist Buldhana	PU27000883	Pvt	Skyinfinity Electron Pvt LTD,Tal Khamgaon Dist Buldhana	05.06.2026	31/7/2030	Electrician	3	1	Conversion	Recommended	Recommended
157	New Citizen PVT ITI, Buldhana, Bhadech Layout Malkapur Road,Dist Buldhana	PU27000883	Pvt	Skyinfinity Electron Pvt LTD,Tal Khamgaon Dist Buldhana	05.06.2026	31/7/2030	Electrician	3	2	Conversion	Recommended	Recommended
158	New Citizen PVT ITI, Buldhana, Bhadech Layout Malkapur ROAD,Dist Buldhana	PU27000883	Pvt	Skyinfinity Electron Pvt LTD,Tal Khamgaon Dist Buldhana	05.06.2026	31/7/2030	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
159	Pimplod education society pimplod, private Industrial Training Institute ,At Post-Babhali Daryapur Ta-Daryapur Distamravati	PR27000775	Pvt	YASH ENGINEERING,Plot No-14 MIDC Dist Amravati	23/3/2026	31/7/29	Electrician	3	1	Conversion	Recommended	Recommended
160	Pimplod education society pimplod, private Industrial Training Institute ,At Post-Babhali Daryapur Ta-Daryapur Distamravati	PR27000775	Pvt	YASH ENGINEERING,Plot No-14 MIDC Dist Amravati	23/3/2026	31/7/29	Electrician	3	2	Conversion	Recommended	Recommended
161	Vishwa Kaushalya Skill And Empowerment pVT iti near kadriya college,vishwash nagar,chikhali	PU27000917	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar,MIDC Shendra Dist	5/13/2026	31/7/2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
	Road , Dist Buldhana			Chh Sambhaji Nagar								
162	Vishwa Kaushalya Skill And Empowerment Pvt ITI Near Kadriya College,Vishwas h Nagar,Chikhali Road , Dist Buldhana	PU27000 917	Pvt	Dhoot transmission pvt ltd,MIDC Shendra Dist Chh Sambhaji Nagar,MIDC Shendra Dist Chh Sambhaji Nagar	5/13/ 2026	31/7/2 030	Electrician	3	2	Conversion	Recommended	Recommended
163	Samruddhi Private Industrial Traning Institute Buldhana At Jamrun Tal & Dist Buldhana	PR27000 951	Pvt	KONARK TRANSFORM ERS,Risod Road, Dist Washim	8/5/2 026	31/7/2 030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
164	Samruddhi Private Industrial Training Institute Buldhana At Jamrun Tal & Dist Buldhana	PR27000951	Pvt	Konark Transformers, Risod Road, Dist Washim	8/5/2026	31/7/2030	Electrician	3	2	Conversion	Recommended	Recommended
165	Samruddhi Private Industrial Training Institute Buldhana At Jamrun Tal & Dist Buldhana	PR27000951	Pvt	Konark Transformers, Risod Road, Dist Washim	8/5/2026	31/7/2030	FITTER	3	1	Conversion	Recommended	Recommended
166	Government Industrial Training Institute, Khed Rajgurunagar Dist Pune.	GR27000359	Govt	Bajaj Auto Ltd, Chakan, Pune-410501	05.08.2025	05.08.2027	Electrician (NSQF)	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
167	Government Industrial Training Institute, Khed Rajgurunagar Dist Pune.	GR27000359	Govt	Bajaj Auto Ltd, Chakan, Pune-410501	05.08.2025	05.08.2027	Electronics Mechanic (NSQF)	2	1	Conversion	Recommended	Recommended
168	Government Industrial Training Institute, Khed Rajgurunagar Dist Pune.	GR27000359	Govt	Bajaj Auto Ltd, Chakan, Pune-410501	05.08.2025	05.08.2027	Machinist (NSQF)	1	1	Conversion	Recommended	Recommended
169	Government Industrial Training Institute, Khed Rajgurunagar Dist Pune.	GR27000359	Govt	Bajaj Auto Ltd, Chakan, Pune-410501	05.08.2025	05.08.2027	Fitter (NSQF)	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
170	Government Industrial Training Institute, Ghodegaon. Dist Pune.	GR27000 227	Govt	Bajaj Auto Ltd, Chakan, Pune-410501	05.08 .2025	05.08. 2027	Fitter (NSQF)	2	1	Conversion	Recommended	Recommended
171	Government Industrial Training Institute, Ghodegaon. Dist Pune.	GR27000 227	Govt	Bajaj Auto Ltd, Chakan, Pune-410501	05.08 .2025	05.08. 2027	Electronics Mechanic (NSQF)	1	1	Conversion	Recommended	Recommended
172	Government Industrial Training Institute, Pimparti Chinchwad. Dist Pune.	GU27000 066	Govt	Thernax Ltd RD Aga Road, Chinchwad Dist Pune	07.07 .2025	30/07/ 2030	Welder (NSQF)	1	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
173	Y.D. Mane Institute Of Technology Private Industrial Training Institute, Kagal, Tal: Kagal, Dist: Kolhapur	PU27000 972	Pvt	Sarsenapati Santaji Ghorpade Sugar Factory, Belewadi, Kalamma. Dist. Kolhapur	07.05 .2026	07.05. 2031	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
174	Y.D. Mane Institute Of Technology Private Industrial Training Institute, Kagal, Tal: Kagal, Dist: Kolhapur	PU27000 972	Pvt	Sarsenapati Santaji Ghorpade Sugar Factory, Belewadi, Kalamma. Dist. Kolhapur	07.05 .2026	07.05. 2031	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended
175	Y.D. Mane Institute Of Technology Private Industrial Training Institute, Kagal, Tal: Kagal, Dist: Kolhapur	PU27000 972	Pvt	Sarsenapati Santaji Ghorpade Sugar Factory, Belewadi, Kalamma. Dist. Kolhapur	07.05 .2026	07.05. 2031	Draughtsman Civil (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
176	Aditya Private Industrial Training Institute, Kondhapuri, Tal. Shirur, Dist. Pune	PU27000882	Pvt	Starion India PVT Ltd, MIDC Ranjangaon. Dist. Pune	14.05.2026	14.05.2029	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
177	Aditya Private Industrial Training Institute, Kondhapuri, Tal. Shirur, Dist. Pune	PU27000882	Pvt	Starion India PVT Ltd, MIDC Ranjangaon. Dist. Pune	14.05.2026	14.05.2029	Electrician (NSQF)	3	2	Conversion	Recommended	Recommended
178	ADITYA PRIVATE INDUSTRIAL TRAINING INSTITUTE, KONDHAPURI, TAL. SHIRUR, DIST. PUNE	PU27000882	Pvt	Starion India PVT Ltd, MIDC Ranjangaon. Dist. Pune	14.05.2026	14.05.2029	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
179	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, AUNDH PUNE, DIST: PUNE	GU27000009	Govt	Minda Corporation Ltd, Savardari. Dist. Pune.410501	08.05.2026	08.05.2030	Electrician (NSQF)	1	4	Conversion	Recommended	Recommended
180	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, AUNDH PUNE, DIST: PUNE	GU27000009	Govt	Minda Corporation Ltd, Savardari. Dist. Pune.410501	08.05.2026	08.05.2030	Electrician (NSQF)	1	5	Conversion	Recommended	Recommended
181	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Minda Corporation Ltd, Savardari. Dist. Pune.410501	08.05.2026	08.05.2030	Wireman (NSQF)	2	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
182	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000 009	Govt	Minda Corporation Ltd, Savardari. Dist. Pune.410501	08.05 .2026	08.05. 2030	Mechanic Auto Electrical and Electronics (NSQF)	2	1	Conversion	Recommended	Recommended
183	Shri Datta Private Industrial Training Institute, Shirol, Tal: Shirol, Dist: Kolhapur	PR27000 273	Pvt	Shree Datta Shetkari Sahakari Sakhar Karkhana, Dattanagar. Dist. Kolhapur	05.05 .2026	04.05. 2051	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
184	Shri Datta Private Industrial Training Institute, Shirol, Tal: Shirol, Dist: Kolhapur	PR27000 273	Pvt	Shree Datta Shetkari Sahakari Sakhar Karkhana, Dattanagar. Dist. Kolhapur	05.05 .2026	04.05. 2051	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
185	Shri Datta Private Industrial Training Institute, Shirol, Tal: Shirol, Dist: Kolhapur	PR27000 273	Pvt	Shree Datta Shetkari Sahakari Sakhar Karkhana, Dattanagar. Dist. Kolhapur	05.05 .2026	04.05. 2051	Mechanic Motor Vehicle (NSQF)	3	1	Conversion	Recommended	Recommended
186	Major Anandrao Ghatge Private Industrial Training Institute, Vhanali, Tal: Kagal, Dist: Kolhapur	PR27000 663	Pvt	Annapurna Sugar & Jaggery Work Ltd. Kenawade. Dist. Kolhapur	05.05 .2026	31.07. 2036	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
187	Camp Education Society's Private Industrial Training Institute, Nigdi, Tal: Haveli, Dist: Pune	PR27000 163	Pvt	Suman Electrical, Chakan. Dist. Pune	01.08 .2026	31.07. 2031	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
188	All India Shri Shivaji Memorial Society's Private Industrial Training Institute, Boribhadak, Tal: Daund, Dist: Pune	PR27000193	Pvt	Sarvadny Electrotech Pvt. Ltd., Kolwadi.Tal Haveli Dist. Pune	01.08.2026	31.07.2031	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
189	All india shri shivaji memorial society's private industrial training institute, boribhadak, tal: daund, dist: pune	PR27000193	Pvt	Sarvadny Electrotech Pvt. Ltd., Kolwadi.Tal Haveli Dist. Pune	01.08.2026	31.07.2031	Electrician (NSQF)	3	2	Conversion	Recommended	Recommended
190	All india shri shivaji memorial society's private industrial training institute, boribhadak, tal: daund, dist: pune	PR27000193	Pvt	Nirmitee Enterprises, Narayan Peth, Pune. Dist. Pune	01.08.2026	31.07.2031	Refrigeration and Air Conditioner Technician (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
191	Jay shivaray education society murgud's private industrial training institute, sadashivnagar, (hamidwada)tal: kagal, dist: kolhapur	PR27000 564	Pvt	Loknete Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd. Sadashivnagar. Dist. Pune	09.05 .2026	08.05. 2050	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
192	Jay shivaray education society murgud's private industrial training institute, sadashivnagar, (hamidwada)tal: kagal, dist: kolhapur	PR27000 564	Pvt	Loknete Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd. Sadashivnagar. Dist. Pune	09.05 .2026	08.05. 2050	Welder (NSQF)	3	1	Conversion	Recommended	Recommended
193	Jay shivaray education society murgud's private industrial training institute, sadashivnagar, (hamidwada)tal:	PR27000 564	Pvt	Loknete Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd.	09.05 .2026	08.05. 2050	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
	kagal, dist: kolhapur			Sadashivnagar. Dist. Pune								
194	Jay shivaray education society murgud's private industrial training institute, sadashivnagar, (hamidwada)tal: kagal, dist: kolhapur	PR27000 564	Pvt	Loknete Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd. Sadashivnagar. Dist. Pune	09.05 .2026	08.05. 2050	Draughtsman Mechanical (NSQF)	3	1	Conversion	Recommended	Recommended
195	Shri.k.s.chougule private industrial training institute, malwadi-kotoli, tal: panhala, dist: kolhapur	PR27000 665	Pvt	Shreekrishna Agridiet Limited, Kolhapur. Dist. Kolhapur	06.05 .2026	06.05. 2029	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
196	Shree siddhivinayak private industrial training institute, nartawade, tal: radhanagari, dist: kolhapur	PR27001002	Pvt	Robostroms Technology , Tarabaipark Kolhapur. Dist. Kolhapur	07.05.2026	09.05.2028	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
197	Shree siddhivinayak private industrial training institute, nartawade, tal: radhanagari, dist: kolhapur	PR27001002	Pvt	Robostroms Technology , Tarabaipark Kolhapur. Dist. Kolhapur	07.05.2026	09.05.2028	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended
198	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000021	Govt	MeNon Alkop Ltd, Tal Kagal. Dist. Kolhapur	01.08.2026	31.07.2029	Fitter (NSQF)	1	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
199	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000021	Govt	MeNon Alkop Ltd, Tal Kagal. Dist. Kolhapur	01.08.2026	31.07.2029	Machinist (NSQF)	3	1	Conversion	Recommended	Recommended
200	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000021	Govt	MeNon Alkop Ltd, Tal Kagal. Dist. Kolhapur	01.08.2026	31.07.2029	Turner (NSQF)	3	1	Conversion	Recommended	Recommended
201	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000021	Govt	MeNon Alkop Ltd, Tal Kagal. Dist. Kolhapur	01.08.2026	31.07.2029	Machinist Grinder (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
202	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000 021	Govt	MeNon Bearings Ltd, Gokul Shirgaon. Dist. Kolhapur	01.08 .2026	31.07. 2029	Fitter (NSQF)	1	6	Conversion	Recommended	Recommended
203	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000 021	Govt	MeNon Bearings Ltd, Gokul Shirgaon. Dist. Kolhapur	01.08 .2026	31.07. 2029	Machinist (NSQF)	3	2	Conversion	Recommended	Recommended
204	Government industrial training institute, kolhapur, tal: karvir, dist: kolhapur	GU27000 021	Govt	MeNon Bearings Ltd, Gokul Shirgaon. Dist. Kolhapur	01.08 .2026	31.07. 2029	Turner (NSQF)	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
205	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Computer Operator and Programming Assistant (NSQF)	1	2	Conversion	Recommended	Recommended
206	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
207	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
208	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Machinist (NSQF)	3	1	Conversion	Recommended	Recommended
209	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Machinist (NSQF)	3	2	Conversion	Recommended	Recommended
210	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Machinist Grinder (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
211	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Machinist Grinder (NSQF)	2	3	Conversion	Recommended	Recommended
212	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Mechanic Machine Tool Maintenance (NSQF)	1	3	Conversion	Recommended	Recommended
213	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Turner (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
214	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Turner (NSQF)	3	2	Conversion	Recommended	Recommended
215	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Turner (NSQF)	1	3	Conversion	Recommended	Recommended
216	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05.2026	06.05.2029	Welder (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
217	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000 029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Wireman (NSQF)	3	1	Conversion	Recommended	Recommended
218	Government industrial training institute, sangli, tal: miraj, dist: sangli	GU27000 029	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Wireman (NSQF)	3	2	Conversion	Recommended	Recommended
219	Janata shikshan mandal private industrial training institute, arjunnagar, dist. Kolhapur	PR27000 845	Pvt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
220	Janata shikshan mandal private industrial training institute, arjunnagar, dist. Kolhapur	PR27000 845	Pvt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended
221	Government industrial training institute, pimparti chinchwad. Dist pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
222	Government industrial training institute, pimparti chinchwad. Dist pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Machinist (NSQF)	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
223	Government industrial training institute, pimparti chinchwad. Dist pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Fitter (NSQF)	1	2	Conversion	Recommended	Recommended
224	Government industrial training institute, pimparti chinchwad. Dist pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Machinist Grinder (NSQF)	1	2	Conversion	Recommended	Recommended
225	Government industrial training institute, pimparti chinchwad. Dist pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Operator Advance Machine Tool (NSQF)	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
226	Government Industrial Training Institute, Pimparti Chinchwad. Dist Pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Sheet Metal Worker (NSQF)	3	1	Conversion	Recommended	Recommended
227	Government Industrial Training Institute, Pimparti Chinchwad. Dist Pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Turner (NSQF)	1	1	Conversion	Recommended	Recommended
228	Government Industrial Training Institute, Pimparti Chinchwad. Dist Pune.	GU27000 066	Govt	Shri Datta India Pvt. Ltd., Sangli. Dist. Sangli	07.05 .2026	06.05. 2029	Welder (GMAW and GTAW) (NSQF)	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
229	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000 009	Govt	Renu Enterprises, MaNoharnagar , Chinchwad, Pune. Dist. Pune	21.05 .2026	21.05. 2031	Electronics Mechanic (NSQF)	2	2	Conversion	Recommended	Recommended
230	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Shri. Siddheshwar Sahakari Sakhar Karkhana, Kumthe, Dist. Solapur.	18.05 .2026	17.05. 2030	Electrician (NSQF)	1	5	Conversion	Recommended	Recommended
231	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Shri. Siddheshwar Sahakari Sakhar Karkhana, Kumthe, Dist. Solapur.	18.05 .2026	17.05. 2030	Wireman (NSQF)	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
232	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Linit ExportsLtd, MIDC Chincholi, Solapur. Dist. Solapur	15.05 .2026	14.05. 2030	Machinist (NSQF)	1	4	Conversion	Recommended	Recommended
233	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Linit ExportsLtd, MIDC Chincholi, Solapur. Dist. Solapur	15.05 .2026	14.05. 2030	Mechanic Machine Tool Maintenance (NSQF)	1	1	Conversion	Recommended	Recommended
234	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Laxmi Drucken, MIDC Chincholi, Solapur. Dist. Solapur	17.05 .2026	16.05. 2030	Turner (NSQF)	1	6	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
235	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Laxmi Hydraulics,MI DC Chincholi, Solapur. Dist. Solapur	18.05 .2026	17.05. 2030	Electrician (NSQF)	1	6	Conversion	Recommended	Recommended
236	Government Industrial Training Institute, Solapur, Tal: North Solapur, Dist: Solapur	GR27000 022	Govt	Laxmi Hydraulics,MI DC Chincholi, Solapur. Dist. Solapur	18.05 .2026	17.05. 2030	Operator Advance Machine Tool (NSQF)	3	1	Conversion	Recommended	Recommended
237	Government Industrial Training Institute, (Adivasi), Manikdoh, Tal: Junnar, Dist: Pune	GR27000 059	Govt	Bajaj Auto Ltd, Akurdi, Pune. Dist. Pune	1.08. 2026	31.07. 2029	Mechanic Motor Vehicle (NSQF)	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
238	Government Industrial Training Institute, (Adivasi), Manikdoh, Tal: Junnar, Dist: Pune	GR27000059	Govt	Bajaj Auto Ltd, Akurdi, Pune. Dist. Pune	1.08.2026	31.07.2029	Mechanic Machine Tool Maintenance (NSQF)	1	1	Conversion	Recommended	Recommended
239	Government Industrial Training Institute, (Adivasi), Manikdoh, Tal: Junnar, Dist: Pune	GR27000059	Govt	Bajaj Auto Ltd, Akurdi, Pune. Dist. Pune	1.08.2026	31.07.2029	Painter General (NSQF)	1	3	Conversion	Recommended	Recommended
240	Government Industrial Training Institute, (Adivasi), Manikdoh, Tal: Junnar, Dist: Pune	GR27000059	Govt	Bajaj Auto Ltd, Akurdi, Pune. Dist. Pune	1.08.2026	31.07.2029	Mechanic Diesel (NSQF)	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
241	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Mechanic Diesel (NSQF)	1	5	Conversion	Recommended	Recommended
242	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Machinist (Grinder) (NSQF)	2	2	Conversion	Recommended	Recommended
243	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Machinist (Grinder) (NSQF)	1	4	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
244	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Fitter (NSQF)	3	1	Conversion	Recommended	Recommended
245	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Fitter (NSQF)	3	2	Conversion	Recommended	Recommended
246	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Fitter (NSQF)	3	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
247	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Machinist (NSQF)	1	6	Conversion	Recommended	Recommended
248	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Machinist (NSQF)	3	1	Conversion	Recommended	Recommended
249	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Machinist (NSQF)	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
250	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Machinist (NSQF)	3	3	Conversion	Recommended	Recommended
251	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Mechanic Machine Tool Maintenance (NSQF)	1	2	Conversion	Recommended	Recommended
252	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Tool & Die Maker (Dies & Moulds) (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
253	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Tool & Die Maker (Press Tools, Jigs & Fixtures) (NSQF)	3	1	Conversion	Recommended	Recommended
254	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Turner (NSQF)	1	3	Conversion	Recommended	Recommended
255	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Turner (NSQF)	2	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
256	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Mechanic (Motor Vehicle) (NSQF)	1	3	Conversion	Recommended	Recommended
257	Government Industrial Training Institute, Aundh Pune, Dist: Pune	GU27000009	Govt	Bajaj Auto Ltd, Akurdi & Chakan, Pune. Dist. Pune	27.05.2026	26.05.2031	Painter General (NSQF)	1	1	Conversion	Recommended	Recommended
258	Government Industrial Training Institute, Kolhapur, Tal: Karvir, Dist: Kolhapur	GU27000021	Govt	Aircon Engineers & Services, Ujlaiwadi, Kolhapur. Dist. Kolhapur	01.08.2026	31.07.2029	Refrigeration and Air Conditioner Technician (NSQF)	1	3	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
259	Government Industrial Training Institute, Kolhapur, Tal: Karvir, Dist: Kolhapur	GU27000 021	Govt	Mayura Global, 5 Star MIDC, Kagal. Dist. Kolhapur	01.08 .2026	31.07. 2029	Turner (NSQF)	3	3	Conversion	Recommended	Recommended
260	Government Industrial Training Institute, Kolhapur, Tal: Karvir, Dist: Kolhapur	GU27000 021	Govt	Mohan Auto Industries Pvt. Ltd., 517 E Old P-B Road, GPT Complex, Kolhapur. Dist. Kolhapur	01.08 .2026	31.07. 2029	Electrician (NSQF)	3	1	Conversion	Recommended	Recommended
261	Government Industrial Training Institute, Kolhapur, Tal: Karvir, Dist: Kolhapur	GU27000 021	Govt	Mohan Auto Industries Pvt. Ltd., 517 E Old P-B Road, GPT Complex, Kolhapur. Dist. Kolhapur	01.08 .2026	31.07. 2029	Mechanic Motor Vehicle (NSQF)	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
262	Government Industrial Training Institute, Kolhapur, Tal: Karvir, Dist: Kolhapur	GU27000 021	Govt	Marvelous Engineers Pvt. Ltd., F/13/8, 5 Star MIDC Kagal. Dist. Kolhapur	01.08 .2026	31.07. 2029	Machinist (NSQF)	3	3	Conversion	Recommended	Recommended
263	Government Industrial Training Institute, Kolhapur, Tal: Karvir, Dist: Kolhapur	GU27000 021	Govt	MeNon Bearings Ltd. G-1, M.I.D.C., Gokul Shirgaon, Dist. Kolhapur	01.08 .2026	31.07. 2029	Mechanic Machine Tool Maintenance (NSQF)	1	2	Conversion	Recommended	Recommended
264	Mining Pvt Iti Tudaka, Tal- Tumsar Dist- Bhandara	PR27000 897	Pvt	5 S Industry, Electronic Zone MIDC Aera, Hingna Road Dist Nagpur	3/13/ 2026	7/31/2 030	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
265	Mining Pvt Iti Tudaka,Tal-Tumsar Dist-Bhandara	PR27000897	Pvt	5 S Industry, Electronic Zone MIDC Aera, Hingna Road Dist Nagpur	3/13/2026	7/31/2030	Fitter	3	2	Conversion	Recommended	Recommended
266	Mining Pvt Iti Tudaka,Tal-Tumsar Dist-Bhandara	PR27000897	Pvt	SUMAN MINERALS, katebhamni Tal Mohadi Dist Bhandra	3/13/2026	7/31/2030	Electrician	3	1	Conversion	Recommended	Recommended
267	Mining Pvt Iti Tudaka,Tal-Tumsar Dist-Bhandara	PR27000897	Pvt	SUMAN MINERALS, katebhamni Tal Mohadi Dist Bhandra	3/13/2026	7/31/2030	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
268	Sairam Pvt Iti, Bhandara,Mahal Ward Near Pande Mahal Tal & Dist Bhandara	PR27000673	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	46108	47695	Electricain	3	1	Conversion	Recommended	Recommended
269	Sairam Pvt Iti, Bhandara,Mahal Ward Near Pande Mahal Tal & Dist Bhandara	PR27000673	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	46108	47695	Electricain	3	2	Conversion	Recommended	Recommended
270	Sairam Pvt Iti, Bhandara,Mahal Ward Near Pande Mahal Tal & Dist Bhandara	PR27000673	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	46108	47695	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
271	Prakashbhau Uamthe Pvt Industrial Training Institute ,Grmasewak Colony,Behind St Satand Tal & Dist Bhandara	PR27000 802	Pvt	SAI ENTERPRISE S PLOT NO. B-17 RAJEGAON MIDC Dist NAGPUR	4610 1	47695	Electrician	3	1	Conversion	Recommended	Recommended
272	Prakashbhau Uamthe Pvt Industrial Training Institute ,Grmasewak Colony,Behind St Satand Tal & Dist Bhandara	PR27000 802	Pvt	SAI ENTERPRISE S PLOT NO. B-17 RAJEGAON MIDC Dist NAGPUR	4610 1	47695	Fitter	3	1	Conversion	Recommended	Recommended
273	Sai Industrial Traning Institute,Building No9/1b, Seat No. 8a, Mor Market, Bajaj Nagar, Tumsar, Tah. Tumsar, Dist. Bhandara	PU27000 889	Pvt	M/s. SANDIP MINARALS, Po.Gobarwahi, Tal Tumsar Dist Bhandara	16 03.20 26	47695	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
274	Sai Industrial Training Institute,Building No9/1B, Seat No. 8A, Mor Market, Bajaj Nagar, Tumsar, Tah. Tumsar, Dist. Bhandara	PU27000889	Pvt	M/s. Sandip Minarals, Po.Gobarwahi, Tal Tumsar Dist Bhandara	16 03.20 26	47695	Fitter	3	1	Conversion	Recommended	Recommended
275	New Tulsi Iti, Bajaj Nagar, Tumsar Near Advocate Pramod Iame's House,Bajaj Nagar,Tumsar Dist Bhandara 441912	PU27000887	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	30/03 /2026	47695	Fitter	3	1	Conversion	Recommended	Recommended
276	New Tulsi Iti, Bajaj Nagar, Tumsar Near Advocate Pramod Iame's House,Bajaj Nagar,Tumsar	PU27000887	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	30/03 /2026	47695	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
	Dist Bhandara 441912											
277	Tulsi Private Iti,Petrol-Pump (Thana), Jawaharnagar, National Highway-6 Tal & Dist Bhandara	Pr27000808	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	30/03/2026	47695	Fitter	3	1	Conversion	Recommended	Recommended
278	Tulsi Private Iti,Petrol-Pump (Thana), Jawaharnagar, National Highway-6 Tal & Dist Bhandara	Pr27000808	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	30/03/2026	47695	Electrician	3	1	Conversion	Recommended	Recommended
279	Dhananjay Tirpude Pvt. Industrial Training Institute, Sawari/ Lakhani, Ta-Lakhani, Dist-Bhandara	Pr27000924	Pvt	Precision Turncomponents Pvt. Limited,Hingna Midc Area Dist Nagpur	13/03/2026	31/07/2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
280	Dhananjay Tirpude Pvt. Industrial Training Institute, Sawari/ Lakhani, Ta- Lakhani, Dist- Bhandara	Pr270009 24	Pvt	Precision Turncomponents Pvt. Limited,Hingna Midc Area Dist Nagpur	13/03 /2026	31/07/ 2030	Fitter	3	1	Conversion	Recommended	Recommended
281	Late Ajay Pardhi Memo.(PVT)ITI Hasara Ta.Tumsar Dist.Bhandara	PR27000 916	Pvt	Wainganga Sugar Factory, Devhada Tal Tumsar Dist Bhandara	4611 3	31/07/ 2030	Fitter	3	1	Conversion	Recommended	Recommended
282	Late Ajay Pardhi Memo.(PVT)ITI Hasara Ta.Tumsar Dist.Bhandara	PR27000 916	Pvt	Wainganga Sugar Factory, Devhada Tal Tumsar Dist Bhandara	4611 3	31/07/ 2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
283	Gurukul Pvt.Iti Lakhani,Near Ganesh Petrol Pump, Manegaon, Postpimpalgaon, Tah-Lakhani, Dist-Bhandara	PR27000 942	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	27.03 .2026	31/07/ 2030	Fitter	3	1	Conversion	Recommended	Recommended
284	Gurukul Pvt.Iti Lakhani,Near Ganesh Petrol Pump, Manegaon, Postpimpalgaon, Tah-Lakhani, Dist-Bhandara	PR27000 942	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	27.03 .2026	31/07/ 2030	Fitter	3	2	Conversion	Recommended	Recommended
285	Gurukul Pvt.Iti Lakhani,Near Ganesh Petrol Pump, Manegaon, Postpimpalgaon, Tah-Lakhani, Dist-Bhandara	PR27000 942	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	27.03 .2026	31/07/ 2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
286	Gurukul Pvt.Iti Lakhani,Near Ganesh Petrol Pump, Manegaon, Postpimpalgaon, Tah-Lakhani, Dist-Bhandara	PR27000 942	Pvt	Hindustan Composites Ltd.MIDC Industrial Area Dist Bhandara-441904	27.03 .2026	31/07/ 2030	Electricion	3	2	Conversion	Recommended	Recommended
287	R. B. Jaiswal Private ITI,Bela Tal & Dist Bhandara-441906	PR27000 892	Pvt	Hardoli Farms Private Limited, Janki Nagar Dist Nagpur	4609 7	31/07/ 2030	Fitter	3	1	Conversion	Recommended	Recommended
288	R. B. Jaiswal Private ITI,Bela Tal & Dist Bhandara-441906	PR27000 892	Pvt	Hardoli Farms Private Limited, Janki Nagar Dist Nagpur	4609 7	31/07/ 2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
289	Vedant Iti Tirora,- Chandrabhaga Naka, Sant Ravidas Ward , Tirora Dist Gondiya	PR27000752	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	46094	47695	Electrician	3	1	Conversion	Recommended	Recommended
290	Vedant Iti Tirora,- Chandrabhaga Naka, Sant Ravidas Ward , Tirora Dist Gondiya	PR27000752	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	46094	47695	Fitter	3	1	Conversion	Recommended	Recommended
291	Vedant Iti Tirora,- Chandrabhaga Naka, Sant Ravidas Ward , Tirora Dist Gondiya	PR27000752	Pvt	Maa Gayatri Agro Industries, Khairlanji Road, Tal Tirora Dist Gondiya	46094	47695	Welder	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
292	Bhaghirathi Private ITI, Gondia	PU27000900	Pvt	Pavan Electricals, Pra bhat Nagar Narsala Road Dist Nagpur	46107	31/07/2030	Fitter	3	1	Conversion	Recommended	Recommended
293	Bhaghirathi Private Iti, Gondia At.Post-Khamari Tal.Gondia Dist-Gondia	Pu27000900	Pvt	Pavan Electricals, Pra bhat Nagar Narsala Road Dist Nagpur	46107	31/07/2030	Electrician	3	1	Conversion	Recommended	Recommended
294	Bhaghirathi Private Iti, Gondia At.Post-Khamari Tal.Gondia Dist-Gondia	Pu27000900	Pvt	Pavan Electricals, Pra bhat Nagar Narsala Road Dist Nagpur	46107	31/07/2030	Electrician	3	2	Conversion	Recommended	Recommended
295	Late Laxmanrao Vastad (Uskwar) Pvt Industrial Training Institute, Mhalgi	Pr27000252	Pvt	Infras Provision Company, Behine Agrasen Metro Station Central	46093	31/07/2030	ELECTRICIAN	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
	Nagar Hudkeshwar Road Dist Nagpur			Avenue Dist Nagpur								
296	Late Laxmanrao Vastad (Uskwar) Pvt Industrial Training Institute, Mhalgi Nagar Hudkeshwar Road Dist Nagpur	Pr27000252	Pvt	Infras Provision Company, Behine Agrasen Metro Station Central Avenue Dist Nagpur	46093	31/07/2030	Electrician	3	2	Conversion	Recommended	Recommended
297	Late Laxmanrao Vastad (Uskwar) Pvt Industrial Training Institute, Mhalgi Nagar Hudkeshwar Road Dist Nagpur	Pr27000252	Pvt	Vardhaman Autowheels Pvt. Ltd, G.E.Road Near Kedia Business Park Dist Raipur State Chhattisgarh	46111	47695	Mechanic Motor Vehicle	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
298	Globus Industrial Training Institute Kamptee Dist Nagpur	Pr270007 64	Pvt	Crystal Furnitech Pvt. Ltd. Bhadara Road, Kadholi Nagpur Dist- Nagpur Maharashtra-441104	4623 6	31/07/ 2030	Fitter	3	1	Conversion	Recommended	Recommended
299	Globus Industrial Training Institute Kamptee Dist Nagpur	Pr270007 64	Pvt	Crystal Furnitech Pvt. Ltd. Bhadara Road, Kadholi Nagpur Dist- Nagpur Maharashtra-441104	4623 6	31/07/ 2030	Fitter	3	2	Conversion	Recommended	Recommended
300	Globus Industrial Training Institute Kamptee Dist Nagpur	Pr270007 64	Pvt	Crystal Furnitech Pvt. Ltd. Bhadara Road, Kadholi Nagpur Dist- Nagpur Maharashtra-441104	4623 6	31/07/ 2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
301	Globus Industrial Training Institute Kamptee Dist Nagpur	Pr270007 64	Pvt	Crystal Furnitech Pvt. Ltd. Bhadara Road, Kadholi Nagpur Dist- Nagpur Maharashtra-441104	4623 6	31/07/ 2030	Electrician	3	2	Conversion	Recommended	Recommended
302	Globus Industrial Training Institute Kamptee Dist Nagpur	Pr270007 64	Pvt	Crystal Furnitech Pvt. Ltd. Bhadara Road, Kadholi Nagpur Dist- Nagpur Maharashtra-441104	4623 6	31/07/ 2030	Electrician	3	3	Conversion	Recommended	Recommended
303	Kothale Private Industrial Training Institute Dahegaon R.Dist Nagpur	Pr270006 77	Pvt	Nubeno Health Care Pvt Ltd Plot No.10a Sector 23 Mihan Nagpur 441108	31/07/ 2026	7/31/2 030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
304	Kothale Private Industrial Training Institute Dahegaon R. Nagpur	Pr27000677	Pvt	Nubeno Health Care Pvt Ltd Plot No.10a Sector 23 Mihan Nagpur 441108	31/07/2026	7/31/2030	Electrician	3	2	Conversion	Recommended	Recommended
305	Late Wamanrao Bhure Pvt. ITI., Kohli Tal Kalmeshwar Dist Nagpur	PR27000201	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	23.03.2026	31/07/2030	Electrician	3	1	Conversion	Recommended	Recommended
306	Late Wamanrao Bhure Pvt. ITI., Kohli Tal Kalmeshwar Dist Nagpur	PR27000201	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	23.03.2026	31/07/2030	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
307	Late Wamanrao Bhure Pvt. ITI., Kohli Tal Kalmeshwar Dist Nagpur	PR27000 201	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	23.03 .2026	31/07/ 2030	Welder	3	1	Conversion	Recommended	Recommended
308	HusNoor Private Industrial Training Institute,Gorewada Tank Road, Boregaon Dist Nagpur	PR27000 255	Pvt	Ujas Electricials Private Limited, MIDC Hingna Road, Dist Nagpur	30.03 .2026	31/07/ 2030	Electrician	3	1	Conversion	Recommended	Recommended
309	HusNoor Private Industrial Training Institute,Gorewada Tank Road, Boregaon Dist Nagpur	PR27000 255	Pvt	Ujas Electricials Private Limited, MIDC Hingna Road, Dist Nagpur	30.03 .2026	31/07/ 2030	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
310	HusNoor Private Industrial Training Institute,Gorewada Tank Road, Boregaon Dist Nagpur	PR27000255	Pvt	M/s.Girnar Motors	30.03.2026	47695	Mechanic Diesel	3	1	Conversion	Recommended	Recommended
311	Chetana Pvt. Iti,Dewalali Road Wardha Dist Wardha	PR27000776	Pvt	Shri Rambhau Engineering Works, Barbadi Road, Midc Tal & Dist Wardha	4/7/2026	7/31/2030	Electrician	3	1	Conversion	Recommended	Recommended
312	Samruddhi Pvt Iti Deoli Dist Wardha	PR27000794	Pvt	D. S. Furnishers, Midc Ind Area Dist Wardha	46119	31/07/2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
313	Samruddhi Pvt Iti Deoli Dist Wardha	PR27000794	Pvt	D. S. Furnishers, Midc Ind Area Dist Wardha	46119	31/07/2030	Electrician	3	2	Conversion	Recommended	Recommended
314	Samruddhi Pvt Iti Deoli Dist Wardha	PR27000794	Pvt	D. S. FURNISHERS , MIDC Ind Area Dist WARDHA	46119	31/07/2030	Fitter	3	1	Conversion	Recommended	Recommended
315	Amir Private Iti Chargaon Ramtek Tal Ramtek Dist Nagpur	PR27000767	Pvt	Ujas Electricals Private Limited, MIDC Hingna Road, Dist Nagpur	4/28/2026	7/31/2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
316	Satpratap Iti, Bezon Bagh, Kamptee Road Dist Nagpur	PU27000 945	Pvt	Ujas Electricals Private Limited, MIDC Hingna Road, Dist Nagpur	25/04 /2026	7/31/2 030	Electrician	3	1	Conversion	Recommended	Recommended
317	SATPRATAP ITI, Bezon Bagh, Kamptee Road Dist Nagpur	PU27000 945	Pvt	Ujas Electricals Private Limited, MIDC Hingna Road, Dist Nagpur	25/04 /2026	7/31/2 030	Electrician	3	2	Conversion	Recommended	Recommended
318	Late Gangadharao Korde Pvt ITI, Sardi Road, Near MIDC Tal Narkhed Dist Nagpur	PR27000 768	Pvt	Swanyog Industry Pvt. Ltd. Midc Road Tal Narkhed Dist Nagpur	4612 7	31/07/ 2030	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
319	Late Gangadharao Korde Pvt ITI,Sardi Road, Near MIDC Tal Narkhed Dist Nagpur	PR27000768	Pvt	Swanyog Industry Pvt. Ltd. Midc Road Tal Narkhed Dist Nagpur	46127	31/07/2030	Electrician	3	2	Conversion	Recommended	Recommended
320	Late Gangadharao Korde Pvt ITI,Sardi Road, Near MIDC Tal Narkhed Dist Nagpur	PR27000768	Pvt	Swanyog Industry Pvt. Ltd. Midc Road Tal Narkhed Dist Nagpur	46127	31/07/2030	Fitter	3	1	Conversion	Recommended	Recommended
321	Late Gangadharao Korde Pvt ITI,Sardi Road, Near MIDC Tal Narkhed Dist Nagpur	PR27000768	Pvt	SWANYOG INDUSTRY PVT. LTD. MIDC Road Tal Narkhed Dist Nagpur	46127	31/07/2030	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
322	Gurusai Private ITI Datala Dist Chandrapur	PR27000814	Pvt	InNovexiq Multi- Services Private Limited, MIDC Plot No 134/1106 Dist Chandrapur	24/03/2026	47695	Electrician	3	1	Conversion	Recommended	Recommended
323	Gurusai Private ITI Datala Dist Chandrapur	PR27000814	Pvt	InNovexiq Multi- Services Private Limited, MIDC Plot No 134/1106 Dist Chandrapur	24/03/2026	47695	Electrician	3	2	Conversion	Recommended	Recommended
324	Gurusai Private ITI Datala Dist Chandrapur	PR27000814	Pvt	InNovexiq Multi- Services Private Limited, MIDC Plot No 134/1106 Dist Chandrapur	24/03/2026	47695	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
325	Gurusai Private ITI Datala Dist Chandrapur	PR27000 814	Pvt	InNovexiq Multi- Services Private Limited, MIDC Plot No 134/1106 Dist Chandrapur	24/03 /2026	47695	Fitter	3	2	Conversion	Recommended	Recommended
326	Mauli Pvt Iti,(Girola) Bhandara-441924	PR27000 926	Pvt	Sarwadnya Sports & Fitness Pvt.Ltd. at Plot No. 119/136/5,Old National Highway No.6, Kardha, Dist. Bhandara – 441924	4614 8	47695	Electricain	3	1	Conversion	Recommended	Recommended
327	Mauli Pvt Iti,(Girola) Bhandara-441924	PR27000 926	Pvt	SARWADNY A SPORTS & FITNESS PVT.LTD. at Plot No. 119/136/5,Old National Highway No.6,	4614 8	47695	Fitter	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				Kardha, Dist. Bhandara – 441924								
328	Sharwani Industrial Tarining Institute, Plot No 26-27, Behind Sanjivani Hospital Godhani Dist Nagpur	PR27000002	Pvt	NubeNo Healthcare PVT LTD Plot No 10 A,Near hanuman mandir,Mihan Khapri ,Nagpur 441108	46142	47695	Electrician	3	1	Conversion	Recommended	Recommended
329	Sharwani Industrial Tarining Institute, Plot No 26-27, Behind Sanjivani Hospital Godhani Dist Nagpur	PR27000002	Pvt	NubeNo Healthcare PVT LTD Plot No 10 A,Near hanuman mandir,Mihan Khapri	46142	47695	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				,Nagpur 441108								
330	Sharwani Industrial Tarining Institute, Plot No 26-27, Behind Sanjivani Hospital Godhani Dist Nagpur	PR27000 002	Pvt	NubeNo Healthcare PVT LTD Plot No 10 A,Near hanuman mandir,Mihan Khapri ,Nagpur 441108	4614 2	47695	Fitter	3	1	Conversion	Recommended	Recommended
331	Sharwani Industrial Tarining Institute, Plot No 26-27, Behind Sanjivani Hospital Godhani Dist Nagpur	PR27000 002	Pvt	NubeNo Healthcare PVT LTD Plot No 10 A,Near hanuman mandir,Mihan Khapri	4614 2	47695	Fitter	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				,Nagpur 441108								
332	Shiwankar pvt iti,Near Deori Road Tal Amgaon Dist Gondia	PU27000 959	Pvt	Ecotonix Automation Service, Plot No 67, Kirti Nagar Dighori Dist Nagpur	3/15/ 2026	7/31/2 030	Electrician	3	1	Conversion	Recommended	Recommended
333	Kutemates Private ITI,shivaji Ward Tal Bhadrawati Dist Chandrapur	PU27000 846	Pvt	Glow Energy Transmission, Near Vidhya Niketan School 2nd land Nagpur Road Dist Chandrapur	5/6/2 026	7/31/2 030	Electricain	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
334	Kutemates Private ITI,shivaji Ward Tal Bhadrawati Dist Chandrapur	PU27000 846	Pvt	Glow Energy Transmission, Near Vidhya Niketan School 2nd land Nagpur Road Dist Chandrapur	5/6/2 026	7/31/2 030	Electrician	3	2	Conversion	Recommended	Recommended
335	Shri Swami Vivekanand Pvt Industrial Training Institute, Outer Ring Road Tal Hingna Dist Nagpur	PR27000 862	Pvt	SHREE BALAJI INDUSTRIES, Mihite Ind Estate MIDC , Hingna Road Dist Nagpur	5/7/2 026	7/31/2 030	Electrician	3	1	Conversion	Recommended	Recommended
336	Shri Swami Vivekanand Pvt Industrial Training Institute, Outer Ring Road Tal Hingna Dist Nagpur	PR27000 862	Pvt	SHREE BALAJI INDUSTRIES, Mihite Ind Estate MIDC , Hingna Road Dist Nagpur	5/7/2 026	7/31/2 030	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
337	Shri Swami Vivekanand Pvt Industrial Training Institute, Outer Ring Road Tal Hingna Dist Nagpur	PR27000 862	Pvt	Shree Balaji Industries, Mihite Ind Estate Midc , Hingna Road Dist Nagpur	5/7/2 026	7/31/2 030	Fitter	3	1	Conversion	Recommended	Recommended
338	Shyambabu Sawarkar Pvt Iti Nimkheda Tal Mouda Dist Nagpur	PR27000 875	Pvt	Diwanka Energy Pvt Ltd Mouza Lapka Tal Mouda Nagpur 441104	5/8/2 026	7/31/2 030	Electrician	3	1	Conversion	Recommended	Recommended
339	Shyambabu Sawarkar Pvt Iti Nimkheda Tal Mouda Dist Nagpur	PR27000 875	Pvt	Diwanka Energy Pvt Ltd Mouza Lapka Tal Mouda Nagpur 441104	5/8/2 026	7/31/2 030	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
340	Shri Sai Private Industrial Training Institute,Jain Mandir, Old MaNohar Talkies Tal Bhadrawati Dist Chandrapur	PR27000 753	Pvt	Green Life solution Private Limited, Nagpur, Branch Office-old Padoli Dist Chandrapur	4/30/ 2026	7/31/2 030	Electrician	3	1	Conversion	Recommended	Recommended
341	Shri Sai Private Industrial Training Institute,Jain Mandir, Old MaNohar Talkies Tal Bhadrawati Dist Chandrapur	PR27000 753	Pvt	Green Life solution Private Limited, Nagpur, Branch Office-old Padoli Dist Chandrapur	4/30/ 2026	7/31/2 030	Electrician	3	2	Conversion	Recommended	Recommended
342	Meghsai Pvt. ITI., Dongargaon, Wardha Road Dist Nagpur	PR27000 849	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	3/23/ 2026	31/07/ 2030	Electrician	3	2	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
343	Meghsai Pvt. ITI., Dongargaon, Wardha Road Dist Nagpur	PR27000849	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	3/23/2026	31/07/2030	Electrician	3	1	Conversion		
344	Meghsai Pvt. ITI., Dongargaon, Wardha Road Dist Nagpur	PR27000849	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	3/23/2026	31/07/2030	Fitter	1	2	Conversion	Industry Partner Change	Recommended
345	Meghsai Pvt. ITI., Dongargaon, Wardha Road Dist Nagpur	PR27000849	Pvt	NubeNo Pvt. Ltd.Mihan Khapri,Dist Nagpur	3/23/2026	31/07/2030	Fitter	2	1	Conversion		

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
346	Government Industrial Training Instituted, Wardha Mhada Colony, Hanuman Tekadi Dist Wardha	GU27000 078	Govt	Evonith Metalic LTD Bhugaon Link Road, Dist. Wardha	9/1/2 026	30/8/2 029	Fitter	1	1	Conversion	Recommended	Recommended
347	Government Industrial Training Instituted, Wardha Mhada Colony, Hanuman Tekadi Dist Wardha	GU27000 078	Govt	Evonith Metalic LTD Bhugaon Link Road, Dist. Wardha	9/1/2 026	30/8/2 029	Welder	1	1	Conversion	Recommended	Recommended
348	Government Industrial Training Instituted, Wardha Mhada Colony, Hanuman Tekadi Dist Wardha	GU27000 078	Govt	Evonith Metalic LTD Bhugaon Link Road, Dist. Wardha	9/1/2 026	30/8/2 029	Electrician	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
349	Santaji Jagnade Maharaj Govt. Industrial Training Institute, Shradhanand Peth Dist Nagpur	GR27000 011	Govt	Dassault Aircraft Services India Pvt. Ltd, Butibori Dist Nagpur			Aeronautical Structure & Equipment Fitter	3	1	Conversion	Recommended	Recommended
350	Govt. ITI Nanded, Near Govt Rest House Dist Nanded	GR27000 010	Govt	Shravan Electrical Contractor Private Limited Nanded. Jankinagar, Hunman Gad, Dist Nanded	20/03 /2026	31/07/ 2029	Electrician	1	4	Conversion	Recommended	Recommended
351	Govt. ITI Nanded, Near Govt Rest House Dist Nanded	GR27000 010	Govt	Shravan Electrical Contractor Private Limited Nanded. Jankinagar, Hunman	20/03 /2026	31/07/ 2029	Fitter	1	6	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				Gad,Dist Nanded								
352	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Shravan Electrical Contractor Private Limited Nanded. Jankinagar, Hunman Gad,Dist Nanded	20/03/2026	31/07/2029	Painter G.	1	1	Conversion	Recommended	Recommended
353	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Shravan Electrical Contractor Private Limited Nanded. Jankinagar, Hunman Gad,Dist Nanded	20/03/2026	31/07/2029	Welder (Gmaw & Gtaw)	1	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
354	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Pitti Engineering Ltd. Get No.194, Limbe Jalgaon Tq.Gangapur Dist.Chh.Sambhajinagar	23/04/2026	31/07/2029	Tool & Die Maker	1	1	Conversion	Recommended	Recommended
355	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Pitti Engineering Ltd. Get No.194, Limbe Jalgaon Tq.Gangapur Dist.Chh.Sambhajinagar	23/04/2026	31/07/2029	Welder	2	1	Conversion	Industry Partner Change	Recommended
356	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Pitti Engineering Ltd. Get No.194, Limbe Jalgaon Tq.Gangapur Dist.Chh.Sambhajinagar	23/04/2026	31/07/2029	Fitter	1	4	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
357	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Pitti Engineering Ltd. Get No.194, Limbe Jalgaon Tq.Gangapur Dist.Chh.Sambhajinagar	23/04/2026	31/07/2029	Turner	2	1	Conversion	Recommended	Recommended
358	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000010	Govt	Pitti Engineering Ltd. Get No.194, Limbe Jalgaon Tq.Gangapur Dist.Chh.Sambhajinagar	23/04/2026	31/07/2029	Machinist	1	1	Conversion	Recommended	Recommended
359	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000062	Govt	Warner Electronic(I) pvt.Ltd.Plot - 56,Sector 13,Industrial City (AURIC) Dist.Chh. Sambhajinagar	10/4/2026	31/07/2029	Electrician	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
360	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000 062	Govt	Warner Electronic(I) pvt.Ltd.Plot - 56,Sector 13,Industrial City (AURIC) Dist.Chh. Sambhajinagar	10/4/ 2026	31/07/ 2029	Electronics Mechanic	1	1	Conversion	Recommended	Recommended
361	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000 062	Govt	Warner Electronic(I) pvt.Ltd.Plot - 56,Sector 13,Industrial City (AURIC) Dist.Chh. Sambhajinagar	10/4/ 2026	31/07/ 2029	Wireman	1	1	Conversion	Recommended	Recommended
362	Govt.ITI Parli Vaijnath, Ambejogai Road, Parli Vaijnath Dist Beed	GR27000 056	Govt	Unicraft Appliances pvt.Ltd.Waluj MIDC, Dist Chh. Sambhaji nagar	29/04 /2026	31/7/2 029	Welder	2	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
363	Govt.ITI Parli Vajnath, Ambejogai Road, Parli Vajnath Dist Beed	GR27000 056	Govt	Unicraft Appliances pvt.Ltd.Waluj MIDC, Dist Chh. Sambhaji nagar	29/04 /2026	31/7/2 029	Fitter	2	1	Conversion	Recommended	Recommended
364	Govt.ITI Parli Vajnath, Ambejogai Road, Parli Vajnath Dist Beed	GR27000 056	Govt	Unicraft Appliances pvt.Ltd.Waluj MIDC, Dist Chh. Sambhaji nagar	29/04 /2026	31/7/2 029	Sheet Matel Worker	1	2	Conversion	Recommended	Recommended
365	Govt.ITI Parli Vajnath, Ambejogai Road, Parli Vajnath Dist Beed	GR27000 056	Govt	BG Electricals & Electronics(I) ltd.MIDC. Waluj Dist Chh.Sambhaji nagar	7/5/2 026	31/7/2 028	Electrician	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
366	Govt.ITI Parli Vajinath, Ambejogai Road, Parli Vajinath Dist Beed	GR27000 056	Govt	BG Electricals & Electronics(I) ltd.MIDC. Waluj Dist Chh.Sambhaji nagar	7/5/2 026	31/7/2 028	Wireman	1	2	Conversion	Recommended	Recommended
367	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajanagar	GU27000 016	Govt	Dhoot Automotive Ltd.MIDC Shendra Dist Chh Sambhajanagar - 431021	30/04 /2026	31/7/2 029	Turner	1	1	Conversion	Industry Partner Change	Recommended
368	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajanagar	GU27000 016	Govt	Dhoot Automotive Ltd.MIDC Shendra Dist Chh Sambhajanagar - 431021	30/04 /2026	31/7/2 029	Welder	1	1	Conversion		

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
369	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000016	Govt	LAPL Automotive Ltd. Waluj MIDC Dist Chh. Sambhaji nagar	10/3/2026	31/7/2029	Sheet Metal Worker	1	1	Conversion	Industry Partner Change	Recommended
370	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000016	Govt	LAPL Automotive Ltd. Waluj MIDC Dist Chh. Sambhaji nagar	10/3/2026	31/7/2029	Sheet Metal Worker	2	1	Conversion		
371	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000016	Govt	Endurance TechNologies pvt.ltd,Waluj MIDC Dist Chh. Sambhaji nagar	15/12/2025	31/7/2028	Welder	1	2	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
372	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Endurance TechNologies pvt.ltd,Waluj MIDC Dist Chh. Sambhaji nagar	15/12 /2025	31/7/2 028	Machinist	1	3	Conversion		
373	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Endurance TechNologies pvt.ltd,Waluj MIDC Dist Chh. Sambhaji nagar	15/12 /2025	31/7/2 028	Turner	2	1	Conversion		
374	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Velangi Connectivity Pvt.ltd.B-78 MIDC Waluj Dist Chh Sambhajinagar -431136	7/11/ 2025	31/7/2 028	Wireman	2	1	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
375	Deogiri Govt.ITI Chh.Sambhajnagar, Railway Station Road Tal & Dist Chh.Shambhajnagar	GU27000016	Govt	Velangi Connectivity Pvt.ltd.B-78 MIDC Waluj Dist Chh Sambhajnagar -431136	7/11/2025	31/7/2028	Electronics Mechanic	1	4	Conversion		
376	Deogiri Govt.ITI Chh.Sambhajnagar, Railway Station Road Tal & Dist Chh.Shambhajnagar	GU27000016	Govt	Warner Electronic(I) pvt.Ltd.Plot - 56,Sector 13,Industrial City (AURIC) Dist.Chh. Sambhajnagar	12/12/2025	31/7/2028	Wireman	3	1	Conversion	Industry Partner Change	Recommended
377	Deogiri Govt.ITI Chh.Sambhajnagar, Railway Station Road Tal & Dist Chh.Shambhajnagar	GU27000016	Govt	MASSIA Industries. P-15,MIDC Waluj Dist Chh Sambhajnagar	18/04/2026	31/7/2029	Machinist Grinder	1	3	Conversion	Industry Partner Change	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
378	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	MASSIA Industries. P-15,MIDC Waluj Dist Chh Sambhajinagar	18/04 /2026	31/7/2 029	Turner	1	3	Conversion		
379	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Dhoot Automotive Ltd.MIDC Shendra Dist Chh Sambhajinagar - 431021	30/04 /2026	31/7/2 029	Turner	2	3	Conversion	Recommended	Recommended
380	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Endurance TechNologies pvt.ltd,Waluj MIDC Dist Chh. Sambhaji nagar	17/12 /2025	31/7/2 028	COPA	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
381	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Endurance TechNologies pvt.ltd,Waluj MIDC Dist Chh. Sambhaji nagar	17/12 /2025	31/7/2 028	Machinist Grinder	1	1	Conversion	Recommended	Recommended
382	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Velangi Connectivity Pvt.ltd.B-78 MIDC Waluj - 431136	7/11/ 2025	31/7/2 028	Wireman	1	1	Conversion	Recommended	Recommended
383	Deogiri Govt.ITI Chh.Sambhaji nagar, Railway Station Road Tal & Dist Chh.Shambhajinagar	GU27000 016	Govt	Warner Electronic(I) pvt.Ltd.Plot - 56,Sector 13,Industrial City (AURIC) Dist.Chh. Sambhajinagar	12/12 /2025	31/7/2 028	Electronics Mechanic	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
384	Gramin Advance pvt.ITI Majalgaon, Near Keshvraj Mangal Karyalay Bhatvadgaon Tal Majalgaon Dist.Beed	PR27000 843	Pvt	BG Electricals & Electronics India Ltd.MIDC Waluj Chh.Sambhajinagar-431136	29/04 /2026	31/7/2 028	Electrician	3	1	Conversion	Recommended	Recommended
385	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000 062	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	29/4/ 2026	31/7/2 029	Mechanic Diesel	1	1	Conversion	Recommended	Recommended
386	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000 062	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	29/4/ 2026	31/7/2 029	Mechanic Diesel	2	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
387	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000 062	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	29/4/2026	31/7/2029	Fitter	1	1	Conversion	Recommended	Recommended
388	Govt.ITI Jalna, Near ST Workshop, Chandanzira Tal & Dist Jalna	GR27000 062	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	29/4/2026	31/7/2029	Machinist	1	1	Conversion	Recommended	Recommended
389	Govt.ITI Jafrabad, MIDC Area Bhokardan Road Tal Jafrabad Dist Jalna	GR27000 364	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	29/04/2026	31/7/2029	Mechanic Diesel	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
390	Govt.ITI Jafrabad, MIDC Area Bhokardan Road Tal Jafrabad Dist Jalna	GR27000 364	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	29/04 /2026	31/7/2 029	Fitter	1	1	Conversion	Recommended	Recommended
391	Govt.ITI Manwat,Pathri Raod Tal Manwart Dist. Parbhani	GR27000 107	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 026	31/7/2 029	Electrician	1	1	Conversion	Recommended	Recommended
392	Govt.ITI Manwat,Pathri Raod Tal Manwart Dist. Parbhani	GR27000 107	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 026	31/7/2 029	Fitter	1	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
393	Govt.ITI Manwat,Pathri Raod Tal Manwart Dist. Parbhani	GR27000 107	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 026	31/7/2 029	Machinist	1	1	Conversion	Recommended	Recommended
394	Govt.ITI Manwat,Pathri Raod Tal Manwart Dist. Parbhani	GR27000 107	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 026	31/7/2 029	Mecanic Motor Vehicle	1	1	Conversion	Recommended	Recommended
395	Govt.ITI Udgir, Degloor Road Tal Udgir Dist.Latur	GR27000 073	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 029	31/7/2 029	Electrician	2	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
396	Govt.ITI Udgir, Degloor Road Tal Udgir Dist.Latur	GR27000 073	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 029	31/7/2 029	Fitter	3	1	Conversion	Recommended	Recommended
397	Govt.ITI Udgir, Degloor Road Tal Udgir Dist.Latur	GR27000 073	Govt	BAJAJ Auto ltd.MIDC Waluj Dist Chh. Sambhajinagar	4/5/2 029	31/7/2 029	Fitter	2	1	Conversion	Recommended	Recommended
398	Govt.ITI Nanded, Near Govt Rest House Dist Nanded	GR27000 010	Govt	Divisional controller M.S.R.T.C. Nanded Dist Nanded	12.03 .2026	11.03. 2029	Electrician	2	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
399	Govt. ITI BEED, Near Champavati School, Nagar Road Tal & Dist Beed	GU27000 031	Govt	Bajaj Auto ltd plot No A/1 Near bajaj Nagar Waluj Industrial Area Dist chh. sambhajinagar -431133 Maharashtra	29.04 .2026	31.07. 2029	Machinist	1	1	Conversion	Recommended	Recommended
400	Govt. ITI BEED, Near Champavati School, Nagar Road Tal & Dist Beed	GU27000 031	Govt	Bajaj Auto ltd plot No A/1 Near bajaj Nagar Waluj Industrial Area Dist chh. sambhajinagar -431133 Maharashtra	29.04 .2026	31.07. 2029	Fitter	2	1	Conversion	Industry Partner Change	Recommended
401	Govt. ITI BEED, Near Champavati School, Nagar Road Tal & Dist Beed	GU27000 031	Govt	Warner Electronics India Pvt Ltd Plot No. 56, Sector 13, AURIC Industrial City, DMIC,	29.04 .2026	31.07. 2029	Electrician	3	1	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
				Shendra, Dist Chh. Sambhajinagar (Aurangabad) - 431 154 Maharashtra, India.								
402	Govt.ITI BEED,Near Champavati School, Nagar Road Tal & Dist Beed	GU27000 031	Govt	Warner Electronics India Pvt Ltd Plot No. 56, Sector 13, AURIC Industrial City, DMIC, Shendra, Dist Chh. Sambhajinagar (Aurangabad) - 431 154 Maharashtra, India.	29.04 .2026	31.07. 2029	Electrician	3	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
403	Acharya Vidyasagarji Govt ITI Bhoom, Paradi Raod Tal Bhoom Dist Dharashiv	GR27000 176	Govt	PITTI-Engineering LTD, Limbe Jalgaon Tal Gangapur Dist Chh. Smabhajinagar	5/19/2026	5/18/2029	Welder	1	1	Conversion	Recommended	Recommended
404	Acharya Vidyasagarji Govt ITI Bhoom, Paradi Raod Tal Bhoom Dist Dharashiv	GR27000 176	Govt	PITTI-Engineering LTD, Limbe Jalgaon Tal Gangapur Dist Chh. Smabhajinagar	5/19/2026	5/18/2029	Sheet Metal WORKER	1	1	Conversion	Recommended	Recommended
405	Maharshi kanad Govt,ITI Ambad , Jalna -Beed Road Tal Ambad Dist.Jalna	GR27000 115	Govt	Bajaj Auto ltd plot No A/1 Near bajaj Nagar Waluj Industrial Area Dist chh. sambhajinagar -431133 Maharashtra	27.05.2026	28.04.2029	Mechanic Motor Vehical	1	2	Conversion	Recommended	Recommended

S.N O.	Name and Address of ITI	MIS Code	ITI Category (Govt /Pvt.)	Name of the Industry Complete Address of Industry	MOU start date	MOU end date	Name of the Trade For DST	Shift ID	Unit ID (e.g. Unit 1/Unit 2/Unit 3 etc)	Conversion / New affiliation	Recommendation of SSDEC	Remarks of 32nd SCAA
406	Maharshi kanad Govt,ITI Ambad , Jalna -Beed Road Tal Ambad Dist.Jalna	GR27000115	Govt	BG Electricals and Electronics Walunj Industrial Area Dist chh. Sambhajinagar	27.05.2026	28.04.2029	Electrician	1	2	Conversion	Recommended	Recommended
407	Maharshi kanad Govt,ITI Ambad , Jalna -Beed Road Tal Ambad Dist.Jalna	GR27000115	Govt	BG Electricals and Electronics Walunj Industrial Area Dist chh. Sambhajinagar	07.05.2026	06.05.2029	Wireman	1	2	Conversion	Recommended	Recommended

Annexure -9 As referred in agenda 4.7-DST Affiliation of SSDEC Punjab

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
1	Amritsar	Dayanand I.T.I., Amritsar	GU03000010	Govt.	Municipal Corporation Amritsar (Punjab)	3/1/2024	3/1/2027	Draughtsman (Civil) - Dst	3	Unit-1	New	Recommended	Recommended
	Amritsar	Dayanand I.T.I., Amritsar	GU03000010	Govt.	Virdi Electronics, Amritsar (Punjab)	6/7/2024	6/7/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Dayanand I.T.I., Amritsar	GU03000010	Govt.	Singhs Industry, Amritsar (Punjab)	11/5/2024	05.11.2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Dayanand I.T.I., Amritsar	GU03000010	Govt.	Novelty Associate Pvt Ltd, Amritsar (Punjab)	5/29/2023	5/29/2026	Mechanic Motor Vehicle (Mmv) - Dst	2	Unit-1	Conversion	Recommended	Recommended
	Amritsar	Dayanand I.T.I., Amritsar	GU03000010	Govt.	AK Trading Co, Amritsar (Punjab)	5/28/2024	5/28/2027	Refrigeration and Air Conditioning	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
								Technician- Dst					
	Amritsar	Dayanand I.T.I., Amritsar	GU03000010	Govt.	Leotronics Amritsar (Punjab)	5/28/2024	5/28/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
2	Amritsar	Govt. I.T.I. (W), Amritsar	GU03000060	Govt.	AOSC India pvt Ltd Amritsar (Punjab)	6/4/2024	6/4/2027	Information Communication Technology System Maintenance - Dst	3	Unit-1	New	Recommended	Recommended
3	Amritsar	Govt. I.T.I., Ajnala	GR03000058	Govt.	Co-operative sugar mill Ajnala Amritsar (Punjab)	4/19/2023	4/19/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ajnala	GR03000058	Govt.	GM punjab roadways Amritsar 1 (Punjab)	4/19/2023	4/19/2026	Mechanic Motor Vehicle	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
								(Mmv) - Dst					
	Amritsar	Govt. I.T.I., Ajnala	GR03 000058	Govt.	GM punjab roadways Amritsar 1	4/19/2023	4/19/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
4	Amritsar	Govt. I.T.I., Lopoke	GR03 000116	Govt.	Shakti Power solution Pvt ltd	6/12/2024	6/12/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Lopoke	GR03 000116	Govt.	M/S Swani Motors Pvt. Ltd . Amritsar	6/7/2024	6/7/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Lopoke	GR03 000116	Govt.	Shakti Power solution Pvt ltd	6/12/2024	6/12/2027	Wireman - DST	3	Unit-1	New	Recommended	Recommended
5	Amritsar	Govt. I.T.I., Ranike	GR03 000105	Govt.	AB ELECTRIC AL INDUSTRIES Amritsar	27-05-2025	5/27/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Amritsar	Govt. I.T.I., Ranike	GR03 000105	Govt.	JS Steel Industries Chhehaharta Amritsar	4/21/2023	4/21/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
6	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 000395	Govt.	Verka Milk Plant Amritsar	6/3/2024	6/3/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 000395	Govt.	Gauri Shankar Processer Pvt. Ltd . Majitha Road Amritsar	5/29/2024	5/29/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 000395	Govt.	Hotal Golden Sarovar Portico (R.A) Amritsar	11/13/2024	11/13/2027	Food And Beverag Guest Services Assistant - DST	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ranjit	GU03 000395	Govt.	Hotal Ramada Encore By	11/13/2024	11/13/2027	Food Production	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		Avenue, Amritsar			Wyndham Asr			(General) - Dst					
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 00039 5	Govt.	Hotel Comfort Inn Alstonia Amritsar	6/2/2025	6/2/2028	House Keeper - Dst	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 00039 5	Govt.	Arya Hyundai Amritsar	5/30/2024	5/30/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 00039 5	Govt.	Air Tech Refrigeration Amritsar	5/29/2024	5/29/2027	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 00039 5	Govt.	Gauri Shankar Processer Pvt. Ltd . Majitha	5/29/2024	5/29/2027	Turner - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Road Amritsar								
	Amritsar	Govt. I.T.I., Ranjit Avenue, Amritsar	GU03 00039 5	Govt.	Singh Industry 203 Mohan Nagar Amritsar	7/2/2024	7/2/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
7	Amritsar	Govt. Institute of Garment Technology, Amritsar	GR03 00031 9	Govt.	M/s Leotronics scales Pvt.Ltd.	5/28/2024	5/28/2027	Information Communication Technology System Maintenance - Dst	3	Unit-1	New	Recommended	Recommended
8	Barnala	Govt. I.T.I., Barnala	GU03 00009 6	Govt.	SR Industries, Fatheghar Channa Barnala	3/1/2024	3/1/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Barnala	Govt. I.T.I., Barnala	GU03 00009 6	Govt.	Trident Group, Sanghera, Barnala	5/5/2025	5/5/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Barnala	Govt. I.T.I., Barnala	GU03 00009 6	Govt.	P.R.T.C Barnala	11/25/2024	11/25/2027	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Barnala	Govt. I.T.I., Barnala	GU03 00009 6	Govt.	Water and Sanitation Dept Office. Barnala	5/26/2025	5/26/2028	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Barnala	Govt ITI Barnala	GU03 00009 6	Govt.	P.R.T.C, Back Side Bus Stand, District-Barnala, State Punjab	6/19/2025	6/19/2028	Mechanic Motor Vehicle	3	Unit-1	New	Recommended	Recommended
	Barnala	Govt. I.T.I., Barnala	GU03 00009 6	Govt.	Guru Nanak Agri Works Handiaya Chowk Barnala	7/15/2024	7/15/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
9	Bathinda	Govt. I.T.I., Bathinda	GU03 00004 1	Govt.	Trident Group, Sanghera, Barnala	5/19/2025	5/19/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Bathinda	Govt. I.T.I.,	GU03 00004 1	Govt.	Trident Group,	5/19/2025	5/19/2028	Electrician - DST	3	Unit-2	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		Bathinda			Sanghera, Barnala								
	Bathinda	Govt. I.T.I., Bathinda	GU03000041	Govt.	National Fertilizers Ltd. Bathinda	12/27/2023	12/27/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Bathinda	Govt. I.T.I., Bathinda	GU03000041	Govt.	Prtc, Bathinda	6/8/2023	6/8/2026	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Bathinda	Govt. I.T.I., Bathinda	GU03000041	Govt.	Verka Milk Plant, Bathinda	6/19/2023	6/19/2026	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Bathinda	Govt. I.T.I., Bathinda	GU03000041	Govt.	National Fertilizers Ltd. Bathinda	12/27/2023	12/27/2026	Turner - DST	3	Unit-1	New	Recommended	Recommended
	Bathinda	Govt. I.T.I., Bathinda	GU03000041	Govt.	Prtc, Bathinda	6/8/2023	6/8/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		Bathinda											
10	Faridkot	Govt. I.T.I. (S.C.), Faridkot	GU03 000076	Govt.	Dhaliwal Agro, Talwandi Road ,Tehna , Faridkot	4/19/2023	4/19/2026	Welder (GMAW & GTAW) - DST	3	Unit-1	New	Recommended	Recommended
11	Faridkot	Govt. I.T.I., Faridkot	GU03 000031	Govt.	Dhillon Tractor Kotkapura	4/5/2024	4/5/2027	Mechanic (Tractor) - Dst	3	Unit-1	New	Recommended	Recommended
	Faridkot	Govt. I.T.I., Faridkot	GU03 000031	Govt.	Pespu Road Transport Corporation (PRTC) Faridkot	4/5/2024	4/5/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Faridkot	Govt. I.T.I., Faridkot	GU03 000031	Govt.	Pespu Road Transport Corporation (PRTC) Faridkot	4/5/2024	4/5/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
12	Faridkot	Govt. I.T.I., Jaiton	GU03 000393	Govt.	Maha Shakti energy limited Bathinda	5/30/2023	5/30/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Faridkot	Govt. I.T.I., Jaiton	GU03 00039 3	Govt.	National fertilizer limited Bathinda	6/20/2024	6/20/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Faridkot	Govt. I.T.I., Jaiton	GU03 00039 3	Govt.	Pb National Agriculture Works, Muktsar Road, Jaitu	3/20/2025	3/20/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
13	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 00002 7	Govt.	Deltron	1/24/2025	1/24/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 00002 7	Govt.	Deltron	1/24/2025	1/24/2028	Electronics Mechanic - Dst	3	Unit-1	New	Recommended	Recommended
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 00002 7	Govt.	AS Precision Machine	1/30/2025	1/30/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 00002 7	Govt.	Avtar Foundry & Workshop	1/30/2025	1/30/2028	Machinist - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 000027	Govt.	Rangi World	1/23/2025	1/23/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 000027	Govt.	Avtar Foundary & Workshop	1/30/2025	1/30/2028	Turner - DST	3	Unit-1	New	Recommended	Recommended
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 000027	Govt.	A.S. Precision Machines Pvt. Ltd.	1/30/2025	1/30/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Fatehgarh Sahib	Govt. I.T.I., Bassi Pathana	GR03 000027	Govt.	Guru Teg Bahadur Truck Body Builders	4/4/2025	4/4/2028	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended
14	Fazilka	Govt. I.T.I., Fazilka	GU03 000044	Govt.	the cooperative suger mill bodi wala pitha fazilka	7/14/2024	7/14/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Fazilka	Govt. I.T.I., Fazilka	GU03 000044	Govt.	GM punjab roadways ferozepur	5/5/2023	5/5/2026	Mechanic Motor Vehicle	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
								(Mmv) - Dst					
	Fazilka	Govt. I.T.I., Fazilka	GU03 00004 4	Govt.	Gill agroimpliments dane wala malout	6/4/2025	6/4/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
15	Fazilka	Govt. I.T.I., Jalalabad	GR03 00036 8	Govt.	PSPCL Jalalabad	6/5/2025	6/5/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
16	Firozpur	Govt. I.T.I., Ferozpur	GU03 00000 4	Govt.	PSPCL FZR	6/4/2024	6/4/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Firozpur	Govt. I.T.I., Ferozpur	GU03 00000 4	Govt.	Northern Railways	6/12/2024	6/12/2027	Mechanic Diesel-Dst	3	Unit-1	New	Recommended	Recommended
	Firozpur	Govt. I.T.I., Ferozpur	GU03 00000 4	Govt.	General Manager Punjab Roadways Ferozpur	6/3/2024	6/3/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Firozpur	Govt. I.T.I., Ferozepur	GU03 000004	Govt.	General Manager Punjab Roadways Ferozepur	2/10/2023	2/10/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
17	Gurdaspur	Govt. I.T.I. (S.C.), Fatehgarh Churian	GR03 000079	Govt.	Verka Cattle Feed , Ghanie ke Bhangar	6/7/2024	6/7/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I. (S.C.), Fatehgarh Churian	GR03 000079	Govt.	Punjab Roadways, Batala	1/12/2023	1/12/2026	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I. (S.C.), Fatehgarh Churian	GR03 000079	Govt.	Soil & Conservation, Gurdaspur	6/5/2024	6/5/2027	Surveyor - DST	3	Unit-1	New	Recommended	Recommended
18	Gurdaspur	Govt. I.T.I., Batala	GU03 000036	Govt.	Rajan Packers Batala	6/7/2024	6/7/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Gurdaspur	Govt. I.T.I., Batala	GU03000036	Govt.	Punjab Roadways Batala	6/12/2024	6/12/2027	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Batala	GU03000036	Govt.	The Batala Cooperative Sugar Mill Batala, Delux Foundry Batala	6/6/2024	6/6/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
19	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03000067	Govt.	The Gurdaspur District Co-Operative Milk Producer Union Limited Gt Road Gurdaspur	4/21/2023	4/21/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03000067	Govt.	The Gurdaspur District Co-Operative Sugar Mill	4/21/2023	4/21/2026	Machinist - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Ltd. Paniar Gurdaspur								
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03 000067	Govt.	Ganga Singh Tractor Company, Chhoti Nehar Malikpur Chowk, Pathankot	4/21/2023	4/21/2026	Mechanic (Tractor) - Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03 000067	Govt.	Alliance Auto Service, Pathankot Road Gurdaspur	4/21/2023	4/21/2026	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03 000067	Govt.	Jasbir Motors, Opp. Village Ram Nagar, Bye Pass Gurdaspur	4/21/2023	4/21/2026	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03000067	Govt.	The Gurdaspur District Co-Operative Milk Producer Union Limited Gt Road Gurdaspur	4/21/2023	4/21/2026	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03000067	Govt.	The Gurdaspur District Co-Operative Sugar Mill Ltd. Paniar Gurdaspur	4/21/2023	4/21/2023	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Gurdaspur	GU03000067	Govt.	Baba Furniture And Timber Store, Mukerian Road, Gurdaspur	4/21/2023	4/21/2023	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
20	Gurdaspur	Govt. I.T.I., Kalanaur	GR03000394	Govt.	PWD B & R Gurdaspur	6/24/2024	6/24/2027	Draughtsman (Civil) - Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Kalanaur	GR03000394	Govt.	The gurdaspur Co-Operative Sugar Mill LTD.	6/11/2024	6/11/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
21	Gurdaspur	Govt. I.T.I., Qadian	GU03000032	Govt.	Chadha Sugars And Industries Pvt Ltd. Village Kiri Afgana P.O. Rajoya Tehsil Batala , Gurdaspur	6/24/2024	6/24/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Qadian	GU03000032	Govt.	Chadha Sugars And Industries Pvt Ltd. Village Kiri Afgana P.O.	6/24/2024	6/24/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Rajoya Tehsil Batala , Gurdaspur								
	Gurdaspur	Govt. I.T.I., Qadian	GU03 00003 2	Govt.	Pathankot Vehicleades Pvt Ltd Batala , Amritsar Road Batala Distt Gurdaspur	8/16/2024	8/16/2027	Mechanic Motor Vehicle - Dst	3	Unit-1	New	Recommended	Recommended
	Gurdaspur	Govt. I.T.I., Qadian	GU03 00003 2	Govt.	M/S Steel craft India Pvt Ltd. Village Kutbi Nangal , Opp 132 KV Power Point Batala Distt Gurdaspur	4/18/2023	4/18/2026	Welder (GMAW & GTAW) - DST	3	Unit-1	New	Recommended	Recommended
22	Hoshiarpur	Govt. I.T.I., Haryana	GR03 00005 5	Govt.	AB Sugar Ltd	11/1/2024	11/1/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
23	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Machinist - DST	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Mechanic Auto Electrical And Electronics - DST	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Mechanic Tractor - Dst	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors	6/5/2025	6/5/2028	Turner - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		Hoshiarpur			Lmt., Hoshiarpur								
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Hoshiarpur	GU03000052	Govt.	International Tractors Lmt., Hoshiarpur	6/5/2025	6/5/2028	Welder (GMAW & GTAW) - DST	3	Unit-1	New	Recommended	Recommended
24	Hoshiarpur	Govt. I.T.I., Talwara	GU03000050	Govt.	BBMB Talwara	6/16/2025	6/16/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Talwara	GU03000050	Govt.	BBMB Talwara	6/16/2025	6/16/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Talwara	GU03000050	Govt.	BBMB Talwara	6/16/2025	6/16/2028	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Hoshiarpur	Govt. I.T.I., Talwara	GU03000050	Govt.	BBMB Talwara	6/16/2025	6/16/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
25	Jalandhar	Govt. I.T.I., Nakoder	GU03000093	Govt.	The Nakodar Co-Operative Sugar Mills Ltd.	5/16/2023	5/16/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
26	Jalandhar	Meharch and I.T.I., Jalandhar	GR03000009	Govt.	Punjab Roadways Jalandhar-I	4/18/2023	4/18/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Jalandhar	Meharch and I.T.I., Jalandhar	GR03000009	Govt.	Punjab Roadways Jalandhar-I	4/18/2023	4/18/2026	Electrician - DST	3	Unit-2	New	Recommended	Recommended
	Jalandhar	Meharch and I.T.I., Jalandhar	GR03000009	Govt.	Punjab Roadways Jalandhar-I	5/29/2024	5/29/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Jalandhar	Meharch and I.T.I., Jalandhar	GR03000009	Govt.	Satkar Industries, Jalandhar	5/30/2024	5/30/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
27	Kapurthala	Govt. I.T.I. Satnampura, Phagwara	GR03 000017	Govt.	Fine Switch Gears.Phagwara	4/20/2023	4/20/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
28	Kapurthala	Govt. I.T.I., Kapurthala	GU03 000018	Govt.	ESS ESS KAY Engg. Co. Kapurthala	4/24/2023	4/24/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Kapurthala	Govt. I.T.I., Kapurthala	GU03 000018	Govt.	ESS ESS KAY Engg. Co. (P) Ltd	8/4/2023	8/4/2026	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Kapurthala	Govt. I.T.I., Kapurthala	GU03 000018	Govt.	ESS ESS KAY Engg. Co. (P) Ltd Kapurthala	3/10/2023	3/10/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
29	Kapurthala	Govt. I.T.I., Talwandi	GR03 000024	Govt.	abrol engg. pvt. ltd. kapurthala	8/2/2023	8/2/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		Choudhrian											
	Kapurthala	Govt. I.T.I., Talwandi Choudhrian	GR03000024	Govt.	PRTC kapurthala	8/2/2023	8/2/2026	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
30	Ludhiana	Govt. I.T.I., Gujarwal	GR03000113	Govt.	Real Chef pvt. Lmt	6/2/2025	6/2/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Gujarwal	GR03000113	Govt.	Dixon Electro Appliance Pvt. Ltd	6/4/2024	6/4/2027	Electronics Mechanic - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Gujarwal	GR03000113	Govt.	AKC Automotive LLP Mullanpur	6/3/2025	6/3/2028	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Gujarwal	GR03000113	Govt.	Parth Building & Enginnering Ludhiana	5/16/2023	5/16/2026	Plumber - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Gujjarwal	GR03000113	Govt.	PRTC Ludhiana	5/24/2023	5/24/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
31	Ludhiana	Govt. I.T.I., Jassowal Kullar	GR03000104	Govt.	Pspcl Jagraon	6/3/2025	6/3/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Jassowal Kullar	GR03000104	Govt.	Accurate Turning India(Ltd) Ludhiana	3/2/2023	3/2/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Jassowal Kullar	GR03000104	Govt.	Punjab Trading Company Jagraon , Natioal Tradinding Corp. Jagraon, Harchand Building Material Store Kular	3/2/2023	3/2/2026	Plumber - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Jassowal Kullar	GR03000104	Govt.	Eco Harvest	7/26/2023	7/26/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
32	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Central Tool Room, Ludhiana	5/8/2025	5/8/2028	Additive Manufacturing (3D Printing) - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Kumar Exports	5/15/2025	5/15/2028	Advanced Cnc Machining - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Baljit Singh Gill	5/1/2025	5/1/2028	Draughtsman (Civil) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Central Tool Room, Ludhiana	5/8/2025	5/8/2028	Draughtsman (Mechanical) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Vardhman Special Steels Limited	5/13/2025	5/13/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Jaewoo Machines Pvt.Ltd.	5/13/2025	5/13/2028	Electrician - DST	3	Unit-2	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Budhewal Co-Op Sugar Mills	5/13/2025	5/13/2028	Electrician - DST	3	Unit-3	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Vishivkarma Industries Pvt. 249 7Janta Nagar Gill Road Ludhiana	6/3/2025	6/3/2028	Electroplater - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	VARDHMAN SPECIAL STEELS LIMITED	5/22/2025	5/22/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Verka The Ludhiana District Co-Operative milk producers	5/22/2025	5/22/2028	Fitter - DST	3	Unit-2	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Union Limited								
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	G.S. Auto International Limited	5/22/2025	5/22/2028	Fitter - DST	3	Unit-3	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Kumar Exports	5/22/2025	5/22/2028	Fitter - DST	3	Unit-4	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Hero Cycles Ltd. Ludhiana	5/22/2025	5/22/2028	Industrial Robotics & Digital Manufacturing Technician - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Vardhman Special Steels Limited	5/13/2025	5/13/2028	Machinist - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Amar Agricultural Implements Works (Regd)	5/12/2025	5/12/2028	Mechanic (Tractor) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Kamal paint World	5/22/2025	5/22/2028	Mechanic Auto Body Painting - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Kamal paint World	5/22/2025	5/22/2028	Mechanic Auto Body Repair - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Punjab Roadways Ludhiana	5/5/2025	5/5/2028	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Punjab Roadways Ludhiana	5/5/2025	5/5/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Punjab Roadways Ludhiana	5/5/2025	5/5/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-2	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Baljit Singh Gill	5/22/2025	5/22/2028	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Verka The Ludhiana District Co-Operative milk producers Union Limited	5/22/2025	5/22/2028	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Refrigeration And Air Conditioning Servicing Sector Society	5/22/2025	5/22/2028	Refrigeration and Air Conditioning Technician- Dst	3	Unit-2	Renew	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Kumar Exports	5/8/2025	5/8/2028	Tool & Die Maker (Press Tools, Jigs & Fixtures) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	G.S. Auto International Limited	5/13/2025	5/13/2028	Turner - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Hero Cycles Ltd. Ludhiana	5/15/2025	5/15/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	Crystal ELECTRIC COMPANY PVT. LTD.	5/8/2025	5/8/2028	Wireman - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Ludhiana	GU03000029	Govt.	J.H. & Company	5/7/2025	5/7/2028	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
33	Ludhiana	Govt. I.T.I., Manuke	GR03000092	Govt.	Pspcl (Assistant Executive Engineer Sub Urban Sub Division Jagraon)	6/3/2025	6/3/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Manuke	GR03000092	Govt.	Punjab Roadways Jagraon	1/3/2025	1/3/2028	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Manuke	GR03000092	Govt.	Punjab Roadways Jagraon	1/3/2025	1/3/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Manuke	GR03000092	Govt.	Punjab Tranding Company ,Sidhwan Bet Road Jagraon	8/21/2023	8/21/2026	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Manuke	GR03000092	Govt.	Punjab Roadways Jagraon	1/3/2025	1/3/2028	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
34	Ludhiana	Govt. I.T.I., Otalan	GR03000040	Govt.	Kangaro Industries Limited, Vill. Kanech Distt.Ludhiana	11/26/2024	11/26/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Otalan	GR03000040	Govt.	Hoshiarpur Automobiles VPO. Singriwala, Jalandhar Road, Hoshiarpur	1/1/2025	1/1/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Otalan	GR03000040	Govt.	Municipal Council Samrala	5/27/2024	5/27/2027	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Otalan	GR03000040	Govt.	Kangaro Industries Limited, Vill. Kanech Distt.Ludhiana	11/26/2024	11/26/2027	Turner - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Ludhiana	Govt. I.T.I., Otalan	GR03000040	Govt.	Sokhi Manufacturing Company Samrala		3/24/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Otalan	GR03000040	Govt.	Crystal Electric Pvt. Limited D113, Phase-5, Focal Point, Ludhiana	4/28/2025	4/28/2028	Wireman - DST	3	Unit-1	New	Recommended	Recommended
35	Ludhiana	Govt. I.T.I., Samrala	GR03000049	Govt.	Budhewal Co-Operative Sugar Mill Ltd. Ludhiana	5/3/2023	5/3/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Samrala	GR03000049	Govt.	M/S Jain Steel Industry, Mandi Gobindgarh	4/19/2023	4/19/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Samrala	GR03000049	Govt.	M/S Hero Eco Tech	4/20/2023	4/20/2026	Machinist - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Ltd .Ludhiana								
	Ludhiana	Govt. I.T.I., Samrala	GR03 000049	Govt.	Punjab Roadways Ludhiana	11/2/2022	11/2/2025	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Samrala	GR03 000049	Govt.	M/S Rana Milk Foods Pvt Ltd. Samrala (Ldh)	4/18/2023	4/18/2026	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Ludhiana	Govt. I.T.I., Samrala	GR03 000049	Govt.	M/S Hero Eco Tech Ltd. Ludhiana	4/20/2023	4/20/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
36	Ludhiana	Govt. Institute of Textile Chemistry and Knitting	GR03 000286	Govt.	Oswal Finishing Mills (Regd.)	6/12/2024	6/12/2027	Textile Wet Processing Technician - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		Technology , Ludhiana											
37	Malerkotla	Govt. I.T.I., Malerkotla	GR03 000102	Govt.	Salguard Automation and Controls, Malerkotla	5/30/2025	5/30/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Malerkotla	Govt. I.T.I., Malerkotla	GR03 000102	Govt.	K.S. Agriculture Industry Pvt Ltd Mlk (Punjab India)	5/28/2024	5/28/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Malerkotla	Govt. I.T.I., Malerkotla	GR03 000102	Govt.	water supply and sanitation division Malerkotla punjab	5/30/2024	5/30/2027	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Malerkotla	Govt. I.T.I., Malerkotla	GR03 000102	Govt.	Trident Group, Sanghera, Barnala	4/28/2025	4/28/2028	Textile Wet Processing	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
								Technician - Dst					
	Malerkotla	Govt. I.T.I., Malerkotla	GR03000102	Govt.	KLChill Rolls Private Ltd Malerkotla	5/30/2024	5/30/2027	Turner - DST	3	Unit-1	New	Recommended	Recommended
	Malerkotla	Govt. I.T.I., Malerkotla	GR03000102	Govt.	Blacksmith Engineering Works Malerkotla	5/28/2024	5/28/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
38	Mansa	Govt. I.T.I. (S.C.), Mansa	GR03000078	Govt.	Goyal Cooler Industry	4/17/2023	4/17/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Mansa	Govt. I.T.I. (S.C.), Mansa	GR03000078	Govt.	Executive Engineer Water Supply and Sanitation Division No. 1 Mansa	4/18/2023	4/18/2026	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Mansa	Govt. I.T.I.	GR03000078	Govt.	Paul Agro Industries	4/17/2023	4/17/2026	Welder - DST	1	Unit-1	Conversion	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
		(S.C.), Mansa											
39	Mansa	Govt. I.T.I., Budhlada	GU03000051	Govt.	Trident Group, Sanghera, Barnala	5/6/2025	5/6/2028	Fitter - DST	2	Unit-1	Conversion	Recommended	Recommended
40	Moga	Govt. I.T.I., Moga	GU03000048	Govt.	Executive Engineering water supply & sanitation division Moga	6/5/2025	6/5/2028	Draughtsman (Civil) - Dst	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03000048	Govt.	Kala Power Industry, Moga	3/19/2024	3/19/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03000048	Govt.	Saggu Agro Industry, Moga	6/4/2025	6/4/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03000048	Govt.	Akhtiar Agro Industry, Moga	6/4/2025	6/4/2028	Fitter - DST	3	Unit-2	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Moga	Govt. I.T.I., Moga	GU03 00004 8	Govt.	Sunny Agro Industry, Focal Point, Moga	3/19/2024	3/19/2027	Machinist - DST	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03 00004 8	Govt.	Jandu Agro Industry And Madho Agro Industry, Moga	3/19/2024	3/19/2027	Mechanic Agriculture Machinery - Dst	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03 00004 8	Govt.	Punjab Roadways Moga	3/19/2024	3/19/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03 00004 8	Govt.	Punjab Roadways Moga	3/2/2023	3/2/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03 00004 8	Govt.	National Electricals Moga	6/5/2025	6/5/2028	Wireman - DST	3	Unit-1	New	Recommended	Recommended
	Moga	Govt. I.T.I., Moga	GU03 00004 8	Govt.	Punjab Roadways Moga	3/2/2023	3/2/2026	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
41	Pathankot	Govt. I.T.I., Bamial	GR03 000119	Govt.	Punjab Roadways Pathankot	3/16/2023	3/16/2026	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Bamial	GR03 000119	Govt.	Bharat Engg. Works, Sujampur, Pathankot	4/19/2023	4/19/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
42	Pathankot	Govt. I.T.I., Pathankot	GR03 000039	Govt.	Major Electrical Malikpur Pathankot	5/30/2024	5/30/2027	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03 000039	Govt.	Hark power Controls Pathankot	5/28/2024	5/28/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03 000039	Govt.	Hark power Controls Pathankot	5/28/2024	5/28/2027	Fitter - DST	3	Unit-2	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03 000039	Govt.	Hotel Best western	5/30/2024	5/30/2027	Food Production (General) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Pathankot	Govt. I.T.I., Pathankot	GR03000039	Govt.	Punjab Rodways Pathankot	5/29/2024	5/29/2027	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03000039	Govt.	Punjab Rodways Pathankot	5/29/2024	5/29/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03000039	Govt.	Hark power Controls Pathankot	5/28/2024	5/28/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03000039	Govt.	Hark power Controls Pathankot	5/28/2024	5/28/2027	Welder - DST	3	Unit-2	New	Recommended	Recommended
	Pathankot	Govt. I.T.I., Pathankot	GR03000039	Govt.	Punjab Rodways Pathankot	5/29/2024	5/29/2027	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended
43	Patiala	Govt. I.T.I., Nabha	GR03000005	Govt.	M/S Preet Tractors Nabha	4/18/2023	4/18/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Patiala	Govt. I.T.I., Nabha	GR03 00000 5	Govt.	The Sangrur District Co-operative Milk Producers Union Ltd.	5/19/2025	5/19/2028	Food Beverage - Dst	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Nabha	GR03 00000 5	Govt.	The Sangrur District Co-operative Milk Producers Union Ltd.	3/27/2025	3/27/2028	Milk And Milk Product Technician - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Nabha	GR03 00000 5	Govt.	M/S Malkit Agrotech Pvt. Ltd. Nabha	4/18/2023	4/18/2026	Turner - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Nabha	GR03 00000 5	Govt.	M/S Malkit Agrotech Pvt. Ltd. Nabha	4/18/2023	4/18/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
44	Patiala	Govt. I.T.I., Patiala	GU03 00001 3	Govt.	Patiala Locomotive Works (Indian Railways)	5/22/2023	5/22/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Patiala	Govt. I.T.I., Patiala	GU03000013	Govt.	Patiala Locomotive Works (Indian Railways)	5/22/2023	5/22/2026	Electrician - DST	3	Unit-2	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03000013	Govt.	Patiala Locomotive Works (Indian Railways)	5/22/2023	5/22/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03000013	Govt.	Patiala Locomotive Works (Indian Railways)	5/22/2023	5/22/2026	Fitter - DST	3	Unit-2	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03000013	Govt.	Patiala Locomotive Works (Indian Railways)	5/22/2023	5/22/2026	Machinist - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03000013	Govt.	Pepsu Road Transport Corporation , Head Office, Nabha	6/4/2024	6/4/2027	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Road, Patiala								
	Patiala	Govt. I.T.I., Patiala	GU03 000013	Govt.	Pepsu Road Transport Corporation , Head Office, Nabha Road, Patiala	6/4/2024	6/4/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03 000013	Govt.	Municipal Corporation Patiala	10/25/2023	10/25/2026	Plumber - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03 000013	Govt.	The Patiala Distt. Co-op. Milk Producer's Union Ltd. Sirhind Road Patiala	12/29/2023	12/29/2026	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03 000013	Govt.	Patiala Locomotive Works	5/22/2023	5/22/2026	Turner - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					(Indian Railways)								
	Patiala	Govt. I.T.I., Patiala	GU03 00001 3	Govt.	Patiala Locomotive Works (Indian Railways)	5/22/2023	5/22/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Patiala	GU03 00001 3	Govt.	ACME Industries Back side milkfood Ltd, Bahadurgarh Raja Farms Patiala	12/20/2024	12/20/2027	Wood Work Technician - Dst	3	Unit-1	New	Recommended	Recommended
45	Patiala	Govt. I.T.I., Rajpura	GR03 00002 2	Govt.	1. M/s Advance Switch Gear Co. Guru Nanak Nagar, Nalas Road, Rajpura, 2. Municipal	7/1/2023	7/1/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					corporation Rajpura								
	Patiala	Govt. I.T.I., Rajpura	GR03 00002 2	Govt.	1. M/s Guru Nanak Machine Tools, opp Grain market Rajpura	8/1/2024	8/1/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Rajpura	GR03 00002 2	Govt.	1. M/S Metal crafts Industries Focal Point Rajpura	7/1/2024	7/1/2027	Machinist - DST	3	Unit-1	New	Recommended	Recommended
	Patiala	Govt. I.T.I., Rajpura	GR03 00002 2	Govt.	1. M/s Sahib Auto motive pvt ltd, 2. Raj Vehicles Pvt Ltd	7/1/2023	7/1/2026	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Patiala	Govt. I.T.I., Rajpura	GR03 00002 2	Govt.	1. M/s Guru Nanak Machine Tools, opp Grain market Rajpura, 2. M/S Metal crafts Industries Focal Point Rajpura	8/1/2024	8/1/2027	Turner - DST	3	Unit-1	New	Recommended	Recommended
46	Rupnagar	Govt. I.T.I., Anandpur Sahib	GR03 00008 5	Govt.	Punjab Roadways Nangal	5/9/2023	5/9/2026	Mechanic Diesel - Dst	3	Unit-1	New	Recommended	Recommended
47	Rupnagar	Govt. I.T.I., Nangal	GR03 00003 7	Govt.	BBMB	6/27/2024	6/27/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
48	Rupnagar	Govt. I.T.I., Roop Nagar	GU03 00004 5	Govt.	Inder Entps pvt. Ltd. Plot no. 17A, Ind. Area focal	2/6/2025	2/6/2028	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					Point, Chanalon, SAS Nagar, Punjab								
	Rupnagar	Govt. I.T.I., Roop Nagar	GU03 000045	Govt.	SML Isuzu LTD	2/14/2025	2/14/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Rupnagar	Govt. I.T.I., Roop Nagar	GU03 000045	Govt.	SML	6/2/2025	6/2/2028	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Rupnagar	Govt. I.T.I., Roop Nagar	GU03 000045	Govt.	SML Isuzu LTD	2/14/2025	2/14/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
49	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Banur	GU03 000030	Govt.	1.Fast Transmission Pvt.Ltd.Khan Cable patiala2.1. Verka Milk Plant ,Mohali	3/1/2025	3/1/2028	Electrician - DST	2	Unit-1	Conversion	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
					3. JLPLinfrastructures (P) Ltd, Mohali 4. Shorey E solutions , mk Technology park mohali								
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Banur	GU03000030	Govt.	1. Swan Engineers & Traders Banur 2. Bliss Industrial Focal Point Rajpura 3. Vishavkarma Steel Forging Focal Point Rajpura	3/20/2025	3/20/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Banur	GU03000030	Govt.	1. Kohli Tractors Patiala Road Rajpura. 2. Satkar Motors Patiala road Rajpura.	5/30/2024	5/30/2027	Mechanic (Tractor) - Dst	3	Unit-1	New	Recommended	Recommended
50	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03000087	Govt.	Core metal kraft Ltd, Derabassi. .	4/25/2023	4/25/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03000087	Govt.	Hella india lighting Ltd. Derabassi	4/13/2023	4/13/2026	Electronics Mechanic - Dst	3	Unit-1	New	Recommended	Recommended
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03000087	Govt.	Steel strip wheels Ltd. Lehli	12/9/2024	12/9/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03000087	Govt.	Kohli Tractor, Saidpura , Derabassi	4/18/2023	4/18/2026	Mechanic (Tractor) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03 000087	Govt.	JCBL, Lalru	4/19/2023	4/19/2026	Mechanic Auto Body Repair - Dst	3	Unit-1	New	Recommended	Recommended
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03 000087	Govt.	Swami Auto Care Pvt Ltd. Derabassi	4/18/2023	4/18/2026	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03 000087	Govt.	Sughna Foods Pvt Ltd, jaula Khurd, Lalru	4/18/2023	4/18/2026	Refrigeration and Air Conditioning Technician- Dst	3	Unit-1	New	Recommended	Recommended
	Sahibzada Ajit Singh Nagar	Govt. I.T.I., Lalru	GR03 000087	Govt.	Core metal kraft Ltd, Derabassi. .	4/25/2023	4/25/2026	Welder - DST	3	Unit-1	New	Recommended	Recommended
51	Sangrur	Govt. I.T.I., Sunam	GU03 000043	Govt.	Jaswant Agriculture Works, Sunam	3/7/2023	3/7/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Sangrur	Govt. I.T.I., Sunam	GU03 00004 3	Govt.	Saron Mech. Works	6/12/2024	6/12/2027	Electrician - DST	3	Unit-2	New	Recommended	Recommended
	Sangrur	Govt. I.T.I., Sunam	GU03 00004 3	Govt.	Gurdev Agro Tech. Sunam	3/7/2023	3/7/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Sangrur	Govt. I.T.I., Sunam	GU03 00004 3	Govt.	Saron Mech. Works	6/12/2024	6/12/2027	Fitter - DST	3	Unit-2	New	Recommended	Recommended
	Sangrur	Govt. I.T.I., Sunam	GU03 00004 3	Govt.	Prtc Sangrur	6/11/2024	6/11/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Sangrur	Govt. I.T.I., Sunam	GU03 00004 3	Govt.	Kuldeep Agri Works Dhuri	6/11/2024	6/11/2027	Turner - DST	3	Unit-1	New	Recommended	Recommended
	Sangrur	Govt. I.T.I., Sunam	GU03 00004 3	Govt.	Saron Mech. Works	6/12/2024	6/12/2027	Welder (GMAW & GTAW) - DST	3	Unit-1	New	Recommended	Recommended
52	Shahid Bhagat	Govt. I.T.I., Shaheed	GU03 00002 5	Govt.	The Nawanshahr Co-	4/18/2023	4/18/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Singh Nagar	Bhagat Singh Nagar			Op.Sugar Mills Ltd. Nawanshahr								
	Shahid Bhagat Singh Nagar	Govt. I.T.I., Shaheed Bhagat Singh Nagar	GU03 00002 5	Govt.	The Nawanshahr Co-Op.Sugar Mills Ltd. Nawanshahr	4/18/2023	4/18/2026	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Shahid Bhagat Singh Nagar	Govt. I.T.I., Shaheed Bhagat Singh Nagar	GU03 00002 5	Govt.	Hotel Silver Leaf Pvt.Nawanshahr	4/18/2023	4/18/2026	Food And Beverag Guest Services Assistant - DST	3	Unit-1	New	Recommended	Recommended
	Shahid Bhagat Singh Nagar	Govt. I.T.I., Shaheed Bhagat Singh Nagar	GU03 00002 5	Govt.	Hmp Hotels Pvt.Ltd.Nawanshahr	4/18/2023	4/18/2026	Food Production (General) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
53	Shahid Bhagat Singh Nagar	Govt. I.T.I., Soondh	GR03 000118	Govt.	Genral Manager The Nawanshah ar Coop. Sugar Mill Ltd. Nawanshah ar	4/19/2023	4/19/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Shahid Bhagat Singh Nagar	Govt. I.T.I., Soondh	GR03 000118	Govt.	Kamal Electronics	6/3/2025	6/3/2028	Electronics Mechanic - Dst	3	Unit-1	New	Recommended	Recommended
	Shahid Bhagat Singh Nagar	Govt. I.T.I., Soondh	GR03 000118	Govt.	Sirsa Industries	6/3/2025	6/3/2028	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Shahid Bhagat Singh Nagar	Govt. I.T.I., Soondh	GR03 000118	Govt.	Singh Enterprises	6/3/2025	6/3/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
54	Sri Muktsar Sahib	Govt. I.T.I. (W), Kheowali	PU03000091	Govt.	Akaash Belting Pvt ltd	6/4/2025	6/4/2028	Electronics Mechanic - Dst	3	Unit-1	New	Recommended	Recommended
	Sri Muktsar Sahib	Govt. I.T.I. (W), Kheowali	PU03000091	Govt.	Akaash Belting Pvt ltd	6/4/2025	6/4/2028	Mechanic Consumer Electronics Appliances - Dst	3	Unit-1	New	Recommended	Recommended
55	Sri Muktsar Sahib	Govt. ITI ,Sarainaga	GR03000028	Govt.	PWD B and R Electrical Wing Faridkot	8/17/2023	8/17/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
56	Tarn Taran	Govt. I.T.I., Patti.	GU03000066	Govt.	Punjab Roadways Patti	6/6/2024	6/6/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Tarn Taran	Govt. I.T.I., Patti.	GU03000066	Govt.	Punjab Roadways Patti	6/6/2024	6/6/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended

S No .	District	Name and address of ITI	MIS Code	ITI Category	Name of the industry and complete address of Industry	MoU start Date	MOU End Date	Name of The Trade For DST	Shift	Unit	Conversion/ New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
	Tarn Taran	Govt. I.T.I., Patti.	GU03 00006 6	Govt.	Dhillon Fabrication & Engg Works, Patti, Distt. TarnTaran	6/6/2024	6/6/2027	Welder - DST	3	Unit-1	New	Recommended	Recommended
57	Tarn Taran	Govt. I.T.I., Sarhali.	GR03 00002 3	Govt.	Pspcl Sarhali Tarntaran	4/19/2023	4/19/2026	Electrician - DST	3	Unit-1	New	Recommended	Recommended
	Tarn Taran	Govt. I.T.I., Sarhali.	GR03 00002 3	Govt.	Punjab Roadways Tarntaran	5/24/2024	5/24/2027	Fitter - DST	3	Unit-1	New	Recommended	Recommended
	Tarn Taran	Govt. I.T.I., Sarhali.	GR03 00002 3	Govt.	Punjab Roadways Tarntaran	5/28/2024	5/28/2027	Mechanic Motor Vehicle (Mmv) - Dst	3	Unit-1	New	Recommended	Recommended
	Tarn Taran	Govt. I.T.I., Sarhali.	GR03 00002 3	Govt.	KSP Technologies, Tarntaran	6/3/2025	6/3/2028	Welder - DST	3	Unit-1	New	Recommended	Recommended
	Tarn Taran	Govt. I.T.I., Sarhali.	GR03 00002 3	Govt.	KSP Technologies, Tarntaran	6/3/2025	6/3/2028	Welder (GMAW & GTAW) - DST	3	Unit-1	New	Recommended	Recommended

Annexure -10 As referred in agenda 4.8- SSDEC Rajasthan SCVT to NCVET Conversion

S. No	ITI name and Address	District	State	Whether ITI already affiliated under NCVT	NCVT MIS Code (in case of existing ITI)	Shift wise Trade and Units for which affiliation has been sought under NCVT	Shift wise Trade and Units recommended by SSDEC Committee	Remarks of 32nd SCAA
1	Govt. ITI, Jayal (Nagaur) New ITI (Running In SCVT)	Nagaur	Rajasthan	No	New ITI	1. Electrician – 02(1+1) Unit 2. Fitter – 02(1+1) Unit 3. Refrigeration and Air Conditioning Technician- 02(1+1) Unit 4. Wireman -0 2(1+1) Unit	1. Electrician – 02(1+1) Unit 2. Fitter – 02(1+1) Unit 3. Refrigeration and Air Conditioning Technician- 02(1+1) Unit 4. Wireman -0 2(1+1) Unit	Recommended
2	Govt. ITI, Sirohi - GR08000108	Sirohi	Rajasthan	Yes	GR08000108	1. Refrigeration and Air Conditioning Technician- 2(1+1) Unit 2. Solar Technician Electrical 02(1+1) Unit	1. Refrigeration and Air Conditioning Technician- 2(1+1) Unit 2. Solar Technician Electrical 02(1+1) Unit	Recommended

S. No	ITI name and Address	District	State	Whether ITI already affiliated under NCVT	NCVT MIS Code (in case of existing ITI)	Shift wise Trade and Units for which affiliation has been sought under NCVT	Shift wise Trade and Units recommended by SSDEC Committee	Remarks of 32nd SCAA
3	Govt. Women ITI, Tonk (Running In SCVT)	Tonk	Rajasthan	No	New ITI	1.Computer Operator &Programming Assistant – 02(1+1) Unit 2.Sewing Technology – 02(1+1) Unit 3.Cosmetology – 02(1+1) Unit 4.Fashion Design and Technology – 02(1+1) Unit	1. Computer Operator &Programming Assistant – 02(1+1) Unit 2. Sewing Technology – 02(1+1) Unit 3. Cosmetology – 02(1+1)- Unit 4. Fashion Design and Technology – 02(1+1)-Unit	Recommended

S. No	ITI name and Address	District	State	Whether ITI already affiliated under NCVT	NCVT MIS Code (in case of existing ITI)	Shift wise Trade and Units for which affiliation has been sought under NCVT	Shift wise Trade and Units recommended by SSDEC Committee	Remarks of 32nd SCAA
4	Govt. ITI, Tantoti (Ajmer) (Running In SCVT)	Ajmer	Rajasthan	No	New ITI	1.Fitter-02(1+1) Unit 2. Electrician – 2(1+1) Unit 3.Refrigeration and Air Conditioning Technician- 2(1+1) Unit 4.Computer Operator & Programming Assistant – 02(1+1) Unit	1. Fitter-02(1+1) Unit 2. Electrician – 2(1+1) Unit 3. Refrigeration and Air Conditioning Technician- 2(1+1) Unit 4. Computer Operator & Programming Assistant – 02(1+1) Unit	Recommended
5	Govt. ITI, Khajuwala (Bikaner) - - GR08001919	Bikaner	Rajasthan	Yes	GR08001919	1-Mechanic Motor Vehicle – 2(1+1) Unit	1-Mechanic Motor Vehicle – 2(1+1) Unit	Recommended

S. No	ITI name and Address	District	State	Whether ITI already affiliated under NCVT	NCVT MIS Code (in case of existing ITI)	Shift wise Trade and Units for which affiliation has been sought under NCVT	Shift wise Trade and Units recommended by SSDEC Committee	Remarks of 32nd SCAA
6	Govt ITI Lunkaransar (Bikaner) - GR08001954	Bikaner	Rajasthan	Yes	GR08001954	1- Mechanic Diesel – 02(1+1) Unit 2- Refrigeration And Air Conditioning Technician 02(1+1) Unit	1. Mechanic Diesel – 02(1+1) Unit 2. Refrigeration And Air Conditioning Technician – 02(1+1) Unit	Recommended
7	Govt. ITI, Panchoo (Bikaner) - GR08001967	Bikaner	Rajasthan	Yes	GR08001967	1.Refrigeration and Air Conditioning Technician-2(1+1) 2-Fitter-02(1+1) Unit 3.-Machinist- 02(1+1) Unit	1. Refrigeration and Air Conditioning Technician- 2(1+1) 2. Fitter-02(1+1) Unit 3. Machinist- 02(1+1) Unit	Recommended

S. No	ITI name and Address	District	State	Whether ITI already affiliated under NCVT	NCVT MIS Code (in case of existing ITI)	Shift wise Trade and Units for which affiliation has been sought under NCVT	Shift wise Trade and Units recommended by SSDEC Committee	Remarks of 32nd SCAA
8	Govt. ITI Shri Dungargarh (Bikaner) New ITI (Running In SCVT)	Bikaner	Rajasthan	No	New ITI	1.Welder-02(1+1)Unit 2.Machinist— 02(1+1) Unit 3. Electrician – 2(1+1) 4-Fitter–02(1+1) Unit 5.Mechanic Diesel – 02(1+1) Unit 6.COPA – 02(1+1) Unit 7. Wireman - 2(1+1)	1. Welder- 02(1+1)Unit 2. Machinist— 02(1+1) Unit 3. Electrician – 2(1+1) 4. Fitter-02(1+1) Unit 5. Mechanic Diesel – 02(1+1) Unit 6. COPA – 02(1+1) Unit 7. Wireman - 2(1+1)	Recommended

Annexure -11 As referred in agenda 4.9.1- SSDEC Telangana-DST Affiliation matter

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
1	Palamoor Private ITI, Bhoothpur, Mahabubnagar	PR3600 0250	Regional Manager TGSRTC Mahabubnagar, RTC bus complex, Mahabub nagar.	5/12/ 2026	5/11/ 2031	Electrician, Fitter, Sewing Technology	Shift-3	Unit-1, Unit-2, Unit-3, Unit-4	Conversion of 3rd shift units	Recommended by SSDEC	The SCAA recommended conversion of only one affiliated unit in the 3rd Shift into Dual System of Training (DST) mode, as only one unit is presently affiliated in the 3rd Shift. The proposal for conversion of the remaining units/trades is not recommended.
							Shift-3	Unit-1, Unit-2	Conversion of 3rd shift units	Recommended by SSDEC	The SCAA recommended conversion of only one affiliated unit in the 3rd Shift into Dual System of Training (DST) mode, as only one unit is presently affiliated in the 3rd Shift. The proposal for conversion of the remaining

S. No .	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
											units/trades is not recommended.
							Shift-3	Unit-1	Conversion of 3rd shift units	Recommended by SSDEC	Not Recommended as 3rd Shift is not running affiliated so conversion can not be recommended
2	Ashlesha Pvt ITI	PU28000473	Jayem Automotives Private Limited, Medchal ,	4/24/2026	8/7/2029	Electrician, Fitter	Shift-3	Unit-1, Unit-2	Conversion of 3rd shift units	Recommended by SSDEC	Electrician: The SCAA recommended conversion of only one affiliated unit in the 3rd Shift into Dual System of Training (DST) mode, as only one unit is presently affiliated in the 3rd Shift.

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
							Shift-3	Unit-1, Unit-2	Conversion of 3rd shift units	Recommended by SSDEC	Fitter: The SCAA recommended conversion of only one affiliated unit in the 3rd Shift into Dual System of Training (DST) mode, as only one unit is presently affiliated in the 3rd Shift.
3	Ascend Pvt ITI Warangal	PU360 00490	1.The Managing Director, Sri sharanya hospital, Naimnagar, Hanumakonda.	24.06 .2025	24.06 .2033	H S I	Shift-3	Unit-1	Addit ional Units	Recom mended by SSDEC	Recommended
			2. Power Solutions, Hanmakonda,			Electrician,	Shift-3	Unit-1, Unit-2	Addit ional Units	Recom mended by SSDEC	Recommended
							Shift-3	Unit-1, Unit-2			Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
			3. Sri Badrakali Enterprises Hanmakonda			Draughtsman Civil	Shift-3	Unit-1	Additional Units	Recommended by SSDEC	Recommended
4	Sri Bhagyalaxmi Pvt ITI Badrachalam	PR36000032	M/s KSL Technocrats, Palvancha Kothagudem	01.03.2024	3/1/2029	Electrician	Shift-3	Unit-1, Unit-2 unit-3	Additional Units	Recommended by SSDEC	Recommended Additional Unit-1, Unit-2 unit-3 in 3rd Shift
							Shift-3	Unit-1, Unit-2 unit-3			
						Fitter	Shift-3	Unit-1, Unit-2	Additional Units	Recommended by SSDEC	Recommended Additional Unit-1, Unit-2 in 3rd Shift
							Shift-3	Unit-1, Unit-2			
5	Ravi ITI, Palvancha	PR36000082	M/s KSL Technocrats, Palvancha Kothagudem.	01.03.2024	3/1/2029	Electrician	Shift-1	Unit-1, Unit-2 Unit-3	Additional Units	Recommended by SSDEC	Recommended Additional Unit-1, Unit-2 unit-3 in 3rd Shift

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
							Shift-3	Unit-1, Unit-2 Unit-3			
						Fitter	Shift-3	Unit-1	Additional Units	Recommended by SSDEC	Recommended Unit-1 in 3rd shift Additional
							Shift-3	Unit-1			
6	Shanmuka ITI, Kodada	PR3600 0093	Ashokleyland Company Ltd. Dorakunta Village Kodad, Suryapet.	16.06 .2025	6/16/ 2030	Electrician	Shift-3	Unit-1, Unit-2	Additional Units	Recommended by SSDEC	Recommended Unit-1, Unit-2 in 3rd Shift Additional
							Shift-3	Unit-1, Unit-2			
						Fitter	Shift-3	Unit-1, Unit-2	Additional Units	Recommended by SSDEC	Recommended Unit-1, Unit-2 in 3rd Shift Additional
							Shift-3	Unit-1, Unit-2			

S. No .	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
						Mechanic Diesel	Shift-3	Unit-1, Unit-2	Additional Units	Recommended by SSDEC	Recommended Additional Unit-1, Unit-2 in 3rd Shift
7	Satya ITI Keesara mandal medchal district	PR3600 0238	linkwell telesystems Pvt Ltd Chearlapally	15.06 .2023	15- 06- 2029	Electrician	Shift-3	Unit-1, Unit-2, Unit-3, Unit-4	Additional Units	Recommended by SSDEC	Recommended 04 additional units in 3rd shift
						Fitter	Shift-3	Unit-1, Unit-2, Unit-3, Unit-4	Additional Units	Recommended by SSDEC	Recommended 04 additional units in 3rd shift
							Shift-3	Unit-1, Unit-2, Unit-3, Unit-4			

S. No .	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
8	Naveen ITI, Nalgonda	PR36000047	1.DEC Industries Pvt Ltd, Aipoor.Chityal, Nalgonda.	11.06.2025	6/11/2031	Electrician,	Shift-3	Unit-1, Unit-2, Unit-3, Unit-4, Unit-5, Unit-6, Unit-7, Unit-8 Unit-9, Unit-10, Unit-11, Unit-12	Additional Units	Recommended by SSDEC	Recommended 06 additional units in 3rd shift, remaining units not recommended
							Shift-3	Unit-1, Unit-2, Unit-3, Unit-4, Unit-5, Unit-6, Unit-7, Unit-8 Unit-9, Unit-10,			

S. No .	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion / for a New Unit	Recommendation of SSDEC	Remarks of 32nd SCAA
								Unit-11, Unit-12			

Annexure -12 -As referred in Agenda 4.9.2 Grant of Regular Affiliation to Government ITIs of Telangana under the TATA Technologies Project for New Age courses

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
1.	Govt ITI Adilabad GR36000160	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
2.	Govt ITI Bhadrachalam	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
	GR36000055	CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
3.	Govt ITI Bheemgal (Mallepally-II) GR36000203	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics &	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Digital Manufacturing Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
4.	Govt ITI Bhongir GR36000016	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
5.	Govt ITI Dubbaka GU36000501	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
6.	Govt ITI Gadwal GU36000504	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
7.	Govt. Industrial Training Institute for Girls GU36000004 Hanumakonda	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
8.	Govt Huzurnagar New ITI	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
9.	Govt ITI Jagtial GR36000213	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
10.	Govt ITI Jannaram GR36000197	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
11.	Govt Kalwakurthy ITI GR36000069	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
12.	Govt Karimnagar ITI GR36000137	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
13.	Govt ITI Kataram GR36000191	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
14.	Govt ITI Kazipet GU36000017	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
15.	Govt Khairathabad (Mallepally-4) GU36000506	ITI Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
16.	Govt Mahabubabad ITI GR36000211	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
17.	Govt Mahabubnagar ITI GR36000014	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
18.	Govt ITI Mancherla GR36000019	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
19.	Govt ITI Marpally GR36000509	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
20.	Govt ITI Medak GU36000214	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
21.	Govt ITI Musheerabad GU36000013	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
22.	Govt ITI Nalgonda (G) GR36000053	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
23.	Govt ITI Nizamabad (G) GU36000070	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
24.	Govt ITI Old City GU36000021	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
25.	Govt ITI Patancheru GR36000050	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
26.	Govt ITI Sanathnagar	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
	GU36000037	CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
27.	Govt Shameerpet ITI GU36000503	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
28.	Govt Shantinagar ITI GU36000023	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
29.	Govt ITI Siddipet GR36000224	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
30.	Govt ITI Sircilla GR36000508	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
31.	Govt ITI Srirampur GR36000196	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
32.	Govt ITI Tandur GR36000511 New ITI	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
33.	Govt ITI Thadwai New ITI GR36000510	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
34.	Govt ITI Utnoor GR36000044	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
35.	Govt ITI Vijayanagar Colony GU36000056	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
36.	Govt ITI Vikarabad GR36000038	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
37.	Govt ITI Warangal GU36000008	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
38.	Govt ITI Wazeedu GR36000207	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
39.	Govt ITI Yellareddy GU36000505	Virtual Analysis and Designer-FEM (Finite Element Method)	2(1+1)	2(1+1)	2(1+1)	Recommended
		CNC Machining Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Engineering Design Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Industrial Robotics & Digital Manufacturing	2(1+1)	2(1+1)	2(1+1)	Recommended

S. No.	Name of Institute with address and Type of Application New/ Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
			Institute	Recommended by SSDEC	Trade/units Approved by DGT	
		Technician				
		Manufacturing Process Control and Automation Technician	2(1+1)	2(1+1)	2(1+1)	Recommended
		Mechanic Electric Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended

Annexure -13 As referred in agenda 4.11.- SSDEC Uttarakhand-DST Affiliation matter

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
1	Govt. Industrial Training Institute Jayanti, Almora	GR05000083	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03.2026	22.03.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
2	Govt. Industrial Training Institute Bhawali, Nainital	GU05000087	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03.2026	22.03.2030	Electronics Mechanic (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
3	Govt. Industrial Training Institute Tanakpur, Champawat	GU05000077	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03.2026	22.03.2030	Electronics Mechanic (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
			Automotive Stampings and Assemblies Ltd,	22.04.2026	21.04.2030	Welder (Fabrication & Fitting)(NSQF)	1	1	For Conversion	Yes (1+0)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
			(ASAL) IIE, SIDCUL, Rudrapur								
4	Govt. Industrial Training Institute Betalghat, Nainital	GR05000109	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03.2026	22.03.2030	Electronics Mechanic (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended
5	Govt. Industrial Training Institute Pankhu, Pithoragarh	GR05000184	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03.2026	22.03.2030	Fitter (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended
6	Govt. Industrial Training Institute Bankot, Pithoragarh	GR05000178	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03.2026	22.03.2030	Fitter (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
7	Govt. Industrial Training Institute Kanda, Bageshwer	GR05 00008 4	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03. 2026	22.03. 2030	Electrician (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended
8	Govt. Industrial Training Institute Kapkot, Bageshwer	GR05 00017 4	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03. 2026	22.03. 2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
9	Govt. Industrial Training Institute Jakhpuran, Pithorgarh	GR05 00017 9	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	23.03. 2026	22.03. 2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
10	Govt. Industrial Training Institute	GU05 00018 0	V-Guard Consumer Products Ltd. Pantnagar Udham	23.03. 2026	22.03. 2030	Electrician (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
	Munshyari, Pithoragarh		Singh Nagar, Uttarakhand								
11	Govt. Industrial Training Institute Bazpur, Udham Singh Nagar	GR05000158	Tata Autocomp System Ltd. Composites Division IIE Sidcul Rudrapur, Udham Singh Nagar, Uttarakhand.	23.03.2026	22.03.2030	Mechanic Auto Body Painting (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended
12	Govt. Industrial Training Institute Dhokane, Nainital	GR05000145	Tata Autocomp System Ltd. Composites Division IIE Sidcul Rudrapur, Udham Singh Nagar, Uttarakhand.	23.03.2026	22.03.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
13	Govt. Industrial Training Institute Bright & Corner, Almora	GU05000064	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	09.04.2026	08.04.2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
14	Govt. Industrial Training Institute Khoont, Almora	GR05000189	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	09.04.2026	08.04.2030	Electrician (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended
15	Govt. Industrial Training Institute Danya, Almora	GR05000105	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	09.04.2026	08.04.2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
16	Govt. Industrial Training Institute Dharchula, Pithoragarh	GU05000118	V-Guard Consumer Products Ltd. Pantnagar Udham Singh Nagar, Uttarakhand	09.04.2026	08.04.2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
17	Govt. Industrial Training Institute Gadarpur,	GU05000116	V-Guard Consumer Products Ltd. Pantnagar Udham	09.04.2026	08.04.2030	Electrician (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
	Udham Singh Nagar		Singh Nagar, Uttrakhand								
18	Govt. Industrial Training Institute Haldwani	GU05000070	Automotive Stampings and Assemblies Ltd, (ASAL) IIE, SIDCUL, Rudrapur	22.04.2026	21.04.2030	Fitter (NSQF)	3	1	For Conversion	Yes (0+0+1)	Recommended
			Tata Motors Ltd. Pantnagar, Rudrapur, U.S. Nagar	22.04.2026	21.04.2030	Turner (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
				22.04.2026	21.04.2030	Machinist (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
19	Govt. Industrial Training Institute Almora	GU05000062	Tata Motors Ltd. Pantnagar, Rudrapur, U.S. Nagar	22.04.2026	21.04.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
20	Govt. Industrial Training	GU05000072	Bajaj Auto Ltd. Pantnagar, U.S. Nagar	23.04.2026	22.04.2030	Electrician (NSQF)	2	2	For Conversion	Yes (0+1)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
	Institute Kashipur		UNO Minda, SIDCUL, Pant Nagar, Udham Singh Nagar	21.05.2026	20.05.2030	Electronics Mechanic (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
21	Govt. Industrial Training Institute Sitargang	GU05000111	Bajaj Auto Ltd. Pantnagar, U.S. Nagar	23.04.2026	22.04.2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
22	Govt. Industrial Training Institute Ramnagar	GU05000120	Bajaj Auto Ltd. Pantnagar, U.S. Nagar	23.04.2026	22.04.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
23	Govt. Industrial Training Institute Jaspur	GU05000122	Bajaj Auto Ltd. Pantnagar, U.S. Nagar	23.04.2026	22.04.2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
24	Govt. Industrial Training	GU05000069	Bajaj Auto Ltd. Pantnagar, U.S. Nagar	23.04.2026	22.04.2030	Electrician (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
	Institute Dineshpur										
25	Govt. Industrial Training Institute Bindukhatta	GR05000173	Bajaj Auto Ltd. Pantnagar, U.S. Nagar	23.04.2026	22.04.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
26	Govt. Industrial Training Institute Delna	GR05000136	Satyam Auto Components Pvt. Ltd Plot No. 3/P-8, Sector 10, Iie Sidcul Ranipur Haridwar Uttarakhand	27.02.2026	26.02.2030	FITTER	2	1	For Conversion	Yes (0+1)	Recommended
						WELDER (FABRICATION & FITTING)	2	1	For Conversion	Yes (0+1)	Recommended
27	Govt. Industrial Training Institute Women Dehradun	GU05000065	Sai knitters Limited Selaqui Dehradun	24.04.2026	23.04.2029	Sewing Technology	2	2	For Conversion	Yes (0+1)	Recommended
28	Govt. Industrial Training	GU05	Shivam Autotech Ltd. Plot No. 03 Industrial Park-II,	24.04.2026	23.04.2030	Fitter (NSQF)	2	1	For Conversion	Yes (0+1)	Recommended

S. No.	Name and address of ITI	MIS Code	Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID	Unit ID	Conversion only/ New Unit	Recommendation of SSDEC	32nd SCAA remarks
	Institute Kotdwar	000193	Phase-1 Village – Salempur Mehdood Haridwar Uttarakhand Pin- 249403								
29	Govt. Industrial Training Institute Uttarkashi	GU05000088	Neel Metal Ltd JBM Group, Plot no. 4-6 and 11-16 sector 5 I.I.E Sidkul, Haridwar, Uttarakhand. PIN- 249403	30.04.2026	29.04.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
30	Govt. Industrial Training Institute Pokhra	GR05000079	C&S Electric, Sector 8C, SIDCUL Haridwar	21.05.2026	20.05.2030	Fitter (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended
31	Govt. Industrial Training Institute Pithoragarh	GU05000078	UNO Minda, SIDCUL, Pant Nagar, Udham Singh Nagar	21.05.2026	20.05.2030	Electronics Mechanic (NSQF)	1	1	For Conversion	Yes (1+0)	Recommended

Annexure-14-As referred in Annexure 3 for compliance matter of Gujarat for Industrial Training Institute Visnagar

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
1	AOCP	1	1	3(3+0+0)	13	1	1	5(2+2+1)	13		DGE&T-12/1/2005-TC
	AOCP	1	2		13	2	1		0		
	AOCP	1	3		13	3	1		0		
	AOCP	-	-		-	1	2		13	Seeking	
	AOCP	-	-		-	2	2		0	Affiliation	
2	COPA	1	1	6(6+0+0)	5.5	1	1	6(2+2+2)	5.5		DGET/19(16)89/C D
	COPA	1	2		5.5	2	1		0		DGE&T-12/1/2001-TC
	COPA	1	3		5.5	3	1		0		DGE&T-12/1/2003-TC
	COPA	1	4		5.5	1	2		5.5		DGE&T-12/1/2005-TC
	COPA	1	5		5.5	2	2		0		
	COPA	1	6		5.5	3	2		0		
3	Cosmetology	1	1	3(2+1+0)	6	1	1	3(1+1+1)	6		DGE&T-12/1/2002-TC
	Cosmetology	1	2		6	2	1		0		DGE&T-12/1/2003-TC
	Cosmetology	2	1		0	3	1		0		DGT-12/1/2018-TC
4	Draughtsman(Civil)	1	1	3(3+0+0)	3	1	1	3(1+1+1)	3		DGET/19(16)89/C D

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
	Draughtsman(Civil)	1	2		3	2	1		0		
	Draughtsman(Civil)	1	3		3	3	1		0		
5	Draughtsman(Mechanical)	1	1	3(3+0+0)	3.7	1	1	3(1+1+1)	3.7		DGET/19(16)89/CD
	Draughtsman(Mechanical)	1	2		3.7	2	1		0		
	Draughtsman(Mechanical)	1	3		3.7	3	1		0		
6	Dress Making	1	1	3(2+1+0)	5	1	1	3(1+1+1)	5		DGE&T-12/1/2001-TC
	Dress Making	1	2		5	2	1		0		DGE&T-12/1/2003-TC
	Dress Making	2	1		0	3	1		0		DGT-12/1/2018-TC
7	Electrician	1	1	9(7+1+1)	5.2	1	1	9(3+3+3)	5.2		Before 1969
	Electrician	1	2		5.2	2	1		0		DGET.12/2/97-TC(pt)
	Electrician	1	3		5.2	3	1		0		DGE&T-12/1/2002-TC
	Electrician	1	4		5.2	1	2		5.2		DGE&T-12/1/2005-TC
	Electrician	1	5		5.2	2	2		0		DGT-12/1/2018-TC
	Electrician	1	6		5.2	3	2		0		DGT-12/1/2018-TC
	Electrician	1	7		5.2	1	3		5.2		
	Electrician	2	1		0	2	3		0		
	Electrician	3	1		0	3	3		0		

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
8	Electronics Mechanic	1	1	6(5+1+0)	3.04	1	1	6(2+2+2)	3.04		DGET.12/2/97-TC(pt)
	Electronics Mechanic	1	2		3.04	2	1		0		DGE&T-12/1/2005-TC
	Electronics Mechanic	1	3		3.04	3	1		0		DGT-12/1/2018-TC
	Electronics Mechanic	1	4		3.04	1	2		3.04		
	Electronics Mechanic	1	5		3.04	2	2		0		
	Electronics Mechanic	2	1		0	3	2		0		
9	Fitter	1	1	17(11+4+2)	3.51	1	1	17(6+6+5)	3.51		Before 1969
	Fitter	1	2		3.51	2	1		0		DGET.12/2/97-TC(pt)
	Fitter	1	3		3.51	3	1		0		DGE&T-12/1/2001-TC
	Fitter	1	4		3.51	1	2		3.51		DGE&T-12/1/2003-TC
	Fitter	1	5		3.51	2	2		0		DGE&T-12/1/2004-TC
	Fitter	1	6		3.51	3	2		0		DGE&T-12/1/2005-TC
	Fitter	1	7		3.51	1	3		3.51		DGT-12/1/2018-TC
	Fitter	1	8		3.51	2	3		0		DGT-12/1/2018-TC
	Fitter	1	9		3.51	3	3		0		DGT-AFF011(51)/2/2020-O/o DIR(TC)

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
	Fitter	1	10		3.51	1	4		3.51		DGT-AFF011(51)/2/2020 -O/o DIR(TC)
	Fitter	1	11		3.51	2	4		0		
	Fitter	2	1		0	3	4		0		
	Fitter	2	2		0	1	5		3.51		
	Fitter	2	3		0	2	5		0		
	Fitter	2	4		0	3	5		0		
	Fitter	3	1		0	1	6		3.51		
	Fitter	3	2		0	2	6		0		
10	Health Sanitary Inspector	1	1	2(1+1+0)	4	1	1	4(2+2+0)	4		DGT-AFF011(51)/2/2020 -O/o DIR(TC)
	Health Sanitary Inspector	2	1		0	2	2		0		DGT-AFF011(51)/2/2020 -O/o DIR(TC)
	Health Sanitary Inspector	-	-	-	-	1	2		4	Seeking Affiliation	
	Health Sanitary Inspector	-	-	-	-	2	1		0		
11	Information Communication Technology System Maintenance	1	1	3(2+1+0)	3.45	1	1	3(1+1+1)	3.45		DGE&T-12/1/2005-TC
	Information Communication	1	2		3.45	2	2		0		DGE&T-12/1/2007-TC

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
	Technology System Maintenance										
	Information Communication Technology System Maintenance	2	1		0	3	3		0		DGT-12/1/2018-TC
12	Instrument Mechanic	1	1	6(4+1+1)	8.07	1	1	8(3+3+2)	8.07		Before 1969
	Instrument Mechanic	1	2		8.07	2	1		0		DGE&T-12/1/2002-TC
	Instrument Mechanic	1	3		8.07	3	1		0		DGE&T-12/1/2002-TC
	Instrument Mechanic	1	4		8.07	1	2		8.07		DGT-12/1/2018-TC
	Instrument Mechanic	2	1		0	2	2		0		DGT-12/1/2018-TC
	Instrument Mechanic	3	1		0	3	2		0		
	Instrument Mechanic	-	-		-	1	3		8.07	Seeking Affiliation	
	Instrument Mechanic	-	-		-	2	3		0		
13	Machinist	1	1	3(3+0+0)	20	1	1	3(1+1+1)	20		Before 1969
	Machinist	1	2		20	2	1		0		DGET.12/2/97-TC(pt)
	Machinist	1	3		20	3	1		0		
14	Mechanic (Motor Vehicle)	1	1	6(6+0+0)	4.8	1	1	6(2+2+2)	4.8		Before 1969
	Mechanic (Motor Vehicle)	1	2		4.8	2	1		0		DGET.12/2/97-TC(pt)
	Mechanic (Motor Vehicle)	1	3		4.8	3	1		0		DGE&T-12/1/2005-TC

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
	Mechanic (Motor Vehicle)	1	4		4.8	1	2		4.8		
	Mechanic (Motor Vehicle)	1	5		4.8	2	2		0		
	Mechanic (Motor Vehicle)	1	6		4.8	3	2		0		
15	Refrigeration And Airconditioning Technician	1	1	3(3+0+0)	6.82	1	1	3(1+1+1)	6.82		DGE&T-12/1/2005-TC
	Refrigeration And Airconditioning Technician	1	2		6.82	2	1		0		
	Refrigeration And Airconditioning Technician	1	3		6.82	3	1		0		
16	Mechanic Diesel	1	1	6(6+0+0)	4.8	1	1	6(2+2+2)	4.8		DGET.12/2/97-TC(pt)
	Mechanic Diesel	1	2		4.8	2	1		0		DGE&T-12/1/2000-TC
	Mechanic Diesel	1	3		4.8	3	1		0		DGE&T-12/1/2001-TC
	Mechanic Diesel	1	4		4.8	1	2		4.8		DGE&T-12/1/2002-TC
	Mechanic Diesel	1	5		4.8	2	2		0		
	Mechanic Diesel	1	6		4.8	3	2		0		
17	Plastic Processing Operator	1	1	2(2+0+0)	13.6	1	1	2(1+1+0)	13.6		DGET-12/2/95-TC

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Power Load	Shift No.	Shift Unit	Total	Power Load		
	Plastic Processing Operator	1	2		13.6	2	1		0		DGE&T-12/1/2002-TC
18	Plumber	2	1	1(0+1+0)	3	1	1	1(0+1+0)	3		DGT-AFF011(51)/2/2020-O/o DIR(TC)
19	Turner	1	1	10(6+3+1)	18.5	1	1	10(3+4+3)	18.5		Before 1969
	Turner	1	2		18.5	2	1		0		DGET.12/2/97-TC(pt)
	Turner	1	3		18.5	3	1		0		DGE&T-12/1/2001-TC
	Turner	1	4		18.5	1	2		18.5		DGE&T-12/1/2002-TC
	Turner	1	5		18.5	2	2		0		DGT-12/1/2018-TC
	Turner	1	6		18.5	3	2		0		DGT-12/1/2018-TC
	Turner	2	1		0	1	3		18.5		DGT-AFF011(51)/2/2020-O/o DIR(TC)
	Turner	2	2		0	2	3		0		
	Turner	2	3		0	3	3		0		
	Turner	3	1		0	1	4		18.5		
20	Welder	1	1	9(4+3+2)	16	1	1	9(3+3+3)	16		Before 1969
	Welder	1	2		16	2	1		0		DGET.12/1/98-TC
	Welder	1	3		16	3	1		0		DGT-12/1/2018-TC
	Welder	1	4		16	1	2		16		DGT-12/1/2018-TC
	Welder	2	1		0	2	2		0		
	Welder	2	2		0	3	2		0		

Sr. No.	Trade Name	As Per Mis Portal				As Per ITI Running Now				Remarks	Affilatio Order No.
		Shift No.	Shift Unit	Total	Powe r Load	Shift No.	Shift Unit	Total	Pow er Loa d		
	Welder	2	3		0	1	3		16		
	Welder	3	1		0	2	3		0		
	Welder	3	2		0	3	3		0		
21	Wireman	1	1	6(6+0+0)	5	1	1	6(2+2+2)	5		Before 1969
	Wireman	1	2		5	2	1		0		DGET.12/2/97-TC(pt)
	Wireman	1	3		5	3	1		0		DGE&T-12/1/2002-TC
	Wireman	1	4		5	1	2		5		DGE&T-12/1/2003-TC
	Wireman	1	5		5	2	2		0		
	Wireman	1	6		5	3	2		0		
22	Fashion Design Technology	-	-	-	-	2	1	1(0+1+0)	5	Seeking Affiliation	
23	Mechanic Electric Vehicle	-	-	-	-	2	1	1(0+1+0)	5	Seeking Affiliation	
					620.75				337.72		
