

DGT-Aff011(51)/4/2026-O/o DIR (TC) - 79517
Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Delhi- 110023
Date: 19.08.2026

To

1. The State Directors

Andhra Pradesh, Bihar, Chhattisgarh, Haryana, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Odisha, Telangana, Uttar Pradesh and West Bengal

2. The Regional Directors, RDSDEs

Andhra Pradesh, Bihar, Chhattisgarh, Haryana, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Odisha, Telangana, Uttar Pradesh and West Bengal

Subject: Minutes of the 34th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 06.08.2026 - regarding.

Madam/Sir,

Please find enclosed herewith a copy of Minutes of the 34th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” held on 06.08.2026. Any grievances regarding the decisions outlined in these Minutes may be raised through the portal within 30 days from the date of issue of this Minutes of the Meeting. Grievances submitted after the prescribed period will not be considered.

2. Seat matrix generation for the session 2026–27 for affiliated trades shall be carried out purely based on the mapping of instructors available on the NIMS Portal.
3. This issues with the approval of Competent Authority.

Yours faithfully,

(Ketan Patel/ केतन पटेल)
Director - TC/ निदेशक – टीसी

Copy for information to:

- (i) Sr PPS to DG(T)/SS, DGT, Delhi
- (ii) PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
- (iii) DGT MIS Portal In-charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय

Minutes of 34th Meeting of “Standing Committee on Accreditation and Affiliation held on 06.08.2026”

The 34th Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on 06.08.2026 through VC. During the meeting, the committee discussed matters related to the affiliation and de-affiliation of ITIs. The list of participants who attended the meeting is attached at **Annexure-1**.

2. At the outset, Sunil Kumar Gupta, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ketan Patel, Director, TC took up agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below: -.

Agenda 1: Action taken report of 32nd SCAA meeting related to Affiliation held on 02.07.2026 & 03.07.2026

The Minutes of the 32nd SCAA meeting held on 02.07.2026 and 03.07.2026 have been issued and shared with all concerned stakeholders for necessary action and compliance.

The SCAA Committee is apprised of the same.

Agenda 2: 37 Accreditation/ Affiliation Proposals for Existing ITIs from 8 States.

Inspection reports of existing ITIs have been received on NIMI portal for trade & units' addition during 01.07.2026 to 31.07.2026. State-wise number is given below:

Table 1: State-wise number of inspection reports received from 01.07.2026 to 31.07.2026.

Sr. no	State	Existing Govt	Existing Private	Existing Total
1.	Chhattisgarh	0	2	2
2.	Haryana	0	1	1
3.	Jharkhand	0	1	1
4.	Madhya Pradesh	0	1	1
5.	Maharashtra	21	2	23
6.	Odisha	7	0	7
7.	Uttar Pradesh	0	1	1
8.	West Bengal	0	1	1
Grand Total		27	10	37

Remarks of 34th SCAA: The SCAA examined all the accreditation and affiliation proposals. The remarks/decision of the SCAA are provided in *Annexure-2*.

Agenda 3: Compliance report and reply against the Show Cause Notice from previous SCAA meetings.

In the previous meetings of the SCAA, deficiencies were noticed in certain cases, and the institutes were given an opportunity to submit compliance reports for the same. Further, in cases where Show Cause Notices (SCN) were issued, the institutes were also given an opportunity to submit their replies. The compliance reports received, and the replies to the SCN were placed before the SCAA for deliberation. The State-wise number is given below:

Sr.no	State Name	Count
1.	Bihar	4
2.	Jharkhand	1
3.	Kerala	1
4.	Maharashtra	5
5.	Uttar Pradesh	3
Total		14

Remarks of 34th SCAA: Discussion on the compliance reports and replies submitted by the institutes against the Show-cause Notices issued during previous SCAA meetings was carried out. The SCAA examined the reports, and its remarks/decision are given in ***Annexure-3***.

Agenda 4: Miscellaneous Affiliation matters

4.1 Non-receipt of the compliance reports sought in previous SCAA meetings: Discussion on the cases of ITIs that failed to submit their compliance reports within the stipulated timeline prescribed by the SCAA, despite multiple opportunities being provided.

Remarks/decision of 34th SCAA: The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Despite repeated opportunities granted in the SCAA meetings, the institute consistently failed to respond to the SCAA decision. In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby rejected. The list of such ITIs is enclosed at ***Annexure-4***.

4.2 SSDEC Kerala –SSDEC Kerala, vide its 4th SSDEC Meeting held on 13.02.2026, submitted a proposal for the conversion of SCVT trade units to NCVET in 14 Government ITIs, which was placed before the 32nd SCAA Meeting. However, the proposal for the conversion of Welder Trade (2 Units: 1+1) at Government ITI Chalai, Thiruvananthapuram, Kerala was not placed before the 32nd SCAA Meeting, as the trade was inadvertently omitted by the State Directorate during data entry.

Remarks/decision of 34th SCAA-SCAA recommended the SCVT to NCVT conversion of Welder-2(1+1), at Government ITI Chalai, Thiruvananthapuram, Kerala

Sl. No	ITI name & Address	District	Whether ITI already affiliated under NCVET	Shift wise Trade and Units	Shift wise Trade and Units recommended by SSDEC Committee	SCAA remarks/decision
I.	II.	III.	IV.	V.	VI.	VII.
1.	Government Industrial Training Institute Chalai, Killippalam Junction , Chalai Post Office , Thiruvananthapuram 695036	Thiruvananthapuram	No	Welder-2(1+1)	Recommended	Recommended

4.3 SSDEC Haryana-

4.3.1 Conversion of CTS trade units under Dual System of Training(DST)

SSDEC Haryana, in its 7th HSDEC Meeting held on 18.06.2026, recommended a proposal for DST conversion in 95 Government ITIs and 02 Japan India Institute of Manufacturing (at Unchamajra and Jhan) under the Skill Development & Industrial Training Department, Haryana. The ITIs have signed new MoUs under the Dual System of Training for 374 trade units for the year 2026-27, for which admissions are to be made for the session 2026-27 (for one-year trades) and 2026-28 (for two-year trades).

Remarks of 34th SCAA: The SCAA examined the proposal, and its remarks are given in *Annexure-5*

4.3.2 Conversion of CTS units proposal of Shri Ram Pvt. ITI Hansi, Haryana (PU06000097) under DST

Remarks/decision of 34th SCAA: The SCAA examined the proposal and recommended the conversion of units under DST, details are given below:

Sr. No .	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	Mo U end Date	Name of Trade for DST	Shift ID(Shift 1/Shift2/ Shift 3) as per portal	Unit ID (Unit1/ Unit2/ Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.
1.	Shri Ram Pvt. Industrial Training Institute, Hansi, Haryana	PU060000 97	M/s Subros Limited, located at Plot No. 395-96, Sector-8, IMT Manesar, Manesar, Distt.-Gurugram	18.05.2026	17.05.2031	Electrician	3rd Shift	Unit-1 Unit-2 Unit-3 Unit-4 Unit-5 Unit-6	Conversion of Existing Affiliated Unit New Units	Recommended

4.4 Consideration of inspection report of ITIs in Andhra Pradesh, Maharashtra, Odisha and Telangana having more than 15 affiliated units in a single trade in reference to DGT letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026

Brief Facts:

1. DGT, vide letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, directed the concerned RDSDEs to conduct joint inspections of ITIs having more than 15 affiliated units in a single trade and less than 60% admissions against the approved seating capacity for the Academic Year 2025. The inspection was intended to verify the operational status of the institutes, adequacy of infrastructure, availability of instructors, machinery, and compliance with the Affiliation Norms.
2. As per the summary provided below for inspection report received from Andhra Pradesh, Maharashtra, Odisha and Telangana

Sr.no	State Name	Count
1.	Andhra Pradesh	1
2.	Maharashtra	11
3.	Odisha	5
4.	Telangana	2
Total		19

Remarks/Decision of 34th SCAA: The SCAA examined the reports, and its remarks/decision are given in ***Annexure-6***

Agenda 5: De-affiliation Matters

5.1 SSDEC Haryana

The cases relating to de-affiliation of trades/units of ITIs in the State of Haryana, received from SSDEC Haryana are being submitted to the **34th meeting of SCAA** for consideration.

34th SCAA remarks/decision: The details of the concerned ITIs, trades/units, deficiencies observed during inspection, recommendations of SSDEC, and the proposed action are placed at ***Annexure-7***.

5.2 Court Case Concerning Temporary Restrictions on Admissions at St. Joseph Pvt. ITI, Jharkhand by state directorate for one academic year 2026-27.

That a writ petition W.P.(C) 11070/2026 is filled by the petitioner institute, St. Joseph Private ITI (**PU20000233**) at the juncture of the Hon'ble High court of Delhi seeking following relief-

“It is, therefore, most respectfully prayed that this Hon'ble Court may graciously be pleased to: -

(a) a Civil Writ of Certiorari under Article 226 of the Constitution of India seeking quashing of Clause 7.4 (iii) of the Affiliation Norms for Industrial Training Institutes 2025, of the Respondent No.1; as the same enables the Respondent No.2, to impose Temporary Restriction on admission in an ITI, as the same amounts to de-affiliation for one academic session, against the principles of Natural Justice; and / or

(b) a Civil Writ of Certiorari under article 226 of the Constitution of India seeking quashing of letter dated 09.06.2026 issued by the Respondent No.2, vide which, it has restricted the admission in Petitioner ITI for academic session 2026-27/2026-28, in terms of the aforesaid provision contained in clause 7.4 (iii) of the affiliation norms 2025; and

(c) a Civil Writ of Mandamus under Article 226 of the Constitution of India for seeking direction to the Respondent No.1 & 2, to communicate the State Govt. to enable the Petitioner to admit students during the academic session 2026-27/2026-28

(d) pass any such other or further order(s) or direction(s) or declaration(s) as this Hon'ble Court may deem fit & proper in the facts and circumstances of the instant case and also in the interest of justice."

Brief facts of the case:

- (1) The matter pertains to the restriction imposed by the state directorate on admissions to the petitioner institute, St. Joseph Private ITI (PU20000233), for the academic year 2026–27 due to serious irregularities on the basis of the decision taken in the 5th SSDEC Meeting
- (2) That a complaint was initially lodged by Shri Mohd. Tanweer Alam, Bokaro, Jharkhand, on the CPGRAMS portal against St. Joseph Private ITI (PU20000233), vide CPGRAMS Registration No. DOSKD/E/2025/0002453 dated 22.12.2025. A joint surprise inspection of St. Joseph Private ITI was conducted by the RDSDE, Jharkhand and the State Directorate team on 26.12.2025, in accordance with the De-affiliation Standard Operating Procedure (SOP). During the joint surprise inspection, the following observations were made:
 - a) *St. Joseph Pvt. ITI (PU20000233) was found to be non-functional, with no training activities being conducted and inadequate training infrastructure.*
 - b) *The institute was found to be operating from a location different from the one recorded on the NCVT-MIS portal, approximately 7–9 km away as verified through GPS coordinates.*
 - c) *The Fitter workshop lacked the requisite machines, tools, and equipment prescribed under the latest NSQF syllabus.*
 - d) *The flooring of the Fitter workshop was found to be inadequate and unsuitable for conducting practical training.*
 - e) *The Electrician workshop was not equipped with the machines, tools, and equipment required as per the latest NSQF norms.*
 - f) *The IT laboratory had an insufficient number of computers, and several of the available computers were found to be non-functional.*
 - g) *The attendance of trainees during the inspection was found to be significantly below the admitted strength.*
 - h) *The third shift was found to be completely non-functional despite the admission of trainees.*
- (3) Based on the above observations, a Show Cause Notice-I (SCN-I) vide Letter No. RDSDE/JH/ITI-Affiliation/2025-26/2759 dated 27.12.2025 was issued to the institute, directing it to comply with the Affiliation Norms and the latest NSQF syllabus requirements. However, the institute failed to submit its reply to SCN-I within the stipulated time prescribed under the De-affiliation Standard Operating Procedure (SOP).

- (4) Accordingly, the matter was placed before the 5th State Skill Development and Entrepreneurship Committee (SSDEC) meeting held on 06.02.2026 for further directions under the de-affiliation proceedings as per the prescribed SOP.
- (5) The SSDEC took serious note of the non-functional status of the Private ITI and directed RDSDE, Jharkhand to expedite the de-affiliation process in accordance with the De-affiliation SOP and the guidelines issued by DGT. The Committee further directed that a Joint Inspection Committee be constituted, comprising representatives from the State Directorate and RDSDE, Jharkhand. The State Directorate was instructed to nominate its representative, and RDSDE, Jharkhand was directed to submit the Joint Inspection Committee's inspection report to DGT for further necessary action.
- (6) Thereafter, the 2nd SCN (Show Cause Notice) has been issued vide RDSDE/JH/ITI-Affiliation/2025-26/2860 dated 11.02.2026 after non-receipt of reply from ITI, against the SCN-1. After that the ITI submitted their reply against SCN-1 vide STJ-26-02-012 dated 11.02.2026.
- (7) In compliance with the directions issued in the Minutes of the 5th SSDEC meeting, a Joint Inspection Committee was constituted to carry forward the de-affiliation proceedings. Accordingly, the Joint Inspection was conducted on 04.05.2026 using the DGT ITI Inspection Mobile Application, and the following brief remarks were given by the inspection team-
 - a) *Institute have lacks of sufficient Infrastructure, Machine, Tools and Equipment. In Workshop out dated machines are available and not following the NSQF Level trade syllabus and latest affiliation norms.*
 - b) *Land related documents are provided and building information are not justified.*
 - c) *Manpower details are not provided by the ITI.*
 - d) *Power supply is available but electricity connection certificate and electricity bills are not provided.*
 - e) *Institute is not following the affiliation norms and Latest syllabus(NSQF level).*
 - f) *St Joseph Pvt ITI workshop not equipped to impart training as per Affiliation norms. Trainers salary disbursement record is not there.*
 - g) ***Recommendation for the de-affiliation of all trades and units as affiliated.***
- (8) In accordance with the directions of the 5th SSDEC, RDSDE, Jharkhand, as the Convener of the SSDEC, referred the matter to the State Directorate, Government of Jharkhand, vide impugned Letter No. RDSDE/JH/ITI/De-affiliation/2026-27/200 dated 09.06.2026, enclosing the Minutes of the 5th SSDEC meeting for necessary action.
- (9) Subsequently, the State Directorate of Employment and Training (DET), Government of Jharkhand, vide Letter No. 5/Trg.(Trg.)-01/2026-718 dated 19.06.2026, issued instructions to restrict admissions for the Academic Session 2026–27 in respect of all Private ITIs that were undergoing de-affiliation proceedings.

TC section observation:

- (1) The building completion certificate (BCC) and the fire safety certificate is not available.

- (2) Although the petitioner is claiming that it is running the institute at the same location however there is difference in the coordinates of the petitioner institute on the SIDH portal and the actual physical inspection report. The coordinates of the petitioner institute on SIDH portal is *Latitude: 23.6693 and Longitude: 86.1511* whereas in the inspection report is *Latitude: 23.6222601 and Longitude: 86.1215041* which clearly indicates that petitioner is running the institute from the different building.

That the matter was listed on 07.08.2026 along with the *W.P.(C) No. 10979/2026 titled "Shri Vishavkarma Private ITI vs. Directorate General of Training & Anr.,* wherein the Hon'ble Court has directed to communicate the decision of the 34th SCAA meeting held on 06.08.2026 in the petitioner case. Therefore, the following decision has been communicated to the petitioner vide TC section email dated 12.08.2026.

34th SCAA Decision:

- (1) After considering the inspection findings and the reply submitted by the petitioner ITI, the SCAA observed that the petitioner ITI has committed serious lapses and has not been conducting training in accordance with the prescribed norms. Prime facie, it is evident from the available records that the ITI is being operated from a location other than the approved/registered location. Therefore, keeping in view the interests and future of the trainees, the SCAA observed that the decision of the State Directorate to suspend admissions for the academic session 2026–27, in accordance with the decision of the 5th SSDEC meeting held on 06.02.2026, was **justified**.
- (2) However, in adherence to the principles of natural justice, the petitioner ITI is hereby directed to **show-cause as why the institute should not be de-affiliated** based upon the recommendation of the 5th SSDEC and the remarks given in inspection report 26.11.2025, 04.05.2026 and TC section observation (refer para 2,7,10,11 above) .
- (3) The petitioner shall submit a point-wise, comprehensive, and duly supported explanation addressing each deficiency along with **geo tagged photographs**. The reply must be accompanied by relevant documentary evidence demonstrating rectification of all deficiencies.
- (4) The reply must reach this office within one week from the date of issuance of this communication, i.e., **on or before 19.08.2026**, through email at <tc-courtcase@dgt.gov.in> with a copy marked to <tc-deaffiliation@dgt.gov.in>
- (5) In the event that the petitioner fails to submit a satisfactory and complete reply within the stipulated timeline, the application for affiliation shall be liable to be rejected without any further notice. The petitioner is advised to submit its complete response in a single email. Multiple emails on the same subject or piecemeal submissions shall not be entertained or considered.
- (6) The reply shall be placed before the SCAA/DGT for consideration and for taking a final decision regarding the de-affiliation of the ITI.

5.3 Ratification matter of Utsav Pvt. ITI (PR23000776)

Brief of matter:

The DGT has issued an Office Memorandum No. - DGT-HC024/7/2025-O/o DIR(TC)(E-73458) dated 17.07.2026 in compliance with the Hon'ble High court of Madhya Pradesh Interim Order dated 25.09.2025 passed in I.A No. 17377/2025 in W.P.(C) No. 22405/2025 (Utsav Private ITI vs. Union of India & Others) .

34th SCAA Decision:

The ratification matter of above said O.M. dated 17.07.2026 in respect of Utsav Pvt. ITI (PR23000776) was discussed in 34th SCAA in its meeting and the SCAA ratified the DGT O.M. No. - DGT-HC024/7/2025-O/o DIR(TC)(E-73458) dated 17.07.2026.

List of Participants

The following DGT Officers were present during the meeting:

1. Sh. Sunil Kumar Gupta, Deputy Director General
2. Sh. Ketan Patel, Director, TC, DGT – Member
3. Sh. Satish Kumar, Joint Director, TC Section, DGT
4. Sh. Rajesh Kumar, Deputy Director, TC-Section, DGT
5. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
6. Ms. Kanika Kalhan, Assistant Director of Training, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Shri V Babu, Regional Director,	Shri G. Balasubramaniam Additional Director
2.	Bihar	Shri RC Mandal, Joint Director Shri Abhishek Kumar, Deputy Director	Shri Rakesh Ranjan, Joint Director
3.	Chhattisgarh	Smt D.Subhashree, Regional Director	Ms. Meena Ganvir, Joint Director
4.	Haryana	Shri Sanjeev Sharma, Additional Director	Shri Yashpal Assistant Director
5.	Jharkhand	Shri B K Dubey Regional Director,	Ms Anju Aggarwal, Deputy Director
6.	Karnataka	Shri Ravi Chilukoti, Regional Director	Shri Chidananda, Director
7.	Kerala	Shri.Yuvaraj C, Regional Director	Shri Vasudevan P, Additional Director
8.	Maharashtra	Shri Hemant D. Ganjare, Regional Director	Shri Prashant Dongre, Assistant Director
9.	Madhya Pradesh	Shri. Abhay Arun Mahishi, Regional Director	Shri R K Austin, Deputy Director

Annexure-1

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
10.	Odisha	Shri. Sanket Vasant Shinde, Assistant Director	
11.	Uttar Pradesh	Shri Avinash Kumar, Director Shri Amit Kumar Yadav, Deputy Director	Shri Yoginder Singh, Joint Director Shri Manish, Assistant Director
12.	West Bengal		Shri Prasenjit Bose, Assistant Director

Annexure-2: as referred in Agenda 2: 37 New Accreditation/ Affiliation proposals for Existing ITIs from 08 States

Name of the State: Chhattisgarh

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Verification (ICVC) remarks	Cum Committee	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV		V	VI
1.	Rungta Private Industrial Training Institute Rungta Knowledge City, Kohka-Kurud Road, Bhilai, Chhattisgarh - 490024 PU22000237 Grading: 7.7	Electrician - 8(4+4)	ICVC Recommendation: Recommended Trades for – Electrician-8(4+4+0)		No adverse deficiency is mentioned	SCAA recommended the following trade: Electrician - 8(4+4)
2.	Agrasen ITC, Dagania, Balod Vill-Dagania, Tah-Gunderdehi, District-Balod (C.G) - 491221, Chhattisgarh PR22000089 Grading: 8.1	1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 8(4+4) 3. Mechanic Diesel - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	ICVC Recommendation: 1. The Building Completion Certificate (BCC) indicates that the construction was completed during 2013–14; however, the certificate does not bear the date of issue or the signature of the competent Government authority. 2. The electrical power supply for the Electrician and Mechanic Diesel		Multiple deficiencies have been observed by ICVC.	The ITI shall rectify the deficiencies mentioned in Column IV and submit the requisite documents to the concerned RDSDE within 30 days from the date of issue of these Minutes through the Compliance Module of the NIMI Affiliation Portal.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Verification (ICVC) remarks Cum Committee	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
			workshops is not connected through the designated electricity meter. 3. Mechanic Diesel Trade: • Machinery/Equipment at Serial No. 89 is not available. • Machinery/Equipment at Serial No. 165 is not as per the prescribed specifications. • Machinery/Equipment at Serial No. 64 is an old used vehicle, and the purchase bill is not available. • Machinery/Equipment at Serial No. 171 is an old used vehicle without a registration number plate, and the purchase bill is not available. 4. Solar Technician (Electrical) Trade:		Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 15 days through the online Compliance Module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Verification (ICVC) remarks Cum Committee	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
			- Machinery/Equipment at Serial Nos. 83, 84, 91, and 100 is not installed. 5. Electrician Trade: - Machinery/Equipment at Serial Nos. 126 and 145 is not installed. - Earthing provided for the electrical laboratory equipment is substandard. 6. Computer Operator and Programming Assistant - The available computers do not conform to the prescribed norms. - Machinery/Equipment at Serial Nos. 10, 11, and 23 is not available. 7. Electrician Trade:		

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Verification (ICVC) remarks Cum Committee	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
			- Machinery/Equipment at Serial Nos. 17, 72, and 73 is not as per the prescribed norms. - Machinery/Equipment at Serial Nos. 128 and 188D is not available. - Machinery/Equipment at Serial No. 126 is not installed. 8. Solar Technician (Electrical) Trade: - Machinery/Equipment at Serial Nos. 43 and 44 is not available. - Machinery/Equipment at Serial Nos. 83 and 84 is not installed. 9. The campus boundary of Agrasen ITI is not clearly demarcated. The northern boundary wall is under construction. The Electrician and Mechanic Diesel workshops are		

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Verification (ICVC) remarks Cum Committee	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
			located outside the main gate of the ITI campus. 10. Only 20 computers are available, each with Windows 10, 4 GB RAM, and 119 GB storage. Out of these, only four computers are connected to UPS. 11. The expiry date on the fire extinguishers is not mentioned. 12. Recommendation: The institute may be considered for affiliation only after satisfactory compliance with the above observations.		

Name of the State: Haryana

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
1.	M.D.S. Pvt. Industrial Training Institute Narnaul Mahendergarh Road, Jatwas Turning, Vill. Jatwas, Teh. & Distt. Mahendergarh, Haryana PR06000146 Grading: 7.4	1. Electrician - 2(1+1) 2. Health Sanitary Inspector - 1(1+0)	ICVC Recommendation: 1. As per the SIDH Portal, Electrician Trade (8 Units: 6+2) is already affiliated. However, the affiliation order submitted by the institute reflects Electrician Trade (8 Units: 4+4). The electricity connection is 40 kW, three-phase, in the name of the society, which is less than the prescribed requirement. 2. No trade units are recommended for affiliation, as the available electricity load does not meet the prescribed norms.	1. Power Load- Required:47.31 KW Available :40 KW As per affiliation orders there is a shortage of electricity load =44.11 KW. However, the institute has voluntarily surrendered one existing trade, i.e., Plumber, vide agenda, 5.1 , Annexure 7, thereby reducing the connected load requirement. With this surrender of trade the available power load of 40 KW is now sufficient.	The SCAA noted that the institute has voluntarily surrendered the existing Plumber Trade, thereby reducing the overall connected electrical load requirement. After accounting for the surrendered trade, the available 40 kW, three-phase electricity connection is considered sufficient for the existing and proposed trade/unit requirements. Therefore SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Health Sanitary Inspector - 1(1+0)

Name of the State: Jharkhand

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
1.	Vishwakarma Pvt ITI Ramgardhia, Sakhi, Jharkhand – 831005 PR20000177 Grading: 8	1. Electrician - 1(1+0) 2. Fashion Design and Technology - 1(1+0) 3. IoT Technician (Smart City) - 1(1+0) 4. Welder - 1(1+0)	ICVC Recommendation- Recommended for Trade- 1. Electrician-1(1+0) 2. Welder-1(1+0) Not Recommended: 1. Fashion Design and Technology - 1(1+0) 2. IoT Technician (Smart City) - 1(1+0)-due to non-availability of infrastructure.	1. The Building Completion Certificate (BCC) is not as per the prescribed norms, as the name of the ITI is not mentioned on the certificate. 2. The electricity bill is not in the name of the ITI; it is in the name of the trustee of the society.	Due to non-availability of infrastructure, the following trades are not recommended: 1. Fashion Design and Technology - 1(1+0) 2. IoT Technician (Smart City) - 1(1+0) For remaining trades, ITI needs to remove the following deficiencies and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. The Building Completion

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
					Certificate (BCC) has not been issued in the name of the ITI. 2. The electricity connection is in the name of the Society; however, a resolution/ authorization from the Society permitting the ITI to use the electricity connection has not been provided Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module

Name of the State: Madhya Pradesh

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
1.	Maa Narmada Private ITI Gwaltoli Narmadapuram – 461001 Madhya Pradesh Shifting Case – PU23000581 Grading: 2.5	Shifting Case: <u>As per SIDH Portal trades and Units</u> 1. Attendant Operator (Chemical Plant) (Existing Trade) - 2(1+1) 2. Electrician (Existing Trade) - 10(3+3+4) 3. Fitter (Existing Trade) – 5(2+2+1) <u>As per NIMI Portal Trades and Units</u>	ICVC Recommendation- 1. Lease documents have not been provided. Further, the documents submitted do not establish any relationship between the landowner and the ITI. 2. The addresses mentioned in the Building Completion Certificate (BCC) and Fire NOC do not match. Additionally, the architect-signed layout drawing has not been provided. 3. The address mentioned in the electricity bill does not match the addresses recorded in	The address mentioned in the Building Completion Certificate (BCC) does not match the address mentioned in the NOC and Fire Safety Certificate.	The ITI shall rectify the deficiencies mentioned in Columns IV and V and submit the requisite documents to the concerned RDSDE within 30 days from the date of issue of these Minutes, through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. Additionally, the joint re-inspection team shall provide clarity on the correct/current address of the institute in view of the

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
		1. Attendant Operator (Chemical Plant) (Existing Trade) - 3(1+1+1) 2. Electrician (Existing Trade)- 12(4+4+4) 3. Fitter (Existing Trade)- 6(2+2+2)	the BCC or the land ownership documents. 4. Payment records for the machinery/equipment are not available. 5. Fitter Trade: Machinery/Equipment at Serial Nos. 197 to 204 is not available. 6. Electrician Trade: EV chargers are not available. 7. Attendant Operator (Chemical Plant) (AOCP) Trade: The instructor was unable to demonstrate or explain the machinery/equipment during the inspection. 8. Only three classrooms are available. The second Fitter workshop is not rectangular in shape. The classrooms have interconnected entries,		discrepancies noted across the submitted documents. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 15 days through the online Compliance Module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
			which is not as per the prescribed norms. 9. The IT laboratory does not have air conditioners. The available computers have only 2 GB RAM, UPS is not available, the entry to the IT laboratory is through another room, and the floor is only cemented. 10. The furniture in the Drawing Hall is not as per the prescribed norms. Recommendation: The institute is not recommended for affiliation due to the non-availability of the required infrastructure and facilities as per the prescribed norms, as detailed in the inspection report.		

Name of the State: Maharashtra

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
1.	Govt Industrial Training Institute Patur Dist Akola Balapur Road Patur Dist. Akola – 444501 Maharashtra GR27000453 Grading: 8.4	1. Computer Operator and Programming Assistant - 2(1+1) 2. Cosmetology – 2(1+1) 3. Mechanic Electric Vehicle – 2(1+1) 4. Painter (General) - 2(1+1)	ICVC Recommendation- Recommended for Trade: Computer Operator and Programming Assistant-2(1+1+0). Not Recommended- 1. Cosmetology – 2(1+1) 2. Mechanic Electric Vehicle – 2(1+1) 3. Painter (General) - 2(1+1)	The electrical load available at the Institute is 45 kW, against the 74.32 kW required as per the trade/unit mapping on the SIDH Portal. However, the State Directorate has stated that the actual required electrical load for the Institute is only 45 kW, citing uneven mapping of trade/units on the SIDH Portal.	SCAA recommended the following trade: Computer Operator and Programming Assistant-2(1+1) The following trades are not recommended, as the State Directorate informed the SCAA during the meeting that the Institute is currently not ready to commence these trades. 1. Cosmetology – 2(1+1) 2. Mechanic Electric Vehicle-2(1+1) 3. Painter (General) - 2(1+1)
2.	Industrial Training Institute Nandgaon Near New Tahsil Office, Aurangabad Road,	Fitter- 2(1+1)	ICVC Recommendation-	No adverse deficiency is mentioned	SCAA recommended the following trade:

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	Nandgaon, Nashik 423106 – Maharashtra GR27000366 Grading: 8.3		Recommended for Trade: Fitter-2(1+1)		Fitter-2(1+1)
3.	Government Industrial Training Institute, Hingana, Dist: Nagpur Wanadongari Hingna Road-441110 Maharashtra GR27000325 Grading: 8.6	Electrician - 4(2+2)	ICVC Recommendation- Recommended for Trade: Electrician - 4(2+2)	The electrical load available at the Institute is 79 KW, against the 81.35 KW required as per the trade/unit mapping on the SIDH Portal. However, the State Directorate has stated that the actual required electrical load for the Institute is only 58.23 KW., citing uneven mapping of trade/units on the SIDH Portal.	SCAA recommended the following trade: Electrician-4(2+2).
4.	Major Anandrao Ghatge Private Industrial Training Institute, Vhanali A/P-Vhanali, Tal-Kagal, Dist-Kolhapur. – 416221	Electrician-1(0+1)	ICVC Recommendation-	No adverse deficiency is mentioned	SCAA recommended the following trade Electrician-1(0+1).

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	PR27000663 Grading: 7.4		Recommended for Trade: Electrician - 1(0+1)		
5.	Government Industrial Training Institute, Telhara, Dist: Akola, MIDC Area Thar Telhara Dist Akola -444108 GR27000437 Grading: 9	1. Electrician - 1(0+1) 2. Fitter - 1(0+1)	ICVC Recommendation- Recommended for Trade: 1. Electrician - 1(0+1) 2. Fitter - 1(0+1)	No adverse deficiency is mentioned	SCAA recommended the following trade: 1. Electrician-1(0+1) 2. Fitter-1(0+1)
6.	Government Industrial Training Institute, Bhokardan, Dist: Jalna M.I.D.C. Jalna Raod- 431114 GR27000288 Grading: 8.6	1. IoT Technician (Smart City) - 1(1+0) 2. Soil Testing and Crop Technician -1(1+0) 3. Wireman - 1(1+0)	ICVC Recommendation- Recommended for Trade: Wireman - 1(1+0) Not Recommended for Trade: 1. IoT Technician (Smart City) - 1(1+0)	No adverse deficiency is mentioned	SCAA recommended the following trade: Wireman - 1(1+0) Not Recommended the following trades: 1. IoT Technician (Smart City)-1(1+0) 2. Soil Testing and Crop Technician-1(1+0)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
			2. Soil Testing and Crop Technician-1(1+0) The procurement of the required machinery and equipment has not yet been completed.		
7.	Government Industrial Training Institute, Karjat, Dist: Ahmednagar Walwad Road, At. Post Karjat -414402 GR27000295 Grading: 8.2	Wireman-1(0+1)	ICVC Recommendation- Recommended for Trade: Wireman - 1(0+1)	No adverse deficiency is mentioned	SCAA recommended the following trade: Wireman - 1(0+1)
8.	Government Industrial Training Institute (Adivasi), Arjuni Moregaon, At Morgaon Ta Arjuni/morgaon Dist. Gondia-441701 GR27000320 Grading-9.1	Electrician - 3(1+2)	ICVC Recommendation- Recommended for Trade: Electrician-3(1+2).	No adverse deficiency is mentioned.	SCAA recommended the following trade/units: Electrician-3(1+2).
9.	Government Industrial Training Institute, Malegaon, Dist: Nashik	Electrician-2(1+1)	ICVC Recommendation-	IT Lab is not available.	ITI needs to remove the following deficiencies and submit the documents to

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	Mochi Corner, Camp Road - 423105 GR27000481 Grading-9		As per the DGT Affiliation Norms, 2025, if an ITI is running the Computer Operating and Programming Assistant trade along with any other trade, a separate and exclusive IT Laboratory is mandatory. In the present Government ITI, an IT Laboratory room is available; however, no computers have been provided in the IT Lab. Recommendation: Not recommended due to the non-availability of computers in the mandatory IT Lab.		the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. IT Lab is not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
10.	Government Industrial Training Institute, Oros, Dist: Sindhudurga At Post - Oros-416812 –	1. Electrician - 1(0+1) 2. Fitter - 1(0+1)	ICVC Recommendation-	Fire Safety Certificate is not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	Maharashtra GR27000174 Grading: 9.2		Recommended for Trades: 1. Electrician - 1(0+1) 2. Fitter-1(0+1)		Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety Certificate not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
11.	Government Industrial Training Institute (Adivasi), Gondpipari, Dist: Chandrapur Alapalli Road Chandrapur - 442702 GR27000262 Grading: 8.5	1. Computer Operator and Programming Assistant- 1(1+0) 2. Draughtsman (Civil)- 1(1+0)	ICVC Recommendation- 1 The IT Lab currently have 14 computers belonging to the Draughtsman Civil trade.	1. Power Load • Required: 67.61 kW • Partially Available: 36.40 kW • Available Including Solar Power: 51.40 kW	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
			2 A separate computer arrangement should be made for the Draughtsman Civil trade to ensure that the IT Lab remains exclusively available for the Computer Operator and Programming Assistant Trade, Recommended for Trades: 1. Computer Operator and Programming Assistant- 1(1+0) 2. Draughtsman (Civil)- 1(1+0)	(against the required 60.81 KW). The ITI has applied to the local MSEDCL for enhancement of the deficient electrical load. An undertaking to this effect has been submitted by the Principal.	1. IT lab exclusively for Computer Operator and Programming Assistant trade Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
12.	Government Industrial Training Institute, Hatkanangle, Dist: Kolhapur, Kolhapur Sangli road,	Electronics Mechanic- 2(1+1)	ICVC Recommendation-	Power Shortage- 1.Required: 45.3 KW	ITI needs to remove the following deficiencies and submit the documents to

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	Opp. Datta Spining Mill, At. Hatkanangle, Kolhapur - 416109 GR27000371 Grading: 8.2		Recommended for Trade: Electronics Mechanic-2(1+1)	2. Available: 41.15 KW	the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Power Shortage Required: 45.3 KW Available: 41.15 KW Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
13.	Government Industrial Training Institute, Wardha, Dist: Wardha Arvi Naka Mahda Colony 442001 - Maharashtra GU27000078 Grading: 8.9	Fitter-1(0+1)	ICVC Recommendation- Recommended for Trade: Fitter - 1(0+1)	1. Power Shortage Required: 203.29 KW Available: 124 KW	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Annexure-2

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
					1. Power Shortage Required: 203.29 KW Available: 124 KW Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
14.	Government Industrial Training Institute, Malegaon (Bk), Dist: Pune Govt.Industrial Training Institute Malegaon (Bk) 413115 GR27000065 Grading: 9	Painter (General) - 2(1+1)	ICVC Recommendation- Recommended for Trade: Painter (General) - 2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trade: Painter (General)-2(1+1).
15.	Government Industrial Training Institute, Poladpur Subhadrakunj” Nr.s.t.bus Stand Poladpur – 402303	Electrician - 1(0+1)	ICVC Recommendation- 1. Machinery corresponding to	Power Shortage Required: 27.75 Available: 10 KW	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	Maharashtra GR27000427 Grading: 8.2		Tool List Nos. 153, 165 and 166 is not available. 2. Recommendation: Not recommended for affiliation of the proposed new unit.		from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Power Shortage Required: 27.75 Available: 10 KW 2. Machinery corresponding to Tool List Nos. 153, 165 and 166 is not available. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
16.	Government Industrial Training Institute, Ramtek, Dist: Nagpur	Computer Operator and Programming	ICVC Recommendation-	The electrical load available at the Institute is 70 KW,	SCAA recommended the following trade/unit:

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	At Wahitola, Post Khairi Bijewada, Tah- Ramtek, 441106 GR27000132 Grading: 8.4	Assistant - 1(0+1)	Recommended for Trade: Computer Operator and Programming Assistant - 1(1+0)	against the 111.12 KW required as per the trade/unit mapping on the SIDH Portal. However, the State Directorate has stated that the actual required electrical load for the Institute is only 68.31 KW., citing uneven mapping of trade/units on the SIDH Portal.	Computer Operator and Programming Assistant - 1(1+0)
17.	Government Industrial Training Institute, Babhulgaon, Dist: Yavatmal Yavatmal road,Near gimona fata,Babhulgaon,Yavatmal 445101 GR27000414 Grading: 9	Computer Operator and Programming Assistant- 2(1+1)	ICVC Recommendation Recommended for Trade: Computer Operator and Programming Assistant-2(1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trade: Computer Operator and Programming Assistant-2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
18.	Government Industrial Training Institute (Adivasi), Jawhar, Dist: Thane Dahanu-Nashik, Bypass Road 401603 GR27000158 Grading: 9.1	Electrician-1(0+1)	ICVC Recommendation: 1. Machine purchase bills are only partially available, as most of the machines are old and have been transferred from other ITIs. 2. The available machinery is insufficient to run 3 base units and is adequate only for 2 base units. Further, the machines have not been installed as per the prescribed standard norms. 3. Some machines are very old and non-functional. Against 3 affiliated base units and 5	Machinery is not available	The ITI shall rectify the deficiencies mentioned in Columns IV and V and submit the requisite documents to the concerned RDSDE within 30 days from the date of issue of these Minutes, through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 15 days through the online Compliance Module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
			additional units through shifts, making a total of 6 units, the available machinery is insufficient, resulting in a shortage of machines for 6 units. Recommendation: Not Recommended.		
19.	Smt.Sulochana Bhat Private ITI,Kundal. Palus-Karad Road;Near Ghatage Pool,Kundal(Sangli) 416309 PR27001026 Grading: 6.9	1. Machinist - 2(1+1) 2. Multimedia, Animation & Special Effects - 2(1+1) 3. Plumber - 2(1+1) 4. Fitter - 2(1+1)	ICVC Recommendation- Fitter and Machinist trades are already affiliated, and for the other two remaining trades, Plumber and Multimedia, Animation and Special Effects, the institute is not ready for affiliation.	As the institute is not ready for inspection, the application may not be recommended. .	The Committee noted that Fitter and Machinist trades are already affiliated to the ITI. For the trades of Plumber and Multimedia, Animation & Special Effects, the ICVC has reported that the institute itself is not ready for affiliation. Accordingly, SCAA not recommended the addition of trade units of remaining trades .

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
20.	Government Industrial Training Institute, Mudkhed, Dist: Nanded Bhokar Road, Mudkhed, Tq. Mudkhed-431806 GR27000598 Grading: 9.1	Machinist - 2(1+1)	ICVC Recommendation- Recommended for Trade: Machinist-2 (1+1)	No adverse deficiency is mentioned.	SCAA recommended the following trade: Machinist-2(1+1).
21.	Government Industrial Training Institute (Tribal Ashram Shala), Maveshi, Dist: Ahmednagar Mavashe, At Post Maveshi Tal.Akole 422604 GR27000644 Grading: 6.4	Wireman-2(1+1)	ICVC Recommendation 1. Land belongs to the Tribal Development Department and has been converted for Adivasi employment-oriented vocational training as per GR dated 23.08.2004. The workshop has been built by Government ITI, Rajur under POTS.	1. Power Shortage Required: 19.01KW Available=14.19 KW	The ITI shall rectify the deficiencies mentioned in Columns IV and V and submit the requisite documents to the concerned RDSDE within 30 days from the date of issue of these Minutes, through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
			2. Machinery is available. However, deficiencies were observed as per the syllabus at Sr. Nos. 21, 25, 25, 28, 38–42, 52, 56–58, 65, 66, 68, 72, 81–83, 94, 102–105, 108–110, 133–135, 142–144, 148, 150, 152–155, 158, 160, 163, 164(a, f & h), 165, 166 and 180. 3. IT Lab and Drawing Hall are not available. Recommendation: Not Recommended.		documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 15 days through the online Compliance Module.
22.	Government Industrial Training Institute, Sangola, Dist: Solapur Choncholi Road Solapur 413307	1. Electrician-2(1+1) 2. Fitter-2(1+1)	ICVC Recommendation- Recommended for Trade:	No adverse deficiency is mentioned.	SCAA recommended the following trades: 1. Electrician-2(1+1). 2. Fitter-2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
	GR27000392 Grading: 9.3		1. Electrician – 2(1+1) 2. Fitter – 2(1+1)		
23.	Government Industrial Training Institute, Beed, Dist: Beed Nagar Road 431122 GU27000031 Grading: 8.2	1. Desktop Publishing Operator - 1(1+0) 2. Mechanic Electric Vehicle- 2(1+1) 3. Mechanic Motor Vehicle – 2(1+1) 4. Mechanic Refrigeration and Air Conditioner – 2(1+1) 5. Wireman- 2(1+1)	ICVC Recommendation- Recommended for Trade: 1. Desktop Publishing Operator-1(0+1) Not Recommended- 1. Mechanic Electric Vehicle -2(1+1) 2. Mechanic Motor Vehicle-2(1+1) 3. Mechanic Refrigeration and Air Conditioner - 2(1+1) 4. Wireman -2(1+1) As Institute not desired affiliation for the above-mentioned	1. Shortage of power Required: 390.38 KW Available= 248 KW	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Shortage of power Required: 390.38 KW Available= 248 KW Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
	II	III	IV	V	VI
			not recommended trades.		

Name of the State: Odisha

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
1.	Govt I.T.I., Barkote At-Barkote - 768108, Deogarh, Odisha GU21000606 Grading: 7.2	1. Architectural Draughtsman - 2(1+1) 2. Refrigeration and Air Conditioning Technician - 2(1+1)	ICVC Recommendation- Recommended for Trade: 1. Architectural Draughtsman - 2(1+1) 2. Refrigeration and Air Conditioning Technician - 2(1+1)	1. Power Shortage Required: 70.31 KW Available: 60 KW 2. Fire safety certificate is expired	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Power Shortage- Required: 70.31KW Available: 60 KW 2. Fire Safety Certificate is expired Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
2.	ITI, Mathili At/Po Mathili - 764044, Odisha GR21000597 Grading: 9.1	1. Electrician - 2(1+1) 2. Solar Technician (Electrical) - 2(1+1) 3. Dress Making - 1(1+0)	ICVC Recommendation- 1. The machinery and equipment for the Electrician trade have been installed properly. The procurement of machinery and equipment for the Dress Making and Solar Technician trades is under process at the DTET level. 2. Electrician Trade: Recommended for affiliation. Dress Making Trade: Provisionally recommended, subject to the completion of procurement and installation of the required machinery and equipment by DTET.	1. The current Fire Safety Certificate is not available. However, the institute has applied to the competent authority for its renewal/issuance.	Not Recommended the following trades as procurement process is not completed: 1. Solar Technician (Electrical) - 2(1+1) 2. Dress Making - 1(1+0) For Electrician - 2(1+1) ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety Certificate Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
			Solar Technician Trade: Not recommended for affiliation.		the online compliance module.
3.	Govt Industrial Training Institute, Umerkote REO Road, Gulipatna, Umerkote Nabarangpur - 764073 GU21000508 Grading: 8.5	1. Dress Making-2(1+1) 2. Electrician-2(1+1) 3. Fitter-2(1+1)	ICVC Recommendation 1. All the required machinery and equipment have been installed for the Electrician and Fitter trades. However, the machinery and equipment for the Dress Making trade have not yet been installed. 2. The current Fire Safety Certificate is not available. However, the institute has applied for the certificate through the State Government portal and has made the requisite payment.	Fire Safety Certificate not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety Certificate 2. Installation of machinery for Dress Making trade. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
			3. Recommendation: The institute is recommended for affiliation of Electrician – 2 (1+1) units and Fitter – 2 (1+1) units .		
4.	Madhusudan Industrial Training Institute, Cuttack At-Gandhi Chhal PO-Choudwar – 753007 GU21000500 Grading: 9.2	Information Technology- 2(1+1)	ICVC Recommendation: Recommended for trade: Information technology - 2(1+1)	1. Power Shortage Required:81.51 Available:53 KW 2. Fire safety certificate validity is expired	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Power Shortage- Required:81.51 Available:53 KW 2. Fire Safety Certificate Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
					DGT within the next 15 days on the online compliance module.
5.	Govt. Industrial Training Institute, Khariar Road At-Mundagaon, Po-Gotma, Via- Khariar Road, PS- Jon Nuapada – 766104 Odisha GU21000512 Grading: 9.2	1. Computer Operator and Programming Assistant- 1(1+0) 2. Mechanic Motor Vehicle - 2(1+1) 3. Wireman – 2(1+1)	ICVC Recommendation: 1. Drawing room available but drawing table not available. 2. Recommended for trade: Mechanic Motor Vehicle 2(1+1) 3. Not Recommended: a) Computer Operator and Programming Assistant- 1(1+0) b) Wireman – 2(1+1) Not Recommended due to unavailability of Tools and equipment.	Power Load: Required: 70.57 Available three connection with 99 KW State Directorate confirmed the availability of drawing hall and provided the geo tagged photos.	The SCAA recommended the following trade/units: 1.Mechanic Motor Vehicle 2(1+1) And Not Recommended the following trade/units due to unavailability of Tools and equipment.: 1.Computer Operator and Programming Assistant- 1(1+0) 2.Wireman – 2(1+1)

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
6.	Govt. ITI, Bheden At/ Po- Sunalarambha, Ps- Bheden ,Bargarh-768104 GR21000615 Grading: 9.1	1. Mechanic Electric Vehicle- 2(1+1) 2. Solar Technician (Electrical) - 1(1+0)	ICVC Recommendation: Not Recommended: 1. Mechanic Electric Vehicle- Not Recommended as out of 33 general machineries, only 20 machineries are available. The essential/main machineries, including EV 2W, EV 3W, EV 4W, car lift, BMS, and electric motor, are not available. 2. Solar Technician: Not Recommended, as the required machinery, tools, equipment, space, and instructor are not available.	1. Report of SCVT member not submitted	Since the SCVT member has not submitted the inspection report, the quorum for inspection stands incomplete. The ITI therefore needs to be re-inspected. The ITI shall remove the deficiencies mentioned in Column IV within 30 days. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct reinspection within the subsequent 15 days through the online Compliance Module. .
7.	Govt. ITI, Nayagarh At- Khuntubandha, Po- Khuntubandha, P.S.- Nayagarh – 752079	1. Computer Operator and Programming	ICVC Recommendation: Recommended for Trade:	1. Power Load shortage Required: 74.96KW Available=75 KW.	The ITI shall rectify the deficiencies mentioned in Columns IV and V and submit the requisite

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
I	II	III	IV	V	VI
	GU21000587 Grading: 8.8	Assistant-2(1+1) 2. Electrician-2(0+0+2) 3. Refrigeration and Air Conditioning Technician-4(2+2) 4. Welder-1(0+0+1)	1. Computer Operator and Programming Assistant-2(1+1) 2. Electrician-2(0+0+2) 3. Refrigeration and Air Conditioning Technician-4(2+2) Not recommended: Welder-1(0+0+1) DST Mode: Insufficient machinery and equipment available. A proposal has been sent to DGT through SSDEC for affiliation of the 3rd shift.	2. The details of DST MOU has not been submitted in the prescribed format.	documents to the concerned State Directorate within 30 days from the date of issue of these Minutes, through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 15 days through the online Compliance Module.

Name of the State: Uttar Pradesh

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
1.	Apex Pvt ITI, Mauranipur Nou Pull k Pass Chhatarpur Road Jhansi – 284204 PR09001872 Grading: 6	Electrician- 6(2+2+2)	ICVC Recommendation- Recommended for Trade: Electrician-4(2+2)	BCC is not as per norms	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. 1. BCC is not as per norms Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Name of the State: West Bengal

Sr. No.	ITI Name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks/Decision of 34th SCAA
<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>	<i>V</i>	<i>VI</i>
1.	Institute of Science and Education Private ITI Institute of Science and Education Private ITI BIS Purulia-723102 PR19000243 Grading: 8.5	Fitter-4(2+2)	ICVC Recommendation- Recommended for Trade: Fitter-4(2+2)	No adverse deficiency is mentioned.	SCAA recommended the following trade/units: Fitter-4(2+2)

Annexure-3: List of Compliance Cases of Previous SCAA

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
1.	RSM Pvt ITI, Bhojpur Block-Tarari, Bihar 802222 TMP10193PR1714129920 New ITI State: Bihar	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Mechanic Diesel-4(2+2)	28th SCAA Remark- This case was initially placed in the 28th SCAA meeting, remark of that was as follows: SCAA observed fundamental deficiencies related to land, building, machinery, safety, and other essential infrastructural requirements, as mentioned below. Hence, the institute is not recommended for grant of affiliation. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with supporting documents and geo-tagged photographs to the DGT on tc-affiliation@dgt.gov.in within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. In case no reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the affiliation application shall be liable for rejection without any further consideration. Deficiencies observed in the 28th SCAA- 1. The building is under construction/incomplete, and the available physical structure does not match the approved blueprint map/Naksha. The second floor shown in the approved map has not been constructed.	The SCAA observed that the institute has submitted a compliance report along with supporting documents against the deficiencies raised in the 28th SCAA. The concerned RDSDE and State Directorate shall jointly verify the reply/compliance report submitted by the ITI against the deficiencies raised by the 28th SCAA, along with the supporting documents and geo-tagged photographs, and shall submit a joint verification report to DGT within 30 days from the date of issue of these Minutes, through the online Compliance Module of the NIMI Affiliation Portal.

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			2. Original land-related documents such as Sale Deed/Registration documents were not produced by the Pvt. ITI at the time of inspection. 3. The architectural details mentioned on the blueprint map/Naksha are not valid. The stamp bears incorrect spelling (“ARCHITBCT”), and the registration details are not as per the Council of Architecture norms. 4. The Building Completion Certificate (BCC) has not been submitted due to the incomplete building structure. 5. Serious safety deficiencies were observed, including absence of railing support on stairs and non-availability of insulated safety sheets in the Electrician Workshop. 6. PWD accessibility facilities are not available for the Electrician Workshop, Drawing Hall (DH), and IT Lab. 7. The IT Lab shown in the approved map/Naksha is located on the second floor; however, the second floor has not been constructed. The IT Lab physically shown during inspection is located on the first floor and does not match the approved blueprint/map. 8. Shortage of area was observed, with 15.12 sq. m. less area available than prescribed	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			under DGT norms, and the physical layout does not match the approved blueprint/map. 9. Insufficient electrical power load was observed. Required Power Load: 21.82 kW Available Power Load: 14 kW 10. Maximum machinery/ equipment was not properly installed as per DGT norms and was merely placed over the cemented floor. 11. Hard punching/engraving was not available on all machinery/equipment. 12. Some machinery/equipment was found non-functional at the time of inspection. Compliance report from Applicant against the deficiencies raise by the 28th SCAA The institute has submitted the compliance report, informing that all the deficiencies have been rectified. The following points have been mentioned: 1. Building Construction: The applicant has stated that, as per the final approved blueprint, the Ground and First Floors have been constructed for the Electrician and Fitter trades. The proposed Second Floor was originally meant for the Diesel Mechanic trade; however, as the Second Floor could not be completed, the Trust requested the inspection team not to consider the Diesel Mechanic trade for	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			recognition. The inspection team, however, photographed the proposed map including the Diesel Mechanic trade. 2. Land Documents: The applicant has stated that the original Sale Deed is deposited with Axis Bank as the land has been mortgaged under a Loan Against Property (LAP). A certificate from the bank has been submitted in support of this claim. 3. Architectural Details: The applicant has stated that the proposed map was available at the time of inspection and has now submitted the final blueprint along with the Architect Registration Certificate issued by the Council. 4. Building Completion Certificate (BCC): The applicant has stated that a copy of the Building Completion Certificate (BCC) has been submitted. 5. Safety Deficiencies: The applicant has stated that geo-tagged photographs of the stair railing support and the insulated safety sheet installed in the Electrician Workshop have been submitted. 6. PWD Accessibility: The applicant has stated that a geo-tagged photograph of the staircase for PWD accessibility has been submitted.	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			7. IT Lab Location: The applicant has stated that the IT Lab was shown on the second floor in the proposed blueprint; however, it is actually situated on the first floor. The final blueprint reflecting this change has been submitted. 8. Shortage of Area: The applicant has stated that the Diesel Mechanic trade has already been surrendered to the Inspection Team and that an application has been submitted to DGT for surrender of the trade (MSTI). Therefore, the institute contends that there is no shortage of area, as the inspection team included the area earmarked for the surrendered Diesel Mechanic trade in its calculations. 9. Electrical Power Load: The applicant has stated that the available electrical load is 14 kW. According to the applicant, after surrender of the Diesel Mechanic trade, the required load for the remaining Electrician (2+2) and Fitter (2+2) trades is 12.22 kW; therefore, the available load of 14 kW is sufficient. 10. Installation of Machinery: The applicant has stated that the machinery has now been installed as per the prescribed norms and geo-tagged photographs have been submitted.	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			11. Hard Punch/Engraving: The applicant has stated that hard punching/engraving had been missed on some machinery and that geo-tagged photographs showing the hard punching have now been submitted. 12. Non-functional Machinery: The applicant has stated that the machinery which was non-functional at the time of inspection has been repaired and video footage has been submitted as proof.	
2.	JMD Private ITI, Shahpur VI+PO+PS- Shahpur Bhojpur 802165 PU10001188 Grading-7.5 State:Bihar	Electrician - 12(6+6)	32nd SCAA Remark- This case was initially placed in the 32nd SCAA meeting, remark of that was as follows: The Committee noted that the institute has shifted from its originally affiliated location to a new premise without obtaining prior approval from the Competent Authority, in violation of the prescribed DGT Affiliation Norms. Further, discrepancies have been observed in the land documents Khata/Khesra numbers, electricity connection/consumer number, and Building Completion Certificate (BCC). The institute has also failed to produce the requisite approval for shifting of the ITI. The SCAA further noted that the institute, vide its recent letter dated 22.06.2026, submitted after the conduct of the inspection, has itself admitted that it intended to apply for shifting of the ITI along with extension of units; however, it failed to submit the requisite	The SCAA examined the reply submitted by the institute in response to the observations of the 32 nd SCAA and observed that the institute has merely reiterated its earlier submission, namely, that it "inadvertently" failed to apply for shifting of the ITI while applying for extension of units, and has requested permission to now submit the shifting application, with the affiliation application to be considered thereafter.

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			application for shifting and applied only for extension of units, citing its inability to understand the portal process. Further, no supporting document or documentary evidence has been submitted by the institute to substantiate its claim. The SCAA viewed the matter seriously and observed that shifting the institute to new premises without prior approval and thereafter seeking approval on the ground that the institute had “forgotten” or failed to apply for shifting amounts to a clear bypassing of the prescribed affiliation process and cannot be accepted as a valid justification for non-compliance with the DGT Affiliation Norms. In view of the above serious violations of affiliation process and guidelines, the proposal for extension of trades/units is not recommended. Further, the institute is directed to submit a detailed reply to all the observations of column IV & V within 21 days at tc-affiliation@dgt.gov.in, tc-deaffiliation@dgt.gov.in failing which institute will be di-affiliated as per applicable DGT Affiliation Norms. Compliance report from Applicant against the deficiencies raise by the 32nd SCAA The applicant institute has submitted that it inadvertently failed to apply for shifting of the	The SCAA noted that the reply fails to address any of the specific deficiencies raised, namely: Discrepancies in the land documents (Khata/Khesra numbers); Discrepancies in the electricity connection/consumer number; Discrepancies in the Building Completion Certificate (BCC); and Failure to produce the requisite approval for shifting of the ITI, or any documentary evidence to substantiate the claim of inadvertent omission. The SCAA reiterated its earlier finding that shifting

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			institute while applying for addition of trade units. Consequently, the application for affiliation could not be processed. The institute has requested that it may now be permitted to submit the application for shifting and that the affiliation application may be considered after approval of the shifting request.	the institute to new premises without prior approval, and subsequently seeking regularisation on the ground of inadvertent omission, amounts to a bypassing of the prescribed affiliation process and does not constitute a valid justification for non-compliance with the DGT Affiliation Norms. In view of the above, the SCAA not recommended the addition of trade unit application and as per clause 3.5 in affiliation norms 2018.....<i>"If any existing institute relocates to a new location without following latest NCVET norms or without written prior approval of DGT/State Directorate, then institute shall be de-affiliated."</i>

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
				In view of the above, and in terms of the said Instruction, the SCAA resolved that the institute be de-affiliated as per the applicable DGT Affiliation Norms. The concerned State Directorate is directed not to permit any fresh admissions at the institute, and no Seat Matrix shall be generated in respect of this institute henceforth.
3.	Satyam Private Training Institute,Vpo-mahanadpur Via-deep Nagar,Nalanda,803216 PR10001073 Grading:7.2 State: Bihar	Electrician -4(2+2)	32nd SCAA Remark- This case was initially placed in the 32nd SCAA meeting, remark of that was as follows: Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. ITI. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies observed in the 32nd SCAA 1. The Lease Deed is not registered.	SCAA recommended the following trade/units: Electrician -4(2+2)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			2. The SCC/BCC has not been issued in the name of the ITI. The land and electricity connection are in the name of the Society; however, a resolution/authorization from the Society permitting the ITI to use the land and electricity connection has not been provided. Compliance report from State against the deficiencies raise by the 32nd SCAA The State Directorate has submitted the requisite compliance, including the land lease documents and the resolution of the ITI authorizing the use of the land, electricity, and infrastructure, and has forwarded the same for approval.	
4.	Sharda Pvt. ITI, Mohamdpur, Garkha - Saran – 841311 PR10000836 Grading:5.8 State: Bihar	1. Electrician-8(4+4) 2. Fitter - 4(2+2)	28th SCAA Remarks- This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with details of the trade units and the NOC issued by the State Government, with specific recommendations to DGT within the next 07 days through the online compliance module.	SCAA recommended the following trades/units: 1. Electrician-8(4+4) 2. Fitter - 4(2+2)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Deficiencies Observed in the 28th SCAA 1. Machinery payment proof and e bay bill Not submitted 2. Dead stock and raw material register indicate less use. 3. All units are recommended in 2nd shift. Compliance report from State against the deficiencies raise by the 28th SCAA 1. The ICVC recommended 4 units for Electrician and 2 units for Fitter. However, the State has Not provided clarification regarding the exact number of units for which the NOC was issued. Institute has requested to release 4+4 for Electrician and 2+2 units for Fitter 2. Furthermore, while the pending payment bill amounts to 8 Lakhs, the Institute has claimed for 4+4 units (Electrician) and 2+2 units (Fitter), totaling 9.5 Lakhs as per the submitted bills. 32nd SCAA Remarks- This case was again reviewed in the 32nd SCAA meeting, remark of that was as follows: The SCAA noted that there is a lack of clarity regarding the exact number of trade units covered under the NOC issued by the State Government and the units recommended by the ICVC. While the ICVC has recommended 04 units of Electrician and 02 units of Fitter, the	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			institute has requested affiliation for 4+4 units of Electrician and 2+2 units of Fitter. Accordingly, the State Directorate shall provide a clear clarification regarding the exact number of units approved under the NOC and specifically recommend the number of units to be considered for affiliation. Compliance report from State against the deficiencies raise by the 32nd SCAA State Directorate submitted that NOC issued for 4+4 units of Electrician and 2+2 units of Fitter.	
5.	MSP Private ITI Palamu Main Road Patan, Po+ps- Patan, Jharkhand,822123 PR20000337 Grading:7.8 State: Jharkhand	1. Electrician (Existing)-4(2+2) 2. Health Sanitary Inspector - 2(1+1) 3. Solar Technician (Electrical)- 2(1+1)	28th SCAA Remark This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies mentioned in the 28th SCAA	SCAA recommended the following trades: 1. Electrician-4(2+2) 2. Health Sanitary Inspector - 2(1+1) 3. Solar Technician (Electrical)- 2(1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			1. The building plan/ blueprint submitted is not legible. 2. The electricity bill (EB) has not been submitted. Only a demand letter for enhancement/sanction of 30 kW electrical load dated 01.04.2026 has been provided. Required power load: 19.22 kW. 3. In the Health Sanitary Inspector trade, some required models/ equipment are not available and need to be provided in future for compliance with norms. 4. The ICVC has recommended addition of 2+2 units in the Electrician trade and along with Solar Technician trade; however, the institute has not applied for addition of units in the Electrician trade. 5. The State NOC does not specifically mention the number of units and trades proposed for affiliation. Clarification report from State against the deficiencies raise by the 28th SCAA The State Directorate informed that a joint physical verification was conducted on 12.06.2026. During inspection, the deficiencies pointed out by the TC Section were found to have been complied with. The institute has submitted the electricity connection of 30 kW, provided the required Health Sanitary Inspection models/equipment, and made available the	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			necessary infrastructure. Additional machinery, tools and equipment for Electrician trade (4 additional units) were also verified. Although the State NOC does not specifically mention the number of units/trades, the inspection committee confirmed that the requisite infrastructure is available and recommended affiliation for the existing Electrician trade (4(2+2) units) along with 4 additional units and Solar Technician (Electrical) (2(1+1) units) and Health Sanitary Inspector (2(1+1) units), subject to approval by the Competent Authority.	
6.	Amala Private Industrial Training Institute West Palace Road, Near Vadakke Bus Stand Thrissur - 680022 PR32000407 Grading: NA State: Kerala	Change of Address New Address- Amala Private ITI, Behind St. Jude Public School. Elanthuruthy, Kuttanellur Post, Thrissur District, Kerala-680014	28th SCAA Remark- This case was initially placed in the 28th SCAA meeting, remark of that was as follows: It has been observed that the ITI was earlier running only one trade, namely Driver-cum-Mechanic. This ITI was de-affiliated in the year 2023. As per the prevailing affiliation norms, a de-affiliated ITI is not eligible to apply for shifting of premises/location. In view of the above, the proposal for shifting of the ITI is not recommended. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written clarification/ reply along with supporting documents on tc-affiliation@dgt.gov.in to DGT within 15 days from the date of issuance of these	The Committee examined the representation submitted by the applicant along with the enclosed documents. Since the institute stands de-affiliated since 2023, it is not eligible to seek shifting of premises under the prevailing DGT Affiliation Norms. The representation is accordingly not accepted, and the proposal for shifting of the ITI stands rejected. The institute may apply afresh as a new ITI as and when the Affiliation Portal is

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Minutes, explaining why the application should not be rejected. In case no reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the application shall be liable for rejection without any further consideration. Clarification report from Applicant against the deficiencies raise by the 28th SCAA The representation submitted by Amala Private ITI has been examined along with the documents enclosed therewith, including the inspection reports, NOC, fee receipts and correspondence. Based on the documents provided, the institute's representation cannot be accepted the subsequent inspections, NOC, fee payments, or administrative actions do not override the fundamental fact that the institute had already been de-affiliated. Once an ITI is de-affiliated, it ceases to be an affiliated institute and, therefore, is not eligible to seek shifting of premises. The appropriate course available to such an institute is to apply afresh as a new ITI whenever the Affiliation Portal is opened for fresh applications.	opened for fresh applications.
7.	MKD Private Industrial Training Institute Nandurbar, MKD Educaitonal Campus, Waghale Phata, Navapur	1. Computer Operator and Programming Assistant - 2(1+1)	28th SCAA Remark This case was initially placed in the 28th SCAA meeting, remark of that was as follows:	SCAA recommended the following trade/units:

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
	Road, Virchak, Tal. Nandurbar, Dist. Nandurbar 425412 TMP27486PR1744348769 New ITI State: Maharashtra	2. Electrician - 4(2+2) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies mentioned in the 28th SCAA 1. The electricity bill reflects consumption charges amounting to lakhs of rupees despite the proposed new ITI having only a 25 KW electricity connection, which raises concerns regarding usage of electricity for activities other than the proposed ITI. 2. Clarification regarding the exclusive and dedicated use of infrastructure/resources for the proposed ITI. Compliance report from State against the deficiencies raised by the 28th SCAA- The State Directorate has submitted that the institute possesses a dedicated and independent electricity connection for the proposed trades. The institute has completed the construction of the third floor as per the approved plan and the building is now a Ground + 3 structure. The	1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 4(2+2) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			infrastructure of the ITI is complete, separate, and not shared for any other purpose. The State Directorate has further submitted that the institute has an independent electricity connection specifically for the trade and that the required electrical load of 25 kW Further, the State Directorate has verified the relevant documents, including the proposed building plan, lease deed, and the resolution authorizing the use of the land, electricity, and infrastructure for conducting the proposed trades, and has recommended the proposal for consideration. And recommended Computer Operator and Programming Assistant - 2(1+1), Electrician - 4(2+2), Fitter - 2(1+1), Solar Technician (Electrical) - 2(1+1)	
8.	Gramonnati Mandal S Annasaheb Naware Tantrik Shikshan Kendra Private Industrial Training Institute N, A/P-Narayangaon, Tal Junnar, Dist-Pune, 410504 PR27000069 Grading:6.8 State: Maharashtra	1. Electrician - 2(1+1) 2. Mechanic Motor Vehicle 2(1+1) 3. Refrigeration and Air Conditioning Technician- 2(1+1)	28th SCAA Remark This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal. Thereafter, the State Directorate shall verify the same and submit report, with specific	SCAA recommended the following trades: 1. Electrician-2 (1+1) 2. Mechanic Motor Vehicle -2 (1+1) 3. Refrigeration and Air Conditioning Technician -2 (1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			recommendations to DGT within the next 07 days through the online compliance module. Deficiencies mentioned in the 28th SCAA 1. The land, building, and Fire Safety documents submitted are in a regional language. Authenticated/notarized English translations of the documents are required. 2. The electricity bill is in the name of an individual instead of the Society/Trust/ITI. 3. The area of the IT Lab is less than the prescribed requirement. Available area: 23.80 sq. m. Required area: 30 sq. m. Compliance report from State against the deficiencies raised by the 28th SCAA- The State Directorate reported that all documentary deficiencies have been complied with. Upon verification, the English translations of the documents submitted by the organization regarding the land/building and fire safety are correct." Regarding the name on the electricity bill, the said bill is in the name of the ITI to substantiate that Gramonnati Mandal Annasaheb Navare Technical Education Center and the Principal of ITI are one and the same, they have attached a letter from the Deputy Executive Engineer, Maharashtra State Electricity Distribution	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Company Limited (MSDCL), Narayangaon, Junnar, Pune. Upon physical measurement of the IT Lab, it has been verified and confirmed that the actual area of the IT Lab is 49.27 sq.m., which exceeds the minimum requirement of 30 sq.m. The Directorate has verified the institute's submitted documents & Photos. It is as per norms. Hence, Recommended for 1. Electrician-2 (1+1) 2. Mechanic Motor Vehicle -2 (1+1) 3. Refrigeration and Air Conditioning Technician -2 (1+1)	
9.	Baburaoji Adaskar Private ITI Kaij Beed, Beed parli national highway beed road near renu petrol pump kaij TQ Kaij, beed,431123 TMP27470PR1744438337 New ITI State: Maharashtra	1. Electrician-2(1+1) 2. Solar Technician (Electrical)-2(1+1) 3. Fire Technology and Industrial Safety Management-2(1+1) 4. Wind Plant Technician -2(1+1)	28th SCAA Remark This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant is required to remove the deficiencies mentioned below and submit the relevant supporting documents to the concerned State Directorate within 20 days from the date of issuance of these Minutes through the compliance module on the NIMI Affiliation Portal.	SCAA observed that as per State Directorate report institute is failed to produce any document related to availability/details of Wind Turbine Components and Invoice, ownership documents/Registration Certificate (RC), and fitness certificate of the Rescue Van and Fire Tender.

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Thereafter, the State Directorate shall verify the same and submit report, with specific recommendations to DGT within the next 07 days through the online compliance module. Deficiencies mentioned in the 28th SCAA 1. Land/building documents have been submitted in a regional language. Notarized English translations are required. Further, lease deed is not registered and the lease validity period is also not clearly mentioned. 2. Availability/details of Wind Turbine Components required for the trade need to be verified/submitted. 3. Invoice, ownership documents/Registration Certificate (RC), and fitness certificate of the Rescue Van and Fire Tender have not been submitted. Compliance report from State against the deficiencies raised by the 28th SCAA- State Directorate submitted the compliance that a physical inspection of the institute was conducted. During the inspection, it was observed that the institute lacks the required machinery, tools, and equipment as per the prescribe norms. Furthermore, due to the non-submission of necessary documents, the	In view of the above deficiencies, the institute is not recommended for grant of affiliation. However, before taking a final decision in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with all relevant supporting documents and geo-tagged photographs to DGT at affiliation@dgt.gov.in within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. In case no reply is received within the stipulated timeframe, or if the reply and supporting documents submitted by the institute are found unsatisfactory, the affiliation application shall be liable for rejection without any further consideration.

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			recommendation for the institute is hereby rejected. Further the institute has not submitted any document related to availability/details of Wind Turbine Components and Invoice, ownership documents/Registration Certificate (RC), and fitness certificate of the Rescue Van and Fire Tender have not been submitted. The Directorate has verified the institute's submitted documents & Photos. It is not as per norms. Hence, in view of the above deficiencies, the recommendation for the institute is hereby rejected.	
10.	Shri Kanifnath Shikshan Sanstha Sanchalit Shri Uddhavrao Wagh Pvt ITI Jawakhede Kalsa Ahmednagar, Gat NO 193/2/A Tisgaon Road Jawkhede Khalsa Tal Pathardi Dist Ahilyanagar 414505 TMP27466PR1744270730 New ITI State: Maharashtra	1. Cyber Security Assistant- 2(1+1) 2. Electrician-2(1+1) 3. Fitter - 2(1+1) 4. Mechanic Diesel- 2(1+1) 5. Semiconductor Technician-2(1+1)	28th SCAA Remark- This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days. Deficiencies mentioned in the 28th SCAA 1. The Fire Safety Certificate/details require verification/ submission.	SCAA recommended the following trades/units: 1. Cyber Security Assistant- 2(1+1) 2. Electrician-2(1+1) 3. Fitter - 2(1+1) 4. Mechanic Diesel-2(1+1) 5. Semiconductor Technician-2(1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			2. The workshop area available for the Mechanic Diesel trade is less than the prescribed requirement. Required area: 210 sq. m. Available area: 123.50 sq. m. 3. The building plan submitted along with the application does not match the building plan reflected in the inspection report. 4. The area of the Drawing Hall is less than the prescribed norms. Available-44 sqm Required-50 sqm Compliance report from State against the deficiencies raised by the 28th SCAA- State Directorate submitted that the ITI has submitted the required documents. Fire Safety Certification: Valid fire safety certificates are verified. Diesel Mechanic Workshop Area: A parking shade is now included. The updated total area is 213.5 sq. m (123.5 sq. m workshop + 90 sq. m parking shade), physically measured and verified. Updated Building Plan: A new, updated building plan has been submitted and verified by the Directorate.	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Drawing Hall Area: Physical measurement confirms the Drawing Hall dimensions are 4.85 m x 10.32 m, totaling an area of 50.00 sq. m. The Directorate has verified the institute's submitted documents & Photos. It is as per norms. Hence, Recommended for 1. Electrician-2(1+1) 2. Mechanic Diesel-2(1-1) 3. Cyber Security Assistant-2(1+1) 4. Fitter-2(1+1) 5. Semiconductor Technician-2(1+1)	
11.	Kai Pramod Baburao Bhapse Private ITI Nimbodi Phata Devrai Ahmednagar, 414106 TMP27466PR1746017353 New ITI State: Maharashtra	1. Artificial Intelligence Programming Assistant -2(1+1) 2. Electrician -2(1+1) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical)-2(1+1) 5. Welder -2(1+1)	28th SCAA Remarks This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned State Directorate within 20 days from the date of issue of these Minutes. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days. Deficiencies mentioned in the 28th SCAA 1. There is a shortage of electrical power load. Required power load: 33.21 kW Available power load: 30 KW.	SCAA recommended the following trades/units: 1. Artificial Intelligence Programming Assistant - 2(1+1) 2. Electrician -2(1+1) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical) -2(1+1) 5. Welder -2(1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			2. The electricity bill has not yet been generated/submitted. Only the electricity connection application dated April 2025 has been provided. 3. The Fire Safety Certificate has not been submitted. 4. The land lease documents submitted are in a regional language. Authenticated/notarized English translations are required. 5. The area of the Drawing Hall is only 41 sq. m., which is less than the prescribed requirement as per norms. Compliance report from State against the deficiencies raised by the 28th SCAA- The State Directorate has submitted the compliance and mentioned the following: 1. A power load of 40 kW has been sanctioned, and the electricity bill for June 2026 has been verified by the Directorate. 2. The Fire Safety Certificate has been provided and verified by the State Directorate. 3. The translated lease document has been provided. 4. The physical measurement of the Drawing Hall is 51 sq. m., as verified by the State Directorate.	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			5. The State Directorate has recommended the following trade units: - Artificial Intelligence Programming Assistant - 2 (1+1) - Electrician -2 (1+1) - Fitter -2 (1+1) - Solar Technician (Electrical)- 2 (1+1) units - Welder – 2 (1+1)	
12.	Manthan Private Industrial Training Institute Village-Pohalli, Sardhana Road, Block-Daurala, District-Meerut TMP9169PR1649919852 New ITI State: Uttar Pradesh	- Computer Operator and Programming Assistant-2(1+1) - Electrician -4(2+2) - Fitter - 4(2+2) - Health Sanitary Inspector-2(1+1)	28th SCAA Remarks- This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify same by conducting joint reinspection and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Deficiencies mentioned in the 28th SCAA The machinery in the Fitter trade has not been installed as per prescribed norms. Therefore, the Fitter trade units are not recommended	SCAA recommended the following trades/units: - Computer Operator and Programming Assistant-2(1+1) - Electrician -4(2+2) - Fitter - 2(1+1) - Health Sanitary Inspector-2(1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			2. The lease deed submitted by the institute is valid only up to the year 2027. 3. There is a shortage of electrical power load: Required Power load: 21.72 KW Available power load: 15 KW 4. Less than four trades have been recommended by the ICVC, which is not in conformity with the prescribed norms for establishment of a new ITI. Compliance report from RDSDE against the deficiencies raised by the 28th SCAA- RDSDE submitted joint inspection report wherein the documents are not legible however inspection team has submitted that: 1. Lease deed has been extended by ITI. Lease deed start date 01.06.2026 to 31.05.2032. 2. ITI has dropped Fitter (1+1) =2 units. 3. Now Required power load is 18.21 KW. Available Power load is 19.0 KW 4. Machinery in respect of Fitter trade found installed and in working condition. Now four Trades may be recommended	
13.	Gandhi Private ITI, hanastanapur,Ambabai,Jhansi, Uttar Pradesh PR09001927 Grading:5.4 State: Uttar Pradesh	1. Electrician- 36(12+12+12) 2. Fitter-6(2+2+2)	18th SCAA Remark: This case was initially placed in the 18th SCAA meeting, remark of that was as follows: Applicant Institute needs to remove the deficiencies mentioned below, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal. Thereafter, Senior	SCAA deliberated the matter and decided that joint verification is required. A committee shall be nominated from the DGT Headquarters for the purpose of joint verification. The committee shall verify

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Officer at the level of Director/Joint Director from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal. Deficiencies observed in the 18th SCAA- 1. Building plan Not available 2. For fitter trade instructors are Not appointed 3. For Electrician trades against requirement of 36 only 21 are appointed 4. Power is Not sufficient- Power required- 50.31 KW Power available - 47 KVA= $47 \times .9 = 42.3 \text{KW}$. 5. Electricity Bill is on the name of individual person, which is Not as per Norms. Compliance report from RDSDE against the deficiencies raised by the 18th SCAA The stipulated time period has expired, and the institute has Not submitted any compliance. 24th SCAA Remark- The case was again reviewed in 24th SCAA, remark of that was as follows: Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and	the documents submitted by the applicant and submit its detailed verification report to DGT HQ for further necessary action within 15 days from date of issue of these minutes.

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID. Therefore. the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should Not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application. Compliance report against 24th SCAA 1. Building Plan is approved by registered Architect and approved by Sachiv, Gram Pradhan, Ambavay Panchayat (copy enclosed) 2. For Fitter trade, the ITI proposes to surrender the trade. Application in this regard submitted to NCVT. 3. The ITI Now says that it proposes 10+10+0 units of Electrician trade. Hence, only 20 instructors are required to run aforementioned trades. However, only 04 instructors are physically present. Appointment letters are claimed to have been submitted during previous inspections.	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			4. For 10+10+0 units of Electrician (proposed) and 06 units of Electrician already running, it is claimed that power requirement is of 41.6 KW. The power available is of 47 KVA. With fitter trade surrendered, it is claimed to be sufficient. 5. The electric bill is presented in the name of Gandhi Pvt. ITI. Other Observation: 6. IT Lab:10 computers available out of which 01 working. No internet facility available for the IT Lab. 7. Machines are Not properly installed and lack basic grouting. Earthing/Grounding is Not done. 8. Aadhar Based Biometric Attendance system is Not available in the premises. 9. A degree college is functional in the adjacent building in the same premises. 10. No trainees are available even in the earlier affiliated 06 units of Electrician during the working hours/during inspection, Attendance records Not presented either. 26th SCAA Remark: This case is again reviewed in 26th SCAA, remark of that was as follows: The applicant ITI has sought substantially high number of units in Electrician trades and the deficiencies are yet to be rectified. Therefore, as	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			a last opportunity, the ITI needs to remove the deficiencies mentioned by the inspection conducted on 03.12.2025 and the remarks given against the compliance report of 24th SCAA (mentioned above) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these Minutes through compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents by a senior level officer preferably in the rank of Joint Director with clear recommendation of trade/units. RDSDE will submit the report to DGT within the next 15 days on the online compliance module. If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall Not be considered further and will be rejected without any further Notice from DGT. Compliance report from Applicant against the deficiencies raised by the 26th SCAA- Points mentioned below are submitted by the applicant on email dated.03.04.2026, 26th SCAA MOM was issued on 05.03.2026. 1. The building plan of the institute has been prepared and approved by a registered architect and verified by the Secretary and	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			Gram Pradhan of Gram Panchayat Ambabay. 2. The Fitter trade has been voluntarily surrendered by the institute and an application in this regard has already been submitted to the competent authority. 3. The required instructors for the proposed Electrician Trade (10+10+0 units) have been duly appointed and their appointment letters are available. 4. Adequate electrical power supply is available in the institute (required approx. 41.6 KW and available capacity approx. 47 KVA). 5. The electricity connection is Now in the name of Gandhi Pvt. ITI, Jhansi and the latest electricity bill is available. Clarification regarding other remarks With regard to other observations mentioned in the inspection report, necessary improvements and compliance have already been ensured by the institute. At the time of inspection, all relevant documents, machinery, equipment, instructor appointment letters, electrical arrangements and training-related facilities were presented before the inspection committee. All workshop machines in the institute have been properly installed and necessary earthing and grouting arrangements have been ensured. The IT Lab has an adequate number of	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			computers with internet connectivity. An Aadhaar-based biometric attendance system has also been installed and is operational in the institute, and all trainees are regularly attending their training programs. It is respectfully submitted that the Degree College and Gandhi Pvt. ITI are functioning independently. Both institutions are located in separate buildings with separate entrance gates. Remarks of 28th SCAA - The SCAA observed that the reply/clarification submitted by the institute requires verification; therefore, a re-inspection of the institute shall be conducted through a higher-level committee. The committee shall comprise a quorum of four members, including two officials from the RDSDE and two officials from the State Directorate. Additionally, trade expert member may be included in the committee. The committee shall submit its report within 20 days from the date of issuance of these Minutes, duly verifying the rectification of deficiencies pertaining to the infrastructure and machinery specified in this and the ITI's reply, along with its recommendations regarding the relevant trades/units for affiliation. 32nd SCAA Remark-	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			The SCAA noted that, despite these opportunities, the institute has not submitted any supporting documents along with its compliance report to substantiate the claimed rectification of deficiencies. Accordingly, the compliance submitted by the institute is not satisfactory. The SCAA further observed that, during its 28th meeting, a re-inspection by a higher-level committee comprising officials of the RDSDE and the State Directorate was directed to verify the institute's claims of compliance. However, the Regional Director, RDSDE, informed that no further inspection was required since the last inspection had been conducted by the Regional Director himself and requested that the case be decided on the basis of the findings recorded therein. The SCAA also considered the subsequent reply submitted by the institute. However, in the absence of documentary evidence supporting the claimed compliance, the deficiencies recorded during the physical inspection remain unsubstantiated. The SCAA observed that mere assertions of compliance, without supporting documents or independent verification, cannot outweigh the findings of the inspection team. Nevertheless, in the interest of natural justice, the SCAA decided to grant the institute one final opportunity to submit a comprehensive compliance report along with all supporting	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			documentary evidence to substantiate the rectification of the deficiencies observed during inspection within 07 days from date of this minutes. In the event of failure to furnish satisfactory documentary evidence within the stipulated period, the proposal for extension of trades/units shall be rejected without any further opportunity. Compliance report from Applicant against the deficiencies raised by the 32nd SCAA- Institute submitted the documentary proof for removal of the deficiencies.	
14.	Alpine Private Industrial Training Institute Hamirpur, Vill. & Post - Sayar, Tehsil-maudaha, District- Hamirpur, U.P-210501 TMP9149PR1681061422 New ITI State: Uttar Pradesh	1. Electrician - 2(1+1) 2. Finance Executive -2(1+1) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical)-2(1+1)	28th SCAA Remark- This case was initially placed in the 28th SCAA meeting, remark of that was as follows: Applicant needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify same by conducting joint reinspection and submit the report with recommendation to DGT within the next 07 days on the online compliance module. 1. The electricity bill is not in the name of the Society/Trust running the ITI.	SCAA recommended the following trades/units: 1. Electrician - 2(1+1) 2. Finance Executive - 2(1+1) 3. Fitter - 2(1+1) 4. Solar Technician (Electrical)-2(1+1)

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			2. Less than four trades have been recommended by the ICVC, which is not in conformity with the prescribed norms for establishment of a new ITI. 3. Major deficiencies related to infrastructure and other essential requirements have been identified by the ICVC during inspection. Compliance report from RDSDE against the deficiencies raised by the 28th SCAA 1. The joint inspection was conducted, and the inspection team mentioned the following: 2. The electricity bill has been submitted by the ITI in the name of the Society/Trust. 3. The boundary wall was found constructed, and the photograph has been attached to the report. 4. In the Fitter trade, trainee lockers were available, and the photograph has been attached to the report. 5. In the Electrician trade, a metal rack and generator set with changeover arrangement were available. 6. In the Finance Executive and Solar Technician trades, the tools and equipment were arranged and installed as per the norms.	

Sr. no	ITI Name and details	Trade/Unit sought for affiliation	Brief Fact of the case	Remarks/Decision of 34th SCAA
	II.	III.	IV.	V.
			7. New staff members having relevant experience have been hired by the ITI. The list has been attached. 8. The girls' toilet was provided with a door. 9. A drinking water cooler was available. 10. Fans were installed in the classrooms and workshop. 11. The IT Lab was as per the prescribed norms. 12. The tools and equipment were as per the prescribed norms. 13. The workshop was as per the prescribed norms. 14. Thus, the ITI is recommended for the following trades: a) Electrician-2 (1+1) units b) Fitter-2 (1+1) units c) Solar Technician-2 (1+1) units d) Finance Executive-2 (1+1) units	

Annexure-4: Non-receipt of the Compliance Reports Sought in Previous SCAA Meetings

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
1.	Lalchand Private Industrial Training Institute, Saran vill.-Kadipur, p.o.-Nagra, P.S.-Khairah (NagraOP), Block-Nagra, Distt.-Saran, Bihar-841442 TMP10218PR1582536811 State: Bihar	1. Electrician - 4(2+2) 2. Fitter - 4(2+2)	28th SCAA Remarks- SCAA observed fundamental deficiencies related to land, building, machinery, safety and other essential infrastructural requirements, as mentioned below, have been observed In view of the above-mentioned, the institute is not recommended for grant of affiliation. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with supporting documents and geo-tagged photographs on tc-affiliation@dgt.gov.in to DGT within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. Deficiencies observed in the 28th SCAA- 1. The land lease document is not available. 2. The Building Completion Certificate (BCC) is not available, and the building structure is incomplete. 3. A 3-phase electricity connection is not available. 4. The Fire Safety Certificate has not been submitted.	The applicant was granted an opportunity to rectify the deficiencies during the 28th SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to land, building, machinery, safety, and other essential infrastructural requirements. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			5. The workshop and building structures are incomplete. 6. Machinery required for the trade is not available. Compliance report from Applicant against the deficiencies raised by the 28th SCAA TC Section Remark- Applicant did not submit the compliance/representation within the stipulated timeframe	
2.	ACME Albert Ekka Private Industrial Training Institute, Gumla, Jharkhand TMP20331PR1648649231 State: Jharkhand	1. Computer Operating and Programming Assistant-2(1+1) 2. Electrician-4(2+2) 3. Health Sanitary Inspector-4(2+2) 4. Sewing Technology-2(1+1) 5. Smartphone Technician	10th SCAA Remarks- SCAA observed that ITI has to remove the deficiencies mentioned below within 10 days from issue of this MoM. And submit the report to State Directorate & RDSDE. Thereafter, RD, RDSDE and State Director will conduct joint inspection and submit the report within 07 days. After receipt of report from RD, RDSDE, case will be placed in the next SCAA. 1. Equipments for Electrician trade needed maintenance. 2. Electric drill machine etc. is not available. 3. Equipment's for Health Sanitary Inspector trade - equipment's like laboratory microscope were not available.	The applicant was granted an opportunity to rectify the deficiencies during the 10th, 11th, 24th & 26th SCAA meeting; however, the same were not addressed. Upon verification, the inspection team observed significant shortcomings in the infrastructure, including the Building Completion Certificate (BCC), building layout plans, boundary wall, approach roads, IT lab, and the drawing hall etc. Additionally, the team has reconfirmed that no concrete steps were taken by the applicant for the

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
		Cum App Tester-2(1+1)	4. Major of the equipment's are available for Health Sanitary Inspector trade. 5. Some equipment's for Sewing Technology are not available at the time of inspection. The equipment's captured in photographs submitted under Point 11 of report are available. 6. Equipments for Computer Operating and Programming Assistant -Number of computers setup are sufficient. Committee may please consider comment under 3C. If not find sufficient requirements, revisit may be proposed. 7. Boundary wall needs to be constructed. 8. AEBAS machine for Staff Attendance is not available 9. BCC Issued by Aanchal Adhikari 10. The ITI is in Govt building which run by TSP and leased for 10 years. 11. Revisit of ITI is proposed by ICVC Members 11th SCAA Remarks Inspection was conducted, and the inspection report was submitted and placed before the 11th SCAA. The remarks of the SCAA were as follows:	safety provisions related to electrical, mechanical, railing, ramp and emergency plan of the building. Since the applicant fails to rectify the deficiencies so the application of the affiliation is hereby rejected. The applicant has liberty to move a fresh application in accordance with the rules as and when portal is opened.

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			SCAA observed that the remarks of RDSDE and State Directorate representative are contradictory. Hence, SCAA recommended that joint inspection is to be carried out again within 15 days from the date of issue of this MoM. Inspection team will submit report to RD, RDSDE. Thereafter RD, RDSDE will forward the inspection report to DGT (HQ) within 07 days. Then the case will be reconsidered in next SCAA. 24th SCAA Remarks: This case is again reviewed in the 24th SCAA, remark of that was as follows: SCAA observed that the ITI has not removed all the deficiencies indicated in the previous SCAA, and the following deficiencies still persist: 1. BCC not as per norms. 2. Construction of the boundary wall is still under process and has not been completed to date. Accordingly, SCAA has granted one last and final opportunity to remove all the deficiencies within 30 days from the date of issue of this minute in the Compliance Module on the NIMI Affiliation Portal. Thereafter, the RDSDE shall verify the documents submitted and forward	

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			the report with its recommendations to DGT within the next 15 days through the Compliance Module on the NIMI Affiliation Portal. If the ITI fails to comply, the application shall be rejected. 26th SCAA Remark- The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Now, these applicant institutes are hereby directed to submit their clarification/representation, along with supporting documents, explaining why their applications for affiliation should not be rejected, and to furnish the requisite rectification/compliance documents within a period of 15 days from the date of issuance of these minutes. In case satisfactory and verifiable compliance is not submitted within the prescribed timeline, the application shall be rejected without any further notice from the DG.	

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
3.	Govt. Industrial Training Institute, Parbhani Maharashtra GR27000036 Grading-9 State: Maharashtra	1. Additive Manufacturing Technician (3D Printing) 2(1+1) 2. Computer Operator and Programming Assistant- 2(1+1) 3. IoT Technician (Smart Agriculture) 2(1+1) 4. Mechanic Refrigeration and Air Conditioner- 2(1+1) 5. Machinist Grinder-2(1+1)	23rd SCAA Remarks- SCAA not recommended the following trades due to non-availability of machinery equipment: 1. IoT Technician (Smart Agriculture) 2(1+1) 2. Computer Operator and Programming Assistant-2(1+1) 3. Additive Manufacturing Technician (3D Printing) 2(1+1) For Machinist Grinder trade ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 15 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire safety certificate not provided Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. Again, the case was placed before the 24th and 26th SCAA , and opportunities were given to the applicant to submit the required compliances, remark of that was as follows:	The applicant was granted an opportunity to rectify the deficiencies during the 23 rd , 24 th & 26 th SCAA meeting; however, the same were not addressed. Upon verification, the inspection team observed significant related to non-availability of machinery equipment and fire safety certificate. Since, the applicant fails to rectify the deficiencies so the application of the affiliation is hereby rejected. The applicant has liberty to move a fresh application in accordance with the rules as and when portal is opened.

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Now, these applicant institutes are hereby directed to submit their clarification/representation, along with supporting documents, explaining why their applications for affiliation should not be rejected, and to furnish the requisite rectification/compliance documents within a period of 15 days from the date of issuance of these minutes. In case satisfactory and verifiable compliance is not submitted within the prescribed timeline, the application shall be rejected without any further notice from the DGT.	
4.	K.D.Singh Pvt ITI Uttar Pradesh PR09001960 Grading-7.6 State: Uttar Pradesh	Electrician - 3(1+1+1)	21st SCAA Remarks- SCAA observed that multiple deficiencies exist in already affiliated trades/units as well as in the new trades/units sought for affiliation, indicating that the ITI is not operating its currently affiliated units in accordance with the prescribed norms. Therefore, the ITI shall rectify all the deficiencies for existing trades as	The applicant was granted an opportunity to rectify the deficiencies during the 21 st , 24 th & 26 th SCAA meeting; however, the same were not addressed. Upon verification, the inspection team observed significant shortcomings in the infrastructure, including the

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			well as new trades, as mentioned below, within 1 month and submit a report in the Compliance Module on the NIMI portal. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days. Failure to comply within the stipulated timeline shall lead to non-recommendation of the new trades proposed for affiliation and may result in the initiation of de-affiliation proceedings against the trades already affiliated with the institute. Deficiencies observed in the 21st SCAA 1. Land Lease original documents not provided during the joint inspection. 2. BCC certificate and fire safety certificate not provided during the joint inspection 3. Available 10 KW but there is a difference in the account number shown in the electricity bill and meter sealing certificate 4. Dead stock registers are not maintained. 5. Raw Materials Register is no maintained. 6. Staff appointment details are not provided during the joint inspection.	Building Completion Certificate (BCC), electricity, Lathe machine in fitter trade and Electrician trade some machines/motors are not running condition and the drawing hall etc. It seems ITI is not running the existing units as per norms. Since, the applicant fails to rectify the deficiencies so the application of the affiliation is hereby rejected. The applicant has liberty to move a fresh application in accordance with the rules as and when portal is opened.

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			7. Student's attendance not provided. 8. One Lathe machine in fitter trade and Electrician trade some machines/motors are not running condition. 9. Drawing Hall available but furniture is not available as per norms and IT lab available but computers are not working condition. 10. One lathe machine in fitter trade and some motors in Electrician trade not running. 11. Admission taken by ITI in year is 2023-60 Nos and 2024-58 Nos. 12. There are multiple deficiencies are observed in the institute. It seems the ITI is not running the existing units as per norms. 13. De-affiliation proceeding may also be initiated against it by treating the minutes of SCAA as SCN. Again, the case was placed before the 24th and 26th SCAA, and opportunities were given to the applicant to submit the required compliances, remark of that was as follows: The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of	

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Now, these applicant institutes are hereby directed to submit their clarification/representation, along with supporting documents, explaining why their applications for affiliation should not be rejected, and to furnish the requisite rectification/compliance documents within a period of 15 days from the date of issuance of these minutes. In case satisfactory and verifiable compliance is not submitted within the prescribed timeline, the application shall be rejected without any further notice from the DG.	
5.	Maa Madhuri Private Industrial Training Institute Uttar Pradesh PR09900243 Grading:5.4 State: Uttar Pradesh	1. Electrician 1(0+0+1) 2. Fitter 3(1+1+1)	21st SCAA Remarks- ITI needs to remove the following deficiencies mentioned below and submit the documents through compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes. Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection	The applicant was granted an opportunity to rectify the deficiencies during the 21st, 24th & 26th SCAA meeting; however, the same were not addressed. Upon verification, the inspection team observed significant shortcomings in the infrastructure, including the Building Completion Certificate (BCC), IT Lab, Machineries.

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			of the ITI and submit the report to DGT with recommendation within the next 15 days. Deficiencies observed in the 21st SCAA 1. BCC certificate is not provided. 2. Machineries bills available, but payment proof not provided. 3. Two instructor's shortage in Fitter trade. Staff attendance and student attendance are not available. 4. IT Lab available, but all computers are not working. Again, the case was placed before the 24th and 26th SCAA, and opportunities were given to the applicant to submit the required compliances, remark of that was as follows: The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Now, these applicant institutes are hereby directed to submit their	Shortage of instructor Since, the applicant fails to rectify the deficiencies so the application of the affiliation is hereby rejected. The applicant has liberty to move a fresh application in accordance with the rules as and when portal is opened

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			clarification/representation, along with supporting documents, explaining why their applications for affiliation should not be rejected, and to furnish the requisite rectification/compliance documents within a period of 15 days from the date of issuance of these minutes. In case satisfactory and verifiable compliance is not submitted within the prescribed timeline, the application shall be rejected without any further notice from the DG.	
6.	Amravati Private Industrial Training Institute Varanasi TMP9187PR1649990658 State: Uttar Pradesh	1. Computer Operator and Programming Assistant- 2(1+1) 2. Electrician - 4(2+2) 3. Fitter -4(2+2) 4. Health Sanitary Inspector- 2(1+1)	23rd SCAA Remark- Applicant Institute needs to remove the following deficiencies mentioned below and submit the required documents within 30 days from the date of issue of these minutes in the compliance module on NIMI affiliation portal. Subsequently, a Senior Officer at the level of Director/Joint Director from the State Directorate and RDSDE shall conduct the joint inspection to verify compliance. Following the joint inspection, RDSDE shall submit its report with recommendations to DGT within 15 days through the compliance module on the NIMI Affiliation Portal. 1. Experience certificate not provided for any instructor. qualification documents poorly visible	The applicant was granted an opportunity to rectify the deficiencies during the 23rd, 24th & 26th SCAA meeting; however, the same were not addressed. Upon verification, the inspection team observed significant shortcomings in the infrastructure, including the, Lathe machine in fitter trade and Computers are not in running condition and the drawing hall etc. Since, the applicant fails to rectify the deficiencies so the application of the affiliation is hereby rejected. The applicant has liberty to move a fresh application in accordance with the rules as and when portal is opened

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			2. Some machines appear to be from other ITI and the name of this ITI was printed on it. Machinery installed but not properly grounded. 3. Lathe in the fitter was belt pulley type 4. Health Sanitary Inspector trade tools were missing. 5. Software of Computer operating and programming Assistant trade is not available. 6. All computers were not in working condition. 7. The DG set for Electrician trade is not installed. 8. No drawing tables available. Seminar hall entrance was used as Drawing Hall. 9. As per google maps, the location showed Amaravati Institute of Pharmacy. The institute board at entrance also mentioned Amaravati Institute (AIP) was written. 10. Not Recommended for any trade as tools and machinery not available as per norms Again, the case was placed before the 24th and 26th SCAA, and opportunities were given to the applicant to submit the required compliances, remark of that was as follows:	

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	Remarks/Decision of 34th SCAA
I.	II.	III.	IV.	V.
			The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Now, these applicant institutes are hereby directed to submit their clarification/representation, along with supporting documents, explaining why their applications for affiliation should not be rejected, and to furnish the requisite rectification/compliance documents within a period of 15 days from the date of issuance of these minutes. In case satisfactory and verifiable compliance is not submitted within the prescribed timeline, the application shall be rejected without any further notice from the DG.	

Annexure-5: DST conversion proposal from Haryana State

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
1	Adampur	GR06000053	Electromech Power India Pvt. Ltd., Bhadra Road, Adampur, Hisar, Haryana	08.05.2026	31.07.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
				08.05.2026	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended
			Vipin Motors Pvt. Ltd., 4th KM Sirsa Road, Hisar, Haryana	28.04.2026	31.07.2027	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
			ABC Motors, NH9 Village Dhanger, Distt. Fatehabad, Haryana	27.04.2026	31.07.2027					
			Mohan Fourwheel Pvt. Ltd., NH9 Village Chikanwas, Hisar, Haryana	28.04.2026	31.07.2027					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Supreme Mobiles Pvt. Ltd. , 4th KM, Near Krishna Parnami School, Bagla Road, Hisar, Haryana	11.05.2026	31.07.2027					
			Saraogi Automobiles Pvt. Ltd., 5th KM Stone, Sirsa Road, Hisar, Haryana	11.05.2026	31.07.2027					
			Shiv Tractors, Tehsil Road, Mandi Adampur, District Hisar, Haryana	29.04.2026	31.07.2027	Mechanic Tractor	Shift 1	Unit 1	conversion	Recommended
			Viraj Automobiles, Near Goyal Petrol Pump, Adampur, Distt. Hisar, Haryana	29.04.2026	31.07.2027					

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
2	Adampur (W)	GR06000054	The Tailor Factory, Shop No. 1, Adampur Road, Agroha, Hisar, Haryana	30.03.2026	Till the session end	Dress Making	Shift 1	Unit 1	conversion	Recommended
3	Ambala City	GU06000027	Haryana Roadways, Ambala Workshop, Near Agarsain Chowk, Ambala City, Ambala, Haryana	22.02.2024 (consent letter given by the firm on 25.2.26)	Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
					Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
			Charvi Motors Pvt. Ltd., Tepla (Ambala Cantt.), District Ambala, Haryana	17.02.2026	Till the session end	Painter (General)	Shift 1	Unit 1	conversion	Recommended
			Electromax Home Appliances Co., New Vita Enclavem Near	13.02.2026	Till the end of the session	Plastic Processing Operator	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
4	Ambala City(W)	GU06000044	Mvita Milk Plant, Ambala City							
			R.P. Agro Tech, 39A, Jiwan Nagar, Model Town, Ambala City, Dstrict Ambala, Haryana	27.02.2026	Till the end of the session	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
			C-Lal Gopi Electricals & Mechanicals 1-2, Industrial Estate, Ambala City, Haryana	06.04.2026	31.07.2028	Mechanic Consumer Electronic Appliances	Shift 1	Unit 1	conversion	Recommended
			Bharat Uniforms #32, Palika Vihar Road, Ambala City, Haryana	24.03.2026	31.07.2027	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
				23.04.2026	Till the session end	Dress Making	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
5	Asaudah	GR06000345	SnPC Machines Pvt. Ltd., Bahadurgarh Road, Kharkhoda, District Sonipat, Haryana	04.05.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
			Mohan Earth Movers LLP (JCB), 18 KM Stone, Ghandhra Mor, Delhi Road, Rohtak, Haryana	20.05.2026	Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			NOVATEUR ELECTRICAL DIGITAL SYSTEM PVT. LTD., Delhi Rohtak Road, Decora Station road, Rohad, Distt. Jhajjar, Haryana	14.05.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
				14.05.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
6	Assandh	GR06000394	Mansa Solar Energy, Near Jio Petrol Pump, Assandh, Karnal, Haryana	12.05.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
			Jangra Radiator Battery, Near Drain, Jind Road, Assandh, Karnal, Haryana	12.05.2026	Till the session end					
7	Bahadurgarh	GU06000021	Candour Technology Main Delhi-Rohtak Road, Village Jakhoda, Bahadurgarh, Haryana	23.02.2026	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended
			Haryana Roadways, Jhajjar Workshop at Haryana	23.02.2026	Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Roadways, Jhajjar, Haryana							
			Haryana Roadways, Jhajjar Workshop at Haryana Roadways, Jhajjar, Haryana	23.02.2026	Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
			Haryana Roadways, Jhajjar Workshop at Haryana Roadways, Jhajjar, Haryana	23.02.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
							Shift 2	Unit 1	conversion	Recommended
			Supertech EV Ltd., Bahadurgarh, Khewat No. 395/353, Khata No. 53/12-53/19, Udyog Vihar,	24.02.2026	Till the session end	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
					Till the session end	Electrician	Shift 1	Unit 3	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Sankhol, Bahadurgarh, Jhajjar, Haryana							
			Neolite ZKW Lightings Ltd., unit no.3, Plot No.36, Sector 4B, HSIIDC Industrial Estate, Bahadurgarh, District Jhajjar, Haryana	25.02.2026	Till the session end	Electrician	Shift 1 Shift 1	Unit 1 Unit 2	conversion	Recommended
8	Bahadurgarh (W)	GU06000022	Diksha Institute of Information Technology, Authorized Traiing Centre of C-DAC, Above Yes Bank, Opp. Metro Pillar No. 840, Delhi Road, Bahadurgarh,	14.05.2026	Till the session end	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			District Jhajjar, Haryana							
			Kohinoor Maleover & Makeup Academy, Near Metro Pillar No. 839, Surajmal Gali, Near Kitty Garments, Bahadurgarh, Distt. Jhajjar, Haryana	14.05.2026	Till the session end	Cosmetology	Shift 1	Unit 1	conversion	Recommended
			Ramma Makeups, Opp. Federal Bank, Shiv Chowk, Bahadurgarh, Distt. Jhajjar, Haryana	14.05.2026	Till the session end					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
9	Balsamand	GR06000152	Haryana Roadways, Hisar Bus Stand, Hisar, Haryana	09.03.2026	Till the session end	Mechanic Diesel	Shift 1 Shift 2	Unit1 Unit 1	conversion	Recommended
				09.03.2026	Till the session end	Mechanic Motor Vehicle	Shift 2	Unit 1	conversion	Recommended
				09.03.2026	Till the session end	Fitter	Shift 1 Shift 2	Unit1 Unit 1	conversion	Recommended
			Electromech Power India Pvt. Ltd., Mandi Adampur, Hisar, Haryana	09.03.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
10	Bapoli	GR06000389	The Panipat Co-Operative Sugar Mill Ltd., Village Dahar, Panipat	20.02.2026	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended
11	Barara at Holi	GR06000059	OSAW Agro Industries Pvt. Ltd. Plot No. 128-131, 140-143, HSIIDC, Saha (Ambala), Haryana	13.03.2026	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			OSAW Agro Industries Pvt. Ltd. Plot No. 128-131, 140-143, HSIIDC, Saha (Ambala), Haryana	12.03.2026	31.07.2028	Painter (General)	Shift 1	Unit 1	conversion	Recommended
			AXLE SHAFT INDIA, Plot No. 119, Sector-1, HSIIDC, Saha, District Ambala, Haryana	20.02.2026	31.07.2028	Machinist	Shift 1	Unit 1	conversion	Recommended
			NUPORE FILTRATION SYSTEM PVT. LTD., Plot No. 76-77, Sector-1, HSIIDC, Saha, District Ambala, Haryana	11.03.2026	31.07.2028	Turner	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
12	Barwala	GU06000072	Public Health Engineering Department, Division No. 2, Barwala, District Hisar, Haryana	02.04.2026	Till the session end	Plumber	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
			Silver Star, Laxmi Vihar, Barwala, Hisar, Haryana	30.03.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
			CEEN SPORTS, Near Bus Stand, Barwala, District Hisar, Haryana	30.03.2026	Till the session end	Sewing Technology	Shift 2	Unit 1	conversion	Recommended
			Radha Doors, Unit-II, NH-52, VPO Behbalpur, District Hisar, Haryana	30.03.2026	Till the session end	Wood Work Technician	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
13	Berli Kalan	GR06000360	Calsonic Kansei Motherson Auto Products Pvt. Ltd., Plot No. 17, Sector-5, IMT Bawal, Rewari, Haryana	13.03.2025 (consent given by firm for session 2026-28)	31.07.2028	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
			Caparo Maruti Ltd., Bawal, Plot No. 85-12, Sector-7, Bawal, Rewari, Haryana	21.03.2025 (consent given by firm for session 2026-27)	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended
14	Bhaproda	GR06000092	Haryana Roadways Depot, Workshop, Jhajjar, Haryana	27.02.2026	31.08.2028	Wireman	Shift 1	Unit 1	conversion	Recommended
				27.02.2026	31.08.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
				27.02.2026	31.08.2028	Machinist	Shift 1	Unit 1	conversion	Recommended
				27.02.2026	30.09.2027	Welder	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
15	Bharanpur	GR06000365	Naraingarh Sugar Mills Ltd., Village Banondi, P.O. Shahzadpur, Tehsil Naraingarh, Distt. Ambala, Haryana	05.03.2026	31.07.2028	Fitter	Shift 1	Unit 1	conversion	Recommended
16	Bhiwani	GU06000014	Haryana Roadways, Bhiwani	24.02.2026	Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
						Fitter	Shift 1	Unit 1	conversion	Recommended
						Electrician	Shift 1	Unit 1	conversion	Recommended
17	Bhiwani(W)	GU06000026	Himanshi Beauty Parlour and Cosmetic, Kadam Hospital, Ram Chowk, Bhiwani, Haryana	16.04.2025 (consent given by the firm for session 2026-27)	Till the session end	Cosmetology	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Hair & Looks Unisex Saloon, Near BEO Office, Park Colony, BTM Chowk, Bhiwani, Haryana	16.04.2025 (consent given by the firm for session 2026-27)	Till the session end					
			Chauhan Electronics, Near Railway Crossing, Loharu Road, Bhiwani, Haryana	01.08.2025 (consent given by the firm on 12.06.2026 for session 2026-28)	Till the session end	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
18	Bhodia Khera	GR06000086	Haryana Roadways, Fatehabad, Bus Stand	06.05.2026	Till the session end	Mechanic Diesel	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Fatehabada, Haryana							
			Haryana Roadways, Fatehabad, Bus Stand Fatehabada, Haryana	06.05.2026	Till the session end	Welder	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
19	Bhirdana	GR06000375	Sunita Under Garments, VPO Jhalnia, Distt. Fatehabad, Haryana	24.03.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
20	Butana	GR06000078	Anand Motors, Rohtak Road, Gohana, District Sonipat, Haryana	09.03.2026	08.03.2029	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
				09.03.2026	08.03.2029	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			Ch. Devi Lal Co-op. Sugar Mills Ltd., Gohana at	01.06.2026	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Ahulana, District Sonipat, Haryana							
21	Chhara	GR06000346	Alfa Flexitubes Pvt. Ltd., VPO Tandaheri, Distt. Jhajjar, Haryana	07.05.2026	Till the session end	Welder	Shift 1 Shift 1	Unit 1 Unit 2	conversion	Recommended
					Till the session end	Fitter	Shift 1 Shift 1	Unit 1 Unit 4	conversion	Recommended
			Dhoot Transmission Ltd., Jhajjar, Haryana	13.05.2026	Till the session end	Electrician	Shift 1 Shift 2	Unit 2 Unit 2	conversion	Recommended
22	Chautala	GR06000089	U-Valset Industries Pvt. Ltd. , Shergarh, Tehsil Mandi Dabwali, Distt. Sirsa	24.03.2026	Till the session end	Welder	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
			Haryana Roadways, Sirsa (Dabwali Workshop), Haryana	30.03.2026	Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			HARTRON SKILL CENTRE, Nirankari Bhawan wali main gali, chautala road, near saraswati vatika mandir, Mandi Dabwali, District Sirsa, Haryana	17.04.2026	Sep.,2027	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
			Kharb Industries, near bus stand, Mandi Dabwali, District Sirsa, Haryana	17.04.2026	Sep.,2028	Mechanic Consumer Electronics & Appliances	Shift 1	Unit 1	conversion	Recommended
23	Faridabad	GU06000025	Hettich India Limited, Plot No. 2, DLF Industrial Estate Phase, Near NHPC Chowk Metro Station, Faridabad, Haryana	19.03.2026	Till the session end	Wood Work Technician	Shift 2	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			JBM Auto Limited, Plot No. 133, Sector-24, Faridabad, Haryana	02.04.2026	Till the session end	Tool & Die Maker	Shift 1	Unit 1	conversion	Recommended
				02.04.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
			VEE GEE Industries Enterprises Pvt. Ltd., Plot No. 121, Sector-24, Faridabad, Haryana	11.03.2026	Till the session end	Machinist	Shift 1	Unit 2	conversion	Recommended
				11.03.2026	Till the session end	Turner	Shift 1	Unit 1	conversion	Recommended
			Haryana Roadways, Ballabgarh, Faridabad, Haryana	24.03.2026	Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
				24.03.2026	Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			PICL INDIA PVT. LTD. Plot No. 619, Sector-69, IMT,	09.04.2026	Till the session enc	Electronics Mechanic	Shift 2	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Faridabad, Haryana							
			SIDWAL REFIREGRATION INDUSTRIES PVT. LTD., Plot No. 23, Sector-6, Faridabad	20.04.2026	Till the session end	Refrigeration and Air Conditioning Technician	Shift 2	Unit 1	conversion	Recommended
			Star Wire India Limited, 21/4, Mathura Road, Ballabhgrah, Faridabad, Haryana	05.05.2026	Till the session end	Machinist	Shift 2	Unit 1	conversion	Recommended
				05.05.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
24	Faridabad (W)	GU06000071	PEE EMPRO Exports Pvt. Ltd., Plot No. 78, Sector-27A, Main Road, Mathura Faridabad, Haryana	07.02.2026	31.07.2027	Sewing Technology	Shift 2	Unit 1	conversion	Recommended
				07.02.2026	31.07.2027	Dress Making	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
25	Fatehpur Biloch	GR06000371	Surya Shakti Vessels Pvt. Ltd., Asaoti Railway Station Road, Village Deeg, Ballabgarh, Faridabad, Haryana	27.03.2026	31.07.2028	Fitter	Shift 1	Unit 1	conversion	Recommended
26	Gohana	GU06000046	Riba Textiles Ltd., VPO Chidana, Gohana, District Sonapat, Haryana	06.02.2024	August, 2027	Fashion Design Technology	Shift 1	Unit 1	conversion	Recommended
				10.12.2024	August, 2029	Fitter	Shift 1	Unit 1	conversion	Recommended
			Ch. Devi Lal Co-Operative Sugar Mill, Gohana, District Sonapat, Haryana	18.12.2024	August, 2029	Turner	Shift 1	Unit 1	conversion	Recommended
27	Guhna	GR06000343	ZED King Group of Institutions, Karnal Road, Kaithal, Haryana	15.05.2026	Till the session end	Stenographer (English)	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
28	Gurugram	GU06000002	Haldiram Mfg. Co. Pvt. Ltd., Village Kherki Daula, Delhi-Jaipur Highway, Gurugram, Haryana	23.02.2026	Till the session end	Food Production (General)	Shift 1	Unit 1	conversion	Recommended
			Caparo Maruti Ltd., Plot No. 7, Maruti Venture Complex , Sector-18, IV Udyog Vihar, Gurugram	23.02.2026	Till the session end	Welder (Gas & Electric)	Shift 1	Unit 1	conversion	Recommended
			Jay Bharat Maruti Ltd., Plot No. 5, Sector-18, Gurugram, Haryana	23.02.2026	Till the session end	Welder (Gas & Electric)	Shift 2	Unit 2	conversion	Recommended
			HERO Moto Corp Ltd., 37 KM Stone, Delhi-Jaipur	30.03.2026	31.07.2028	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Highway, Sector-33, Gurugram, Haryana			Fitter	Shift 1	Unit 1	conversion	Recommended
						Painter (General)	Shift 1	Unit 1	conversion	Recommended
						Machinist	Shift 1	Unit 1	conversion	Recommended
			Pasco Automobiles, Old Delhi road, Sector-18, Gurugram, Haryana	07.04.2026	31.07.2027	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
29	Gurugram (W)	GU06000052	Himanshu Apparels Pvt Ltd, Plot No. 455, Phase-5, Udyog Vihar, Gurugram, Haryana	01.04.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
			Yes Madam Technologies Pvt. Ltd., VM Tower, Plot No. 54, Sector-18,	01.04.2026	Till the session end	Cosmetology	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Gurugram, Haryana							
			Communication Test Design India, Plot No. 15, Sector-6, IMT Manesar, Gurugram, Haryana	20.04.2026	Till the session end	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
30	Hansi	GU06000023	Khandewala Krishi Udyog, Near Truck Union, Tosham Road, Hansi, Distt. Hisar, Haryana	05.03.2026	31.08.2028	Fitter	Shift 1	Unit 1	conversion	Recommended
			Haryana Roadways, Workshop Hansi, District Hisar, Haryana	18.03.2026	31.08.2027	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
				18.03.2026	31.08.2027	Welder	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Vishal Gram Udyog Mandal, GT Road, Hansi, Distt. Hisar, Haryana	09.03.2026	31.08.2027	Welder (GMAW/ GTAW)	Shift 1	Unit 1	conversion	Recommended
			Mammoth Energy Pvt. Ltd., VPO Sainipura, Hansi(Hisar), Haryana	05.03.2026	31.08.2028	Machinist	Shift 1	Unit 1	conversion	Recommended
31	Hassangarh	GU06000018	Mohan Earth Movers LLP (JCB), 18 KM Stone, Ghandhra Mor, Delhi Road, Rohtak, Haryana	17.02.2026	July, 2028	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
				17.02.2026	July, 2027	Mechanic Tractor	Shift 1	Unit 1	conversion	Recommended
			SnPC Machines Pvt. Ltd., Barona, District Sonpeat, Haryana	16.02.2026	July, 2028	Painter (General)	Shift 1	Unit 1	conversion	Recommended
				16.02.2026	July, 2027	Welder	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			HARTRON SKILL CENTRE, 3rd Floor, Above Karur Vysya Bank, Near LIC Building, Rohtak, Haryana	23.02.2026	July, 2027	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
			Kumar Engineering India Pvt. Ltd., Sampla Beri Road, Rohtak, Haryana	23.02.2026	July, 2028	Electrician	Shift 1	Unit 1	conversion	Recommended
				23.02.2026	July, 2028	Wireman	Shift 1	Unit 1	conversion	Recommended
				23.02.2026	July, 2028	Fitter	Shift 1	Unit 1	conversion	Recommended
			Universal Precision Screws, Kharawad Village Mod Road, Rohtak, Haryana	20.02.2026	July, 2028	Turner	Shift 1	Unit 1	conversion	Recommended
32	Hisar	GU06000003	Jindal Supreme (India) Ltd., Hisar 9TH STONE, DELHI ROAD, HISAR, Haryana	15.04.2026	Till the session end	Fitter	Shift 2	Unit 2	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Haryana Roadways, Hisar Bus Stand, Hisar, Haryana	15.04.2026	Till the session end	Electrician	Shift 2	Unit 2	conversion	Recommended
				15.04.2026	Till the session end	Painter (General)	Shift 1	Unit 1	conversion	Recommended
				15.04.2026	Till the session end	Wood Work Technician	Shift 2	Unit 1	conversion	Recommended
				15.04.2026	Till the session end	Computer Operator and Programming Assistant	Shift 2	Unit 2	conversion	Recommended
				15.04.2026	Till the session end	Sheet Metal Worker	Shift 1	Unit 1	conversion	Recommended
			Orion Motors Pvt. Ltd.	11.03.2025	July, 2028	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			OM Diesels Pvt Ltd., 198, AUTO MARKET, HISAR, Haryana	15.04.2026	Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Panchmukhi Automobile, Rajgarh Road, Gangwa, Hisar, Haryana	08.04.2026	Till the session end	Mechanic Diesel	Shift 2	Unit 1	conversion	Recommended
33	Hisar(W)	GU06000004	Alpha Technology, Near Bus Stand, Rishi Nagar, Hisar	05.02.2026	Till session end	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
			Sleepy Threads Furnishing, B-49, Bank Colony, Prem Nagar, Hisar, Haryana	16.04.2025	31.07.2027	Dress Making	Shift 1	Unit 1	conversion	Recommended
34	Hathin	GR06000049	Haryana Roadways, Palwal	05.03.2026	Till session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
			Sugar Mills, Palwal	24.03.2026	Till session end	Fitter	Shift 1	Unit 1	conversion	Recommended
35	Jhajjar	GR06000341	UNIPARELS Pvt. Ltd. Opposite Old Bus	19.05.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Stand, Jhajjar, Haryana							
			Farmtrac Tannu Automobiles, Near Kosli Chowk, Rewari Bypass, Jhajjar, Haryana	19.05.2026	Till the session end	Mechanic Tractor	Shift 1	Unit 1	conversion	Recommended
			Haryana Roadways, Jhajjar	21.05.2026	Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
						Wood Work Technician	Shift 1	Unit 1		
					Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1		
					Till the session end	Welder	Shift 1	Unit 1		
			Tricolite Electrical Industries Limited, Reliance MET City. Yakubpur, Jhajjar, Haryana	24.04.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
				24.04.2026	Till the session end	Wireman	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
36	Jhajjar(W)	GR06000029	Uniparels Pvt. Limited, Opposite Old Bus Stand, Jhajjar, Haryana	29.04.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
37	Jind	GU06000062	Haryana Roadways, Jind, Near Gohana Bypass, Pindara, Jind, Haryana	01.08.2026	31.07.2028	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
			The Jind Coop. Sugar Mill Ltd., Jind, Haryana	23.04.2026	31.07.2029	Fitter	Shift 1	Unit 1	conversion	Recommended
			Shona Agri Solutions, Plot No. 7, HSIIDC Jind, Haryana	01.08.2026	31.07.2028	Welder	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
38	Kalanaur	GR06000347	Haryana Roadways, Bhiwani	17.03.2026	Till session end	Welder	Shift 1	Unit 1	conversion	Recommended
						Fitter	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
39	Kalali Balali	GR06000352	Public Health Engg. Divn., Charkhi Dadri, Haryana	15.05.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
						Plumber	Shift 1	Unit 1	conversion	Recommended
40	Kaithal	GU06000013	The Kaithal Coop. Sugar Mills Ltd., Kaithal, Haryana	06.03.2025 (consent given by the firm for session 2026-27)	Till the session end (i.e 31.07.2027)	Welder	Shift 2 Shift 1	Unit 1 Unit 2	conversion	Recommended
			Haryana Roadways, Kaithal Opp. Hanuman Vatika, main By-Pass, New Bus Stand, Kaithal, Haryana	05.03.2025 (consent given by the firm for session 2026-27)	Till the session end (i.e 31.07.2027)	Welder	Shift 1	Unit 1	conversion	Recommended
41	Kaithal(W)	GU06000028	ZED King Educational Trust, Pehowa Chowk, Kaithal	03.04.2026	Till the session end	Computer Operator and Programming Assistant	Shift 2	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			NIILM University, NH-152, Ambala Road, Kaithal, Haryana	09.04.2026	31.07.2027	Fashion Design Technology	Shift 1	Unit 1	conversion	Recommended
				09.04.2026	31.07.2027	Cosmetology	Shift 1	Unit 1	conversion	Recommended
42	Kalka at Bitna	GU06000081	Milestone Gears Pvt. Ltd., plot No. 11-12, HSIIDC, Kalka, District Panchkula, Haryana	06.04.2026	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended
			Raja Gears Pvt. Ltd., Plot No. 380, Industrial Area, Phase-1, Panchkula, Haryana	11.03.2026	Till the session end					
			Raja Gears Pvt. Ltd., Plot No. 380, Industrial Area,	11.03.2026	Till the session end	Turner	Shift 1	Unit 2	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Phase-1, Panchkula, Haryana							
			Haryana Roadways, Panchkula, Haryana	06.04.2026	Till the session end	Mechanic Diesel	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
			Sukata Tractor Parts Pvt. Ltd., Plot No. 211, Industrial Area, Phase-2, Panchkula, Haryana	11.03.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
			MT Autocraft Systems Pvt. Ltd., Village Naryal, Sector-4, Parwanoo, Himachal Pradesh	02.04.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			SKYVUE FENESTRATION, Plot No. 151, Vasudevapura, Behind RadheShyam Gaushala, Kalka, Distt. Panchkula, Haryana	16.03.2026	Till the session end	Wood Work Technician	Shift 1	Unit 1	conversion	Recommended
43	Kansala	GR06000383	Public Health Engineering , Div. No. 1, Jhajjar Road, Near Jhajjar Chungi, Rohtak, Haryana	16.02.2026	15.02.2028	Plumber	Shift 1	Unit 1	conversion	Recommended
			Bright Beauty Zone, Hafed Road, Prem Nagar, Rohtak, Haryana	13.02.2026	12.02.2028	Cosmetology	Shift 1	Unit 1	conversion	Recommended
44	Karnal	GU06000001	INDO Farm Implements (P) Ltd.,	13.04.2026	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Plot No. 341, Sector-3, Karnal, Haryana							
			Piara Singh & Sons, Plot No. 300, Sector-3, Karnal, Haryana	13.04.2026	31.07.2027					
			Pair Agroking Pvt. Ltd. Plot No. 229-230, Sector-3, HSIIDC, Karnal, Haryana	13.04.2026	31.07.2027					
			Shri Balaji Trading Co., 290-R, Model Town, Karnal, Haryana	06.04.2026	31.07.2027	Wood Work Technician	Shift 1	Unit 1	conversion	Recommended
			DORTE INTERIORS, Plot No. 2393, Sector-	06.04.2026	31.07.2027					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			32, Karnal, Haryana							
			MEBLE Modulars Pvt. Ltd., 72/69, Danialpur Road, Opp. Nishan Public School, Karnal, Haryana	06.04.2026	31.07.2027					
			Jindal Kitchen Asha Fan Industries, Meerut Road, Karnal, Haryana	13.04.2026	31.07.2027					
			Kaushik Automobile, Anand Vihar Chowk, Karnal, Haryana	28.04.2026	31.07.2027	Mechanic Tractor	Shift 1	Unit 1	conversion	Recommended
			Balaji Tractors, New Grain Market, Karnal, Haryana	28.04.2026	31.07.2027					

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Patil & Company, Meerut Road, Karnal, Haryana	28.04.2026	31.07.2027					
			Hari Motor, New Anaj mandi Road, Karnal, Haryana	28.04.2026	31.07.2027	Mechanic Tractor	Shift 2	Unit 1	conversion	Recommended
			Preet Motors, Near namaste chowk, karnal, Haryana	28.04.2026	31.07.2027					
			S.S. Corporation, Namaste Chowk, Karnal, Haryana	28.04.2026	31.07.2027					
			Haryana Roadways, Old Bus Stand, Karnal, Haryana	03.04.2026	31.07.2027	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended
			Gulati Diesel, Plot No. 18, Sector3, HSIIDC, Karnal, Haryana	28.04.2026	31.07.2027	Mechanic Diesel	Shift 2	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Vishal Power System, Namaste Chowk, Karnal, Haryana	28.04.2026	31.07.2027					
			Ruby Motors, Plot No. 28, Sector-3, Karnal, Haryana	28.04.2026	31.07.2027					
			Bhatia Motors, Near Palm residency, Karnal, Haryana	28.04.2026	31.07.2027					
			PARTAP IRON WORKS, Plot no. 277-284, Sector-3, Karnal, Haryana	13.04.2026	31.07.2028	Fitter	Shift 1	Unit 1	conversion	Recommended
			J.K. Pumps Pvt. Ltd., VPO Kulwehri, Karnal, Haryana	27.04.2026	31.07.2028					
			Goodrich Foods India Ltd.,	27.04.2026	31.07.2028					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Nagla Megha, District Karnal, Haryana							
			Pair Agroking Pvt. Ltd. Plot No. 229-230, Sector-3, HSIIDC, Karnal, Haryana	13.04.2026	31.07.2028					
			Chaman Lal Setia Exports Ltd., Kaithal road, Karnal, Haryana	10.04.2026	31.07.2028	Fitter	Shift 1	Unit 2	conversion	Recommended
			Haryana Roadways, Old Bus Stand, Karnal, Haryana	20.05.2026	Till the session end					
			Supreme Cooling System, Opp. Radha Swami Satsang Ghar, Kachhwa Road, Karnal, Haryana	29.04.2026	Till the session end					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Chaman Lal Setia Exports Ltd., Kaithal road, Karnal, Haryana	10.04.2026	31.07.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
			LAMFORD ELECTRICAL, Near Railway underpass, Hassanpur, Tehsil, Gharaunda, District Karnal, Haryana	24.04.2026	Till the session end					
			Nirmal Motors, Meerut Road, Karnal, Haryana	10.04.2026	31.07.2028	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			PP Automotive Pvt. Ltd, 119/4 KM Stone, Opp. New World, GT Road, Karnal, Haryana	27.04.2026	31.07.2028					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Samta Motors Pvt. Ltd. 119/8 Milestone, GT Road, Karnal, Haryana	02.04.2026	31.07.2028					
			Rahul Karnal Hyundai Rahul Pam Pvt. Ltd. Near Tau Devi Lal Chowk, Opp. Shani Mandir, Karnal, Haryana	27.04.2026	31.07.2028					
			Green Autos, GT Road, Karnal, Haryana	10.04.2026	31.07.2028	Mechanic Motor Vehicle	Shift 1	Unit 2	conversion	Recommended
			Bansal Motors GT Madanpur Road, Karnal, Haryana	02.04.2026	31.07.2028					
			Kanav Notors Pvt. Ltd.	28.04.2026	31.07.2028					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			118/7, Milestone, GT Road, Karnal, Haryana							
			IFB Industries Limited, General & Allied Industries Complex, Tau Devi Lal Chowk, Near Shani Mandir, GT Road, Karnal, Haryana	20.05.2026	Till the session end	Refrigeration and Air Conditioning Technician	Shift 2	Unit 1	conversion	Recommended
				20.05.2026	Till the session end	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
			ENERGY PULSE INDIA Pvt. Ltd., #1, New Anajmandi Road, Karnal, Haryana	24.04.2026	31.07.2028	Electrician	Shift 1	Unit 2	conversion	Recommended
			TALK N SOLVE, #GB/17, CHD City, Sector-45, Karnal, Haryana	24.04.2026	31.07.2028		Shift 1			

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
45	Karnal(W)	GU06000090	Mansa Solar Energy, 98-99, Jarnally Kothi, Dayal Singh College, Karnal	30.03.2026	Till the session end	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
			Simtach Automation, Plot No. 13, Indra Colony, Karnal	30.03.2026	31.07.2027	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
			Central Tool Room, Ludhian (Extension Centre, Karnal)	30.03.2026	Till the session end	DMC	Shift 1	Unit 1	conversion	Recommended
46	Kharkhara	GR06000398	India Nippon Electrical Ltd., village Masani, Tehsil Dharuhera, Rewari, Haryana	12.05.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
47	Kharkhoda	GR06000143	Dynamic Precision Tools & SPM	16.02.2026	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			NH-10, Gandra Mod, Ismilla, Rohtak	16.02.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
			Jagmohan Automotives Pvt. Ltd., DELHI BAHALGARH ROAD, OPP. POWER HOUSE, SONIPAT, Haryana	12.02.2026	Till the session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			BC Infra Projects Pvt. Ltd., Sisana, Kharkhoda, Sonipat, Haryana	11.02.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
							Shift 2	Unit 1	conversion	Recommended
			Sagar Sports, Kharkhoda, Distt. Sonapat, Haryana	10.02.2026	Till the session end	Dress Making	Shift 1	Unit 1	conversion	Recommended
			Bharat Transformers	12.02.2026	Till the session end	Wireman	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Services, Plot No. 1904, Rai Industrial Area, Sonapat, Haryana	16.02.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
			Malik Generator, VPO jatjoshi, Distt. Sonapat, Haryana	11.02.2026	Till the session end	Mechanic Diesel	Shift1 Shift 2	Unit 1 Unit 1	conversion	Recommended
			BC Infra Projects Pvt. Ltd., Kharkhoda	12.06.2026	Till the session end	Painter General	Shift 1	Unit 1	conversion	Recommended
48	Khera Siwani	GR06000396	HARTRON Advanced Skill Centre, Near Bharat High School, Siwani Mandi, Distt. Bhiwani, Haryana	Computer Operator and Programming Assistant	Till the session end	Computer Operator and Programming Assistant	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
49	Khuddan	GR06000392	Haryana Roadways Depot, Workshop, Jhajjar, Haryana	13.03.2026	31.08.2027	Welder	Shift 1	Unit 1	conversion	Recommended
				13.03.2026	31.08.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
50	Kiloi	GR06000348			31.07.2028	Machinist	Shift 1	Unit 1	conversion	

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			MT Autocraft Systems Ltd., IMT Rohtak, Haryana	02.03.2026		Fitter	Shift 1	Unit 1		Recommended
			Public Health Engg. Department, SD-5, PGIMS, Rohtak	02.03.2026	31.07.2027	Plumber	Shift 1	Unit 1	conversion	Recommended
			Universal Precision Screws, Kharawad Village Mod Road, Rohtak, Haryana	02.03.2026	31.07.2028	Turner	Shift 1	Unit 1	conversion	Recommended
51	Kosli	GR06000353	Subros Limited, Plot No. 395, Sector-8, IMT Manesar, Gurugram, Haryana	14.04.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
				14.04.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
52	Kundman ethi	GR06000064	Caparo Maruti Ltd., Bawal, Plot No. 85-12, Sector-	11.03.2025	10.03.2028	Welder	Shift 1	Unit 1	conversion	Recommended
						Welder	Shift 2	Unit 1		

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			7, Bawal, Rewari, Haryana							
53	Kurukshetra	GU06000058	INCOS Woodtech, Ladwa Road, Bir Pipli, Kurukshetra, Haryana	15.02.2024 (consent given by firm on 26.02.2026 for session 2026-27)	Till the session end	Wood Work Technician	Shift 2	Unit 1	conversion	Recommended
			INCOS Woodtech, Ladwa Road, Bir Pipli, Kurukshetra, Haryana	25.02.2025 (consent given by firm on 26.02.2026 for upcoming session)	Till the session end	Electrician	Shift 2	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Kabir Engg. Works, PLOT NO. 48, SHIVPURI ROAD, KISHANPURA, PIPLI , KURUKSHETRA, Haryana	15.02.2024 (consent given by firm on 24.02.2026 for session 2026-28)	Till the session end					
			Ishan Bright Energy (OPC) Pvt. Ltd.	14.02.2025 (consent given by firm on 24.02.2026 for session 2026-28)	13.02.2028					
			Guru Brahmanand Solar Energy, Chitta Mandir, Behind Police	11.03.2026	Till the session end					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Line, Pilpi, Kurukshetra, Haryana							
			Aroma Technovation, Sector-30, Kurukshetra, Haryana	23.02.2026	22.02.2029					
			INCOS Woodtech, Ladwa Road, Bir Pipli, Kurukshetra, Haryana	25.02.2025 (consent given by firm on 26.02.2026 for session) 2026-27	24.02.2028	Welder	Shift 2	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Ganpati Auto Traders, BAJIDPUR, PIPLI, District Kurukshetra, Haryan	24.02.2025 (consent given by firm on 26.02.2026 for session) 2026-27	25.02.2028					
			Vishwakarma Automobiles, Pipli, District Kurukshetra, Haryana	20.02.2024 (consent given by firm on 17.02.2026 for session 2026-27)	Till the session end	Mechanic Tractor	Shift 2	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Dashmesh Tractors, Near New Grain Market, Kurukshetra, Haryana	20.02.2024 (consent given by firm on 17.02.2026 for session 2026-27)	Till the session end					
			Jaswant Singh & Sons, Pipli Road, Kurukshetra, Haryana	20.02.2024 (consent given by firm on 17.02.2026 for session 2026-27)	Till the session end					

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Harnam Singh & Sons, SALARPUR ROAD, KURUKSHETRA, Haryana	20.02.2024 (consent given by firm on 17.02.2026 for session 2026-27)	Till the session end					
			Ganpati Auto Traders, BAJIDPUR, PIPLI, District Kurukshetra, Haryana	24.02.2025 (consent given by firm on 26.02.2026 for upcoming session)	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended
54	Loharu	GR06000350	Hartron Skill Centre, Near Nirmal Hospital,	13.05.2026	Till the session end	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			SBI Bank Loharu, Bhiwani(Haryana)							
55	Madina	GR06000344	Bhagwan Automatic Pvt. Ltd., Plot No. 26-27, Sector-31 B, Phase-1, IMT, Rohtak, Haryana	18.02.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
						Turner	Shift 1	Unit 1		
						Electrician	Shift 1	Unit 1		
						Welder	Shift 1	Unit 1		
56	Madlauda	GR06000390	Shiva Automation System, VPO Brahman Majra, Panipat, Haryana	21.02.2025 (consent given by the firm on 27.02.2026 for session 2026-28)	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			ANDi Software Solutions, Office no. 2, Above Hindustan Steel, Tau Devi Lal Complex, Near railway road, Panipat, Haryana	30.03.2026	Till the session end	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
57	Makrauli Kalan	GR06000077	Deep Chand Traders, Near KIA Showroom, Kaccha Chamaria Road, Jind Bypass road, Opp. Rainakpura, Gali No. 1, Rohtak, Haryana	17.04.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
			Global Auto Industries, Plot No. 187,	16.04.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			HSI IDC, Kutana, Rohtak, Haryana							
58	Matanhail	GR06000128	Bilanu Limited, Jhajjar, Vill-Amadalshahpur, Matanhail, Jhajjar, Haryana	17.03.2026	31.07.2028	Electrician	Shift 1 Shift 1	Unit 1 Unit 2	conversion	Recommended
59	Maujabad	GR06000377	Subros Ltd., Plot No. 395-96, Sector-8, IMT-Manesar, Gurugram, Haryana	11.05.2026	Till the session end	Electrician	Shift 2	Unit 1	conversion	Recommended
				11.05.2026	Till the session end	Wireman	Shift 1	Unit 1	conversion	Recommended
60	Meham	GU06000073	Bhagwan Automatic Pvt. Ltd., Plot No. 26-27, Sector-31 B, Phase-1, IMT, Rohtak, Haryana	24.06.2025 (consent given by firm for session 2026-28)	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
				24.06.2025 (consent given by firm for session 2026-28)	Till the session end	Turner	Shift 1	Unit 1	conversion	Recommended
				24.06.2025 (consent given by firm for session 2026-28)	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended
			The Meham Co-Operative Sugar Mills Ltd., Meham, District Rohtak, Haryana	18.07.2025 (consent given by firm for session 2026-27)	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
				18.07.2025 (consent given by firm for session 2026-28)	Till the session end	Tool & Die Maker	Shift 1	Unit 1	conversion	Recommended
61	Nalwa	GU06000056	IECS Computer Education (Management Infotech System), Rampura Mohalla, Hisar, Haryana	06.03.2026	30.07.2027	Computer Operator and Programming Assistant	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
			Datta Agro Works, Tosham Road, Hansi, District Hisar, Haryana	06.03.2026	30.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended
62	Narnaul	GU06000011	Haryana Roadways, Narnaul, District Mahendergarh, Haryana	20.02.2026	Till the session end	Sheet Metal Worker	Shift 1	Unit 1	conversion	Recommended
						Mechanic Motor Vehicle	Shift 2	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
						Wood Work Technician	Shift 1	Unit 1	conversion	Recommended
						Welder	Shift 1	Unit 1	conversion	Recommended
						Painter (General)	Shift 2	Unit 1	conversion	Recommended
						Fitter	Shift 2	Unit 1	conversion	Recommended
63	Nathusari Chopta	GR06000033	Haryana Roadways, MC Colony, Sirsa	01.04.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
					Till the session end	Wood Work Technician	Shift 1	Unit 1	conversion	Recommended
					Till the session end	Painter (General)	Shift 1	Unit 1	conversion	Recommended
64	Nissing	GU06000091	Punjab Facricators, Kaithal-Pundri Road, Nissing, District Karnal, Haryhana	05.03.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
65	Nuh	GR06000366			30.07.2029	Machinist			conversion	

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			SRS Diecasting Pvt. Ltd., 132, Rozka Meo Industrial Estate, Sohna, District Nuh	08.05.2026			Shift 1 Shift 1	Unit 1 Unit 2		Recommended
66	Odhan	GR06000337	Dakshin Haryana Bijli Vitran Nigam (DHBVN), Odhan, Near Bus Stand, Sirsa, Haryana	12.05.2026	31.07.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
67	Paharipur	GR06000368	Haryana Roadways, Jhajjar, Haryana	22.05.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
68	Pali	GU06000061	PET PLAST INDIA, Plot No. 10, Bhankhri, Pali Distt. Faridabad, Haryana	30.03.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
						Electrician	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
69	Panchkula	GU06000134	Hotel Pallavi Grand, Sector-5, Panchkula, Haryana	19.05.2026	Till the session end	Catering & Hospitality Assistant	Shift 1	Unit 1	conversion	Recommended
						Food Production (General)	Shift 1	Unit 1	conversion	Recommended
			Hotel Pallavi West, SCO-5, Sector-16, Panchkula, Haryana	19.05.2026	Till the session end	Catering & Hospitality Assistant	Shift 2	Unit 1	conversion	Recommended
						Food Production (General)	Shift 2	Unit 1	conversion	Recommended
			About U Unisex Salon, DSS-263, Sector-20, Panchkula, Haryana	19.05.2026	Till the session end	Cosmetology	Shift 1	Unit 1	conversion	Recommended
70	Panipat	GU06000015	Ganpati Modular Engineering, GT Road, Samalakha, Distt. Panipat, Haryana	25.03.2026	31.07.2027	Wood Work Technician	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			UPC Instruments Pvt. Ltd., Plot No. 125, Dhinger Majra Road, Gharunda, Karnal, Haryana	23.02.2026	31.07.2028	Turner	Shift 1	Unit 1	conversion	Recommended
				23.02.2026	31.07.2028	Tool & Die Maker	Shift 1	Unit 1	conversion	Recommended
				19.03.2026	31.07.2028	Instrument Mech.	Shift 1	Unit 1	conversion	Recommended
			DEE TEX ENGG. WORK, Panipat, Haryana	05.03.2026	31.07.2028	Machinist	Shift 1	Unit 1	conversion	Recommended
			Metro Motors Pvt. Ltd., 85 Mile Stone, Near BBMB Power House, GT Road, Siwah, Panipat, Haryana	19.02.2026	31.07.2028	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
			Shree Jee Cooling Service, Gali No. 12, CISF Road, Shri Ram Garden, Vikas	05.05.2026	31.07.2028	Refrigeration and Air Conditioning Technician	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Nagar, Panipat, Haryana							
			Riviera Home Furnishings Pvt. Ltd., Plot No. 235-237, Sector-29, Part-II, HUDA, Panipat, Haryana	06.03.2026	31.07.2028	Fitter	Shift 1	Unit 1	conversion	Recommended
			C B Electrics India Pvt. Ltd. Khasra No. 62/7, Opposite ITI, GT Road, Panipat, Haryana	18.03.2026	31.07.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
			UPC Instruments Pvt. Ltd., Plot No. 125, Dhinger Majra Road, Gharunda, Karnal, Haryana	27.04.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Haryana Roadways, Old Bus Stand Workshop, Panipat, Haryana	19.02.2026	31.07.2027	Sheet Metal Worker	Shift 2	Unit 1	conversion	Recommended
71	Panipat(W)	GU06000016	Mahajan Overseas Pvt. Ltd., Panipat, Post Box No. 15, Industrial Area, Panipat, Haryana	23.04.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
72	Pundri	GR06000020	Jindal Engineering Works, NH-65, Jind Road Bypass, Kaithal, Haryana	27.02.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
			Haryana Roadways, Kaithal	05.03.2026	Till the session end	Welder	Shift 1	Unit 2	conversion	Recommended
			Ruldu Ram & Sons (rice & Flour Mill Plant Manufaturer), Jind Road Bypass,	05.03.2026	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Satsang Bhawan Canteen Back, Kaithal, Haryana							
			The Kaithal Coop. Sugar Mills Ltd., Narar, Kaithal, Haryana	10.03.2026	Till the session end	Wireman	Shift 1	Unit 1	conversion	Recommended
73	Raipur Rani	GR06000362	India Circuits Pvt. Ltd., Plot No. 1&2, HSIIDC, Industrial Estate, Alipur, Barwala, Panchkula, Haryana	03.03.2026	31.07.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
74	Rajlugarhi	GR06000355	Arjan Impex Pvt. Ltd., 54, Mile stone, GT Karnal Road, Village	16.03.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Dhaturi, PO Bhigan, Sonapat							
			ODITI Home Appliance Pvt. Ltd., Khewat No. 15, Khata No. 18, Reet & Keela no. 32, VPO Sanpera, Tehsil Ganaur, District Sonipat, Haryana	16.03.2026	Till the session end	Electrician	Shift 1	Unit 1	conversion	Recommended
75	Rakhi Shahpur	GR06000131	The Jind Coop. Sugar Mill Ltd., Jhanj kalan, Jind, Haryana	24.04.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
76	Rania	GU06000399	The Rightway Education, Near Post Office, Dera Sacha Souda Road,	10.03.2026	Till session end	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Rania. District Sirsa							
77	Rawaldhi	GR06000349	HaryanaRoadways, Main Bus Stand, Charkhi Dadri	13.03.2026	31.07.2028	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
					31.07.2028	Mechanic Diesel	Shift 1	Unit 1		
				25.3.2026	31.07.2028	Painter (General)	Shift 1	Unit 1	conversion	Recommended
			Public Health Engineering Deptt., Gali No. 3, Chamapauri, Charkhi Dadri	14.03.2026	31.07.2027	Plumber	Shift 1	Unit 1	conversion	Recommended
78	Rewari	GU06000045	Technico Industries Ltd., Plot No. 19, Sector-6, Bawal, Rewari, Haryana	17.03.2026	31.07.2028	Welder	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
						Sheet Metal Worker	Shift 1	Unit 1	conversion	Recommended
						Painter (General)	Shift 2	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			JTEKT India Ltd. Bawal, Distt- Rewari, State- Haryana	01.03.2026	31.07.2028	Fitter	Shift 2 Shift 1	Unit 1 Unit 2	conversion	Recommended
			AHRESTEY INDIAN PVT.LTD.BAWAL	01.04.2026	31.07.2028	Machinist	Shift 1	Unit 1	conversion	Recommended
				01.04.2026	31.07.2028	Turner	Shift 1	Unit 1	conversion	Recommended
79	Rewari(W)	GU06000079	LUCAS TVS Limited, VPO Masani, Rewari, Haryana	12.05.2026	30.06.2029	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
			India Nippon Electrical Ltd., village Masani, Tehsil Dharuhera, Rewari, Haryana	12.05.2026	30.06.2029	Electrician	Shift 1	Unit 1	conversion	Recommended
80	Rohtak	GU06000005	V.M Electronics, Near Prem Nagar Chowk, Rohtak	16.02.2026	16.02.2030	Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended
			Shivam Refrigerationm	16.02.2026	16.02.2030				conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Near Prem Nagar Chowk, Rohtak							
			Haryana Tourism Corporation Limited Tilyar, Tilyar Complex, Delhi Road, Rohtak	16.02.2026	16.02.2030	Food Production (General)	Shift 1	Unit 1	conversion	Recommended
			Haryana Tourism Corporation Limited Myna, Ashoka Plaza, Delhi Road, Rohtak	16.02.2026	16.02.2030					
			Haryana Tourism Corporation Limited Tilyar, Tilyar Complex, Delhi Road, Rohtak	16.02.2026	16.02.2030	Catering & Hospitality Assistant	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Haryana Tourism Corporation Limited Myna, Ashoka Plaza, Delhi Road, Rohtak	16.02.2026	16.02.2030					
			The Haryana Co-operative Sugar Mills Bhali Anadpur, Rohtak	16.02.2026	16.02.2030	Instrument Mech.	Shift 1	Unit 1	conversion	Recommended
			The Rohtak coop. Milk Producer Union Ltd. Rohtak Vita Milk Plant Rohtak, Gohana Road, Rohtak, Haryana	05.03.2026	05.03.2030	RAC	Shift 1	Unit 1	conversion	Recommended
81	Rohtak(W)	GU06000074	Parveen Enterprises, H.No. 2084/34, New Vijay Nagar, Rohtak, Haryana	11.05.2026	10.05.2029	Surface Ornamentation Technique	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Diksha Institute of Information Technology, (Hartron Skill Cener), Above IDBI Bank, Opp. Pt. Neki Ram College, Power House Chown, Rohtak, Haryana	14.05.2026	13.05.2029	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
82	Rao Abhey Singh Govt. ITI Saharanw as	GR06000369	JTEKT India Ltd. Bawal, Distt-Rewari, State-Haryana	01.03.2026	Till session end	Fitter	Shift 2	Unit 1	conversion	Recommended
				01.03.2026	Till session end	Turner	Shift 2	Unit 1	conversion	Recommended
83	Salhawas	GR06000209	Amber Enterprises India Limited , 15 KM stone, Gurgaon Jhajjar Road, Jhjjar, Haryana	25.03.2026	Till the session end	Turner	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
						Fitter	Shift 1 Shift 2	Unit 1 Unit 1		
						Electrician	Shift 1 Shift 2	Unit 1 Unit 1		

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
						Wireman	Shift 1 Shift 2	Unit 1 Unit 1		
						Welder	Shift 1 Shift 2	Unit 1 Unit 1		
						Plumber	Shift 1 Shift 2	Unit 1 Unit 1		
84	Samalkha (W)	GU06000048	Mahajan Overseas Pvt. Ltd., Panipat, Post Box No. 15, Industrial Area, Panipat, Haryana	23.04.2026	Till the session end	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
85	Saraswati Nagar (Mustafabad)	GR06000387	Globe Tech Process Equipment, Village Ahmedpur, Near Gujjar Dera, Saran Road, Distt. Yamuna Nagar, Haryana	09.03.2026	Till the session end	Fitter	Shift 2	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Synergy Plastic Industries, Near Jorian Gurdwara Sahib Adjacent, Near Neelgiri Plywood, District Yamuna Nagar, Haryana	09.03.2026	Till the session end					
			Globe Tech Process Equipment, Village Ahmedpur, Near Gujjar Dera, Saran Road, Distt. Yamuna Nagar, Haryana	09.03.2026	Till the session end	Welder	Shift 1	Unit 1	conversion	Recommended
			Synergy Plastic Industries, Near Jorian Gurdwara Sahib Adjacent, Near Neelgiri Plywood, District	09.03.2026	Till the session end					

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Yamuna Nagar, Haryana							
86	Santor	GR06000351	Public Health Engineering Deptt., Charkhi Dadri	29.01.2025	28.08.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
87	Sirsa	GU06000008	Haryana Roadways, Sirsa	18.03.2026	18.03.2029	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
				18.03.2026	18.03.2029	Electrician	Shift 1	Unit 1	conversion	Recommended
				14.03.2024 (consent given by Roadways on 20.03.2026 for session 2026-27	Till the session end	Mechanic Diesel	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
				24.03.2025 (consent given by Roadways on 20.03.2026 for session 2026-27)	24.03.2028	Welder	Shift 1	Unit 1	conversion	Recommended
			Rhombas Educational & Technical Society, #162, Gandhi Colony, Sirsa, Haryana	19.03.2025	01.07.2028	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended
88	Sohna	GR06000057	Enviro Integrated Facility Services Pvt. Ltd.	12.03.2026	Till the session end	Electrician	Shift 2	Unit 2	conversion	Recommended
				12.03.2026	Till the session end	Refrigeration and Air Conditioning Technician	Shift 2	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Hi-Tech Enterprises Pvt. Ltd., Plot No. 77 & 78, Rojka Meo, District Nuh, Haryana	02.03.2026	Till the session end	Fitter	Shift 1	Unit 2	conversion	Recommended
89	Sonipat	GU06000006	Guru Ram Dass Body Builders, 42-43, Mile Stones, NH-1, Bahalgarh, Industrial Zone, Sector-32, Village Assamabad, Sonipat, Haryana	03.03.2025	02.03.2029	Sheet Metal Worker	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
			The Sonipat Coop. Sugar Mills Ltd., Kami Road, Sonipat, Haryana	21.02.2025	20.02.2029	Plumber	Shift 1	Unit 1	conversion	Recommended
				21.02.2025	20.02.2029	Stenographer (Hindi)	Shift 1	Unit 1	conversion	Recommended
				21.02.2025	20.02.2029	Stenographer (English)	Shift 1	Unit 1	conversion	Recommended

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
				21.02.2025	20.02.2029	Welder	Shift 1	Unit 1	conversion	Recommended
			Jagmohan Automotives Pvt. Ltd. Delhi Bahalgarh Road, Opposite Power House, Sonipat	27.02.2025	26.02.2029	Mechanic Diesel	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
90	Sonipat (W)	GU06000034	B.B. Enterprises, 365, VPO- Lohara, Near Gyan Vidyapeeth School, Sonipat, Haryana	13.02.2026	12.02.2029	Sewing Technology	Shift 1	Unit 1	conversion	Recommended
91	Tankri	GR06000363	Sankei Giken India Pvt. Ltd., Plot No. 84-93, Sector-6, Industrial Model Township, Bawal, District Rewari, Haryana	19.02.2026	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift 3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
92	Tohana	GU06000036	Vishavkarma Engineering Works, Bhuna Road, Tohana, Distt. Fatehabad, Haryana	15.05.2026	Till the session end	Fitter	Shift 1	Unit 1	conversion	Recommended
				15.05.2025	Till the session end	Welder	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
				15.05.2026	Till the session end	Machinist	Shift 1	Unit 1	conversion	Recommended
93	Tosham	GR06000359	Haryana Roadways, Tosham, District Bhiwani, Haryana	25.03.2026	Till session end	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
94	Ujjina	GR06000364	Hyline Auto Pvt. Ltd., Plot No. 34 & 44, Rozka Meo, Industrial Area, Distt. Nuh, Haryana	07.05.2026	31.07.2027	Welder	Shift 1	Unit 1	conversion	Recommended
95	Yamuna Nagar	GU06000007	ISGEC Heavy Engineering Ltd., Saharanpur Road, Yamuna Naagr	24.02.2026	23.02.2029	Foundryman	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			ISGEC Heavy Engineering Ltd., Saharanpur Road, Yamuna Naagr	24.02.2026	23.02.2029	Foundryman	Shift 2	Unit 1	conversion	Recommended
			ISGEC Heavy Engineering Ltd., Saharanpur Road, Yamuna Naagr	24.02.2026	23.02.2029	Fitter	Shift 2	Unit 2	conversion	Recommended
			Sheela Motors, Bilaspur Road, Jagadhari, Yamuna Nagar	09.02.2026	08.02.2029	Mechanic Tractor	Shift 1	Unit 1	conversion	Recommended
			Polyplastic Industries (India) Pvt. Ltd., O-15, INDUSTRIAL AREA, YAMUNA NAGAR	17.02.2026	16.02.2029	Plastic Processing Operator	Shift 1	Unit 1	conversion	Recommended
				16.12.2025	15.12.2028		Shift 2	Unit 1		
			PRAGATI INDUSTRIES	04.02.2026	03.02.2029	Painter (General)	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			INDIA PVT LTD #28, HSIIDC, Ph-11, Manakpur Jagadhri (HR)			Draughtsman (Mechanical)	Shift 1	Unit 1	conversion	Recommended
			Royal Power Solutions Pvt. Ltd., Opp. Karan Resort, Tejali Road, Yamuna Nagar, Haryana	09.02.2026	08.02.2029	Wireman	Shift 2	Unit 1	conversion	Recommended
						Electrician	Shift 2	Unit 2	conversion	Recommended
			DCRTPP, HPGCL, Yamuna Nagar	22.12.2025	21.12.2028	Electrician	Shift 1	Unit 1	conversion	Recommended
			BHOOMI TECHNOLOGIES , Plot No. 771, Basant Nagar, Near Nav Prabhat School, Back side ESI Hospital, Yamuna Nagar, Haryana	26.02.2026	25.02.2029	Computer Operator and Programming Assistant	Shift 1	Unit 1	conversion	Recommended

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3) as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
			Haryana Roadways, Main Bus Stand, Yamuna Nagar	23.02.2026	22.02.2029	Mechanic Motor Vehicle	Shift 1	Unit 1	conversion	Recommended
96	Japan India Institute for Manufacturing, Juan	PR06000417	Maruti Suzuki India Limited, Delhi Road, Gurugram-122015, Haryana	04.07.2025	04.07.2040	Fitter	Shift 2	Unit 1	conversion	Recommended
						Welder	Shift 1 Shift 2	Unit 1 Unit 1		
						Machinist	Shift 2	Unit 1		
						Mechanic Motor Vehicle	Shift 2	Unit 1		
97	Japan India Institute for Manufacturing, Uncha Majra	GU06000409	Maruti Suzuki India Limited, Gurugram	28.08.2020 (ADENDUM ISSUED ON 02.07.2024)	30.06.2034	Fitter	Shift 1 Shift 2	Unit 1 Unit 1	conversion	Recommended
						Mechanic Motor Vehicle	Shift 1	Unit 1		
						Technician Mechatronics	Shift 1 Shift 2	Unit 1 Unit 1		
						Mechanic Diesel	Shift 1 Shift 2 Shift3	Unit 1 Unit 1 Unit 1		

Annexure-5

Sr. No.	Name of ITI	MIS Code	Name of the industry and Complete Address of Industry (along with District and State)	MoU Start	MoU end Date	Name of Trade for DST	Shift ID(i.e. Shift1/Shift2/Shift3) as per portal	Unit ID (eg. Unit1/Unit2/Unit3)as per portal	Conversion of Existing Affiliated Unit/Seeking Affiliation for a New Unit	34th SCAA Remarks/ Decision
(i)	(ii)	(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	(x)	(xi)
						Mechanic Auto Body Painting	Shift 1 Shift 2 Shift3	Unit 1 Unit 1 Unit 1		
						Mechanic Auto Body Repair	Shift 1 Shift 2 Shift3	Unit 1 Unit 1 Unit 1		
						Welder	Shift 1 Shift 2 Shift3	Unit 1 Unit 1 Unit 1		
			Uno Minda Rika Pvt. Ltd., Manesar	17.10.2023	31.10.2028	Electrician	Shift 2	Unit 1	conversion	Recommended
						Electronics Mechanic	Shift 1	Unit 1	conversion	Recommended

Annexure-6: List of Inspection Reports Received from ITIs Having More Than 15 Units

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
1.	Dr. P M R Industrial Training Centre Tirupati PR28000355 Grading-2.3 Andhra Pradesh	Electrician-16(8+8)	The inspection report reveals the following observations: 1. Building • Building is in poor/repair condition. • Infrastructure is not available as per the approved building plan. • Approved plan shows three floors, whereas only two floors exist on site. • No access to the first floor. • Essential rooms such as the Principal's room and store room are not available. • Building appears unused and abandoned. • Premises are surrounded by bushes, covered with dust, and old broken furniture has been dumped inside the workshops. 2. Workshops • Mechanic Diesel, Mechanic Motor Vehicle and Wireman trades workshops were not available/not shown during inspection. No machinery and equipment were available for these trades. • For Electrician 8 unit, only one workshop. Area is also less than required 127.5 sqm. • Fitter instead of 2 workshops for 2 units only 1 workshop with less area is available	1. The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 34th SCAA

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			- Electrician and Fitter, only partial machinery/equipment was available and most of it was non-functional. 3. Electricity - Electricity bills for April 2025 to March 2026 were not produced. - Electricity connection was found disconnected since May 2025. - During inspection: - No lighting was available. - Electric meter was inactive. - Fuses had been removed. 4. Faculty - No instructional staff were available in the institute. 5. Attendance Records - No trainee attendance registers produced. - No staff attendance registers produced. 6. Placement & Industry Linkages - Placement Cell is not functional. - No Placement Officer. - No MoUs with industries.	shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			- No Industry Visits/OJT records. - No placement data for the last three years. - No employer linkage records. 7. IT Facilities - No IT lab available. - No working computers. - No internet connectivity. 8. Drawing Hall- Not available Remarks of Inspection Team The inspection team concluded that: - Building and infrastructure are in repair condition and proper facilities are not available. - There is no active electricity connection since May 2025. - Only two classrooms exist, both non-functional. - Only partial, mostly non-functional machinery is available in Electrician and Fitter workshops. - There are no traces of the institute functioning, and no training activities have been conducted for a long period. - An old age home is operating in the same premises.	

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			7. The institute's representative could not provide records relating to staff, trainees, or attendance, confirming that no training activities are currently taking place.	

State: Maharashtra

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
1.	Indira Industrial Training Centre, Tukum Chandrapur PR27000728 Grading-6.1	Electrician-16(11+5)	Building-Structural Renovation is in progress Workshop-Structural Renovation is in progress IT Lab-It is also under repair, there are only 03 working computers. - Power Shortage (as per the SIDH Portal mapped trades and units)- sanctioned load-25 KW, required Load-38.22KW Remarks of Inspection Team - As per the affiliation order held with ITI, it is found that the ITI got affiliated for Electrician trade with 09 units, out of which 01 unit is applied for de-affiliation, whereas on the SIDH Portal the total units are showing 16 units of Electrician Trade. - It has been observed that the concerned ITI is having actual 08 units of Electrician Trade and undergoes 04 units admission per year. - In the session of 2025 admission process, the ITI has carried out	- The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). - Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. - However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. - The SCAA further recommended that the approved Minutes of the 34th SCAA shall

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			admission and completed 80 trainees' admission in 04 units, i.e., 20 trainees per unit, and completed 100% admission as per records available in this institute. 4. In 2024, the ITI admitted students in the Electrician trade (5 units) with 100 admission seats, and 92 trainees were admitted.	be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
2.	Sambhaji Sayare Private Industrial Training Institute, Chandrapur, Maharashtra PR27000787	Electrician-17(12+5)	1. Land Document- - Land lease end date is 31.03.2027(Renew Every Year)- minimum 6-year lease is required. 2. IT Lab - IT Lab not available 3. Drawing Hall - Drawing hall is available but under painting 4. Power Shortage - Available-14.90 KW, Required-34.71 Remarks of Inspection Team - MIS Portal is showing 12 units of Electrician Trade out of which 02 unit are applied for de-Affiliation whereas on SIDH Portal total Units showing 17 units of Electrician Trade, which may be data entry mistake. - It has been observed that concerned ITI is having actual 12 units of Electrician Trade & undergoes 06-unit admission per year.	- The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). - Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. - However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. - The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			3. In the session of 2025 admission process, ITI has carried out admission & completed 90 trainees' admission in 06 units. 4. Sanctioned Electrical load is less than required as per norms.	(SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
3.	Kothale Private Industrial Training	Electrician-17(17+0)	1. Power Shortage Sanctioned load 31 kw	The SCAA examined the joint inspection report and observed that there is mismatch

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
	Institute, Dahegaon (R.), Saoner Road, Nagpur. PR27000677 Grading-4.9		Required-70.64KW Remarks of Inspecting Members 1. As per affiliation record held with ITI, it is observed that this ITI has been affiliated with Electrician trade with (4+4+2) units i.e. Total 10 units. However, on SIDH portal there are 17 units are shown of Electrician Trade. 2. In the session 2025-27, ITI faced 05 units for admission and admitted 100 trainees for this session. These trainees are appearing as per attendance register. 3. In the session 2024-26, ITI faced 05 units for admission and admitted 79 trainees for this session. These trainees are appearing as per attendance register. 4. In Draftsman Civil No admission found on record in the session 2025-2027.	between the mapping on SIDH portal and actual affiliation for Electrician trade. The State Directorate shall furnish a clear clarification regarding the actual number of Electrician units being affiliated at the Institute.
4.	Government ITI Kolhapur, Kolhapur-416007 GU27000021 Grading-7.6	1. Machinist-22(11+6+5) 2. Turner-21(11+4+6)	1. Building -Condition is not good, needs repair 2. IT Lab- Only 20 computers are available , which is insufficient	The SCAA examined the joint inspection report and observed that there is mismatch between the mapping on SIDH portal and actual affiliation for Machinist and Turner trade. The State Directorate shall furnish a clear clarification regarding the actual number of Machinist and Turner units being

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			considering the institute is running multiple trades. Remarks of Inspecting Members 1. It has been observed that Govt ITI Kolhapur is having actual affiliated 14 units of Machinist trade. Intake capacity for 07 units is 140 trainees for 1st year, & for another 07 units (IInd year) 140 trainees. 2. List of documents verified and found correct.	operated at the Institute and reconcile the same with the units reflected on the portal. The Committee further observed that the Institute is currently utilizing IT Lab, with only 20 computers available, which is inadequate considering the number of trades being conducted at the Institute. The State Directorate/Institute shall take necessary steps to upgrade and strengthen the IT Lab infrastructure by providing adequate computer systems and other required facilities as per the prescribed norms.
5.	Govt ITI Karad, Vidhya Nagar, Saidapur, Satara GR27000019 Grading-7.3	1. Machinist-16(9+7) 2. Turner-14(10+4)	1. IT Lab- • Only 20 computers are available, which is insufficient considering the institute is running multiple trades. Remarks of Inspecting Members It has been observed that Govt. ITI Karad has an actual affiliation of 09 units in the Machinist trade. The intake capacity for 05 units (1st year) is 100 trainees, while for the remaining 04 units (2nd year), the intake capacity is 80 trainees. The list of	The SCAA examined the joint inspection report and observed that there is mismatch between the mapping on SIDH portal and actual affiliation for Machinist and Turner trade . The State Directorate shall furnish a clear clarification regarding the actual number of Machinist and Turner units being operated at the Institute and reconcile the same with the units reflected on the portal. The Committee further observed that the Institute is currently utilizing IT Lab, with only 20 computers available, which is

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			documents was verified and found to be correct.	inadequate considering the number of trades being conducted at the Institute. The State Directorate/Institute shall take necessary steps to upgrade and strengthen the IT Lab infrastructure by providing adequate computer systems and other required facilities as per the prescribed norms.
6.	Govt. Industrial Training Institute Ratnagiri GR27000020 Grading-6.8	Fitter-16(7+9)	1. Machinery Status - Approximately 80% of the machinery is in working condition. 2. IT Lab - Only 20 computers are available, which is insufficient considering the institute is running multiple trades. Remarks of Inspecting Members - Govt. I.T.I. Ratnagiri having 16 units of Fitter trade on portal, but actually 6 units are running. 1st year intake capacity 4 units 80 trainees and admitted 77. In .IInd year intake capacity 2 units (40 trainees and admitted 39.) - Units allocation should be (3+3).	The SCAA examined the joint inspection report and observed that there is mismatch between the mapping on SIDH portal and actual affiliation for Fitter trade . The State Directorate shall furnish a clear clarification regarding the actual number of Fitter units being operated at the Institute and reconcile the same with the units reflected on the portal. The Committee further observed that the Institute is currently utilizing IT Lab, with only 20 computers available, which is inadequate considering the number of trades being conducted at the Institute. The State Directorate/Institute shall take necessary steps to upgrade and strengthen the IT Lab infrastructure by providing adequate computer systems and other required facilities as per the prescribed norms.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			4. Currently, ITI utilises Computer Operator and Programming Assistant Lab as IT Lab and proposed new IT Lab. 5. ITI has good apprentice percentage for Fitter trade. 6. All documents verified and found correct.	
7.	Govt. ITI, Jalgaon, National High Way No 6, Jalgaon GU27000015 Grading-7.8	Machinist-16(11+5)	The report is not clearly legible. However, the State Directorate informed that the mapping on the SIDH portal does not correspond to the actual number of units presently operating at the Institute.	The SCAA examined the joint inspection report and observed that the Govt. ITI, Jalgaon, National High Way No 6, Jalgaon, the units reflected on the portal is excess The Committee observed that the actual number of units being operated by the Institute needs to be verified and reconciled with the units reflected on the SIDH portal. Accordingly, the Committee recommended that the State Directorate furnish a written confirmation regarding the actual number of Electrician units presently operational at the Institute. Based on the confirmation furnished by the State Directorate, the corresponding mapping on the SIDH portal may be corrected/updated to reflect the actual operational units.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
8.	Govt. ITI, Dhule, Old Agra Road, Deopur GU27000014 Grading:6.9	Turner-19(11+5+3)	The report is not clearly legible. However, the State Directorate informed that the mapping on the SIDH portal does not correspond to the actual number of units presently operating at the Institute.	The SCAA examined the joint inspection report and observed that the Govt. ITI, Dhule, Old Agra Road, the units reflected on the portal is excess The Committee observed that the actual number of units being operated by the Institute needs to be verified and reconciled with the units reflected on the SIDH portal. Accordingly, the Committee recommended that the State Directorate furnish a written confirmation regarding the actual number of Electrician units presently operational at the Institute. Based on the confirmation furnished by the State Directorate, the corresponding mapping on the SIDH portal may be corrected/updated to reflect the actual operational units.
9.	Govt. ITI, Sahar, 374, Sane Guruji Marg, Near Agripada Police Mumbai GU27000008 Grading-6.8	Electrician- 28(12+11+5)	During the inspection, it was observed that the institute is actually operating 12 affiliated units of the Electrician trade. This requires verification and reconciliation with the affiliation records and the units approved on the DGT Affiliation Portal.	The SCAA examined the joint inspection report and observed that the Govt. ITI, Sahar is presently operating 12 units of the Electrician trade, whereas 28 units (12+11+5) are reflected in the existing affiliation/mapping records. The Committee observed that the actual number of units being operated by the

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
				Institute needs to be verified and reconciled with the units reflected on the DGT Affiliation Portal/SIDH portal. Accordingly, the Committee recommended that the State Directorate furnish a written confirmation regarding the actual number of Electrician units presently operational at the Institute. Based on the confirmation furnished by the State Directorate, the corresponding mapping on the SIDH portal may be corrected/updated to reflect the actual operational units.
10.	Gramin ITC, Nehrunagar, Kandhar, Nanded, At.Nehrunagar Post.Nagalgaon Tq.Kandhar Dist.Nande PR27000157 Grading-6.1	1. Electrician- 16(8+8) 2. Wireman- 16(8+8)	1. Electrician Trade Tools and Equipment deficiencies- Deficiencies: Sr. Nos. 19, 96, 101, 116,122 2. Wireman Trade Tools and Equipment deficiencies: Sr. Nos. 24, 54, 56, 95, 128, 129, 137, 138, 139, 156, 160 Remarks of the Inspecting Members 1. The institute is located approximately 10–12 kilometres from the main road in a rural and interior area. Public transport connectivity to the institute is limited, making access difficult for trainees and staff. The location may adversely affect regular attendance and	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			the effective conduct of training activities. 2. Although the tools, machinery, and equipment prescribed for the affiliated trades were found available, in several cases in quantities exceeding the minimum prescribed requirements, their physical condition indicated limited operational use. Many items appeared underutilized and did not exhibit the normal wear and tear generally associated with regular practical training activities. 3. The institute is functioning from leased premises. The Leave and License Agreement originally executed on 12.08.2020 expired on 31.05.2025. During inspection, a fresh Leave and License Agreement executed on 12.06.2026 and stated to be valid up to 01.03.2031 was produced. However, the agreement had not been registered as on the date of inspection. Accordingly, the validity of occupation and possession of the premises requires verification in terms of applicable Affiliation Norms and statutory requirements. 4. Student attendance records produced before the inspection team were	ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: 1. Electrician-16(8+8) 2. Wireman-16(8+8) The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: 1) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			maintained manually. No biometric attendance records were produced for verification. Further, no trainees were present in the institute at the time of inspection. Consequently, the inspection team could not verify actual attendance, classroom teaching, workshop practical activities, or trainee participation in the training programmes. 5. Examination of electricity bills and power supply records revealed that the electricity consumption pattern was significantly lower than what would ordinarily be expected for operation of the affiliated trades, workshops, laboratories, machinery and equipment. The recorded electricity consumption does not appear commensurate with the approved unit strength, infrastructure and training facilities claimed to be operational by the institute. 6. Tools, machinery and equipment prescribed for the affiliated trades were found available and, in certain cases, in quantities exceeding the minimum prescribed norms. However, their physical condition indicated limited operational use. Several items did not	show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 2) The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 3) The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			exhibit the normal wear and tear generally associated with regular practical training activities, suggesting possible underutilization of workshop facilities. 7. The IT Laboratory required for conduct of training in relevant trades was not found available in accordance with the prescribed norms. 8. Adequate and dedicated classrooms for conduct of theory instruction were not found available. The available accommodation appeared insufficient in relation to the approved trades and unit strength. 9. It was observed that commercial establishments and other non-training activities, including a men's salon, Aadhaar service centre, marriage hall and similar establishments, were operating within the same building premises. Such mixed usage of the premises may affect the exclusive availability and utilization of infrastructure intended for vocational training activities. 10. The Refrigeration and Air Conditioning Technician and Computer Operator and Programming Assistant trade units were found	institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			functioning from a separate location situated approximately 1 to 1.5 kilometres away from the main ITI premises. Verification is required regarding approval of such arrangement and its conformity with the infrastructure and location details approved under affiliation. 11. The full complement of instructional and administrative staff required for the approved trades and affiliated unit strength was not found available during inspection. The number of staff present appeared inadequate in relation to the training activities claimed to be conducted by the institute. 12. During the inspection, it was observed that another institution managed by the same trust/management was functioning nearby. A substantial number of teaching and administrative personnel appeared to be common across both institutions. This observation necessitates verification regarding exclusive deployment of staff against the approved trades and units of each institute. 13. The inspection team specifically requested attendance records, appointment documents and	

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			salary/payment records of instructors and staff. However, the relevant records were not produced for verification despite inquiry by the inspection team. Consequently, the actual deployment, attendance status and remuneration of staff could not be verified	
11.	Gramin ITI, Nanded, At post Ghodaj Road, Kandhar Tq. Kandhar Dist PR27000993 Grading:6.2	Electrician-16(8+8)	Remarks of the Inspecting Members 1. Validity and Registration of Lease Agreement: The institute is functioning from leased premises. The original Leave and License Agreement was executed on 12.08.2020 and expired on 31.05.2025. During the inspection, a fresh Leave and License Agreement executed on 12.06.2026 and stated to be valid up to 01.03.2031 was produced before the inspection team. However, the renewed agreement had not been registered as on the date of inspection. Therefore, the validity of the institute's legal occupation and possession of the premises requires verification with reference to the applicable Affiliation Norms and statutory requirements.	1. The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government:

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			2. Condition of Building: The overall condition of the building was found to require repair and maintenance. The infrastructure available at the premises requires necessary repairs to ensure that the building and training facilities remain safe, functional, and suitable for conducting vocational training activities. 3. Non-availability of Prescribed Machinery: The machinery prescribed for the Electrician trade against Tool List/Item Nos. 63, 64, 70, 73, 78, 116 and 122 was not found available during the inspection. The institute is required to provide and maintain all prescribed machinery and equipment in accordance with the applicable affiliation norms. 4. Verification of Trainee Attendance and Training Activities: The student attendance records produced before the inspection team were maintained manually. No biometric attendance records were produced for verification. Further, no trainees were present at the institute at the time of inspection. Consequently,	Electrician-16(8+8) 3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			the inspection team could not physically verify the actual attendance of trainees, classroom teaching, workshop practical activities, or the participation of trainees in the training programmes. The genuineness and regularity of the training activities therefore require further verification. 5. Electricity Consumption: Examination of the electricity bills and power supply records revealed that the recorded electricity consumption was significantly lower than what would ordinarily be expected from an institute operating the approved trades, workshops, laboratories, machinery, and equipment. The electricity consumption pattern did not appear commensurate with the approved unit strength, infrastructure, and training facilities claimed to be operational by the institute. The actual utilization of electrical machinery and workshop facilities therefore requires verification. 6. Utilization and Operational Condition of Machinery and Equipment: The prescribed tools, machinery, and equipment for the affiliated trades were	deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			found available and, in certain cases, were available in quantities exceeding the minimum prescribed norms. However, their physical condition and overall appearance indicated limited operational use. Several machinery and equipment items did not exhibit the normal signs of wear and tear generally associated with regular practical training activities. This raises concerns regarding the actual utilization of the workshop facilities and conduct of practical training. 7. Non-availability of IT Laboratory: The IT Laboratory required for conducting training in the relevant trades was not found available as per the prescribed norms. The institute is required to provide the requisite IT infrastructure and laboratory facilities in accordance with the applicable affiliation requirements. 8. Inadequate Classroom Infrastructure: Adequate and dedicated classrooms for conducting theory instruction were not found available. The accommodation provided for classroom activities appeared insufficient in relation to the number of approved trades and unit	

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			strength. The institute is required to ensure availability of adequate, dedicated, and suitably equipped classrooms as prescribed under the applicable norms. 9. Mixed Use of Institute Premises: It was observed that various commercial establishments and other non-training activities, including a men's salon, Aadhaar service centre, marriage hall, and similar establishments, were operating within the same building premises. Such mixed utilization of the premises may adversely affect the exclusive availability, accessibility, and effective utilization of infrastructure intended for vocational training activities. The institute is required to clarify and establish that the infrastructure approved for training purposes is being used exclusively and adequately for the conduct of ITI training. 10. Trades Functioning from Separate Location: The Refrigeration and Air Conditioning Technician (RAC) and Computer Operator and Programming Assistant (COPA) trade units were found functioning	

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			from a separate location situated approximately 1 to 1.5 kilometres away from the main ITI premises. The approval and authorization for functioning of these trades from a separate location requires verification. The arrangement should also be examined with reference to the infrastructure, location, and other details approved under the affiliation norms. 11. Inadequate Instructional and Administrative Staff: The complete complement of instructional and administrative staff required for the approved trades and affiliated unit strength was not found available during the inspection. The staff present appeared inadequate in relation to the number of trades, units, and training activities claimed to be conducted by the institute. The institute is required to ensure deployment of the prescribed number of qualified instructors and supporting staff against each approved trade and unit. 12. Common Deployment of Staff with Another Institution: During the inspection, it was observed that another institution managed by the	

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34th SCAA Remarks/Decision
I.	II.	III.	IV.	V.
			same trust/management was functioning in the nearby vicinity. A substantial number of teaching and administrative personnel appeared to be common between the two institutions. This raises concerns regarding the exclusive deployment and availability of staff against the approved trades and units of the ITI. The institute is required to provide clarification and documentary evidence regarding the deployment, attendance, and exclusive availability of instructional and administrative staff for the approved trades and units.	

State: Odisha

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
1.	DRIEMS Pvt ITI, AT Kairapari , PO-Kotsahi, PS-Tangi, Dist-Cuttack, 754022 PR21000415 Grading-5.5	1. Electrician – 20(10+10) 2. Fitter – 16(6+10)	1. Biometric attendance- - Biometric attendance records of students were not available during the inspection. 2. Student Attendance- - At the time of inspection, students were not physically present; however, their attendance had been marked in the attendance register. 3. Workshop- - The workshop infrastructure was found to be inadequate. Although the machinery and equipment were in working condition, they are outdated and require modernization. 4. IT Lab- - The IT laboratories are equipped with outdated computer systems that do not meet current standards.	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: - Electrician – 20(10+10) - Fitter – 16(6+10) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			5. BCC (Building Completion Certificate) The Building Completion Certificate has not been submitted and should be provided at the earliest.	The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
2.	Kalinga Institute of Industrial	1. Electrician - 20(10+10)	Remarks of the Inspecting members-	1. The SCAA examined the Joint Inspection Report submitted by the State Directorate/RDSDE and observed that no

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
	Technology (KIIT) ITC, Bhubaneswar PU21000010 Grading-6.8	2. Fitter - 20(10+10)	1. During the inspection, admission and enrollment records pertaining to the Electrician (NSQF) and Fitter (NSQF) trades were verified with reference to the SIDH Portal, institutional records and supporting documents produced by the institute. 2. As per the data available in the SIDH Portal login of the institute, the approved seating capacity for both Electrician (NSQF) and Fitter (NSQF) trades was reflected as 200 seats each. Against this capacity, the enrollment verified during inspection was 157 trainees in Electrician (78.50%) and 116 trainees in Fitter (58.00%). 3. The inspection team observed that adequate infrastructure, workshops, classrooms, hostel facilities and training resources were available for conduct of training in the inspected trades. 4. During the interaction, the institute representatives indicated that admissions to ITI trades are being affected by the increasing preference of students towards Diploma programmes, as both streams are now accessible after Class XII. The institute further informed that earlier	major deficiencies affecting the functioning of the institute were found during the inspection. 2. Accordingly, the Committee recommended that the institute may be permitted to continue affiliation, and can take admission as per the provisions of the Affiliation Norms.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			progression to Diploma programmes involved comparatively higher eligibility requirements and entrance-based selection mechanisms, whereas the present admission framework permits admission to Diploma courses with a minimum qualifying mark of 33%, thereby expanding access to Diploma education and influencing student preference patterns. The institute opined that this has had an impact on admissions to conventional ITI trades in recent years. 5. The institute has maintained admission and training records. The records produced during inspection indicated that training activities were being conducted in the inspected trades. 6. Hostel facilities, workshop infrastructure and other student support facilities available on the campus were found to be satisfactory and conducive for training delivery. 7. It was highlighted that enrollment of female trainees in private ITIs has been impacted following the implementation of various State Government educational support initiatives, including the Sudakshya Scheme, which have encouraged a larger number of girl	

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			students to pursue diploma and degree-level education. 8. Considering the available infrastructure and institutional capabilities, the institute may further strengthen admission mobilization efforts, industry outreach, placement promotion and trainee awareness initiatives to improve seat utilization and maximize utilization of the available training infrastructure. 9. Enrollment Percentage (based on SIDH capacity of 200 seats) Electrician (NSQF): $157/200 = 78.50\%$ Fitter (NSQF): $116/200 = 58.00\%$	
3.	Sancket Private ITI, AT/PO Purna Odapada Via Raghunathpur, Jagatsinghapur, Odisha PR21000064 Grading-4.9	1. Fitter-18(8+8+2)	Remarks of the Inspecting members- - The available workshop area for the Fitter trade is 492 sq. m., against the required area of 704 sq. m., resulting in a shortfall of 212 sq. m. sufficient for running only 5 units in Fitter - The land documents were produced before the inspection team for verification. - The Building Completion Certificate (BCC) was not available/produced during the inspection.	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			4. The Plumber trade laboratory was not found available at the institute. 5. Instructor registration on the SIDH Portal had not been completed at the time of inspection. 6. The staff salary disbursement records were not produced before the inspection team for verification. 7. A total of 17 staff members were found present at the institute at the time of inspection. 8. The Fitter trade has low candidate enrolment, reportedly due to limited employment opportunities in the nearby area.	concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: 1. Fitter-8(3+3+2) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
				The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
4.	Center for Industrial Training (DRIET ITC), At/Po Sekhpatana, Jagatsinghapur, Odisha, 754103 PR21000094 Grading-5.9	1. Electrician - 15(9+6) 2. Fitter - 20(10+10)	Remarks of the Inspecting members- 1. Most of the machinery and equipment available at the institute were found to be non-functional and require necessary repair and maintenance. 2. The laboratories, classrooms, and building infrastructure were found to require necessary repair and maintenance. 3. Staff registration on the SIDH Portal was not available for verification during the inspection. 4. Staff attendance records were not available for verification during the inspection. 5. No workshop for the Plumber trade was found available at the institute. 6. The trainees' attendance records for the month of June 2026 were not available for verification.	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: 1. Electrician - 15(9+6) 2. Fitter - 20(10+10)

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			7. The power requirement of the institute is 73.1 kW, whereas the available power supply is 63 kVA (equivalent to approximately 56.7 kW), resulting in a shortage of approximately 16.4 kW. Further, the electricity consumption recorded was also found to be low in comparison with the power requirement and the approved training activities.	However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
				further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
5.	Adarsha ITC, At/Po Rantlei, Anugul,759122 PR21000142 Grading-4.7	1. Electrician – 12(4+4+4) 2. Fitter - 32(12+8+12)	Remarks of the Inspecting members- 1. The infrastructure and amenities available at the ITI were found to be in good condition. 2. The workshop and IT Laboratory were found to be well-equipped with the required machinery, tools, equipment, and computer facilities. 3. The ITI had entered into MoUs with several industries, including JSPL, Monnet, NALCO, MCL, etc., during the period from 2009 to 2018. However, no MoUs with industries have been entered into from 2018 onwards, which, as stated by the Principal, has contributed to the low admission strength of the ITI. The Principal further informed that there is a possibility of new mines/industries being established in the locality, which may result in an increase in the admission strength in the future. 4. The Transformer Welding Set provided for the allied trade in Welding was found to be	1. The SCAA examined the joint inspection report and observed that the infrastructure and amenities required for the Fitter trade (8+8 units) are available at the ITI. However, the infrastructure and facilities required for the remaining affiliated trades/units were found to be inadequate/not available as per the prescribed norms. 2. The Committee further examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities, as detailed in Column IV, were identified during the inspection. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. 3. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			non-functional and requires necessary repair. 5. The Compressor Unit of the Pneumatics and Hydraulics system was found to be non-functional and requires necessary repair and maintenance. 6. The available workshop area for the Fitter trade is 710 sq. m., against the required area of 1,056 sq.m., resulting in a shortfall of 346 sq. m.	ITI in respect of the trades/units other than Fitter 16(4+0+12), without referring the matter to the SSDEC/State Government. 4. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 5. The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 6. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
				with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

State: Telangana

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
1.	Indur Private ITI Arshapally, Bodhan Road, Nizamabad PR36000036 Grading-3.3	1. Electrician- 18(14+4)	1. Building- - Building condition found good. Institute is functioning from a leased building with valid lease up to 09.02.2030. 2. Workshop- - Electrician workshops available; however, DC Shunt Motor and Diesel Generator were under repair. - Total Workshop Area required 480 sqm, less than required 3. Electricity- - Power consumption is very less 4. Instructors- - Five instructors were available for Electrician trade. No instructor was available for Mechanic Diesel trade. 5. Attendance- - Average trainee attendance ranged between 85–87% and staff attendance between 90–92% during January–May 2026. 6. Placement Cell - Placement Cell-was not functional and no Placement Officer was available. However, the institute had 3 MoUs with industries and arranged OJT with local industries. Placement records for the last three years were produced., very less placement 7. IT Lab	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection, mentioned in the column IV. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: - Electrician: 10 units (5+5) - Mechanic Diesel: 2 units (1+1) - Fitter: 2 units (1+1) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
			- IT lab was under renovation, with no working computers and no internet connectivity. Drawing Hall was available. Remarks of the Inspecting members- - Electrician: 18 units (9+9) affiliated; recommended continuation of only 8 units (4+4) and de-affiliation of 10 units (5+5). - Mechanic Diesel: 2 units (1+1) recommended for de-affiliation. - Fitter: 2 units (1+1) recommended for de-affiliation.	The SCAA further recommended that the approved Minutes of the 34th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
2.	K.L.R Private Industrial Training Institute,	Electrician-16(8+8)	Remarks of the Inspecting members- Building Condition is good	The SCAA examined the Joint Inspection Report submitted by the State Directorate/RDSDE and observed that

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	34 th SCAA Remarks/Decision
I	II	III	IV	V
	Vepalgadda, Sujathanagar Kothagudem GR36000185 Grading-6.9		2. Space and power are available as per the norms for Electrician – 16 (8+8) units. 3. For 23 instructors IPRN generated 4. Attendance 80-90 % 5. One Training Officer to be appointed. 6. Placement 45-60% 7. 95% of tools and equipment are available for the 16 (8+8) units in the workshop. 8. Recommended: Electrician – 16 (8+8) units; equipment is in working condition. 9. Premises are well maintained; greenery and the overall ambience are good.	no major deficiencies affecting the functioning of the institute were found during the inspection. 2. Accordingly, the Committee further recommended that the institute may be permitted to continue affiliation, and can take admission as per the provisions of the Affiliation Norms.

Annexure-7-Deaffiliation Matters of SSDEC Haryana

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
1.	Jinda Ram Memorial Pvt. ITI Jhajjar Road Rewari MIS code: PU06000218	1. Electrician-8(4+4) 2. Fitter-4(2+2) 3. Health Sanitary Inspector- 2(1+1)	1. The de-affiliation proceedings of the ITI was initiated due to the complaint received against the ITI. 2. Accordingly a sudden inspection of the ITI was dated 20.06.2025 and 24.06.2025. during the inspection the ITI was found functional However, a show cause notice dated 09.07.2025 was issued to Jinda Ram Pvt. ITI Rewari regarding following :- a) The institute does not have any land & building of its own. B.Ed College, JBT college and ITI are running in the same building which is built in only 1100 square yards. JBT College and B.Ed College are also running in the same building since 2008. b) The ITI is being run in the building of JR Memorial College of Education for the affiliations for Electrician Trade, Fitter trade and HSI trade vide DGT file no. DGET-6/7/32/2014 TC by submitting fake documents.	The matter was discussed in the meeting and SCAA accepted the self closure request of ITI .

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			c) Moreover, surprise while inspection it has been observed that the salary of staff is not being disbursed through their bank account. 3. Thereafter a committee was constituted vide State Directorate order dated 06.02.2026 in order to verify the claim of the complainant. 4. Meanwhile a request has been received from the Principal/Chairman, Jinda Ram Pvt. ITI regarding closure of the ITI. 5. Thereafter, the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 wherein SSDEC recommended the ITI for de-affiliation.	
2	Shri Vishavkarma Pvt. ITI Vill Barwa District Bhiwani MIS code : PR06000270	1. Electrician-4(2+2) 2. Health Sanitary Inspector-2(1+1) 3. Mechanic Diesel-2(1+1)	1. The de-affiliation proceedings of the ITI was initiated due to the complaint received against the ITI from Addl. DGP, Intelligence	That the court matter W.P.(C) No. 10979/2026 titled "Shri Vishavkarma Private ITI vs. Directorate General of Training & Anr was listed on 07.08.2028,

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			department, Haryana Panchkula vide letter dated 17.04.2025. 2. Accordingly, the inspection of the ITI was conducted on 16.06.2025. During the inspection many irregularities were observed due to which seat release was suspended for session 2025-26 by State Directorate. 3. Thereafter, a show cause notice was issued vide letter dated 03.07.2025 by State Directorate. 4. The reply of Pvt. ITI was received vide e-mail dated 14.07.2025. Thereafter, a joint inspection of the ITI was again conducted on 17.02.2026. During the inspection the following irregularities were observed: a) At the time of inspection, only Sh. Dinesh Kumar, who introduced himself as a member of the ITI management, was present on the premises. He informed the team that only second-year trainees of the Electrician trade (Session 2024-26) are currently admitted, and that	wherein the Hon'ble Court has directed to communicate the decision of the 34th SCAA meeting held on 06.08.2026 in the petitioner case. Therefore, the following decision has been communicated to the petitioner vide TC section email dated 12.08.2026. 1) After considering the inspection findings and the reply submitted by the petitioner ITI, the SCAA observed that the claims made by the ITI regarding rectification of the deficiencies and the availability of trainees, machinery, tools, equipment, prescribed infrastructure, records, and fire-safety arrangements require physical verification. 2) Accordingly, it was decided that a Joint Inspection shall be conducted by officials of the State Directorate and RDSDE to verify the claims made by the ITI in

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			admissions have been discontinued by SDIT Haryana from Session 2025-onwards. b) No trainees or trainers were present during the inspection, despite records indicating enrolment of second-year trainees (Session 2024-26). c) He showed the Electrician and Mechanic Diesel Workshops to the inspection team. The workshops were found to be in an extremely poor state, with only 20-25% of the required instruments, equipment/machinery, all of which were non- functional. d) The limited machinery (20-25% of the total required) available for the Electrical and Mechanical diesel Trades were in a severely deteriorated condition showing significant signs of rust, corrosion and dust accumulation , exposed wiring making them in non-functional condition. e) There was neither drawing hall nor IT lab found in the ITI .Both are	its reply dated 01.04.2026 within 2 days from the date of issuance of communication of email dated 12.08.2026. 3) The petitioner institute shall keep all infrastructure, machinery, tools, equipment, records, and other relevant documents are kept readily available for inspection in accordance with the applicable Affiliation Norms and other relevant DGT guidelines. 4) No further opportunity shall be granted in the event that the petitioner ITI refuses, fails, or otherwise does not facilitate the Joint Inspection on the scheduled date. 5) The Inspection Team shall verify the deficiencies reported during the earlier inspection and shall also assess the availability, adequacy, and functional

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			mandatory as per NCVT curriculum guidelines. f) During the inspection, various key Operational records, including stock registers, raw material consumption registers, staff appointment details, their salary disbursement staff/trainee attendance registers, student study records and trainer records (such as lesson plans and demonstration plans) were not produced by the ITI. g) There was no fire safety equipment or fire extinguishers etc. installed on the campus. 5. Thereafter, again show cause notice was issued to the ITI by State Directorate vide letter dated 12.03.2026. 6. A reply dated 01.04.2026 has been received from concerned Pvt. ITI. 7. Thereafter, the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 wherein SSDEC recommended the ITI for	status of the prescribed infrastructure, machinery, tools, and equipment for all trades and units. The Inspection Team shall submit clear, trade-wise and unit-wise recommendations. In cases where any trade or unit is not recommended, the specific reasons for such non-recommendation shall be clearly recorded in the inspection report. 6) The Joint Inspection Report shall thereafter be placed before the SCAA/DGT for consideration and for taking a final decision regarding the de-affiliation of the ITI.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			de-affiliation as during both the inspection no trainee was found in the concerned Pvt. ITI, therefore, the reply of concerned Pvt. ITI does not seem satisfactory.	
3.	Swastik Pvt. ITI Tosham, Bhiwani MIS code: PR06000292	1. Electrician-4(2+2) 2. Health Sanitary Inspector-2(1+1)	1. A surprise joint inspection of the ITI was conducted on 17.02.2026 by State Directorate and RDSDE officials. 2. During the inspection the following deficiencies were observed : a) A school was found operational within the ITI premises, with school students attending classes. b) School buses were found parked inside the ITI premises. c) Shri Anil Mehta, who introduced himself as a Partner of the ITI, was present during the inspection. He showed the inspection team the workshop, which was found locked at the time of inspection. d) Upon opening the workshop, it was found to be in an extremely poor and neglected condition. The available machinery was severely rusted, corroded,	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the surprise Joint Inspection conducted on 17.02.2026 revealed serious deficiencies, including operation of a school and parking of school buses within the ITI premises; workshop found locked and subsequently found in a poor, unsafe and non-functional condition with rusted machinery, scrap, debris, dust, termite infestation and exposed wiring; non-availability of prescribed tools/equipment for Electrician [4 (2+2)] and Health Sanitary Inspector [2 (1+1)] trades; absence of proof of sanctioned electrical load and DG

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			covered with heavy dust, and had exposed electrical wiring, rendering it unsafe and non-functional. e) The workshop area was being used for storage of scrap and discarded materials, with broken chairs, rusted equipment, scattered debris, heavy dust accumulation, and visible termite infestation. f) The workshop was not fit for use as an Electrician trade workshop, as the space was being utilized for dumping scrap materials. g) No machinery was found in working condition. h) Tools and equipment prescribed for the Electrician [4 (2+2)] and Health Sanitary Inspector [2 (1+1)] trades were not available. i) No documentary proof of the sanctioned electrical power load was produced. j) No DG set (power backup) was available. k) No trainees, instructional staff, or administrative staff were present at the time of inspection.	set; absence of trainees and staff; non-availability of prescribed classrooms, workshops, IT laboratory, drawing hall, toilets and other infrastructure; and non-production of essential operational records. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 3. In view of the severity and extent of the deficiencies identified above, the ITI shall not be permitted to admit trainees for the Academic Session 2026-27 until such deficiencies are duly rectified and verified by the State Directorate. 4. The explanation, if any, must be comprehensive

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			l) No classrooms, workshops, IT laboratory, drawing hall, toilets, amenities, or other infrastructure prescribed under NCVT Affiliation Norms were found available within the premises. m) During the inspection, various key operational – records, including stock registers, raw material consumption registers, staff appointment details, their salary disbursement staff/trainee attendance registers, student study records and trainer records (such as lesson plans and demonstration plans) and — electricity consumption bill were not produced by the ITI. 3. Thereafter, a show cause notice dated 24.03.2026 was issued to the ITI . 4. The reply to the show cause notice has was submitted by ITI vide letter dated 13.04.2026.In its reply the ITI submitted the following : a) The institute states that the inspection team reached the	and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach the DGT within 21 days from the date of issuance of the Minutes of the Meeting at the email ID <u>tc-deaffiliation@dgt.gov.in</u>, using the following subject line: "Reply to Notice of 34th SCAA Minutes – <ITI Name>, <MIS Code>, <State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			institute when the trainees had gone on an Educational Tour, and therefore no trainees were present during the inspection. b) It submits that the absence of trainees was temporary and should not be construed as non-functioning of the institute. c) The institute claims that the workshop, tools and other infrastructure are available and that the deficiencies pointed out during the inspection do not reflect the actual position. d) It contends that certain observations made by the inspection team were either based on misunderstanding or recorded without considering the factual position. e) The institute requests the competent authority to reconsider the inspection findings and not to take adverse action based on the inspection report. f) It assures that the institute is functioning and is committed to complying with all NCVT/DGT norms and directions. g) The institute requests that the proposed action against it be	Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			withdrawn and that the suspension of seat release/de-affiliation proceedings may not be pursued. 5. Thereafter the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 and SSDEC recommended de-affiliation of the ITI . The Seat release has been temporarily suspended for session 2026-27.	
4.	Guru Brahmanand Pvt. ITI , Arjhajeri, Village Raipur, Karnal MIS code- PR06000120	1. Health Sanitary Inspector-4 (2+2) 2. Fitter-2(1+1) 3. Welder- 1(1+0) 4. Electrician- 8(4+4)	1. A surprise inspection dated 16.06.2025 was conducted by State Directorate. 2. During the inspection following were observed: a) The ITI staff was not present on the day of inspection . b) No trainees were present on the day of inspection. c) Moreover, no representative of the ITI was available to produce the record related to the ITI. 3. The SCN dated 03.07.2025 was issued by State Directorate and the seat release was suspended temporarily for session 2025-26.	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1) SCAA noted that the inspection conducted by the State Directorate officials on 28.08.2025 revealed several deficiencies, including 40% shortage of prescribed machinery; approximately 80% of tools and equipment being available but not in working condition; non-availability of DG set/generator as an alternate power source;

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			4. Thereafter another inspection dated 28.08.2025 was conducted by State Directorate Officials. During the inspection the following deficiencies were observed : a) There is 40% shortage of Machinery. b) Approximately 80% tools and equipment were found but not in working condition. c) Generator is not available as an alternate source of Electricity. d) Electrician workshop is lying unused. e) IT lab not available. f) Cleanliness status is poor. g) There is a shortage of furniture. 5. After that SCN dated 17.11.2025 followed by reminder dated 12.02.26 were issued by the ITI but no reply was received by the ITI. 6. A final show cause opportunity was also given by State Directorate to the ITI vide its letter dated 24.04.2026 . 7. Thereafter, the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 and	non-utilization of the Electrician workshop; non-availability of IT laboratory; poor cleanliness and sanitation; and shortage of furniture. 2) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 3) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			SSDEC recommended de-affiliation of the ITI .	compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4) The reply must reach the DGT within 21 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 34th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
5	Modern Pvt. ITI , Chang, Bhiwani MIS code- PR06000147	1. Electrician- 4(2+2) 2. Fitter-2(1+1)	1. The de-affiliation proceedings of the ITI was initiated by the State Directorate. accordingly, an inspection dated 09.04.2025 was conducted by State Directorate officials . During the inspection following were observed: a) Only 11 trainees were present out of total 37 trainees. b) Salary is being disbursed through cash mode. c) Record related to tools , machinery and equipment were not provided. d) Electricity bill not provided. e) No generator is available in the ITI as alternate source of electricity. f) Workshops not found functional. g) 08 non functional computers were found . h) Building condition is not good. i) Only one instructor was available. 2. Thereafter the case was discussed in 6th HSDEC during which the seat release was suspended temporarily for session 2025-26	The matter was discussed in the meeting and SCAA accepted the self closure request of ITI .

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			and also decided to conduct the joint inspection of the ITI. 3. Accordingly again joint inspection of the ITI was conducted on 14.07.2025. During the inspection the following deficiencies were observed : a) Construction activity was found to be on-going across the entire premises of the institute, with some portions of the building visibly demolished. b) No trainees or trainers were present at the time of inspection. c) There were no classrooms, no workshops, trainee tool kits, instruments, equipment or machinery available for the affiliated trades. d) No IT Lab, No Drawing Hall was found in the campus, Various key operational records, including stock registers, raw material construction registers, staff appointment details, _staff/trainee	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			attendance registers, student study records, and trainer records (such as lesson plans and demonstration plans), were not available. 4. On the day of inspection Chairman of Society and Principal of the ITI informed the joint inspection team that the management does not intend to continue operating the ITI. and submitted a formal request dated 14.07.2025 for de-affiliation of the Modern Pvt. ITI, Chang, District Bhiwani, Haryana (PRO6000147) from the session 2025-26 onwards by the Chairman of society and Principal of the ITI to the inspection team. 5. A show cause notice dated 18.08.2025 , followed by reminder dated 16.09.2025 were issued to the ITI by State Directorate. 6. Thereafter, the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 and	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			SSDEC recommended de-affiliation of the ITI .	
6	Bharat Pvt. ITI, Seedpur, Nilokheri, Karnal MIS code- PR06000093	1. Electrician- 2(1+1) 2. Fitter-2(1+1) 3. Welder-1(1+0)	1. The de-affiliation proceedings of the ITI was initiated by the State Directorate. accordingly, an inspection dated 09.04.2025 was conducted by State Directorate officials . During the inspection following were observed: a) Out of enrolled 25 trainees , no trainee was present. b) No staff was present on the day of inspection . c) Record related to tool, machinery and equipment were not provided by the ITI. d) Electricity bill not provided by the ITI. e) IT lab not maintained. f) Workshops were non-functional an lying unused. 2. Thereafter the seat release was suspended temporarily for session 2025-26 . 3. The SCN dated 03.07.2025 followed by reminder dated 27.08.2025 were also issued to the ITI.	The matter was discussed in the SCAA meeting and SCAA accepted the self closure request of ITI .

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			4. A final reminder dated 24.04.2026 was issued to the ITI and till date no reply has been received from the ITI. However, the ITI vide its letter dated 25.05.2026 submitted that they want to close the ITI . 5. Thereafter, the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 and SSDEC recommended de-affiliation of the ITI .	
7.	DGM Pvt. ITI , Mankawas , Charkhi Dardi MIS code- PU06000357	1. Electrician 4(2+2) 2. Fitter-2(1+1)	1. The de-affiliation proceedings of the ITI was initiated by State Directorate due to which inspections dated 04.07.2024 and 07.05.2025 were conducted by State Directorate officials in which various severe deficiencies were observed . 2. The following deficiencies were common and persisted across both inspections, indicating that they remained unresolved: a) Absence of Staff - No staff members were found present during either inspection. - During the second inspection, no staff attendance was	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 14.07.2025 revealed serious deficiencies, including persons being falsely represented as trainees, trainees being unable to identify their trainers/subjects, non-production of lesson plans, demonstration plans, study records and practical files, absence of evidence of practical training, and non-maintenance of essential

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			marked in the attendance register. b) Absence of Trainees - No trainees were found present during either inspection. - During the second inspection, trainees were marked present in the attendance register despite being physically absent. c) Shortage/Non-availability of Tools and Equipment - The first inspection reported an acute shortage of tools, equipment and machinery. - The second inspection found machines installed in the Electrician workshop but no tools or equipment available, and no Fitter trade workshop. d) Inadequate Electricity Load - Both inspections observed that the institute had only 6 kW sanctioned electricity load against the required 8.7 kW.	training records. The workshops were found in a deteriorated and non-functional condition, with prescribed tools, machinery and equipment missing, and discrepancies were reported in procurement bills. Further, the Drawing Hall was not available, the IT laboratory was shared with a Senior Secondary School operating in the same premises, and the 9 kW sanctioned electricity connection was shared with the school, making ITI-specific consumption unverifiable. No power backup or fire safety equipment was available, and adequate separate toilet facilities for staff and trainees were not provided. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			e) Non-availability of Generator - No generator was available during either inspection. f) Non-functional Workshops - Workshops were found to be non-functional and lying unused in both inspections. g) Poor Condition of Toilets - Toilets were found to be in a pathetic condition during both inspections. h) Operation of Another Institution on the Same Campus - Both inspections found that a Senior Secondary School was operating from the same campus. - The first inspection additionally noted that a D.Ed. Institute was also operating from the same premises.	institute should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach the DGT within 21 days from the date of issuance of the Minutes of the Meeting at the email ID

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			3. The SCN dated 05.06.2025 was issued to the ITI and the seats were suspended for session 2025-26. 4. Thereafter, the matter was discussed in 6th HSDEC meeting and in reference to the reply to the SCN, it was decided to conduct a joint inspection of the ITI. 5. Accordingly a joint inspection dated 14.07.2025 was conducted of the ITI by State Directorate and RDSDE officials. During the inspection, the following were observed: a) The inspection team interacted with the individuals present in the classrooms and workshops who were introduced as trainees. Upon verification, it was found that a considerable number of these individuals were fraudulently presented as trainees, as their names were not recorded in the attendance register, indicating that they were falsely represented as enrolled trainees.	tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 34th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			b) The inspection team further observed that both trainees and trainers were unfamiliar with each other. The trainees were unable to identify their respective trainers or specify the subjects being taught to them. c) None of the trainers were able to produce lesson plans, demonstration plans or student study records before the inspection team. d) Practical files, daily diaries and other essential training records were completely missing for all trainees present in the institute. Further, the institute failed to produce any evidence of practical work completed by the Fitter trade trainees. e) The workshops were found to be in a highly deteriorated condition. The available equipment and machinery were non-functional and appeared to have remained neglected and	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			unused for a considerable period. f) Several essential tools, machines and equipment required under NCVT norms were found to be missing. g) It was further observed that fraudulent bills had allegedly been submitted for the procurement of raw materials and equipment, as no such materials or equipment corresponding to the specifications mentioned in the bills were found in the institute. h) No Drawing Hall was available in the institute campus. i) An IT Laboratory was available in the campus. j) However, the inspection team was informed by the staff that the Evergreen Senior Secondary School, functioning in the same building, did not have a separate computer laboratory. k) The institute produced an electricity bill for June 2025	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			(copy enclosed) issued in the name of Baba Kabul Nath, showing a sanctioned electricity load of 9 kW (three-phase). As per the applicable norms, 8.71 kW is required for running the affiliated trade units. l) It was also informed that the Senior Secondary School and the Private ITI were sharing the same electricity connection. Consequently, the electricity consumption attributable exclusively to the ITI could not be determined. m) No power backup facility was available in the institute. n) Separate toilet facilities for staff and trainees were not available. The existing toilets were sub-standard and did not provide adequate privacy, as they contained open urinals and toilet seats without doors within the same enclosure. o) No fire safety equipment, including fire extinguishers,	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			was found installed in the building. 6. The joint inspection committee strongly recommend de-affiliation of the ITI. 7. The SCN dated 13.08.2025 ,followed by reminder dated 12.09.2025 were issued to the ITI but no reply was received by the ITI. 8. A final reminder dated 24.04.2026 was issued to the ITI and till date no reply has been received from the ITI. 9. Thereafter, the matter was discussed in 7th SSDEC in its meeting dated 18.06.2026 and SSDEC recommended de-affiliation of the ITI.	
8	Shri Shyam Pvt. ITI Julana Jind MIS code -PR06000248	1. Electrician- 8(4+4) 2. Fitter-4(2+2) 3. Plumber-2(1+1) 4. Health Sanitary Inspector- 2(1+1)	1. The State Directorate vide its letter dated 22.7.2026 informed that the self surrender request of following trades have been received from ITI . a) Fitter-4(2+2) b) Plumber-2(1+1) 2. The State Directorate has also informed that in-principle approval	The matter was discussed in the meeting and the SCAA accepted self surrender request of following trades/units of the ITI: a) Fitter-4(2+2) b) Plumber-2(1+1)

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
			for the aforesaid self-surrender request has been obtained from the Principal Secretary, Youth Empowerment & Entrepreneurship-cum-Chairman, HSDEC.	SCAA also directed that State Directorate will ratified the matter in the next SSDEC and send the report to DGT .
9	Pahal Pvt. ITI Jalalpur Khurd Jind MIS code-PR06000234	1. Electrician- 8(4+4) 2. Stenographer & Secretarial Assistant (English) -2(1+1) 3. Computer Operator and Programming Assistant- 4(2+2) 4. Health Sanitary Inspector- 2(1+1)	1. The State Directorate vide its letter dated 22.7.2026 informed that the self surrender request of following trades have been received from ITI . a) Stenographer & Secretarial Assistant (English) -2(1+1) b) Computer Operator and Programming Assistant- 2(1+1) 2. The State Directorate has also informed that in-principle approval for the aforesaid self-surrender request has been obtained from the Principal Secretary, Youth Empowerment & Entrepreneurship-cum-Chairman, HSDEC.	The matter was discussed in the SCAA meeting and the SCAA accepted self surrender request of following trades/units of the ITI: a) Stenographer & Secretarial Assistant (English) -2(1+1) b) Computer Operator and Programming Assistant- 2(1+1) SCAA also directed that State Directorate will ratified the matter in the next SSDEC and send the report to DGT .
10	Maharishi Markandeshwar PITI Kharindwa Kurukshetra	1. Electrician- 6(2+2+2)	1. The State Directorate vide its letter dated 22.7.2026 informed that the self surrender request of following	The matter was discussed in the meeting and the SCAA accepted self surrender

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	34 th SCAA Remarks/Decision
(1)	(2)	(3)	(4)	(5)
	MIS code-PR06000228	2. Food & Beverages Services Assistant-2(1+1) 3. Computer Operator and Programming Assistant-2(1+1) 4. Fitter- 3(1+1+1) 5. Cosmetology- 2(1+1)	trades have been received from ITI . a) Fitter-3(1+1+1) 2. The State Directorate has also informed that in-principle approval for the aforesaid self-surrender request has been obtained from the Principal Secretary, Youth Empowerment & Entrepreneurship-cum-Chairman, HSDEC.	request of following trade/units of the ITI: a) Fitter- 3(1+1+1) SCAA also directed that State Directorate will ratified the matter in the next SSDEC and send the report to DGT.
11	MDS Pvt. ITI Jatwas Mahendergarh MIS code- PR06000146	1. Electrician- 8(6+2) 2. Fitter- 2(1+1) 3. Welder- 2(1+1) 4. Plumber-1(1+0)	1. The State Directorate vide its letter dated 22.7.2026 informed that the self-surrender request of following trade has been received from ITI. a) Plumber-(1+0) 2. The State Directorate has also informed that in-principle approval for the aforesaid self-surrender request has been obtained from the Principal Secretary, Youth Empowerment & Entrepreneurship-cum-Chairman, HSDEC.	The matter was discussed in the SCAA meeting and the SCAA accepted self-surrender request of following trade/units of the ITI: a) Plumber-(1+0) SCAA also directed that State Directorate will ratified the matter in the next SSDEC and send the report to DGT.