

DGT-Aff011/3/2026-O/o DIR (TC) [E- 78874]

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,
चाणक्यपुरी, नई दिल्ली – 110023,
दिनांक : 7 अगस्त 2026

To

The State Director,
Directorate of Technical Education, Rajasthan,
W-6, Residency Jodhpur-342011.

Subject: Minutes of the 33rd Meeting of the Standing Committee on Accreditation and Affiliation held on 10.07.2026 - regarding

Madam/ Sir,

Please find attached herewith a copy of Minutes of the 33rd Meeting of “Standing Committee on Accreditation and Affiliation (SCAA) held on 10.07.2026.

2. Any grievances regarding the decision outlined in the Minutes of the Meeting may be raised through the NIMI portal (<https://nimionlineadmission.in/iti/GrievancePortal/register.php>) within 30 days from the date of issue of the Minutes of the Meeting. Grievances submitted after this period will not be considered.

3 This issues with the approval of Competent Authority.

भवदीय ,

(केतन पटेल)

निदेशक, टी . सी अनुभाग

Copy for information to:

1. Sr.PPS to DG(T), DGT, New Delhi.
2. PPS to DDG(Affiliation)/SCAA Chairperson, DGT Hqrs, New Delhi.
3. The Regional Director, RDSDE Rajasthan, NSTI(W) Campus, Opposite KV No-3, Sansthan Path, Jhallana Doongri, Jaipur-302017
4. DGT MIS Portal In-charge, New Delhi, with a request to upload MoM on DGT MIS portal.

(श्रमेव शर्मा / Shramev Sharma)

उप निदेशक /Deputy Director , टी . सी अनुभाग

DGT-Aff011/3/2026-O/o DIR (TC) [E- 78874]
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023

Minutes of 33rd Standing Committee on Accreditation and Affiliation meeting held on 10.07.2026 at Kaushal Bhawan, Delhi

The 33rd Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) was held on 10.07.2026 to discuss the de-affiliation cases of 88 ITIs of Rajasthan State.

The list of participants who attended the meeting is attached at ***Annexure-1***.

At the outset, Shri Sunil Kumar Gupta, Deputy Director General, DGT, Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Ketan Patel, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below:

Agenda 1: Action Taken Report of 32nd SCAA meeting held on 02.07.2026.

The Minutes of the 32nd SCAA meeting, held on 02.07.2026, have been issued and uploaded on the DGT MIS Portal. The Minutes of the Meeting have been communicated to all the Committee Members.

Agenda 2: Affiliation/De-affiliation matters pertaining to 78 Private ITIs, in continuation of the discussions recorded in the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

The 25th Meeting of the SCAA held on 13.11.2025 and 14.11.2025 at Kaushal Bhawan, New Delhi. During the meeting, the Committee deliberated upon the cases of affiliation and de-affiliation of ITIs that had been recommended by the State Skill Development and Entrepreneurship Committee (SSDEC), Rajasthan, in its 9th and 10th meetings held on 17.09.2025 and 23.09.2025, respectively.

In the 25th SCAA meeting, SCAA had sought clarifications from SSDEC in respect of certain ITIs, and separately issued Show Cause Notices (SCNs) in respect of several other ITIs. For a number of ITIs, SCAA directed that the ITI remove the deficiencies identified during the Joint Inspection, over and above the recommendations already made by SSDEC.

Pursuant to these directions, SSDEC has now examined the matters and has sent its recommendations to DGT in respect of 78 ITIs where SCAA, had sought clarification from SSDEC for certain cases and directed ITI to remove deficiencies for several other cases. These 78 matters, were placed before the SCAA in this 33rd meeting for a final decision.

The details of 78 ITIs and 33rd SCAA remarks for these cases are available at ***Annexure-2***.

Agenda 3 - Consideration of inspection report of ITIs in Rajasthan having more than 15 affiliated units in a single trade in reference to DGT letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026

Brief Facts:

1. DGT, vide letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, directed the concerned RDSDEs to conduct joint inspections of ITIs having more than 15 affiliated units in a single trade and less than 60% admissions against the approved seating capacity for the Academic Year 2025. The inspection was intended to verify the operational status of the institutes, adequacy of infrastructure, availability of instructors, machinery, and compliance with the Affiliation Norms.
2. As per the list enclosed with the above letter, ten ITIs from Rajasthan were identified for inspection based on low admissions against the approved seating capacity.
3. In compliance with the above directions, the State Directorate/RDSDE has submitted the joint inspection report(s) to DGT.
4. The details of these 10 ITIs and 33rd SCAA remarks are available at ***Annexure-3***.

Annexure 1

List of participants who attended the meeting:

1. Shri Sunil Kumar Gupta, Deputy Director General
2. Shri Ketan Patel, Director, TC-Section, DGT
3. Shri R.C Meena, Regional Director, RDSDE, Rajasthan
4. Shri Satish Kumar, Joint Director, TC Section, DGT
5. Shri. Shramev Sharma, Deputy Director, TC Section, DGT
6. Shri Rajesh Kumar, Deputy Director, TC-Section, DGT
7. Smt. Pooja Verma, Deputy Director, TC- Section, DGT
8. Ms. Priyanka Somani, Deputy Director, RDSDE, Rajasthan
9. Shri Shailendra, Deputy Director, State Directorate, Rajasthan
10. Smt Kanika Kalhan, Assistant Director, TC-Section DGT

Annexure-2 as referred in Agenda 2 regarding Affiliation/De-affiliation matters pertaining to 78 Private ITIs, in continuation of the discussions recorded in the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	Indian Private Industrial Training Institute, G & P Taksola, Via- Paota, The. Kotputali (Jaipur) 303106 MIS Code - PR08001173	1. Mechanic Diesel - 2(1+1) 2. Electrician - 5 (4+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 03.02.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. As per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025 - a) Mechanic Diesel Workshop civil infra not as per norms only shed area available 92 sqm. b) Major machinery of mechanic diesel not available c) IT lab systems were outdated 6. However, Joint Inspection committee has recommended continuation of affiliation for Electrician – 5 (4+1+0) and not recommended Mechanic Diesel 2 (1+1) 7. Based on the findings of the joint inspection, the SSDEC, in its 10th	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.09.2025 has recommended continuation of affiliation for Electrician – 5(4+1+0) trade/units. Based on the recommendations of the Joint Inspection Committee and the 11th SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 5(4+1+0) trade/units. 2. ITI shall remove deficiency related to IT lab within 5 days from the date of issuance of this minute of meeting. 3. The State Directorate shall ensure that the deficiency regarding the IT lab is removed by the ITI and verified before the commencement of the Academic Session 2026-27.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 5 (4+1+0). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendation was provided for Mechanic Diesel – 2 (1+1) ii. Contradictory remarks given in inspection report regarding recommendation for continuation for affiliation. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) Inspection Committee has not recommended for Mechanic Diesel trade due to deficiency '	4. SCAA further noted that the Joint Inspection Committee did not recommend continuation of affiliation for Mechanic Diesel – 2(1+1) trade/units due to the following persistent deficiencies: (i) Mechanic Diesel workshop civil infrastructure is not as per norms; only a shed area of 92 sqm is available. (ii) Major machinery for the Mechanic Diesel trade is not available. 5. SCAA observed that the ITI, in its reply to the SCN, failed to provide any supporting documentary evidence to substantiate its claims of compliance. The 11th SSDEC has accordingly recommended de-affiliation of the Mechanic Diesel trade. Therefore, the Mechanic Diesel – 2(1+1) trade/units are hereby de-affiliated. No admissions in the Mechanic Diesel trade shall be

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Mechanic Diesel Workshop civil infra not as per norms only shed area available 92 sqm.', Major machinery of Mechanic Diesel not available. ITI SCN reply received on 2 Feb 2026, no supporting documents provided by the ITI therefore SSDEC decided to recommended de-affiliation proposal of Mechanic Diesel (1+1). b) Inspecting Committee has further clarified that discrepancy in recommendation at S. No. 6 and 7 of the inspection team report as : S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the actual recommendation of the joint inspection committee i.e., Electrician (4+1).	permitted from the Academic Session 2026-27 onwards.
2.	Basant Private Industrial Training Institute, Address - Opposite 220 KV Power House, N.H. 8, Putali , Kotputali (Jaipur) 303108	1. Electrician - 6(3+3) 2. Fitter - 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.09.2025 has recommended affiliation for Electrician –

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000142		4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: - Electrician – 4(2+2+0) - Fitter - 4(2+2+0) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: - - Gangway marking required in workshop - Electrician working machinery available for (2+2) - Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation: - Electrician – 4(2+2+0) - Fitter - 4(2+2+0) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. - SSDEC to provide clarification on following points:	4(2+2) and Fitter – 4(2+2) trade/units. Based on the recommendations of the Joint Inspection Committee and the 11th SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Fitter – 4(2+2) trade/units. 2. The Electrician – 2(1+1) trade/units, out of the affiliated Electrician – 6(3+3), are hereby de-affiliated as the ITI itself confirmed in its reply dated 20.01.2026 that tools and equipment are available only for Electrician – 4(2+2) trade/units. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. No recommendation was provided for Electrician – 2 (1+1) ii. SSDEC to provide clarification on contradictory remarks given in inspection report regarding recommendation for continuation for affiliation. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the of Electrician- (1+1) due to following reasons: 8. Inspection Committee has not recommended for Electrician (1+1) with remarks ' Electrician working machinery available for (2+2)'. SCN was issued to ITI dated 20.01.2026 , ITI has given reply that 'Tools equipment available for Electrician (2+2), Fitter (2+2)' .So SSDEC decided to recommended de-affiliation proposal for Electrician (1+1) (ii) Inspection Committee has clarified discrepancy in recommendation at SNo 6 and 7 of the inspection team report as ', S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			actual recommendation of the joint inspection committee i.e., Electrician (2+2) , Fitter (2+2).	
3.	Ch. Charan Singh Private Industrial Training Institute Address - Fatehpur By Pass Road Mandawa, Dist. Jhujhunu - 333704 MIS Code - PR08001299	1. Electrician -4(2+2) 2. Fire Technology and Industrial Safety Management - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i) The hand tools equipment has not been displayed in the proper sequence. ii) According to the revised syllabus trades do not have the machinery. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 09.09.2025 identified deficiencies including non-availability of machinery as per the revised syllabus and improper arrangement of hand tools. The 25th SCAA directed the ITI to remove these deficiencies and a Show Cause Notice was issued accordingly by the State. However, the ITI failed to submit any reply to the said SCN, thereby demonstrating its unwillingness to comply with the prescribed norms. 2. Therefore, SCAA is of the considered opinion that the ITI has failed to rectify the deficiencies despite being granted multiple opportunities. Accordingly, the Electrician – 4(2+2) and Fire Technology

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended for the continuation of the affiliation: - Electrician - 04 (2+2) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. Fire Technology and Industrial Safety Management – (1+0) 01 units no recommendations provided by SSDEC, however, it is affiliated on NCVT MIS Portal. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: i. A Show Cause Notice (SCN) was issued to the ITI for removal of deficiency, However ITI had not submitted any reply, Therefore the proposal for De-affiliation	and Industrial Safety Management – 1(1+0) trade/units are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			of Electrician (2+2) and Fire technology and Industrial Safety Management (1+0) to be forwarded to SCAA.	
4.	Lovely Private Industrial Training Institute, Address - Greenland, Kesrisinghpur, Dist.- Ganganagar Rajasthan MIS Code - PR08000582	1. Electrician - 4(2+2)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 08.01.2025. 4. The ITI replied to the SCN on 18.01.2025. 5. Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official. 6. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) 7. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 04.08.2025: i) The ITI has 07 untrained instructors, and some instructors have less experience. ii) The building infrastructure has been found undersized as per the new norms, as the Principal's office, Clerk's office, Staff room, Library, Dispensary, Store, and	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report indicating the specific grounds on which the institute's reply was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ED/Multipurpose Hall have less area than prescribed. iii) The Electrician trade has 5% major and minor machinery not available, and some major machinery has not been in working condition. iv) The ITI has spent a lesser average amount on raw materials per trainee per month. v) The electricity consumption per trainee per month has also been found very low. vi) Some portions of the constructed area, such as the Principal's office, Clerk's office, Staff room, Library, Dispensary, and Multipurpose Hall, have been covered with tin sheds. vii) The building infrastructure, including workshops, classrooms, stores, library, Principal chamber, and IT lab, has been divided using aluminium frames and fibre sheets. viii) Ventilation and sign board have not been as per norms. ix) RCC pole has mounted on outside of the ITI area. 8. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			has recommended continuation of the affiliation for Electrician - 2(1+1) 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on the following points: No recommendations for Electrician -4(1+1+2) by SSDEC. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) A Show Cause Notice (SCN) was issued to the ITI regarding the observed deficiencies. The reply submitted by the ITI has been examined; the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
5.	Pioneer Private ITI, Address - Near Nirankari Satsang Bhawan, Shri Vijay Nagar, Dist. Sri Ganganagar Rajasthan MIS Code - PR08001107	1. Electrician - 6(3+3)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 08.01.2025. 4. The ITI replied to the SCN on 24.01.2025. 5. Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official. 6. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2). 7. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.08.2025: i) The major and minor machinery has less than 10% and some machinery not in working condition. ii) The building infrastructure has been found undersized as per the new norms, as the Classroom, Library, Dispensary, Store, and ED/Multipurpose Hall have less area than prescribed. iii) The electricity consumption per trainee per month has also been found very low.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report indicating the specific grounds on which the institute's reply was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			iv) Some portions of the constructed area covered with tin shade. v) Some instructors have less experience and not qualified in CITS. vi) Raw material quantity has low. 8. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - 4(2+2) 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on the following points: i. No recommendations for Electrician -4(1+1+2) by SSDEC. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) A Show Cause Notice (SCN) was issued to the ITI regarding	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the observed deficiencies. The reply submitted by the ITI has been examined; the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA.	
6.	Chawala Private Industrial Training Institute, Address - Plot No. 197,198,199, Kirti Colony, Near Govt. Hospital, Shri Ganganagar-335001 MIS Code - PR08001110	1. Electrician - 8(4+4)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 08.01.2025. 4. The ITI replied to the SCN on 25.01.2025. 5. Further, a joint inspection was conducted on 11.08.2025 by the RDSDE and State official. 6. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2). 7. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.08.2025: i) 05 instructors have less experience, 03 instructors have been appointed without any experience, and experience certificates of 02 instructors have not been attached. A total of 08	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report indicating the specific grounds on which the institute's reply was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			instructors have been found Non-CITS. ii) The joining letter of the Principal has not been provided. iii) The ITI has spent a negligible amount on raw material. iv) Electricity consumption has been found very low. v) Major and minor machinery has been found 40% less, and some machinery has not been in working condition. vi) Annexure-III has been filled incorrectly. vii) The building infrastructure has been found undersized as per norms, including classrooms, workshops, dispensary, ED Hall/Multipurpose Hall, store, etc. 8. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - 4(2+2) 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate	will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on the following points: i. No recommendations for Electrician -4(2+2) by SSDEC. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) A Show Cause Notice (SCN) was issued to the ITI regarding the observed deficiencies. The reply submitted by the ITI has been examined; the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA.	
7.	Technnotime Private Industrial Training Institute, Address - Chak S.P.G.M, Anupgarh, Dist. Shri Ganga Nagar Pin-335701 Rajasthan	1. Electrician - 4(2+2)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 08.01.2025. 4. The ITI replied to the SCN on 23.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000740		5. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. 6. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2(1+1). 7. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025: i) 07 instructors have less experience and 03 instructors have been appointed without any experience. ii) The map has been found incorrect with respect to room sizes, and Annexure-III has been filled wrongly. iii) As per the lease and map, 16 rooms have been shown; however, 06 of them have been found locked or used for other purposes. iv) The institute has not been operating entirely as per the layout shown in the map. v) The building infrastructure has been found undersized as per norms, including, IT Lab, Store, Library, and classrooms. vi) The ITI has spent a negligible amount on raw material	unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report indicating the specific grounds on which the institute's reply was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			vii) The electricity consumption has been found very low. viii) The ED Hall/Multipurpose hall has not been available. ix) The workshop has been covered with tin sheds. x) Major and minor machinery has been found more than 30% deficient, and many machines have not been in working condition. 8. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for Electrician - (1+1) 02 units 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on the following points: i. No recommendations for Electrician -4 (1+1+2) by SSDEC.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) A Show Cause Notice (SCN) was issued to the ITI regarding the observed deficiencies. The reply submitted by the ITI has been examined; the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA.	
8.	Ch Mota Ram Meel Memorial Private ITI Address - Chak 5 Nrd, Vill-Nirwana, Tehsil-Suratgarh, Distt-Sri Ganganagar - 335804 MIS Code - PR08001750	1. Electrician 2(1+1) 2. Plumber - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2(1+1). 6. However, as per joint inspection report following deficiencies have been	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			identified during Joint Inspection conducted on 05.08.2025 i) All Instructor are untrained. ii) Some Instructors are less in Experiences. iii) Building Infrastructure is less in size as per new norms, as plumber workshop, Principal office, clerk office, staff room, ED hall/multipurpose hall, etc. are less in size as per new norms. iv) 10% major & minor machinery are not available in Electrician trade. v) Some major machinery is not in working condition. 6-30% major & minor machinery are not available in Plumber trade. vi) Average amount spent on raw material per month per trainee are less. vii) Nos. of units of Electricity consumed per month per trainee are very less. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 2(1+1). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and	indicating the specific grounds on which the institute's reply was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on the following points: i. No recommendations for Electrician - 1(0+0+1) & Plumber -3(1+1+1) trades by SSDEC 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) A Show Cause Notice (SCN) was issued to the ITI regarding the observed deficiencies. The reply submitted by the ITI has been examined; the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
9.	Smt Ganga Dixit Pvt. ITI, Address - Stone No-179/422 M/N Kila No-9, Plot No-10/11, Gurunagar-Anupgarh Road, 32 Gb (Ganganagar) - 335704 MIS Code - PU08001906	1. Electrician - 4(2+2) 2. Health Sanitary Inspector - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.08.2025: i) Major & Minor machinery are than 40% less ii) Many machineries are not in working condition. iii) Spent on raw material and electricity with consume very loss or negligible. iv) Building infrastructure is less in size as per norms as principal room, library, Office etc. v) ED hall/Multipurpose hall & Furniture not available.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report indicating the specific grounds on which the institute's reply was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			vi) 2nd Floor tin shaded and building condition poor. vii) lease paper and agreement were not proper dated. viii) Annexure III wrongly filled. ix) Many instructors are less experienced appointed without experiences, non CITS. x) Principal experience and 02 Instructors documents not attached. xi) DD Not given by owner for affiliation of HSE trade & more than 90% machinery of HSI trade NA. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units Electrician – 2 (1+1). 8. Further, the Health Sanitary Inspector – 2(0+1+1) trade has been de-affiliated vide DGT order dated 17.01.2025 due to de-affiliation. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on the following points: i. No recommendations for Electrician - Electrician 4 (1+1+2) & Health Sanitary Inspector – 1(1+0) trades by SSDEC. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) A Show Cause Notice (SCN) was issued to the ITI regarding the observed deficiencies. The reply submitted by the ITI has been examined; the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA.	
10.	Shree Ram Private Industrial Training Institute, Address - Beri, Sikar MIS Code - PR08000843	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Mechanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 26.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 11.09.2025 identified several

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
		4. Computer Operator and Programming Assistant - 2(1+1)	4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a) Electrician 02 (1+1) b) Fitter 02 (1+1) c) COPA 02 (1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: a) ITI & SKILL LOGO is not available with name of ITI at main gate of institute. b) Store records are not available. c) In work shop Lighting arrangements are poor. d) Record of Instructor and trainees are not updated and need to modify. e) Shortage of tools and machinery in Mech diesel trade as per old syllabus, not in running condition and diesel generator is in breakdown condition. f) IT Lab setup and furniture is not as per standard specification.	deficiencies, including non-availability of ITI/Skill logo at the main gate, non-availability of store records, poor lighting arrangements in the workshop, outdated instructor and trainee records, shortage of tools and machinery in the Mechanic Diesel trade as per the old syllabus with the diesel generator in breakdown condition, substandard IT lab setup and furniture, and Electrician and Fitter trade tools and machinery being as per the old syllabus. 2. The 25th SCAA directed the ITI to remove all the identified deficiencies, following which the State issued a Show Cause Notice to the ITI. The reply submitted by the ITI, received on 10.01.2026, did not contain any supporting documents to substantiate removal of the deficiencies. The 11th SSDEC accordingly recommended de-affiliation of the ITI. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			g) Electrician and Fitter trade tools, machinery & equipment are as per old syllabus h) Only Five Instructors are present at the time of Joint inspection. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trade/units a) Electrician 02 (1+1) b) Fitter 01 (1+1) c) COPA 02 (1+1) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed b) SSDEC to provide clarifications on following points: i. Reasons for not recommended Mechanic Diesel – 2 (1+1) not provided by SSDEC. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026	failed to rectify the deficiencies despite being granted multiple opportunities. 4. Accordingly, the Electrician – 2(1+1), Fitter – 2(1+1), COPA – 2(1+1), and Mechanic Diesel – 2(1+1) trade/units are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and SSDEC recommended de-affiliation of the ITI due to following reasons: a) As per SCN reply received on 10th January 2026 , Since ITI has not provided any supporting Documents so decided to recommend De-affiliation for Electrical 2(1+1), Fitter (1+1), COPA (1+1) and Mechanic Diesel (1+1) to SCAA	
11.	Param Private ITI Address - Jaipur Bikaner By Pass, Near Rashidpur, Sikar Dist. Sikar - 332315 MIS Code - PU08001654	1. Firemen - 16(4+4+4+4) 2. Fire Technology and Industrial Safety Management - 4(2+2) 3. Health Sanitary Inspector - 2(1+1) 4. Food Production (General) - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 11.02.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: i. Fire Technology Industrial safety management - 5(2+2+1) ii. Food production general- 3(1+1+1) iii. Health Sanitary Inspector - 5(2+2+1)	SCAA may seek clarification from the State Directorate/RDSDE on the following: 1. The Joint Inspection report dated 11.09.2025 records "some tools and machinery are as per the old syllabus and required to be updated as per the new syllabus" as a general observation. It is not clear whether this deficiency pertains to all four affiliated trades (Fire Technology and Industrial Safety Management, Food Production General, Health Sanitary Inspector, and Fireman) or is specific to one or more particular trade(s). The State Directorate/RDSDE may

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: - i. ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. ii. Store records are not available. iii. No admissions in all units in the last three session. iv. In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the workshop area is also not properly cleaned. v. The records of the Instructor and trainees are not updated and need to be modified. vi. Some of the tools and machinery are as per the old syllabus, and required to be updated as per the new syllabus. vii. Fire extinguisher vehicle is breakdown condition so need to repair it. viii. Available Instructor strength is not as per the affiliated units. ix. Only 04 Instructors are present out of 15 at the time of the Joint inspection.	be requested to clarify the trade-wise applicability of this deficiency so that appropriate directions can be issued. 2. SSDEC to clarify whether the other common deficiencies noted during the inspection (fire extinguisher vehicle in breakdown condition, inadequate instructor strength, poor workshop lighting/ventilation) are applicable across all trades or specific to any particular trade(s), for the purpose of framing appropriate compliance directions. 3. Further, during the current inspection dated 03.07.2026, the SCAA observed that the Principal and the President of the institute had submitted a request for voluntary surrender of the Fireman trade (16 units: 8+8). The SCAA accepted the institute's request for self-surrender of the Fireman trade (16 units: 8+8). 4. The matter was also deliberated under Agenda Item No 3

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			x. Teaching aids, Furniture, and amenities maintenance required. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trade and units. i. Fire Technology Industrial safety managemen-5 (2+2+1) ii. Food Production General-3 (1+1+1) iii. Health sanitary Inspector-5(2+2+1) 8. Further, the following trades have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission – i. Health sanitary Inspector-3(1+1+1) ii. House Keeper- 2(1+1) iii. Health Safety & Environment – 2(1+1) 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.	wherein the deficiencies recorded in Column IV of that agenda, as well as the observations recorded in Column No. IV of the present agenda, were duly considered by the SCAA 5. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government for the remaining trades also. 6. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 7. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) SSDEC to provide clarification on following points i. No recommendations for Fireman -12(4+4+4) trade/units were provided by SSDEC ii. Extra units of Health Sanitary inspector - 5(2+2+1) has been recommended by SSDEC whereas as per NCVT MIS portal the trade is affiliated for 2(1+1) units. 11. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) SCN reply received on 11th Feb 2026 , Since ITI reply not found Satisfactory and No supporting Doc provided by ITI as per Deficiency mentioned . So Fireman 12(4+4+4) is being proposed for de-affiliation . b) In reference of SCAA remarks of additional units recommended by Inspection Committee team over	be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 8. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and above the affiliated units on portal. SSDEC has decided to curtail the recommendation for given by Inspection Committee up-to the affiliated units on NCVT portal. 12. Thereafter, DGT, vide letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, directed the concerned RDSDEs to conduct joint inspections of ITIs having more than 15 affiliated units in a single trade and less than 60% admissions against the approved seating capacity for the Academic Year 2025. The inspection was intended to verify the operational status of the institutes, adequacy of infrastructure, availability of instructors, machinery, and compliance with the Affiliation Norms. 13. Accordingly, the ITI was joint inspected by State Directorate and RDSDE on 03.07.2026. During inspection the following deficiencies were observed:	the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) Building condition: The inspection team recorded that the building requires repair. b) Mismatch in institute address: The address mentioned in the electricity bill differs from the address recorded in the affiliation order/departmental records, requiring verification. c) IT Laboratory deficiencies: d) No working computers were available in the IT Laboratory. e) Internet connectivity was not available. f) Computers in the IT Lab were inadequate. g) Drawing Hall not available. h) Insufficient classroom infrastructure: The institute had fewer classrooms than required. i) No instructors or staff present: No instructor or other staff member was present during the inspection. Only the Principal and President were available. Further, instructor details were	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			not provided to the inspection team. j) Attendance records not available: Average trainee and staff/instructor attendance records were not available for verification. k) Electricity consumption: Electricity consumption was recorded as almost nil (0–2 kWh) for most months, indicating negligible operational activity. l) Surrender of trade: The Principal and President submitted a letter for surrender of the Fireman trade (6-month duration), comprising 8+8 units, during the inspection.	
12	Rajasthali Pvt. ITI Address - Bairwanda, Sikrai, Dausa, Rajasthan-303501	1. Electrician -6(3+3)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 07.01.2025. 4. The ITI replied to the SCN on 26.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.09.2025 identified that the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001816		5. Further, a joint inspection was conducted on 12.09.2025 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: (i) The electricity bill is neither in the name of the ITI nor in the name of the society; it is issued in the name of the building owner of the ITI. (ii) In trainers tool kit 10% of tools were not in the working condition. (iii) In shop tool and equipment 8% of tool and equipment either damage or non-functional. Maintenance related to motor and wiring is required in shop machinery. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization. 7. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the ITI	electricity bill of the ITI was neither in the name of the ITI nor the society but in the name of the building owner, along with deficiencies of 10% non-functional trainer tool kits and 8% damaged/non-functional shop tools and equipment. The SSDEC, on 25.09.2025, conditionally allowed continuation of affiliation for Electrician – 6(2+2+2), subject to the ITI submitting the electricity bill in its own name or the organisation's name within one month. However, the ITI failed to comply with this condition and did not submit the required document despite issuance of a Show Cause Notice. The SSDEC further noted that the total electricity load available with the ITI is only 10 KW. 2. The 11th SSDEC accordingly recommended de-affiliation of the entire Electrician – 9(3+3+3) trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			is conditionally recommended for affiliation of Electrician -6 (2+2+2) subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month. 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide the clarification on following points: i. Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time. ii. No recommendations provided by SSDEC for Electrician 3(1+1+1) 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) Total Electricity load available with the ITI is only 10kw, SSDEC vide discussion on dated 25.09.2026, Allowed continuation of affiliation of Electrician	failed to comply with the conditional opportunity granted to it. Accordingly, the Electrician – 9(3+3+3) trade/units are hereby de-affiliated in entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(2+2+2) subject to removal of deficiency. 'ITI has to submit the electricity bill in the name of ITI/organisation in the stipulated time.' ; ITI has not complied with the SCN issued and not the provided the required document. SSDEC decided to forward De-affiliation proposal for Electrician (3+3+3)	
13.	Shri Ganesh Pvt. ITI, Address - V.P.O Churina, Churina (Jhunjhunun) MIS Code - PR08001904	1. Electrician - 4(2+2), 2. Health Sanitary Inspector - 1(1+0) 3. Fire Technology and Industrial Safety Management - 2(2+0),	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 18.09.2025. 4. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025.: a) III- phase machineries were not running in the Electrician trade during inspection. b) No faculty available in the Health and Sanitary inspector trade to identify the tools. Additionally, major shortage of equipment were found during inspection.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA observed that SSDEC had recommended the ITI for de-affiliation on the ground that the reply submitted by the institute was found to be unsatisfactory; however, the recommendation did not clearly specify the reasons for arriving at such a conclusion. 2. Accordingly, SCAA decided that RDSDE in consultation with State Directorate shall furnish a detailed report indicating the specific grounds on which the institute's reply

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the 10th SSDEC remarks of ITI shall be read as recommended for affiliation of following trades: Electrician- 4(2+2) Fire Technology & Safety Management- 2(2+0) and not recommended Health Sanitary Inspector- 1(1+0) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.	was considered unsatisfactory and submit the same to DGT within 7 days from the date of issuance of the Minutes of the Meeting. Thereafter, the matter will be placed in the next SCAA meeting.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) SSDEC to provide clarification on following points: i. No reason provided by SSDEC for not recommended trade Health Sanitary Inspector. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) Show Cause Notice (SCN) was issued to the ITI regarding the observed deficiencies. The reply submitted by the ITI has been examined; however, the same has not been found satisfactory. Accordingly, the proposal for de-affiliation to be forwarded to SCAA for Electrician (2+2) and HSI (1+0)	
14.	Shri Ram Private Industrial Training Institute, Address - Opp. Dada Bhagwan (National Park), Village Tinwari Dist. Jodhpur - 342306	1. Electrician - 4(2+2) 2. Mechanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 15.09.2025 recommended continuation of affiliation for

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000312		4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) and Mechanic Diesel – 2 (1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 15.09.2025: i) Building Map not clear, the dimensions are not readable. ii) Mechanic diesel lab workshop area 104 m² with open parking area additional. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: i) Electrician - 6(2+2+2) ii) Mechanical Diesel –2 (1+1) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	Electrician – 6(2+2+2) and Mechanic Diesel – 2(1+1) trade/units, subject to rectification of deficiencies including an unclear building map and inadequate Mechanic Diesel workshop area. 2. Pursuant to the 25th SCAA's direction, a Show Cause Notice was issued to the ITI on 20.01.2026. In its reply, the ITI itself confirmed that the Mechanic Diesel workshop along with the parking area available is approximately 155 sqm, against the requirement of 210 sqm as per the DGT curriculum for the Mechanic Diesel trade. The 11th SSDEC accordingly recommended de-affiliation of the Mechanic Diesel – 2(1+1) trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has failed to meet the mandatory workshop area requirement for the Mechanic Diesel trade, as confirmed by the ITI's own submission. Accordingly, the Mechanic Diesel – 2(1+1)

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide clarification on following points: Since Recommendations are subject to rectification of deficiencies observed during inspection. Therefore, SSDEC to clarify whether, all the deficiencies have been removed. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) SCN issued to ITI on 20.01.2026, Based on ITI reply, Mechanic Diesel workshop + parking area available with the ITI is around 155 sqm, (as per Mechanic Diesel DGT curriculum 210 Sq. m Including parking area Is req). So SSDEC decided to proposed for De-affiliation of Mechanic Diesel (1+1)	trade/units are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(2+2+2) trade/units. 5. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 6. The State Directorate shall also ensure the deficiency related to building map being made clear and readable shall be remove before the commencement of the admission 2026-27.
15.	Carrier Develop Private Industrial Training Institute, G-151, Brij Industrial Area, Bharatpur-321001 (PR08001018)	1. Welder -1(1+0), 2. Electrician - 4(2+2), 3. Fitter – 4(2+2) 4. Mechanic Diesel - 2(1+1),	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 25.06.2025 recommended continuation of affiliation for Electrician – 4(2+2) and Fitter – 4(2+2) trade/units without any deficiencies. However, the Mechanic Diesel – 2(1+1) and

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a. Mechanic Diesel trade: Shortage of tools equipment and machines as per latest trade tool list. b. Welder trade: Shortage of tools equipment and machines as per latest trade tool list. 5. However, inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) 04 and Fitter – 4 (2+2) 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 4 (2+2) and Fitter – 4 (2+2) and not recommended for affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide reasons for de-affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). b) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.	Welder – 1(1+0) trade/units were found to have a shortage of tools, equipment, and machines as per the latest trade tool list, and were accordingly not recommended by the Joint Inspection Committee and the 9th SSDEC. Pursuant to the 25th SCAA's direction, a Show Cause Notice was issued to the ITI. 2. The reply submitted by the ITI, received on 29.01.2026, did not contain any supporting documents to substantiate removal of the deficiencies. The SSDEC accordingly recommended de-affiliation of the Mechanic Diesel and Welder trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has failed to rectify the trade-specific deficiencies in Mechanic Diesel and Welder despite being granted multiple opportunities. Accordingly, the Mechanic Diesel – 2(1+1) and Welder – 1(1+0) trade/units are hereby de-affiliated. No

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) As per SCN reply received on 29th January 2026 , Since ITI has not provided any supporting Documents so SSDEC decided to recommend De-affiliation for Mechanic Diesel (1+1) and Welder (1+0) by SSDEC.	admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Fitter – 4(2+2) trade/units.
16.	Lakshay Private Industrial Training Institute, Near Police Station, Old Haryali Bazar, Teh. Goluwala, Dist.- Hanumangarh Pin - 335802 Rajasthan (PR08001351)	1. Electrician - 8(4+4)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 23.01.2025. 4. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. 5. Inspecting members have given observation that Tools, equipment and machinery were not sufficient for the Electrician trade 12 (4+4+4) and some major machinery not working, but the quantity of tools, equipment and machinery were sufficient for Electrician 6 (2+2+2).	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 31.07.2025 found that tools, equipment, and machinery were insufficient for the full Electrician – 12(4+4+4) trade/units, with some major machinery not working, but were sufficient for Electrician – 6(2+2+2) trade/units. The Joint Inspection Committee and the 9th SSDEC accordingly recommended continuation of affiliation for Electrician –

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. Therefore, inspecting members have recommended affiliation for Electrician - 6 (2+2+2). 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide the clarification on following points: i. No recommendations have been provided for remaining units in Electrician - 6 (2+2+2). 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) IC has recommended only for Electrician (2+2+2) stating deficiency 'Tools, equipment and machinery were not sufficient for the Electrician trade 12 (4+4+4) and some major machinery not working, but the	6(2+2+2) trade/units. Pursuant to the 25th SCAA's direction seeking clarification on the remaining 6(2+2+2) units, the 11th SSDEC has recommended de-affiliation of the remaining units of the Electrician trade. 2. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has not demonstrated sufficient tools, equipment, and machinery for the remaining units of the Electrician trade. Accordingly, the remaining Electrician – 6(2+2+2) trade/units are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			quantity of tools, equipment and machinery were sufficient for Electrician 6 (2+2+2).' SSDEC has decided to forward de-affiliation proposal of Electrician (2+2) to SCAA.	30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
17.	Jai Hind Private Industrial Training Institute Address - Hanuman Nagar, Bhadar Pura Road, Phulera, Dist.Jaipur Pin-303338 Rajasthan MIS Code - PU08001568	Electrician – 8(4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 15.01.2025. - Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2+0) - However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: - Major machinery of second lab in basement were not in working condition. - Poor fire safety arrangements in second lab of electrician trade. - Insufficient tools and equipment with respect of 12 units. - Conditions of class room and IT lab could be improved. - Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, SSDEC	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 09.09.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units only, out of the currently affiliated Electrician – 8(4+4) trade/units. The Joint Inspection Committee identified the following deficiencies with respect to the remaining units: major machinery of the second lab situated in the basement was not in working condition, fire safety arrangements in the said lab were poor, and tools and equipment were insufficient. The 10th SSDEC recommended continuation of affiliation for Electrician – 4(2+2) trade/units accordingly. - Pursuant to the 25th SCAA's direction seeking clarification on the remaining units, the 11th SSDEC has recommended de-affiliation of the remaining Electrician – 4(2+2) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			has recommended for continuation of the affiliation: i) Electrician – (2+2) 04 units ii) Electrician – 4 (0+0+4) have been de-affiliated vide DGT order 17.01.2025 due to zero admission. 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: 1. SSDEC to provide clarification for following: i. As per NCVT MIS portal 8 unit are currently affiliated. However, recommendations have been provided for 4 units only. For rest of the units no comments are provided by the SSDEC. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: i. Inspection Committee has recommended 4 units out of 8 with remarks 'Major machinery of second lab in basement were not in working condition, poor fire safety	3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the deficiencies identified with respect to the second lab, including non-functional machinery and poor fire safety arrangements, warrant de-affiliation of the remaining units. Accordingly, the remaining Electrician – 4(2+2) trade/units are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			arrangements in second lab of electrician trade, insufficient tools and equipment with respect of 12 units', SSDEC has decided to forward de-affiliation proposal of 4 units out of 8 to SCAA i.e., de-affiliation of Electrician (2+2)	
18.	Ganga Devi Private Industrial Training Institute., Address - Vill. Nangal Sunsaratan, P.O. Amer, Distt. Jaipur-302028 MIS Code - PR08001243	1. Electrician – 4(2+2) 2. Mechanic Diesel - 2(1+1) 3. Computer Operator and Programming Assistant – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a. Electrician- 3 (2+1) b. Mechanic Diesel- 1 (1+0) c. COPA- 1 (1+0) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: a. Fuel injection bench test for calibration fuel pump having	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.09.2025 initially recommended partial continuation of affiliation for Electrician – 3(2+1), Mechanic Diesel – 1(1+0), and COPA – 1(1+0) trade/units, with a deficiency noted regarding the fuel injection bench test for calibration of the fuel pump in the Mechanic Diesel trade. 2. Pursuant to the 25th SCAA's direction seeking clarification on the remaining units, the State issued a Show Cause Notice to the ITI. In its reply dated 20.01.2026, the ITI demonstrated compliance with

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			working mode but need improvement. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - - Electrician- 3 (2+1) - Mechanic Diesel- 1 (1+0) - COPA- 1 (1+0) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. - SSDEC to provide clarification on following points: - The SSDEC recommended Electrician – 3 (2+1) whereas Electrician 2nd shift 2nd is not recommended, but as per NCVT MIS portal it is affiliated. The reason for not recommendation for one unit is not mentioned in SSDEC MoM. - Similarly, 2nd shift Mechanic Diesel and COPA trade are not recommended by SSDEC and no	the deficiency identified in the Mechanic Diesel trade, and no further major deficiency was noted by the Inspection Committee. The SSDEC examined the reply and, in its 11th meeting, recommended continuation of affiliation for the entire Electrician – 4(2+2), Mechanic Diesel – 2(1+1), and COPA – 2(1+1) trade/units. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2), Mechanic Diesel – 2(1+1), and COPA – 2(1+1) trade/units in entirety.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			reasons has been mentioned in the SSDEC MoM. However, these trades and units are affiliated on NCVT MIS Portal. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended continuation of the following trades/units due to below reasons: a) As per reply of SCN dated 20.01.2026, ITI has complied with the deficiency mentioned in MD trade, and no further major deficiency mentioned by Inspection Committee dated 12.09.2025, SSDEC decided to recommend for Electrician (2+2), Mechanic Diesel (1+1), COPA (1+1)	
19.	Vivekanand Private ITI, Address - Badagave Road Village & Post Chanaha, Chirawa, Dist. Jhunjhunu-333026 MIS Code - PU08001710	1. Electrician – 2(1+1) 2. Fire Technology and Industrial Safety Management - 2(1+1) 3. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 16.09.2025 recommended continuation of affiliation for Electrician – 2(1+1) and Fire Technology – 2(1+1) trade/units. The Joint Inspection Committee did not recommend

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			affiliation for following trade/units: Electrician - 2(1+1) and Fire Technology 2(1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025: a) In the Fitter trade, major machinery/equipment as per the approved list (Serial Nos. 197 to 204) is not available in the institute. Due to this deficiency, approximately 80 hours of the prescribed syllabus could not be covered. which adversely affects the practical training of trainees. b) Considering the deficiencies observed during inspection and the impact on trainees' practical training, the institute is recommended for de-affiliation. c) There is no partition/wall separation between the Fitter lab and the Electrician lab, which is not permissible as per NCVET/NSQF norms. d) 03 out of 02 instructor 01 instructor is only CTS passed with zero-year experience hence ineligible as instructor	continuation for the Fitter – 2(1+1) trade/units, as major machinery/equipment as per the approved list (Sl. Nos. 197 to 204) was found not available, adversely affecting approximately 80 hours of the prescribed syllabus; no partition/wall separation was found between the Fitter and Electrician labs, which is impermissible as per NCVT/NSQF norms; and one of the two instructors was found ineligible, being only CTS-passed with zero years of experience. 2. Pursuant to the 25th SCAA's direction seeking clarification on the non-recommendation of the Fitter trade, the SSDEC, in its 11th meeting, confirmed the deficiencies identified by the Inspection Committee and recommended de-affiliation of the Fitter trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the deficiencies identified in the Fitter trade, particularly the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 2 (1+1) and Fire Technology 2(1+1). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: No recommendations provided for Fitter – 2 (1+1) 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) Inspection Committee has not recommended Fitter (1+1) with remarks '- In the Fitter trade, major machinery/equipment as per the approved list (Serial Nos. 197 to 204) is not available in the institute. Due to this deficiency, approximately 80 hours of the prescribed syllabus could not be covered. which adversely affects the practical training of trainees.'	absence of a partition wall and the shortage of prescribed machinery affecting practical training, warrant de-affiliation. Accordingly, the Fitter – 2(1+1) trade/units are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) and Fire Technology – 2(1+1) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			SSDEC to forward proposal of De-affiliation Fitter (1+1) to SCAA.	
20.	Rajkamal Pvt. ITI, Address - Nangaliya Gujarwas, Post- Mehara Jatuwas (Jhunjhunu) MIS Code - PR08001948	1. Electrician - 4(2+2) 2. Health Sanitary Inspector – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 17.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 6(2+2+2) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 17.09.2025 recommended continuation of affiliation for Electrician – 6(2+2+2) trade/units, as no deficiencies were identified during the inspection. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			No recommendations were provided by SSDEC for Health Sanitary Inspector 2(1+1), however, it is affiliated on NCVT MIS Portal. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) ITI has submitted self-surrender request of Trades (Health Sanitary Inspector) , SSDEC decided to forward de-affiliation proposal of the above trade to SCAA.	the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 3. SCAA further noted that the ITI has submitted a request for self-surrender of the Health Sanitary Inspector – 2(1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units accordingly. The Health Sanitary Inspector – 2(1+1) trade/units are hereby de-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.
21.	Tagore Private ITI, Address - Mandawa Road, Sitsar, Dist. Jhunjhunu MIS Code - PR08001864	1. Electrician – 2(1+1) 2. Fitter – 2(1+1) 3. Hair & Skin Care (VI & OD) – 3(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025: a) For Hair and Skin care (VI & OD) trade there were neither workshop nor tools and Accessories available. b) In Fitter trade Pneumatics and Hydraulics tools and Accessories were not available. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 18.09.2025 recommended continuation of affiliation for Electrician – 2(1+1) trade/units. The Joint Inspection Committee did not recommend continuation for the Fitter – 2(1+1) trade/units, as pneumatics and hydraulics tools and accessories were found not available. The Joint Inspection Committee also did not recommend continuation for the Hair & Skin Care (VI & OD) – 2(1+1) trade/units, as neither workshop nor tools and accessories were found available for that trade. 2. Pursuant to the 25th SCAA's direction seeking clarification on the reasons for non-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 2(1+1) and not recommended Fitter-2(1+1+) and Hair & Skin care (VI &OD)-2(1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: Reasons for not recommended Fitter 2 (1+1) & Hair & Skin care (VI &OD)-2(1+1) trades were not provided by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) IC has not recommended Hair skin care with remarks ' For Hair and Skin care (VI &OD) trade there were neither workshop nor tools and Accessories available.', and Fitter Trade with Remark " In Fitter trade Pneumatics and Hydraulics tools and Accessories were not available." SSDEC decided to forward proposal of De-	recommendation, the State issued a Show Cause Notice to the ITI. The SSDEC, in its 11th meeting, examined the matter, confirmed the deficiencies identified by the Inspection Committee, and recommended de-affiliation of both the Fitter and Hair & Skin Care (VI & OD) trades/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the complete absence of the requisite workshop, tools, and accessories in the Fitter and Hair & Skin Care (VI & OD) trades warrants de-affiliation. Accordingly, the Fitter – 2(1+1) and Hair & Skin Care (VI & OD) – 2(1+1) trade/units are hereby de-affiliated. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			affiliation of trade Hair Skin Care (1+1), Fitter (1+1)	in Electrician – 2(1+1) trade/units.
22.	Aadarsh Private Industrial Training Institute, Address - Khasra No. 482, V &P Haripura, Panchayat Samittee Osian (Jodhpur) 342303 MIS Code - PR08001061	1. Health Sanitary Inspector – 2(1+1) 2. Electrician – 6(3+3) 3. Mechanic Diesel - 2(1+1) 4. Fitter – 2(1+1) 5. Wireman - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 13.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2), Fitter - 2 (1+1), Mechanic Diesel - 2(1+1) and Health Sanitary Inspector - 2(1+1) 6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 17.09.2025: (i) Shortage of 0.71 KW electric load in the ITI was observed on the day of inspection. (ii) The Wireman trade lab was not found available on the day of inspection.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 17.09.2025 recommended continuation of affiliation for Electrician – 6(2+2+2), Fitter – 2(1+1), Mechanic Diesel – 2(1+1), and Health Sanitary Inspector – 2(1+1) trade/units, subject to deficiencies including a shortfall of 0.71 KW in electric load, Mechanic Diesel workshop area of 110 sqm (including parking), and non-installation of LCD, Projector, Refrigerator, and computers in the Health Sanitary Inspector lab. The Joint Inspection Committee did not recommend the Wireman – 2(1+1) trade/units, as the Wireman lab was not found available on the day of inspection. 2. SCAA further noted that pursuant to the 25th SCAA's

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(iii) Mech. Diesel Area is found 110 Sq mt². with parking. (iv) In the Health Sanitary Inspector lab, the LCD, Projector, Refrigerator and computers were not installed. 7. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the 10th SSDEC recommended de-affiliation of the ITI due to shortfall in electric load and not recommended Wireman 2(1+1) . 8. Thereafter, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC, the ITI is conditionally recommended for affiliation of following trades/units, subject to removal of deficiency in electric load: i. Electrician – 6 (2+2+2) ii. Fitter - 2 (1+1) iii. Mechanic Diesel - 2(1+1) iv. Health Sanitary Inspector - 2(1+1) Admissions in Electrician trade 2 (1+1+0) shall remain on hold until the recorded deficiencies are rectified.	direction seeking clarification on removal of the electric load deficiency, the State issued a Show Cause Notice to the ITI. In its reply, the ITI stated that it has applied for additional sanctioned electric load, which does not confirm actual rectification of the deficiency. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(2+2+2), Fitter – 2(1+1), Mechanic Diesel – 2(1+1), and Health Sanitary Inspector – 2(1+1) trade/units, subject to removal of the deficiencies identified above. 4. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Also, the SSDEC not recommended the Wireman trade as per discussion held on 25.09.2025. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Whether the ITI has removed the electric load deficiency in the stipulated time. ii. No reasons provided by SSDEC for not recommended Wireman trade. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) Inspection Committee has not recommended 'Wireman trade', with remarks 'The Wireman trade lab was not found available on the day of inspection'. SSDEC to forward proposal of de- affiliation of Wireman Trade,	DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 5. The State Directorate shall verify actual compliance, including sanctioning and installation of the additional electric load, adequacy of the Mechanic Diesel workshop area, and installation of the requisite equipment in the Health Sanitary Inspector lab, before the commencement of the Academic Session 2026-27. 6. SCAA, having considered the recommendation of the SSDEC,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) ITI has provided reply that additional sanctioned load has been applied.	is of the opinion that the Wireman – 2(1+1) trade/units warrant de-affiliation on account of non-availability of the Wireman lab. Accordingly, the Wireman – 2(1+1) trade/units are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.
23.	Shivalik Private ITI Address - Chak 17 Z,Po-19 Z, Via Mirzewala, Dist. Sri Ganganagar Rajasthan MIS Code - PR08001751	1. Electrician -2(1+1) 2. Plumber – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 12.02.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician -2 (1+1) 6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 05.08.2025:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection recommended continuation of affiliation for Electrician – 2(1+1) trade/units, subject to the deficiency that the electricity bill was not in the name of the ITI or the organisation. Pursuant to the 25th SCAA's direction seeking clarification, the State issued a Show Cause Notice to the ITI. The SSDEC, in its 11th meeting, confirmed that the ITI has submitted the electricity bill in

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(i) Some major machinery were not in working condition (ii) Four instructors were found to be untrained and some instructors have less experience than prescribed. (iii) The building infrastructure, including the dispensary and ED hall/multipurpose hall, is smaller than the required size as per the new norms. (iv) About 10% of the major and minor machinery in the Electrician trade are not available. (v) More than 90% of the major and minor machinery are not available in the Plumber trade. (vi) The average amount spent on raw materials per trainee per month is below the required level. (vii) The number of electricity units consumed per trainee per month is less than the standard. (viii) The owner did not provide a demand draft (DD) for the affiliation of the Plumber trade and informed that he is not interested in continuing the trade in future.	the name of the ITI society "Shivalik Shikshan Samiti," thereby rectifying the said deficiency. 2. SCAA further noted that the owner of the ITI did not provide a Demand Draft for affiliation of the Plumber – 2(1+1) trade/units and has informed that he is not interested in continuing the said trade. The SSDEC accordingly recommended de-affiliation of the Plumber trade/units. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units. 4. The Plumber – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(ix) The ITI building is adjacent to another school, and the front land of both premises is not separated by a boundary wall; however, the owner stated that a partition wall will be constructed soon. (x) The electricity bill is not in the name of the Principal, ITI, or the organization. (xi) Some constructed areas, such as the store, staff room, and plumber workshop, are covered with tin sheds. 7. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI as electricity bill is not in the name of ITI/Organization. 8. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC, the ITI is conditionally recommended for affiliation of Electrician -2 (1+1), subject to removal of deficiency recorded as the Electricity bill not in	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the name of ITI/organisation within 1 month. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide the clarification on following points: i. Whether, the ITI has submitted the copy of Electricity bill in the name of ITI/organisation. ii. No reason provided by SSDEC for not recommended Plumber trade 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: i. As per Inspection Committee remarks; 'The owner did not provide a demand draft (DD) for the affiliation of the Plumber trade and informed that he is not interested in continuing the trade in future.', SSDEC has decided for forwarding the de-affiliation proposal of Plumber trade.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii. The ITI has submitted the copy of EB bill in the name of ITI society 'Shivalik Shikshan Samiti'.	
24.	Wagd Pvt. ITI, Address - Gowari (Dungarpur) - 314025 MIS Code - PR08001897	1. Electrician – 2(1+1) 2. Wireman – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 & 30.01.2025. 3. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. 4. As per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 19.06.2025 i. Trainees present at the date of inspection were low in number. ii. Rental agreement of building was not renewed since 2021, trainee enrolment in wireman trade is zero for current session. 5. However, Joint inspection committee has recommended affiliation for: i. Electrician: 2 (1+1+0) ii. Wireman: 2 (1+1+0)	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 19.06.2025 identified that the rental agreement of the ITI building has not been renewed since 2021. Despite the 25th SCAA specifically seeking clarification on this deficiency, the SSDEC has not provided any clarification in this regard. 2. SCAA observed that the non-renewal of the rental agreement for over five years raises a serious concern regarding the ITI's legal right to occupy and operate from the said premises, and this deficiency remains unaddressed despite specific direction. 3. In view of the above, the concerned ITI is hereby granted a final opportunity to show-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for - Electrician: 2 (1+1+0) - Wireman: 2 (1+1+0) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - SSDEC to provide clarification regarding following points: - Deficiencies regarding rental agreement of building has been pointed out by Joint Inspection committee. As per which Rent Agreement has not renewed since 2021. - Recommendations are not provided for unit affiliated in the third shift of Wiremen Trade. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: - DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all	cause as to why the institute should not be de-affiliated on account of the non-renewal of the rental agreement since 2021 as per clause 7.2(v) of affiliation norms 2025. The ITI shall submit documentary proof of a valid, renewed rental agreement or ownership document for the premises, failing which no admissions shall be permitted in the institute for the Academic Session 2026-27. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			third units which are not converted into DST mode.	
25.	Rajasthan Private Industrial Training Institute, Nh-8a, Infront Of Police Station, V/P.Chandwaji Tehsil.Amer Dist. Jaipur Rajasthan (PR08001470)	Electrician – 8(4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025 & 06.02.2025. - Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 8 (4+4) - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 8 (4+4) - The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - SSDEC to provide clarification on following points: - No recommendations have been provided for 4 units affiliated in the third shift of Electrician trade.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 28.06.2025 recommended continuation of affiliation for Electrician – 8(4+4) trade/units, with no deficiencies identified. - Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 8(4+4) trade/units. SCAA further noted that the corresponding third shift (4 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: a) DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 3. Accordingly, the ITI is allowed to admit trainees in Electrician – 12(4+4+4) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
26.	Swabhimaan Private Industrial Training Institute, Khasra No.69/184, 69/3, Village-Harvanshpura Post-Jaisinghpura Tehsil-Sanganer Dist-Jaipur Rajasthan	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 & 06.02.2025. SCN replied dated 31.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 25.06.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	(PU08001593)		4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4 (2+2) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations have been provided for 2 units affiliated in the third shift of Electrician trade. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following reasons: i. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. 3. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
27.	B.S. Private Industrial Training Institute, At. Plot No.54,55 & 56 Janki Vihar Bagru Ricco Road, Bagru, Dist.Jaipur Rajasthan-303007 (PR08001521)	Electrician – 6(3+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025 - Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (3+3+0) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation Electrician – 6 (3+3+0) - The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 26.06.2025 recommended continuation of affiliation for Electrician – 6(3+3) trade/units. - Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(3+3) trade/units. SCAA further noted that the corresponding third shift (3 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(i) No recommendations have been provided for 3 units in the third shift of Electrician trade. 6. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: a. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	DGT OM dated 27.07.2026, and the said third-shift units stand restored. 3. Accordingly, the ITI is allowed to admit trainees in Electrician – 9(3+3+3) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
28.	Guru Kripa Pvt. ITI, Near Jaipur-Ajmer Highway, Du Du (Jaipur) (PU08001885)	1. Electrician – 4(2+2) 2. Wireman –1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025 3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 27.06.2025 recommended continuation of affiliation for Electrician – 4(2+2) and Wireman – 1(1+0) trade/units. 2. Based on the recommendation of the SSDEC, the ITI is allowed

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(i) Electrician - 4 (2+2) (ii) Wiremen – 1 (1+0) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: (i) Electrician - 4 (2+2) (ii) Wiremen – 1 (1+0) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: (i) No recommendations have been provided for 1 unit in the third shift of Electrician trade. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Wireman – 1(1+0) trade/units. 3. SCAA further noted that the corresponding third shift (2 unit) of the recommended Electrician portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift unit stands restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift unit on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift unit into DST mode on or before 30.09.2026, failing

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				which the said unit shall stand de-activated by DGT for future sessions without further notice.
29.	Gramotthan Private Industrial Training Institute, Parihara, Tehsil- Ratangarh, Dist-Churu - 331505 (PR08000357)	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025 & 06.02.2025. SCN replied dated 31.01.2025. 3. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. 4. Inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations have been provided for 2 units in the third shift of Electrician trade.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 26.06.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 3. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. 4. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
30.	Om Private Industrial Training Institute, Village & P.O. Khedi Milak Via Phulera, Dist. Jaipur Pin-303603 Rajasthan (PR08001561)	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 04.07.2025 recommended continuation of affiliation for Electrician – 5(2+2+1)

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. Inspecting members have given recommendation for affiliation of Electrician – 5 (2+2+1) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has also given following comments: - Incomplete Annex III. Principal is not qualified as per DGT Norms. Staff Details are not filled in Annex III. Only 01 no. of CITS instructor has been appointed for electrician trade and zero admissions for electrician trade in Shift 3, Unit 2. - Conditional Recommendation on the basis of compliance for removing deficiency till next SSDEC meeting till then admission in session 2025-25 will be on hold. 6. The matter was again discussed in the 10th SSDEC meeting held on 23.09.2025 and SSDEC recommended the ITI Electrician-5 (2+2+1) as the ITI has removed all the deficiencies in the stipulated period. 7. The matter was discussed in 25th SCAA dated 13.11.2025 and	trade/units, subject to removal of deficiencies including incomplete Annexure-III, the Principal not being qualified as per DGT norms, staff details not filled in Annexure-III, only one CITS instructor appointed for the Electrician trade, and zero admissions in Shift 3, Unit 2. The 10th SSDEC, in its meeting held on 23.09.2025, confirmed that the ITI had removed all the deficiencies within the stipulated period. SSDEC also recommended Electrician all third Shift units de-affiliated as these all third as all third-shift units not converted to DST mode stand de-affiliated pursuant to the DGT Order No. DGT-AFF 0MISc/90/2022/TC dated 30.04.2026, 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. 3. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations have been provided for 1 unit in the third shift of Electrician trade. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following : a) DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
31.	Taj Memorial Private Industrial Training Institute	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Address - Village. Jagdishpura, Post. Sharud, Dist. Jaipur MIS Code -PR08001413		2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2) as no deficiencies have been identified during joint Inspection conducted on 16.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation-Electrician – 6 (2+2+2). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Extra 1 unit in 3rd shift in Electrician trade recommended by SSDEC whereas as per NCVT MIS	1. SCAA noted that the Joint Inspection conducted on 16.09.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units, with no deficiencies identified. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. 3. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			portal only 1 unit in 3 rd shift in Electrician trade is affiliated. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: a) DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice..
32.	Shri Vinayak Private Industrial Training Institute, Address - Sorti Ka Baag, Chipabarod, Dist.Baran Pin-325221 Rajasthan MIS Code - PU08001434	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 15.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) as no deficiencies have been identified during Joint Inspection conducted on 16.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 16.09.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units, with no deficiencies identified. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. 2. SCAA further noted that the Electrician trade – third shift (2 units) has already been de-affiliated vide DGT order dated

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6(2+2+2) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. SSDEC recommended Electrician-6(2+2+2), however, Electrician 2 (0+0+2) units have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	17.01.2025 on account of zero admissions."
33.	Maulana Abul Kalam Azad Muslim Private Industrial Training Institute,	1. Electrician –8(4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Address - Pal Link Road, Kamla Nehru Nagar, Jodhpur -342001 MIS Code - PR08001021	2. Refrigeration And Air Conditioning Technician - 2(1+1) 3. Mechanic Diesel - 4(2+2) 4. Welder – 1(1+0) 5. Computer Operator and Programming Assistant – 2(1+1)	2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 8 (4+4), Mech. Diesel – 4 (2+2), COPA – 2 (1+1), RAC – 2 (1+1) and Welder – 1 (1+0) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - i) Electrician - 08 (4+4) ii) Mech. Diesel – 04 (2+2) iii) COPA – 02 (1+1) iv) RAC Tech. – 02 (1+1) 7. Welder – 01 (1+0) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	1. SCAA noted that the Joint Inspection conducted on 10.09.2025 recommended continuation of affiliation for Electrician – 8(4+4), Mechanic Diesel – 4(2+2), COPA – 2(1+1), Refrigeration and Air Conditioning Technician – 2(1+1), and Welder – 1(1+0) trade/units, with no deficiencies identified. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 8(4+4) trade/units. 3. SCAA further noted that the corresponding third shift (2 units) of the Electrician trade had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide clarification on following points: i. SSDEC recommended Electrician - 8(4+4) trade/unit, however as per NCVT MIS portal Electrician 10 (4+4+2) and no reason mentioned in for not recommending 02 units in Electrician trade in 3rd shift. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	allowed to admit trainees in Electrician – 10(4+4+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 4. SCAA also decided that based on the recommendation of the SSDEC, the ITI is also allowed to admit trainees for the Academic Session 2026-27 in Mechanic Diesel – 4(2+2), Computer Operator and Programming Assistant – 2(1+1), Refrigeration and Air Conditioning Technician – 2(1+1), and Welder – 1(1+0) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
34.	Jai Shree Radhe Private Industrial Training Institute Address - Dhanwada Road, Tehsil- Kumher, Distt. Bharatpur-321201 MIS Code - PR08001485	Electrician – 4(2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 03.01.2025 & 30.01.2025. SCN replied dated 03.02.2025. - Further, a joint inspection was conducted on 08.08.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2). - However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.08.2025: - Negligible shortage of tools & equipment - Insufficient lighting arrangement for third shift. - Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician-4 (2+2) - The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 08.08.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units. - Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. - SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. - Accordingly, the ITI is allowed to admit trainees in Electrician –

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide clarification on following points: i. No reason mentioned for not recommending 3rd shift 02 units in Electrician trade by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall ensure adequate lighting arrangement for the third shift. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
35.	Shri Nemsingh Parmar Private ITI Address - Jayshri Road, Bhuru Ka Bas Sikri, Nagar, Bharatpur (Raj), Rajasthan - 321024 MIS Code - PR08001762	1. Electrician – 4(2+2) 2. Fitter – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 21.08.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fitter – 4 (2+2) as no deficiencies have been	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 21.08.2025 recommended continuation of affiliation for Electrician – 6(2+2+2) and Fitter – 4(2+2) trade/units, with no deficiencies identified.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			identified during Joint Inspection conducted on 21.08.2025. 5. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: - Electrician – 06 (2+2+2) - Fitter – 4 (2+2). 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: - No SSDEC recommendations for self -surrender request by ITI for affiliated trade Fitter 2(0+0+2), however as per inspection report ITI submitted surrender of 3rd shift 2 units. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: - DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Fitter – 4(2+2) trade/units. SCAA further noted that the ITI has submitted a request for self-surrender of the Fitter trade – third shift (2 units), and the said units accordingly remain de-affiliated at the ITI's own request. 3. SCAA further noted that the corresponding third shift (2 units) of the recommended Electrician portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice 4. SCAA further noted that the ITI has submitted a request for self-surrender of the Fitter trade – third shift (2 units). Therefore SCAA accepted the self surrender request of ITI for Fitter third shift 2 units and decided to allowed to admit trainees for the Academic Session 2026-27 in the Fitter – 4(2+2).
36.	Kanishk Private ITI Address - Bandikui, Tehsil Baswa, Dist. Dausa	1. Electrician – 4(2+2) 2. Health Sanitary Inspector – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001833		3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 19.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Health Sanitary Inspector – 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 19.09.2025 6. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i) Electrician-6(2+2+2) ii) Health Sanitary Inspector -2 (1+1) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations Heath Sanitary Inspector – 1(0+0+1) has not been recommended. However, this trade is affiliated on the NCVT MIS Portal.	19.09.2025 recommended continuation of affiliation for Electrician – 6(2+2+2) and Health Sanitary Inspector – 2(1+1) trade/units, with no deficiencies identified. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Health Sanitary Inspector – 2(1+1) trade/units. 3. SCAA further noted that the corresponding third shift units of the Electrician (2 units) and Health Sanitary Inspector trades had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) and

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: ii. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	Health Sanitary Inspector – 3(1+1+1) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
37.	Anand Private Industrial Training Institute, Address - Vpo.Karana, Tehsil-Bansur, Dist. Alwar Pin-301024 Rajasthan MIS Code - PR08001428	Electrician – 6(3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 13.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of Electrician – 8 (3+3+2) as no deficiencies have been identified during Joint Inspection conducted on 13.08.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 13.08.2025 recommended continuation of affiliation for Electrician – 8(3+3+2) trade/units, with no deficiencies identified. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(3+3) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units. 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations for Electrician-1(0+0+1) unit by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	3. SCAA further noted that the corresponding third shift (3 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 9(3+3+3) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
38.	Navodaya Private Industrial Training Institute Address - Boota Singh Colony, Sangod Road, Kaithoon Taluka, Ladpura, Dist. Kota - 324001 MIS Code - PR08000325	Electrician – 12(6+6)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 30.12.2024. - The ITI replied to the SCN on 16.01.2025. - Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 8(4+4) - However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025: - Tool and equipment and Major-Machineries Were Present Only for Four Units as Third Machinery Lab was Not Functioning and Major equipment Such as- Ev Charger (3 Phase), Coil Winding Machine, DG Set, Inverter Etc. we're not Present. - Fire Extinguisher was not refilled. - In Engg. Drawing class room ED Table all not present. - Based on the findings of the joint inspection, the SSDEC, in its 10th	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 07.08.2025 recommended continuation of affiliation for Electrician – 8(4+4) trade/units, as tools, equipment, and major machinery were found sufficient only for four units, with the third machinery lab not functioning and major equipment such as EV Charger (3 Phase), Coil Winding Machine, DG Set, and Inverter not present. General deficiencies were also noted, namely that the fire extinguisher was not refilled and ED tables were not present in the Engineering Drawing classroom. - SCAA further noted that in its reply dated 10.01.2026, the ITI has self-surrendered the remaining Electrician – 4(2+2) trade/units. The SSDEC has accordingly recommended de-affiliation of the said units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 8(4+4). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations provided for Electrician 10 (2+2+6) 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i) DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode. ii) SCN reply received on 10th January 2026, ITI has self-surrender its Electrician (2+2) trade, SSDEC decided to forward de-affiliation proposal for Electrician (2+2)	3. The ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 8(4+4) trade/units, subject to removal of the common deficiencies, namely refilling of the fire extinguisher and provision of ED tables in the Engineering Drawing classroom. The ITI shall remove the said deficiencies, and the State Directorate shall ensure compliance before the commencement of the Academic Session 2026-27. 4. The Electrician – 6(2+2+2) trade/units are hereby de-affiliated: 4(2+2) at the instance of the ITI's self-surrender, and the corresponding 2 units in the third shift, since the base units in the first and second shift to which they correspond stand self-surrendered. No admissions in these units shall be permitted from the Academic Session 2026-27 onwards. 5. SCAA further noted that the corresponding third shift (4

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				units) of the admitted Electrician – 8(4+4) portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 6. Accordingly, the ITI is allowed to admit trainees in Electrician – 12(4+4+4) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
39.	Shree Shyam Sanaday Private Industrial Training Institute Address - Vill Kanwarpura, The. Gigod Dist. Kota-325201 MIS Code - PR08000384	Electrician – 6(3+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 30.12.2024. - The ITI replied to the SCN on 10.01.2025. - Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6(3+3). - However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025: - Fire extinguisher was not refilled. - In Engg. Drawing class room ED table were not present. - Phase EV charger was not present. - Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 06 (3+3) - The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 07.08.2025 recommended continuation of affiliation for Electrician – 6(3+3) trade/units, subject to deficiencies including the fire extinguisher not being refilled, absence of ED tables in the Engineering Drawing classroom, and non-availability of the 3-phase EV charger. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI. In its reply dated 10.01.2026, the ITI demonstrated compliance with all the identified deficiencies. - Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(3+3) trade/units. SCAA further noted that the corresponding third shift (3 units) of this recommended portion had earlier stood de-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide clarification on following points: - No recommendations provided for Electrician 2 (0+0+2) by SSDEC. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: - As per SCN reply received on 10th January 2026, ITI has been complied with all minor Deficiency. - DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. - In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. - Accordingly, the ITI is allowed to admit trainees in Electrician – 9(3+3+3) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
40.	Tagore Private ITI, Address - V.P.O. Panlawar,	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Thalasemangarh, Lachhmangarh, Dist. Sikar MIS Code - PR08001701		2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 07.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for Electrician -4(2+2+0) as no deficiencies have been identified during Joint Inspection conducted on 07.08.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 04 (2+2+0). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations for Electrician 2(0+0+2) by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following:	1. SCAA noted that the Joint Inspection conducted on 07.08.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units, with no deficiencies identified. 2. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 3. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
41.	Punit Private ITI, Pansal Road Opposite Hanuman Temple, Dist. Bhilwara (PU08001657)	1. Electrician – 2(1+1) 2. Wireman – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 17.01.2025 3. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official. 4. Based on the findings of the joint inspection, SSDEC has recommended continuation of affiliation for: a) Electrician - 2 (1+1+0) b) Wireman - 1 (1+0+0) 5. Wireman Shift 2, unit 1 not recommended by 9th SSDEC meeting held on 17.09.2025 (It is mentioned on NCVT MIS Portal 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: 1) SSDEC to provide reasons for not recommending one unit in the second	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 10.06.2025 recommended continuation of affiliation for Electrician – 2(1+1) trade/units in full. The Joint Inspection Committee initially recommended only Wireman – 1(1+0) trade/units, as the second shift unit of the Wireman trade was not recommended by the 9th SSDEC. 2. Pursuant to the 25th SCAA's direction seeking reasons for the non-recommendation of the Wireman second shift unit, the SSDEC, in its 11th meeting, noted that no major deficiency had been reported by the Inspection Team in the Wireman trade and accordingly revised its

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			shift of the Wireman trade for continuation of affiliation. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended continuation of the following trade/unit due to below reasons: a) As per Inspection Committee team report no major deficiency has been reported in Wireman Trade so SSDEC Decided to Recommend for Wireman (1+1).	recommendation to continuation of affiliation for Wireman – 2(1+1) trade/units in full. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) and Wireman – 2(1+1) trade/units in entirety.
42.	CLG Pvt. ITI, Address - Kesar Bagh, Jawai Bandh Road, Sumerpur (Pali) MIS Code - PU08001943	1. Mechanic Diesel-2(1+1) 2. Electrician – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 22.01.2025 3. Further, a joint inspection was conducted on 13.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: i. Electrician - 2 (1+1) ii. Mechanic Diesel – 1 (1+0)	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 13.06.2025 recommended continuation of affiliation for Electrician – 2(1+1) trade/units in full. The Joint Inspection Committee initially recommended only Mechanic Diesel – 1(1+0) trade/units, as the second shift unit of the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for - Electrician - 2 (1+1) - Mechanic Diesel – 1 (1+0) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - SSDEC to provide clarification on following points: - For Mechanic Diesel trade, 1 unit in second shift not recommended. However, no reasons have been provided. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended continuation of following trade/units due to below reasons: - As per Inspection Committee team report no major deficiency has been reported in MD Trade so SSDEC decided to Recommend for Mechanic Diesel -2 (1+1) .	Mechanic Diesel trade was not recommended. - Pursuant to the 25th SCAA's direction seeking reasons for the non-recommendation of the Mechanic Diesel second shift unit, the SSDEC, in its 11th meeting, noted that no major deficiency had been reported by the Inspection Team in the Mechanic Diesel trade and accordingly revised its recommendation to continuation of affiliation for Mechanic Diesel – 2(1+1) trade/units in full. - Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) and Mechanic Diesel – 2(1+1) trade/units in entirety.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
43.	Survesh Private Industrial Training Institute, Munpur Tehsil-Rajgarh (Alwar)-301408 (PR08001058)	1. Electrician – 8(4+4) 2. Mechanic Diesel - 4(2+2) 3. Fitter – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended for affiliation of Electrician - 8 (4+4), Mechanic Diesel - 3 (2+1) and Fitter - 5 (3+2). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 8 (4+4), Mechanic Diesel - 3 (2+1) and Fitter - 5 (3+2). 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: (i) In Fitter trade, 5 units have been recommended by SSDEC whereas as per NCVT MIS portal only 4 units are affiliated.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 31.07.2025 recommended continuation of affiliation for Electrician – 8(4+4) trade/units in full, with no deficiencies identified. 2. SCAA further noted that the Joint Inspection Committee had recommended Fitter – 5(3+2) trade/units, which exceeds the units actually affiliated on the NCVT MIS Portal, i.e., Fitter – 4(2+2). The SSDEC, in its 11th meeting, accordingly curtailed the recommendation to the actual affiliated units, i.e., Fitter – 4(2+2). 3. SCAA also noted that the Joint Inspection Committee had recommended only Mechanic Diesel – 3(2+1) trade/units, against the affiliated Mechanic Diesel – 4(2+2) trade/units, without assigning any deficiency. The SSDEC, in its 11th meeting, observed that the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(ii) In Mechanic Diesel trade, 3 units were recommended whereas 4 units are affiliated as per NCVT MIS portal. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended following: a) In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; SSDEC has decided to curtail the recommendation given by IC upto the affiliated units on NCVT portal. b) Since IC team did not mention any deficiency in Mechanic Diesel trade so SSDEC decided to recommend for Mechanic Diesel 4(2+2).	Inspection Team had not reported any deficiency in the Mechanic Diesel trade and accordingly recommended continuation of affiliation for the full Mechanic Diesel – 4(2+2) trade/units. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 8(4+4), Fitter – 4(2+2), and Mechanic Diesel – 4(2+2) trade/units in entirety.
44.	Marwar Pvt. ITI, Jojawar Auwa Road, Marwar Junction (Pali) (PR08001927)	1. Electrician – 2(1+1) 2. Early Childhood Educator – 2(1+1) 3. Wireman – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.06.2025 recommended continuation of affiliation for Electrician – 2(1+1) and Wireman – 2(1+1) trade/units,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. Joint inspection committee has recommended: (i) Electrician – 2 (1+1) (ii) Wireman – 2 (1+1) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: (i) Electrician – 2 (1+1) (ii) Wireman – 2 (1+1) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations were provided for Early Childhood Educator Trade However, this trade is affiliated on the NCVT MIS Portal. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons:	based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) and Wireman – 2(1+1) trade/units. 2. SCAA further noted that the ITI has submitted a request for self-surrender of the Early Childhood Educator – 3(1+1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units accordingly. The Early Childhood Educator – 3(1+1+1) trade/units are hereby de-affiliated at the request of the ITI. 3. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI has submitted self-surrender request of Trades (Early Childhood Educator), SSDEC decided to forward de-affiliation proposal of the trade (Early Childhood Educator) to SCAA. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the following trade/unit due to below reasons: a) ITI has submitted self-surrender request of Trades (Early Childhood Educator), SSDEC decided to forward de-affiliation proposal of the trade (Early Childhood Educator) to SCAA.	
45.	Gandhi Private Industrial Training Institute, Dari Factory Campus, Station Road, Dhaulpur (PR08000972)	1. Computer Operator and Programming Assistant –1(1+0) 2. Fitter – 2(1+1) 3. Electrician – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 16.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 2 (1+1) and Computer	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 16.07.2025 recommended continuation of affiliation for Electrician – 2(1+1) trade/units in full, with no deficiencies identified. Based on the recommendation of the SSDEC,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Operator and Programming Assistant – 1 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1) and Computer Operator and Programming Assistant – 1 (1+1). 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations were provided for units affiliated in the Fitter trade. ii. For COPA trade, 2 units have been recommended for continuation of affiliation. However, only one unit is affiliated as per NCVT MIS portal. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the following trade/unit due to below reasons:	the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units. 2. SCAA further noted that the Joint Inspection Committee had recommended COPA units exceeding those actually affiliated on the MIS Portal. The SSDEC, in its 11th meeting, accordingly curtailed the recommendation to the actual affiliated units, i.e., COPA – 1(1+0). The ITI is allowed to admit trainees for the Academic Session 2026-27 in COPA – 1(1+0) trade/units. 3. SCAA also noted that the ITI has submitted a request for self-surrender of the Fitter – 2(1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units accordingly. The Fitter – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI has submitted self-surrender request of Trades (Fitter), SSDEC decided to forward de-affiliation proposal of the trades Fitter to SCAA b) In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; SSDEC has decided to curtail the recommendation given by Inspection Committee for COPA up to the affiliated units on NCVT portal.	
46.	Tolasaria Private Industrial Training Institute, Address - Post- Dundlod, Teh. Nawalgarh, Distt. Jhunjhunu-333702 MIS Code - PR08001216	1. Mechanic Diesel - 2(1+1) 2. Electrician – 6(3+3) 3. Fitter – 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3 (1+2) and Mech. Diesel – 2 (1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a request for self-surrender of all its affiliated trades, namely Electrician – 3(1+2), Mechanic Diesel – 2(1+1), and Fitter – 1(1+0). The SSDEC, in its 11th meeting, recommended de-affiliation of the ITI accordingly. 2. Accordingly, all trades of the ITI are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i) Fitter – (1+1) 02 not recommendation for Affiliation. ii) According to revised syllabus Mechanic Diesel trade do not have the machinery. iii) Further, the following have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions: iv) Electrician 2(1+1) units v) Fitter- 1 (0+1) 7. Based on the findings of the joint inspection, 10th SSDEC dated 08.09.2025 has recommended for the continuation of the affiliation: - Electrician - (1+2) 03 units, Mechanic Diesel – 02 (1+1) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. The Fitter 1(1+0) is affiliated on NCVT MIS portal but no recommendations are provided by SSDEC. ii. Mechanic Diesel is recommended for continuation	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			of affiliation but ITI does not have machinery as per revised syllabus. iii. Extra units in Electrician trade recommended by SSDEC, however, Electrician -2(1+1) have already been de-affiliated by DGT order dated 17.01.2025 due to zero admission 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI has submitted for the self-surrender request of all trades. So, proposal for De-affiliation to be forward to SCAA.	
47.	Modern Private ITI, Address - VPO. Chanana, Chirawa, Dist. JHUNJHUNU-333026 MIS Code - PR08001652	1. Computer Hardware & Network Maintenance - 2(1+1) 2. Sewing Technology - 1(1+0) 3. Electrician – 2(1+1) 4. Plumber – 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 16.09.2025 recommended continuation of affiliation for Electrician – 2(1+1) trade/units. Based on the recommendation of the SSDEC, the ITI is allowed

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 16.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation Electrician – 2 (1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations were provided by SSDEC for following trades/units, however, these trades and units are affiliated on NCVT MIS Portal: a. Computer Hardware & Network Maintenance – 2 (1+1) b. Plumber- 1(1+0) c. Sewing Technology- 1(1+0)	to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units. 2. SCAA further noted that the ITI has submitted a request for self-surrender of the Computer Hardware & Network Maintenance – 2(1+1), Plumber – 1(1+0), and Sewing Technology – 1(1+0) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trades/units. 3. Accordingly, the Computer Hardware & Network Maintenance – 2(1+1), Plumber – 1(1+0), and Sewing Technology – 1(1+0) trade/units are hereby de-affiliated at the request of the ITI. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI has submitted self-surrender request of Trades (Plumber, Sewing Technology, Computer Hardware & Network Maintenance), SSDEC decided to forward de-affiliation proposal of the above trades to SCAA.	
48.	Baba Narayandas Private ITI Address - Sikar Plot No 206, Industrial Area, Neem Ka Thana, Dist. Sikar, Rajasthan MIS Code - PU08001755	1. Electrician – 4(2+2) 2. Early Childhood Educator – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 17.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for Electrician 3(2+1) as no deficiencies have been identified during Joint Inspection conducted on 04.08.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 04.08.2025 recommended continuation of affiliation for Electrician – 3(2+1) trade/units, with no deficiencies identified. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 3(2+1) trade/units. 2. SCAA further noted that the ITI has submitted a request for self-surrender of the Early

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 3(2+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations were provided for Early Childhood Educator- 2 (1+1) trade not recommended by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: i. ITI has submitted self-surrender request of Trades (Early Childhood Educator) , SSDEC decided to forward de-affiliation proposal of the trades to SCAA.	Childhood Educator – 2(1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units accordingly. The Early Childhood Educator – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.
49.	Vandana Private ITI, Opp. Global School Near Dudu Bus Stand, Malpura Road, Dudu, Dist. Jaipur-303008	Electrician – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 21.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	(PU08001705)		3. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. ITI has affiliation of Electrician – 2 (1+1) units only. However, SSDEC has recommended for 4 (2+2) units in Electrician trade. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. In reference of SCAA remarks of additional units recommended by IC team over	26.06.2025 had recommended Electrician – 4(2+2) trade/units, which exceeds the units actually affiliated on the NCVT MIS Portal, i.e., Electrician – 2(1+1). The SSDEC, in its 11th meeting, accordingly curtailed the recommendation to the actual affiliated units. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and above the affiliated units on portal; SSDEC has decided to curtail the recommendation given by IC for Electrician trade up to the affiliated units on NCVT portal.	
50.	The Rajasthan Pvt. ITI, Jaipur Nahar Road, Narsingh Vihar, Paota, Dist. Jaipur-303106 (PU08001797)	1. Fire Technology and Industrial Safety Management - 2(1+1) 2. Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: (i) Electrician - 6 (2+2+2) (ii) Fire Technology & Industrial Safety Management - 3 (1+1+1) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: (i) Electrician - 6 (2+2+2) (ii) Fire Technology & Industrial Safety Management - 3 (1+1+1)	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 28.06.2025 had recommended Electrician – 6(2+2+2) trade/units, which exceeds the units actually affiliated on the NCVT MIS Portal, i.e., Electrician – 5(2+2+1). The SSDEC, in its 11th meeting, accordingly curtailed the recommendation, and it was further observed that the third shift, Unit 1, of the Electrician trade is already de-affiliated on the portal. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Fire Technology & Industrial Safety Management

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: (i) ITI has affiliation of Electrician – 5 (2+2+1) units only. However, SSDEC has recommended for 6 (2+2+2) units in Electrician trade. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: (i) In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; SSDEC may decide to curtail the recommendation given by IC for Electrician Trade upto the affiliated units on NCVT portal.	– 2(1+1), Electrician – 4(2+2) trade/units. 3. SCAA further noted that the corresponding third shift of the Electrician trade (1 unit, being the actual unit affiliated on the SIDH Portal) and of the Fire Technology & Industrial Safety Management trade (1 unit) had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 5(2+2+1) and Fire Technology & Industrial Safety Management – 3(1+1+1) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
51.	Keshav Pvt. ITI, Ward No. 23, Pilibanga, Dist- Hanumangarh, Pin- 335803, Rajasthan (PR08001191)	1. Computer Operator and Programming Assistant – 2(1+1) 2. Electrician – 8(4+4) 3. Plumber – 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 8 (4+4), Computer Operator and Programming Assistant – 2 (1+1) and Plumber – 2 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 8 (4+4), Computer Operator and Programming Assistant – 2 (1+1) and Plumber – 2 (1+1).	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 30.07.2025 recommended continuation of affiliation for Electrician – 8(4+4) and Computer Operator and Programming Assistant – 2(1+1) trade/units. 2. SCAA further noted that the Joint Inspection Committee had recommended Plumber – 2(1+1) trade/units, which exceeds the units actually affiliated on the NCVT MIS Portal, i.e., Plumber – 1(1+0). The SSDEC, in its 11th meeting, accordingly curtailed the recommendation to the actual affiliated units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. For plumber trade, 2 units have been recommended by the SSDEC whereas only 1 unit is affiliated as per NCVT MIS portal. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal;; SSDEC has decided to curtail the recommendation given by IC for Plumber trade upto the affiliated units on NCVT portal.	3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 8(4+4), Computer Operator and Programming Assistant – 2(1+1), and Plumber – 1(1+0) trade/units.
52.	Jai Jagdish Private Industrial Training Institute Address - Heerawala, Tehsil, Bassi, Kanota, Distt.Jaipur - 303012	Electrician – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 04.09.2025 had recommended

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code -PR08000301		3. Further, a joint inspection was conducted on 04.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2). 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 04.09.2025: a) Fire safety system was not as per norms 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 6 (2+2+2) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Extra units have been recommended for Electrician trade as 6(2+2+2). Whereas on NCVT MIS Portal, the ITI is affiliated for 4 (1+1+2) in the Electrician trade. However, the Electrician 4(2+2) have been	Electrician – 6(2+2+2) trade/units, which exceeds the units actually affiliated on the NCVT MIS Portal, i.e., Electrician – 4(1+1+2), subject to the deficiency that the fire safety system was not as per norms. 2. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI. In its reply dated 12.01.2026, the ITI demonstrated compliance with the fire safety deficiency. The SSDEC, in its 11th meeting, curtailed the recommendation to the actual affiliated units on the portal. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units. 4. SCAA further noted that the corresponding third shift (2 units) of the currently affiliated portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			de-affiliated vide DGT order 17.01.2025 due to zero admission. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: - As per SCN reply received from ITI on Dated 12 Jan 2026 , ITI has complied with Minor Deficiency . - In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; SSDEC has agreed to curtail the recommendation given by IC upto the affiliated units on NCVT portal.	with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 5. Accordingly, the ITI is allowed to admit trainees in Electrician – 4(1+1+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
53.	Shri Vishvakarma Private Industrial Training Institute,	1. Electrician – 4(2+2) 2. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: SCAA noted that the Joint Inspection conducted on

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Address - Meerana Road, Bayana, Distt. Bharatpur- 321401 MIS Code - PR08000701		3. The ITI replied to the SCN replied on 21.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4(2+2) and Fitter – 2 (1+1) as no deficiencies have been identified during Joint Inspection conducted on 11.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for: i) Electrician – 4 (2+2) ii) Fitter – 2 (1+1) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Extra unit of Electrician trade 4(2+2) has been recommended by SSDEC whereas as per NCVT MIS portal the ITI is affiliated with Electrician -3 (1+2)	11.09.2025 recommended continuation of affiliation for Electrician – 4(2+2) and Fitter – 2(1+1) trade/units, with no deficiencies identified. SCAA further noted that the apparent discrepancy regarding the affiliated units of the Electrician trade stands resolved, as per the SIDH Portal, the ITI is affiliated for Electrician – 4(2+2) trade/units. 2. Based on the recommendation of the SSDEC and as per DGT affiliation order dated 29.12.2009 , the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Fitter – 2(1+1) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; ; SSDEC has agreed to curtail the recommendation given by IC upto the affiliated units on NCVT portal.	
54.	Baba Ganganath Private Industrial Training Institute Address - Village. Chahra Ka Bass, Post. Parasrampura (Purana), Nawalgarh, Dist. Jhunjhunu Rajasthan MIS Code - PR08000485	Electrician – 2(2+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 13.01.2025. - Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for Electrician - 4 (2+2) as no deficiencies have been identified during Joint Inspection conducted on 10.09.2025. - Based on the findings of the joint inspection, the SSDEC, in its 10th	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 10.09.2025 had recommended Electrician – 4(2+2) trade/units, which exceeds the units actually affiliated on the MIS Portal, i.e., Electrician – 2(2+0), with no deficiencies identified. The SSDEC, in its 11th meeting, accordingly curtailed the recommendation to the actual affiliated units. - Based on the recommendation of the SSDEC, the ITI is

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			meeting held on 23.09.2025, has recommended continuation of the affiliation for above said trade and units. 7. Further, Electrician-2(0+2) have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission. 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Extra 2 units in 2nd shift of Electrician trade has been recommended by SSDEC 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; ; SSDEC has agreed to curtail the recommendation	allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(2+0) trade/units. 3. SCAA further noted that the Electrician trade – second shift (2 units) has already been de-affiliated vide DGT order dated 17.01.2025 on account of zero admissions.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			given by IC upto the affiliated units on NCVT portal.	
55.	Vivekanand Private Industrial Training Institute, 6/141, Vivekanand Colony, Panchyat Samittee Road, Dausa (PR08000459)	1. Mechanic Diesel - 2(1+1) 2. Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. 4. 9th SSDEC meeting held on 17.09.2025 has recommended. However, trade/units are not mentioned. 5. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: i. SSDEC to provide the clarification regarding trade units recommended for affiliation as no recommendations are mentioned in the Inspection report as well as in MoM of the SSDEC. 6. The matter was again discussed in 11th SSDEC in its meeting dated	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the trade/units recommended by the Joint Inspection Committee and the 9th SSDEC were not specifically mentioned in the records, and the matter was placed before the 25th SCAA for clarification. The SSDEC, in its 11th meeting, clarified that as per Annexure-3 of the Joint Inspection report, the recommendation is for continuation of affiliation of Electrician – 4(2+2) and Mechanic Diesel – 2(1+1) trade/units. 2. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Mechanic Diesel – 2(1+1) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			10.06.2026 and SSDEC recommended the following: i. Inspection Committee team has provided recommendation 'As per Annexure 3', 'SSDEC decided to forward Recommendation as mentioned in Annexure -3 of the report i.e., Electrician (2+2) , Mechanic Diesel (1+1)	3. SCAA further noted that the corresponding third shift (2 units) of this recommended portion had earlier stood de-affiliated on the SIDH Portal, pursuant to DGT's letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice..

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				5. Therefore ,the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(2+2+2) and Mechanic Diesel-2(1+1) trade/units
56.	Sidhi Vinayak Private ITI, J 65/1, J 66/1, Govind Nagar, Dist. Dausa (PU08001695)	1. Fitter – 2(1+1) 2. Electrician – 8(4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN reply dated 25.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation. However, trade/units are not mentioned. 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: i. SSDEC to provide the clarification regarding trade	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the trade/units recommended by the Joint Inspection Committee and the 9th SSDEC were not specifically mentioned in the records, and the matter was placed before the 25th SCAA for clarification. The SSDEC, in its 11th meeting, clarified that as per Annexure-3 of the Joint Inspection report, the recommendation is for continuation of affiliation of Electrician – 8(4+4) and Fitter – 2(1+1) trade/units. 2. SCAA further noted that the corresponding third shift of the Electrician (4 units) and Fitter (1 unit) trades had earlier stood de-affiliated on the SIDH Portal,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			units recommended for affiliation as no recommendations are mentioned in the Inspection report as well as in MoM of the SSDEC. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. IC team has provided recommendation 'As per Annexure 3', 'SSDEC decided to Recommend trades/units as mentioned in Annexure -3 of the report i.e., Electrician (4+4), Fitter (1+1)	pursuant to DGT's letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 3. Accordingly, the ITI is allowed to admit trainees in Electrician – 12(4+4+4) and Fitter – 3(1+1+1) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 4. Therefore ,the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				– 12(4+4+4) and Fitter-3(1+1+1) trade/units
57.	New Tech. Group Private Industrial Training Institute, Address – Near Sankar Bharti College N.H. 8, Ajmer Road, Bagru, Dist. Jaipur - 303007 MIS Code – PR08001291	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 31.01.2025. 3. Further, a joint inspection was conducted on 10.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 10.09.2025: - a. Machinery maintenance required b. Gangway marking required 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 10.09.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units, subject to deficiencies including requirement of machinery maintenance and gangway marking. 2. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI. In its reply dated 30.01.2026, the ITI demonstrated compliance with the said deficiencies. 3. The SSDEC, in its 11th meeting, also clarified that the discrepant entry at S. No. 7 of the Joint Inspection report was an inadvertent clerical error, and that the recommendation at S.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended for continuation of the affiliation: Electrician – 6(2+2+2) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. - SSDEC to provide clarification on contradictory remarks given in inspection report regarding recommendation for continuation for affiliation. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: - As per SCN reply received from ITI on Dated 30 Jan 2026 , ITI has complied with Minor Deficiency. - IC has clarified discrepancy in	No. 6, i.e., Electrician – 4(2+2), reflects the actual recommendation of the Joint Inspection Committee. 4. SCAA further noted that the corresponding third shift (2 units) had earlier stood de-affiliated on the SIDH Portal, pursuant to DGT's letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 5. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommendation at S.No 6 and 7 of the inspection team report as ', S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the actual recommendation of the joint inspection committee i.e., Electrician (2+2).	which the said units shall stand de-activated by DGT for future sessions without further notice.
58.	Shivaji Private Industrial Training Institute, Address - S.H. No. 8b, Near Bus Stand, Tankarda, Chomu, Distt. Jaipur - 303702 MIS Code - PR08000284	Electrician – 6(3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 9 (3+3+3) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: - a) Proper records of raw material consumption are not maintained.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. The SSDEC, in its 11th meeting, clarified that ITI has complied with Minor Deficiency and discrepancy in recommendation at S.No 6 and 7 of the inspection team report as S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the actual recommendation of the joint inspection committee. 2. SCAA further noted that the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 9 (3+3+3).

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation Electrician – 9 (3+3+3) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: i. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. ii. SSDEC to provide clarification on contradictory remarks given in inspection report regarding recommendation for continuation for affiliation. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. As per SCN reply received from ITI on Dated 30 Jan 2026 , ITI has complied with Minor Deficiency.	3. SCAA further noted that the corresponding third shift (3 units) had earlier stood de-affiliated on the SIDH Portal, pursuant to DGT's letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 9(3+3+3) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii. IC has clarified discrepancy in recommendation at S.No 6 and 7 of the inspection team report as ', S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the actual recommendation of the joint inspection committee.	de-activated by DGT for future sessions without further notice.
59.	Gyandev Private Industrial Training Institute, Address - Radha Krishanpura, Jhunjhunu By Pass, Dist.Sikar, Rajasthan MIS Code - PR08000721	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 18.09.2025. 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025: (i) Some tools items as per Electrician trade list were not available in the Electrician workshop during inspection.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 18.09.2025 identified deficiencies including certain tools not being available in the Electrician workshop and the electricity bill of the ITI being in the name of the society chairman instead of the ITI/society. The 10th SSDEC initially recommended de-affiliation on this ground; however, pursuant to discussion held on 25.09.2025, the ITI was conditionally recommended for

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(ii) The ITI electricity bill is in the name of society chairman Jagdish /Mool Chand in place of ITI/society. (iii) Gyandev public society runs school and ITI in separate buildings. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization. 7. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the ITI is conditionally recommended for affiliation of Electrician -6(2+2+2) subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month. 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	continuation of affiliation of Electrician – 6(2+2+2) subject to rectification of the electricity bill deficiency within one month. Pursuant to the 25th SCAA's direction seeking clarification on compliance, the SSDEC, in its 11th meeting, confirmed that the ITI has provided documents evidencing change of the electricity connection to the name of "Gyandev Public Sanstha," the ITI society. 2. SCAA further noted that the corresponding third shift (2 units) had earlier stood de-affiliated on the SIDH Portal, pursuant to DGT's letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide the clarification on following points: i. Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. ITI has provided document for change in Electricity connection Account holder Name with 'Gyandev Public Sanstha' (ITI society).	Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.
60.	Swami Vivekanand Private Industrial Training Institute Address: Near Bus Stand Sahwa, Teh.Tarangar, Dist.Churu Rajasthan - 331302	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 02.07.2025. 5. However, as per joint inspection report following deficiencies have been	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 02.07.2025 identified that the electrical connection of the ITI was registered in the name of the building owner instead of the ITI/management, which is not in compliance with the Affiliation

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000201		identified during Joint Inspection conducted on 02.07.2025: (i) The electrical connection for the ITI is registered in the name of the building owner, Mr. Pawan kumar Arjun sarawagi, rather than in the name of the institute /management, which is not in compliance with NCVET Affiliation norms. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of Electrician 6(2+2+2) SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization. 8. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the ITI is conditionally recommended for affiliation of Electrician -6(2+2+2)	Norms. The Joint Inspection Committee and the 9th SSDEC initially recommended de-affiliation on this ground; however, pursuant to discussion held on 25.09.2025, the ITI was conditionally recommended for continuation of affiliation of Electrician – 6(2+2+2) subject to rectification of the electricity bill deficiency within one month. 2. Pursuant to the 25th SCAA's direction seeking clarification on compliance, the SSDEC, in its 11th meeting, confirmed that the ITI has provided documents evidencing change of the electricity connection to the name of "Sarvam Education Society Sahwa," the ITI society. 3. SCAA further noted that the corresponding third shift (2 units) had earlier stood de-affiliated on the SIDH Portal, pursuant to DGT's letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide the clarification on following points: i. Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. ITI has provided document for change in Electricity connection Account holder Name with 'SARVAM EDUCATION SOCIATY SAHWA' (ITI society).	CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
61.	Sanskar Private Industrial Training Institute, Jala Ke Choki, Teh. Raipur, Distt. Pali-302106 (PR08000677)	Electrician – 4(2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 27.01.2025 - Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official. - Joint Inspection committee has found following deficiencies: As per Annexure III Principal is not qualified as per DGT Norms. - However, Joint inspection committee recommend continuation of affiliation of Electrician 4(2+2) - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2) - The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - SSDEC to provide the clarification on following points: - Principal is not qualified as per DGT Norms	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 10.06.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units, subject to the deficiency that the Principal was not qualified as per DGT norms. - Pursuant to the 25th SCAA's direction, the SSDEC, in its 11th meeting, confirmed that the ITI has complied with the said deficiency. - Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended the following: i. ITI has complied with the deficiency marked by SCAA.	
62.	Gyan Ganga Private ITI, Ambuja Cement Choraha, Balupuria, Tehsil Jaitaran, Dist. Pali -306709 MIS Code-PR08001631	Mechanic Diesel – 2(1+1)	1. The ITI denial of Exam Self Centre for CTS Supplementary due to reason cited by ITI that it is in process of shifting from its original affiliation location. 2. The SCN dated 22.03.2024 was issued to the ITI by State Directorate. 3. The reply was received by the ITI. 4. The matter was discussed in 11th SSDEC dated 10.06.2026 in which SSDEC decided to recommend De-affiliation proposal of ITI to SCAA for final decision due to shifting case.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has denied the Exam Self Centre for CTS Supplementary examinations, citing that it is in the process of shifting from its original affiliation location. A Show Cause Notice dated 22.03.2024 was issued to the ITI by the State Directorate; The 11th SSDEC has recommended a de-affiliation proposal to SCAA in view of the shifting. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				SSDEC due to unauthorised shifting. 3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
63.	Thar Private ITI, Nh-15, Village Dhorimana, Barmer Road, Barmer344704 (PR08001703)	1. Wireman – 2(1+1) 2. Fitter – 2(1+1) 3. Electrician – 2(1+1) 4. Electronics Mechanic 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. 4. Following deficiencies have been identified during inspection conducted on 12.06.2025: i) Electrician: a. Fire extinguisher was found expired. b. Class room condition was not good. c. A few shortages of shop tools and equipment. d. Energy meter of DG set was not found.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.06.2025 identified deficiencies across the Electrician, Fitter, Electronics Mechanic, and Wireman trades. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 confirmed that the deficiencies in the Electrician trade had been removed.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii) Fitter: - Lack of training activity. - Less number of trainees were found taking training. - Class room condition was not good. iii) Electronics Mechanic: - Lack of training activity - Class room condition was not good - workshop condition was not good iv) Wireman: - Lack of training activity and less numbers of trainees were found taking training. - Fire extinguisher was found expired. - Class room condition was not good. - Workshop was not properly managed. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for:	3. However, the deficiency in tools and equipment in the Fitter trade (Sl. Nos. 184, 185, and 197 to 204) was found to be persistent and consistent with the deficiency recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. 4. The inspection further revealed that no equipment was found in the Electronics Mechanic lab, and no equipment was found in the Wireman lab, which had been converted into a classroom. The ITI has submitted a request for self-surrender of the Electronics Mechanic and Wireman trades. 5. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly recommended de-affiliation of the Fitter, Electronics Mechanic, and Wireman trades/units. 6. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units subject to production of

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i) Electrician - 3 (1+1+1) ii) Electronics Mechanic - 2 (1+1) iii) Fitter - 2 (1+1) iv) Wireman - 2 (1+1) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide the clarification on following points: i. In Fitter trade; no recommendations were provided for Shift 3, unit 1. 7. Thereafter , a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed :	registered lease to State Directorate. The State Directorate shall verify compliance in this regard before the commencement of the Academic Session 2026-27 7. The Electronics Mechanic – 2(1+1) and Wireman – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards. 8. SCAA further noted that the corresponding third shift (1 unit) of the Electrician trade had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift unit stands restored. 9. Accordingly, the ITI is allowed to admit trainees in Electrician – 3(1+1+1) trade/units in total for

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) lease deed was not available , rent agreement available but not registered. b) Payment receipt not found against bill . c) In Fitter trade : 184, 185, #G 197 to 204 not available. d) In Electronic Mechanic trade : no equipment found in Lab, e) In wireman trade : no equipment found and converted to classroom. f) Toilet, drinking water and library were not sufficient. g) ITI submitted letter for surrender of Electronics Mechanic and Wireman trade. 10. The Inspection Committee recommended for Electrician (1+1) and not recommended Fitter (1+1) 11. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommended de-affiliation for Fitter (1+1), Electronic Mechanic(1+1), Wireman (1+1) due to following reasons: a) IC has verified that ITI has removed deficiency in respect of Electrician Trade.	the Academic Session 2026-27, subject to production of registered lease to the State Directorate and subject to mapping of duly approved instructors against the third-shift unit on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift unit into DST mode on or before 30.09.2026, failing which the said unit shall stand de-activated by DGT for future sessions without further notice. 10. The Fitter – 3(1+1+1) trade/units, including the corresponding third shift unit, are hereby de-affiliated on account of persistent non-compliance despite multiple opportunities.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) IC has recorded deficiency in tool and equipment for fitter trade, the deficiency found to be consistent with the deficiency recorded in previous inspection conducted Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. c) ITI has submitted Self surrender request for Trade EM and Wireman trade.	
64.	Marudhara Pvt. ITI, Infront Of 33 Kv Gss, Nh-15, Barmer Road, Dhorimanna (Barmer) MIS Code - PR08001883	1. Electrician - 4(2+2) 2. Health Sanitary Inspector – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025 3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. 4. However, the following deficiencies have been identified during inspection conducted on 12.06.2025: i. Electrician - a. Lack of training activity and less quantity of trainee found taking training.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.06.2025 identified deficiencies in both the Electrician and Health Sanitary Inspector trades. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b. Fire extinguisher was found expired. c. Class room condition was not good. d. A few shortages of shop tools and equipment. e. Energy meter of DG set was not found ii. Health Sanitary Inspector: a. Lack of training activity. b. Workshop was not found proper maintained. c. No trainee found taking training during inspection. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: i. Electrician – 6 (2+2+2) ii. Health Sanitary Inspector – 2 (1+1+0) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.	2. SCAA noted that the Joint Inspection conducted on 18.06.2026 confirmed that the Electrician trade was fully equipped with working machinery and tools; however, a deficiency regarding non-availability of the land lease deed and non-registration of the rent agreement was recorded, and the Inspection Committee accordingly recommended continuation of affiliation for Electrician – 4(2+2) trade/units subject to availability of the land lease documents. The Health Sanitary Inspector trade continued to have a shortage of tools and equipment, which was found to be consistent with the deficiency recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. 3. The 12th SSDEC, in its meeting held on 23.06.2026, recommended continuation of affiliation for Electrician – 4(2+2) trade/units and recommended de-affiliation of

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) SSDEC to provide clarification on following points: i. In Health Sanitary Inspector trade; no recommendations were provided for Shift 3, unit 1. 7. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed: a) lease deed not available, rent agreement available but not registered. b) Electrician Trade is fully equipped with working condition Machineries and tool equipment. c) Health Sanitary Inspector trade tool and equipment are short. 10. The Inspection Committee recommended - Electrician (2+2) Subject to availability of land lease documents.	Health Sanitary Inspector – 2(1+1) trade/units. SCAA observed that the SSDEC's recommendation did not carry forward the condition placed by the Inspection Committee regarding submission of land lease documents for the Electrician trade. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units, subject to submission of a valid land lease deed or a registered rent agreement for the ITI premises. The State Directorate shall verify compliance in this regard before the commencement of the Academic Session 2026-27. 5. SCAA further noted that the corresponding third shift (2 units) of the Electrician trade had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			11. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommend continuation of affiliation for Electrician (2+2) and SSDEC recommended de-affiliation of Health Sanitary Inspector 2(1+1) due to following reasons: a) Inspection Committee has verified that ITI has removed deficiency in respect of Electrician Trade. b) Inspection Committee has recorded deficiency in tool and equipment for Health Sanitary Inspector trade the deficiency found to be consistent with the deficiency recorded in previous inspection conducted and Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance.	order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 6. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to submission of a valid land lease deed or registered rent agreement, and subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 7. The Health Sanitary Inspector – 3(1+1+1) trade/units are hereby de-affiliated on account of persistent non-compliance despite multiple opportunities. No admissions in this trade shall

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				be permitted from the Academic Session 2026-27 onwards.
65.	Mahipal Private Industrial Training Institute, Balesar Road, Tinwari, Dist.-Jodhpur Rajasthan (PR08000226)	Electrician – 4(2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 24.01.2025 - Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2). - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2). - The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - SSDEC to provide clarification on following points:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: SCAA noted that the Joint Inspection conducted on 16.06.2026 revealed several deficiencies, including insufficient sanctioned electricity load against the requirement for the affiliated units, absence of the Head of Institute and shortage of technical staff at the time of inspection, availability of only 84 out of 176 prescribed items, only 11 major machines installed of which merely 7 were in running condition, only 50 percent of tools available, absence of library facility and ramp access for persons with disabilities, incomplete training records, workshop areas below prescribed norms, only 2 of 4 computers functional, and absence of safety signage and

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. Recommended units are more than already affiliated trade/units. 7. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly joint inspection of the ITI was conducted on 16.06.2026 and following deficiencies were observed : a) For 4 units, electricity load sanction should be 10.4 kw (5.2kw+5.2 kw). The load sanction of whole institute campus was 7.5 kw. b) Only 2 technical staff was present at the time of inspection. Head of institute was also not present. c) Total 84 item available out of 176 item mentioned as per DGT norms . major machinery (as pr dgt sr no.137 to 166) only 11 machine	safety equipment in the institute. These deficiencies were not part of the findings recorded during the earlier Joint Inspection dated 26.06.2025 and are being observed for the first time. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 3. In view of the severity and extent of the deficiencies identified above, the ITI shall not be permitted to admit trainees for the Academic Session 2026-27 until such deficiencies are duly rectified and verified by the State Directorate. 4. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			were installed (Sno 138,139,141,142,143,148,149,150 ,152,157,158)and 7 were in running condition . d) As per DGT major machinery (sl. no.137 to 166) only 7 were in running condition. 50 percent tools available. e) Female toilet was there. library facility not established. no facility of ramp for PH candidates. f) Demonstration, lesson plan was not shown .job Evaluation sheet was partially completed. g) Electrician lab areas as per norms is 98 sqm. found lab 1 area as 96.6 sqm and 2nd lab 90.58sqm which are less then prescribed norms. h) Only 4 computers installed in lab and only 2 were in running condition. i) No safety measures sign board and safety equipment found in institute. 10. Further IC team recommended de-affiliation of all trades i.e., Electrician (2+2). 11. The matter was revisited in 12th SSDEC in its meeting dated	photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			23.06.2026 and SSDEC recommended de-affiliation of Electrician 4(2+2).	
66.	Shri Shyam Private Industrial Training Institute, At-Near Shiv Shakti Hotel, Nh-8, Vill-Manohanpura, Teh. - Shahpura Dist.-Jaipur Rajasthan-303104 (PR08001510)	1. Fire Technology and Industrial Safety Management - 2(1+1) 2. Electrician – 6(3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 02.07.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Only 02 CITS Instructor appointed for Electrician Trade against 09 units. b. No CITS Instructor appointed for Fire Tech & Safety Trade, equipment for Fire Tech & Industrial Management trade were not available. 5. However, inspecting members have given recommendation for affiliation of Electrician – 6 (2+2+2) and Fire safety and industrial Management – 3 (1+1+1). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 02.07.2025 identified deficiencies including shortage of CITS instructors for the Electrician trade and absence of CITS instructor and equipment for the Fire Technology & Industrial Safety Management trade. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 19.06.2026 revealed that machinery for the Electrician trade was not available for one of the units in the first two shifts, and major machinery was found working only for 4 units. For the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			affiliation for Electrician – 6 (2+2+2) and Fire safety and industrial Management – 3 (1+1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendations provided by SSDEC for Electrician 3(1+1+1) 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 10. Accordingly joint inspection of the ITI was conducted on 19.06.2026 and following deficiencies were observed :	Fire Technology & Industrial Safety Management trade, several items of equipment were found not available, and only the agreement for the fire tender and the registration certificate for the rescue van were shown, with the actual vehicles not available at the institute. 3. The 12th SSDEC, in its meeting held on 23.06.2026, recommended continuation of affiliation for Electrician – 4(2+2) trade/units and recommended de-affiliation of the remaining Electrician – 2(1+1) trade/units, as the deficiency in tools and equipment was found to be persistent and consistent with the deficiency recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. The SSDEC also recommended de-affiliation of the Fire Technology & Industrial Safety Management trade/units, as the deficiencies, including non-availability of the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) For electrician trade machinery not available for 3rd unit except s.no. 144,148,149,157and 158. for FTI trade s.no.35,36,39,58,59,61,62,63,64,65,66 not available . b) For Electrical major machinery was working for the first 2 units(2+2) only. c) For FTI only agreement for fire tender shown and RC for rescue van shown but was not available in institute. 11. Further Inspection Committee recommended for Electrician (2+2) and not recommended for Fire safety and industrial Management 2(1+1) 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommended de-affiliation of Electrician (1+1) and Fire Technology Trade (1+1) due to following reasons: a) Inspection Committee has recorded deficiency in tool and equipment for Fire tech and Electrician (1+1) trade the deficiency found to be consistent with the deficiency recorded in previous inspection conducted and Despite being provided with multiple opportunities to rectify the	fire tender and rescue van, remained unresolved. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. 5. SCAA further noted that the corresponding third shift (2 units) of Electrician trade had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 6. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			shortcomings, the ITI has failed to ensure compliance 13. However, SSDEC recommended Electrician 4(2+2)	Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 7. Further SCAA has decided that the remaining Electrician – 2(1+1) trade/units and the corresponding third shift unit are hereby de-affiliated due to persistent deficiencies. The Fire Technology & Industrial Safety Management – 2(1+1) trade/units and the corresponding third shift unit are hereby de-affiliated due to persistent deficiencies. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards.
67.	Balaji Private Industrial Training Institute, Near S.B.B.J. Bank, New Bus Stand Geejgrah Sikraya Dist-Dausa Rajasthan (PR08000758)	Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 25.01.2025. 3. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 18.06.2026 revealed several deficiencies, including non-registration of the lease and non-production of the original lease

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. Inspecting members have given following observations: - Electrician – minor electrician trade item missing earth plate, electrode etc., 105 of the machinery not found is working condition, instructors not having CITS qualification and building need maintenance. - Instructors could not be verified as session was over 5. Inspecting members have recommended for affiliation of Electrician - 4 (2+2). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: - ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.	deed, the electricity connection not being in the name of the Principal or the Institute with very low consumption, non-availability of original bills, shortage of staff with only 5 personnel present against 12 shown in the attendance register and instructors lacking CITS qualification, improperly installed machinery, extensive shortage of tools and equipment as per the DGT list, only 9 machines found in working condition, inadequate sanitation and library facilities, structural cracks in the building including a major crack in Workshop 2, room sizes below the prescribed norms, the IT lab in a highly deficient condition with only 7 computers in condemned state, and expired fire extinguishers with no fire safety certificate available. These deficiencies were not part of the findings recorded during the earlier Joint Inspection dated 04.07.2025 and are being observed for the first time.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) SSDEC to provide clarification on following points: i. SSDEC to provide reasons for no recommendation for 2 units in third shift in Electrician trade. 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 10. Accordingly joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed : a) Lease not registered. Original Lease paper not produced at the time of inspection. b) Electricity connection is not name of Principal and Institute. Electricity consumption is very less. c) Original bills not available. Photo copies are not clear. Bill of earth plate and earth electrode produced but Physically not available at the time of inspection.	2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed. 3. In view of the severity of the deficiencies, particularly the structural cracks in the building and the non-availability of the fire safety certificate, which raise serious concerns for the safety of trainees, the ITI shall not be permitted to admit trainees for the Academic Session 2026-27 until such deficiencies are duly rectified and verified by the State Directorate. 4. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			d) Only Principal, 02 Instructor & 02 non tech. staff present at the time of inspection. Total 12 staff shown in attend. register. Instructors are non CITS. Salary log book filled only upto June 2025. e) Grinder machine not properly grouted & installed. Drill machine and some machinery are not connected to electric connection. AC series type motor & DC series motor coupled are in no load condition. f) Not avail. - Tool & equip- 21 25 62-68 73 78-81 84 86-93 101 104-108 120 122 134-135 Major machine- 144 147 154 158 to 161 163 164 166 168 171 173 Only 09 m/c working- 137 140 142 145-146 148 156-158 g) Toilets not proper. Drinking water facility not proper. Library available but in very bad condition. Books and furniture not available. Parking and Canteen not available in the institute.	any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			h) Building condition is not good, Big crack in workshop 2 & small cracks in other parts. Store, Staff room, Library, Dispensary, Principal room & Office are less in size and width less from 03 meter. i) IT lab is in very bad condition. Only 07 computer set available in condemnation condition without arranged and connected. j) 02 Fire extinguisher available but both are expired & not refilled. Fire safety certificate not available. 11. Further IC team recommended for De-affiliation Electrician (2+2) 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommended de-affiliation of Electrician (2+2) as severe deficiencies recorded by Inspecting Committee	
68.	Sarvodaya Private ITI, Goverdan Vatika, Agra Road, Dist. Dausa (PR08001672)	1. Fitter – 2(1+1) 2. Health Sanitary Inspector –2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 18.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
		3. Plumber – 2(1+1) 4. Electrician – 2(1+1)	3. Further, a joint inspection was conducted on 30.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. Electrician – Staff room, office area and library not as per latest civil norms, no safety instructions, instructors not having CITS qualification, instructor could not be verified at the time of inspection as session was over and electricity consumption per trainee is low, supposed to be running on DG set for a longer time. b. Health Sanitary Inspector – refrigerator & water purification plant not found in working condition. c. Plumber- 5% tools found to be missing. 5. Inspecting members have recommended for affiliation of Electrician - 2 (1+1), Fitter - 3 (1+1+1), Plumber - 2 (1+1) and Health Sanitary Inspector - 2 (1+1). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has	19.06.2026 revealed deficiencies in tools and equipment across the Electrician, Fitter, Plumber, and Health Sanitary Inspector trades, and the Inspection Committee did not recommend continuation of affiliation for any of the four trades. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the Electrician – 2(1+1), Fitter – 3(1+1+1), Plumber – 2(1+1), and Health Sanitary Inspector – 2(1+1) trade/units should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended continuation of affiliation for Electrician - 2 (1+1), Fitter - 3 (1+1+1), Plumber - 3 (1+1+1) and Health Sanitary Inspector - 2 (1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. In Plumber trade, 3 units have been recommended by SSDEC. However, only 2 units are affiliated as per NCVT MIS portal. 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the	substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			findings of the inspection team shall be put up in next SSDEC meeting. 10. Accordingly joint inspection of the ITI was conducted on 19.06.2026 and following deficiencies were observed : a) Fitter workshop – sl.no 184,198, 199,201,202,203,204 not available, Electrician workshop Sl.no 70,132,133,134,136,135,165 not available , plumber - 54,70,72,79,134,135,136,137 not available 2. Actual practical models for HSI trade Sl.no 4,5,6,7,8 not available . 11. Inspection Committee team not recommended Electrician, Health Sanitary Inspector, Plumber, Fitter. 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommended de-affiliation of Electrician (1+1), Fitter (1+1) , Plumber (1+1) and Health Sanitary Inspector (1+1) due to following reasons : a) Inspection Committee has recorded deficiency of tools and equipment in trade HSI and Plumber trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) Inspection Committee team has recorded deficiency of tools and equipment in trade Electrician and Fitter.	
69.	Impulse Pvt. ITI, Agra Road, Dausa (PU08001944)	1. Electrician – 4(2+2) 2. Computer Operator and Programming Assistant – 2(1+1) 3. Health Sanitary Inspector – 1(1+0) 4. Fitter - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 30.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. Electrician – instructors not having CITS, minor items short as per NCVET approved syllabus tool list, i.e. earth tester, voltmeter and ammeter was not found in working condition, machines were not guarded & fire extinguisher not found and labs were tin shaded. b. Fitter – Labs not updated as per latest tool list and pneumatics & hydraulics missing	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection Committee did not recommend continuation of affiliation for the Computer Operator and Programming Assistant – 3(1+1+1) and Health Sanitary Inspector – 2(1+0+1) trade/units at any stage, including during the Joint Inspection conducted on 30.06.2025 as well as the subsequent Joint Inspection conducted on 18.06.2026. The 12th SSDEC accordingly forwarded a de-affiliation proposal for these trades/units. 2. Therefore, SCAA is of the considered opinion that the ITI has failed to demonstrate compliance for the Computer

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			5. Inspecting members have recommended for affiliation of Electrician - 6 (2+2+2), Fitter - 3 (1+1+1) and not recommended for affiliation of Computer Operator and Programming Assistant and Health Sanitary Inspector trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2), Fitter - 3 (1+1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendations were provided for Computer Operator & Programming Assistant and Health	Operator and Programming Assistant and Health Sanitary Inspector trades across two successive inspections. Accordingly, the Computer Operator and Programming Assistant – 3(1+1+1) and Health Sanitary Inspector – 2(1+0+1) trade/units are hereby de-affiliated. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards. 3. SCAA further noted that the Joint Inspection conducted on 18.06.2026 revealed severe deficiencies in the Electrician and Fitter trades, including improperly installed electrical equipment, the pneumatic system, compressor unit, and welding unit in the Fitter trade not being set up, major equipment not in working condition, rusted tools, classrooms converted into a hostel room and photo shoot room, and a non-functional IT lab. These deficiencies were not part of the findings recorded during the earlier Joint

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Sanitary Inspector trades /units.. 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 10. Accordingly joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed : a) Student records not available. b) All electrical equipment are not installed properly. In fitter trade pneumatic system and compressor unit is not mounted. welding unit is not setup. c) In Electrician & Fitter trade all major equipment are not in working condition and all the tools are rusted. Electrician Sr. no 97 to 120, 128, 131, 134, 139 & 140. Fitter s. no. 146 to 161, 179 to 196. d) As per map classroom converted in to hostel room/	Inspection dated 30.06.2025 and are being observed for the first time. 4. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the Electrician – 4(2+2) and Fitter – 2(1+1) trade/units should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 5. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			other & photoshoot room. 5. IT lab: All Computers are not working . e) Only one theory room available for all classes. one electrician lab is short. f) Other Activities: Hostel room and Photo shoot room. 11. Further IC team not recommended for any trade 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward de-affiliation proposal of Electrician (2+2), Fitter (1+1), COPA (1+1), Health Sanitary Inspector (1+0) due to following reasons : a) Inspection Committee has recorded deficiency of tools and equipment in trade Electrician and Fitter trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) Other Activities: Hostel room and Photo Shoot rooms were found	6. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
70.	Ch. G. R Dhaka Private Industrial Training Institute, Chak 14hmmh, Mega High Way, Extention Gurusar Road, Kohla, Distt. Hanumangarh-335513 (PR08001263)	Electrician – 7(4+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 27.01.2025. - Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. Inspecting members have given observation that Electrician trade workshop number two was found to have 30% of the major machinery not in working condition. The principal age is 74 years, agriculture engineering related examination centres operate on the ITI campus at the administrative building on the first floor, in the administrative building, the first floor serves as the examination centre for agriculture engineering. - However, inspecting members have recommended for affiliation for Electrician – 8 (4+4). - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 8 (4+4).	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: - SCAA noted that the Joint Inspection conducted on 29.07.2025 had identified deficiencies, including 30% of major machinery in Workshop 2 not being in working condition and an agriculture engineering examination centre operating on the ITI campus. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. - SCAA noted that the Joint Inspection conducted on 18.06.2026 verified that the ITI has complied with the prescribed requirements and rectified the deficiencies recorded during the earlier inspection. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly decided to drop the de-affiliation proceedings against the ITI.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Discrepancy in units recommended for continuation of affiliation and units affiliated as per NCVT MIS portal. ii. As per Inspection members report major short comings were identified during the joint inspection. 7. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee team recommended Electrician (4+3) 10. The matter was revisited in 12th SSDEC in its meeting dated	3. SCAA further noted that the corresponding third shift (4 units) had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 4. Accordingly, the ITI is allowed to admit trainees in Electrician – 11(4+3+4) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			23.06.2026 and SSDEC decided to drop the de-affiliation proceedings against the ITI as the Inspection Committee has verified that the ITI has complied with the prescribed requirements and rectified the deficiencies recorded during the previous inspection.	
71.	Navjeevan Private Industrial Training Institute, 3 S.T.R., New Mandi, Gharsana (Shri Ganganagar) (PR08001149)	Electrician – 6(2+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 25.01.2025. 3. Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. 4. Inspecting members have given observation that 2 % deficiencies have been noticed However, they have recommended affiliation for Electrician - 5 (1+4). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 5 (1+4). 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 29.07.2025 had recommended Electrician – 5(1+4) trade/units, which is short of the units actually affiliated on the NCVT MIS Portal, i.e., Electrician – 6(2+4). Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 verified that the ITI has complied with the prescribed requirements and

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. ITI has affiliation for 6 units (2+4) in Electrician Trade as per NCVT MIS portal. However, recommendations have been provided for 5 units only. 7. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee team recommended for affiliation Electrician 6(2+4)	rectified the deficiencies recorded during the earlier inspection, and recommended continuation of affiliation for the entire Electrician – 6(2+4) trade/units. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly decided to drop the de-affiliation proceedings against the ITI. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 6(2+4) trade/units in entirety.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			10. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to drop the de-affiliation proceedings against the ITI as the Inspection Committee has verified that the ITI has complied with the prescribed requirements and rectified the deficiencies recorded during the previous inspection.	
72.	Balaji Private Industrial Training Institute, Address - Kansli, Tehsil- Kotputali (Jaipur)- 303108 (PR08000073)	1. Fitter – 3(2+1) 2. Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 13.01.2025. 3. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a. Electrician - 4 (2+2+0) b. Fitter – 2 (1+1) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025 a. IT lab system was outdated	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.09.2025 recommended continuation of affiliation for Electrician – 4(2+2) trade/units and Fitter – 2(1+1) trade/units, which was short of the units actually affiliated on the NCVT MIS Portal for the Fitter trade, i.e., Fitter – 3(2+1), subject to deficiencies including an outdated IT lab, non-availability of the hydraulic and pneumatic trainer kit for the Fitter trade, and requirement of gangway marking. Pursuant to the 25th SCAA's direction, the State

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b. Hydraulic and pneumatic trainer kit for Fitter trade not available c. Gangway marking required. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation: a. Electrician - 4 (2+2) b. Fitter – 2 (1+1) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. SSDEC recommended for continuation of affiliation for 2 units of Fitter trade whereas 3 units in Fitter trade are affiliated as per NCVT MIS portal. ii. Contradictory remarks given in inspection report regarding	issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 verified that the hydraulic and pneumatic trainer kit for the Fitter trade was available and the IT lab systems were found satisfactory, and recommended continuation of affiliation for the entire Electrician – 4(2+2) and Fitter – 3(2+1) trade/units. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly decided to drop the de-affiliation proceedings against the ITI. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) and Fitter – 3(2+1) trade/units in entirety.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommendation for continuation for affiliation. 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 10. Accordingly joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee team verified that Hydraulic and Pneumatic trainer kit available for fitter trade and IT lab systems were found OK. 11. Further IC team recommended Electrician trade -4(2+2) and Fitter trade 3(2+1) 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to drop the de-affiliation proceedings against the ITI as the Inspection Committee has verified that the ITI has complied with the prescribed requirements and rectified the deficiencies recorded during the previous inspection.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
73.	Shri Balaji Private Industrial Training Institute, Address - A-170, Krishna Colony, Khora Road, Manoharpur, Dist-Jaipur-303104 MIS Code –PR08001258	1. Electrician - 8 (4+4) 2. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 15.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 5 (4+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i. Not Recommended for Fitter - 2(1+1) Unit. ii. Tools and equipment, General shop outfit, machinery of the following serial numbers (9,10,21,28,30,31,33,50,52,53,56, 57,58,59,82,93,99,102,103,104,105,106,108,109,110,111,112,114,115,116,117,120,123,124,125,126, 127,128,129,131,132,133,134,135,137,138,140,148,155,156,157,160,170,172,186,190,191,192,193	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Fitter – 2(1+1) trade/units were not recommended by the Joint Inspection Committee at any stage, including during the Joint Inspection conducted on 09.09.2025 as well as the subsequent Joint Inspection conducted on 18.06.2026, on account of persistent shortage of tools, equipment, and machinery, and non-availability of pneumatics and hydraulics accessories. SCAA further noted that, out of the affiliated Electrician – 8(4+4) trade/units, the Joint Inspection conducted on 18.06.2026 identified persistent deficiencies in tools and equipment for the remaining Electrician – 4(2+2) trade/units, with only one lab panel found functional. The 12th SSDEC observed that these deficiencies were found

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			were not available as per the syllabus of fitter NSQF level. iii. Tools and accessories for pneumatics and hydraulic were not available. 1978,198,199,200,201,202,203,204. iv. Out of 12 instructors only 7 instructors were found to have done CITS. 7. Based on the findings of the joint inspection, SSDEC has recommended for the continuation of the affiliation: - Electrician - 05 (4+1) 8. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned deficiencies and also as per SSDEC recommendations. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points:	consistent with the deficiencies recorded during the earlier inspection, and that despite being afforded multiple opportunities, the ITI has failed to ensure compliance. 2. Therefore, SCAA is of the considered opinion that the ITI has failed to demonstrate compliance for the Fitter trade and for the remaining Electrician – 4(2+2) trade/units across two successive inspections. Accordingly, the Fitter – 2(1+1) trade/units and the remaining Electrician – 4(2+2) trade/units are hereby de-affiliated. No admissions in these units shall be permitted from the Academic Session 2026-27 onwards. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. Partial Trade recommendations by SSDEC are subject to the removal of deficiencies observed during joint inspection ii. Reason for not recommended for Fitter 2(1+1) not mentioned in the MoM of SSDEC. iii. Similarly, Electrician - (4+1) 05 units recommended, however, the ITI is affiliated with Electrician 8(4+4) on NCVT MIS portal and not recommended 2nd shift 3 units. The reasons for not recommended are not mentioned in the SSDEC MoM. iv. Major deficiencies have been identified by Joint Inspection committee by all trade units. 10. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 11. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting.	in Electrician – 4(2+2) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			12. Accordingly joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee recorded the following deficiencies : a) As tool list sr. no 1 to 12,78-80,90,92,165 not available for 4+4 unit of electrician, fitter lab all machinery, hand tool are rusted and lathe machine attachments & srno.156,184, 197-204 not available. b) Only one electrician lab panel are working otherwise another lab panel are not working, fitter lab all machinery and hand tool are rusted and lathe machine are not properly functioning. 13. Further Inspecting Committee team recommended Electrician (2+2) and Not recommended Fitter trade. 14. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward De-affiliation proposal for Electrician (2+2) and continuation of affiliation of Electrician (2+2) out of Electrician 4(2+2) due to following reasons: a) Inspecting Committee has recorded deficiency of tools and	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			equipment in trade Fitter trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) Inspecting Committee has observed tools and Equipment deficiency in Electrician trade iro (4+4) units and recommended Electrician (2+2) units.	
74.	Shri Hari Aadarsh Private Industrial Training Institute, Address - Borunda, Vpo Borunda, Pipar City Dist. Jodhpur - 342604 MIS Code - PR08001302	1. Mechanic Diesel - 2(1+1) 2. Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 09.09.2025 identified that no single engine or machinery was found working in the Mechanic Diesel trade, and certain machinery was found not working in the Electrician trade. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i) In Electrician sr. no. 90, 125, 127 and 153 are not working ii) Mechanical Diesel – no single engine/ machinery was working. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6 (2+2+2) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendations for Mechanic Diesel trade 2(1+1) by SSDEC ii. SSDEC recommended Electrician -6(2+2+2). However, following trades/units have been de-affiliated vide DGT order	the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 confirmed that deficiencies in the Electrician trade were persistent and consistent with the deficiencies recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. SCAA further noted, with serious concern, that the ITI's own management informed the Inspection Committee, vide communication dated 22.06.2026, that the Mechanic Diesel trade had already been de-affiliated, and that the workshop for the Mechanic Diesel trade was neither shown during the inspection nor reflected in the approved building plan submitted by the institute. 3. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly recommended

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			17.01.2025 due to zero admission: a) Electrician- 2(0+0+2) b) Mechanic Diesel- 1(0+0+1) 9. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 10. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 11. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee recorded the following deficiencies: a) S No. 138, 143 to 149 and 152, 154 machineries not in working condition as per syllabus tool list. 12. The Inspecting Committee recommended De-affiliation of ITI 13. Additionally, vide mail dated 22.06.2026, IC team Stated:' During the Joint Inspection of Shri Hari Aadarsh Private ITI (PR08001302), Borunda, Pipar City, Jodhpur, it was	de-affiliation of the Electrician – 4(2+2) and Mechanic Diesel – 2(1+1) trade/units. 4. Therefore, SCAA is of the considered opinion that the ITI has failed to demonstrate compliance in the Electrician trade despite being granted multiple opportunities, and that the Mechanic Diesel trade's workshop is neither functional nor reflected in the approved building plan of the institute. Accordingly, the Electrician – 5(2+2+1) and Mechanic Diesel – 2(1+1) trade/units are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			informed by the institute management that the Mechanic Diesel Trade had already been de-affiliated. Further, the workshop of the Mechanic Diesel Trade was neither shown during the inspection nor reflected in the approved building plan submitted by the institute. 14. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward De-affiliation proposal for Electrician 3(2+1) and Mechanic Diesel 2(1+1) due to following reasons: a) Inspecting Committee has recorded deficiency of tools and equipment in trade Electrician trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) The workshop of the Mechanic Diesel Trade was neither shown during the inspection nor reflected in the approved building plan submitted by the institute	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
75.	Sanskar Private ITI, Address - Piprau Road, Nadbai, Dist Bharatpur Rajasthan-321602 MIS Code - PU08001761	1. Fitter – 2(1+1) 2. Electrician – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 20.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3(1+1+1) and Fitter – 3 (1+1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 20.08.2025: a. In Electrician and Fitter trades- Major machines are available and in working condition, but some machines are not installed. 2. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for: i) Electrician – 03 (1+1+1)	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 20.08.2025 recommended continuation of affiliation for Electrician – 3(1+1+1) and Fitter – 3(1+1+1) trade/units, subject to the deficiency that certain machinery had not been installed. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 revealed serious deficiencies, including the classrooms, library, and toilets having been shifted to a new multi-storey building within the same campus for

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii) Fitter – 03 (1+1+1) 3. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. Some machinery not installed. 4. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 5. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 6. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and Inspecting	which the Building Completion Certificate was not available and which appeared to be under construction, pneumatic and hydraulic machinery not properly fixed, unsafe open wiring, non-functional and unconnected grinders, work benches in poor condition, and absence of a clear partition wall between the Fitter and Electrician labs. These deficiencies were not part of the findings recorded during the earlier Joint Inspection dated 20.08.2025 and are being observed for the first time. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the Electrician – 3(1+1+1) and Fitter – 3(1+1+1) trade/units should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. In

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Committee recorded the following deficiencies: a) Classrooms, library and toilets shifted to new building in same campus. BCC not available for new multi-storey building. Building were seeming under construction. b) 01 machinery for pneumatic and hydraulic were not properly fixed/installed. c) 02 laths were installed in adjacent small room d) Wiring of few machineries found open and unsafe. e) Grinders were without connection. Few machinery (grinders without connection) in non-working condition. work benches were in poor condition. f) 01 classrooms, library and toilets shifted to new building in same campus. Building were seeming under construction.	view of the severity of the deficiencies, particularly the shifting to an incomplete building without a Building Completion Certificate, unsafe electrical wiring, and absence of the mandatory partition between the Fitter and Electrician labs. 4. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach the DGT within 15 days from the date of issuance of the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			g) There is no clear partition or wall between labs shown for Fitter and Electrician. h) Classrooms and library shifted to new multi-storey building through classrooms, library required ground floor. No specific purpose conveyed to team for remaining floors 7. Further IC team not recommended Electrician (1+1) and Fitter (1+1) 8. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward de-affiliation proposal for Electrician (1+1) and Fitter (1+1) as severe deficiencies recorded by Inspecting committee.	Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
76.	Sanskar Private Industrial Training Institute, Ganesh Road, Keer Mohalla, Devli Dist. Tonk, MIS code: PR08000001	1. Electrician – 12(6+6) 2. Fitter – 1(1+0) 3. Mechanic Diesel - 2(1+1)	1. The de-affiliation proceedings of the ITI was initiated due to the complaint received by DGT. 2. The complaint was forwarded to State Directorate vide email dated 30.09.2025	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the de-affiliation proceedings against the ITI were initiated pursuant to a complaint received by DGT,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			with the directions to look into the matter as per SoP of de-affiliation. 3. Accordingly, SCN dated 14.10.2025 was issued to the ITI by State Directorate. 4. The ITI replied on 11.11.2025 by stating that the ITI is running since 2004 in the same building and there is no another course, school and hostel are running, and also for this the earlier inspections were also conducted for the ITI to verify the same but no irregularities were found. Hence the complaint is baseless. 5. Thereafter, the matter was discussed in 11th SSDEC dated 10.06.2026 and directed to conduct joint inspection to verify the reply submitted by ITI and the findings of the inspecting team shall be put up in next SSDEC. 6. Accordingly, the joint inspection dated 18.06.2026 was conducted and inspecting team verified that no other activity was found running in the institute building except ITI . 7. Further the inspecting team recommended continuation of Electrician	alleging that other activities were being conducted in the ITI building. 2. A Show Cause Notice dated 14.10.2025 was issued to the ITI by the State Directorate. In its reply dated 11.11.2025, the ITI denied the allegations, stating that it has been operating from the same building since 2004, that no other course, school, or hostel is being run therein, and that earlier inspections had found no irregularities. 3. SCAA noted that the 11th SSDEC directed a Joint Inspection to verify the ITI's reply, and the Joint Inspection conducted on 18.06.2026 confirmed that no activity other than the ITI was found running in the institute building. The Inspection Committee accordingly recommended continuation of affiliation for Electrician – 12(6+6), Fitter – 1(1+0), and Mechanic Diesel – 2(1+1) trade/units in full. 4. The 12th SSDEC, in its meeting held on 23.06.2026, cross-examined the complaint in light

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(6+6), Fitter (1+0) and Mechanic Diesel-(1+1). 8. The matter was revisited in 12th SSDEC dated 23.06.2026 and SSDEC decided the following: a) The Inspection Committee (IC) has cross-examined the complaint received and recommended continuation of affiliation of Electrician (6+6), Fitter (1+0), MD (1+1). Accordingly, the SSDEC decided to drop the de-affiliation proceedings against the ITI.	of the inspection findings and, finding the complaint to be unsubstantiated, decided to drop the de-affiliation proceedings against the ITI. 5. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 12(6+6), Fitter – 1(1+0), and Mechanic Diesel – 2(1+1) trade/units in entirety.
77.	Sanskar Private Industrial Training Institute,Nh-12, Sirohi, Deoli, Dist. Tonk MIS code: PR08000346	Electrician –14(7+7)	1. The de-affiliation proceedings of the ITI was initiated due to the complaint received by DGT. 2. The complaint was forwarded to State Directorate vide email dated 30.09.2025 with the directions to look into the matter as per SoP of de-affiliation. 3. Accordingly, SCN dated 14.10.2025 was issued to the ITI by State Directorate.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the de-affiliation proceedings against the ITI were initiated pursuant to a complaint received by DGT. A Show Cause Notice dated 14.10.2025 was issued to the ITI by the State Directorate. In its reply dated 11.11.2025, the ITI stated that it was running as per

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. The ITI replied on 11.11.2025 by stating that the ITI is running as per norms .In the ITI all materials are available irregularities were found and also for this the earlier inspections were conducted for the ITI to verify the same but no irregularities were found. 5. Thereafter , the matter was discussed in 11th SSDEC dated 10.06.2026 and directed to conduct joint inspection to verify the reply submitted by ITI and the findings of the inspecting team shall be put up in next SSDEC. 6. Accordingly, the joint inspection dated 19.06.2026 was conducted and during the inspection the following deficiencies were observed: a) Admin block and classroom were open roof under with common tin shade. These are not as per approved map provided by the institute. As per shown in map it should be covered with false ceiling b) Mostly Zero-unit electricity consumption in this session was found.	norms and that earlier inspections had found no irregularities. The 11th SSDEC directed a Joint Inspection to verify the ITI's reply. 2. SCAA noted that the Joint Inspection conducted on 19.06.2026 revealed deficiencies, including the admin block and classroom having an open roof with a common tin shade instead of a false ceiling as required under the approved map, mostly zero electricity consumption during the session, and shortage of machines and equipment as per the DGT tool list. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the Electrician – 14(7+7) trade/units should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 4. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence,

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			c) Shortage of machines and equipment found as per tool list s.no. 155,156,161 and 166. 7. Further Inspecting Committee team recommended De-affiliation of ITI. 8. The matter was revisited in 12th SSDEC dated 23.06.2026 and SSDEC decided the following: a) In view of severe deficiencies recorded by the IC team, SSDEC may forward de-affiliation proposal for Electrician (7+7)	including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
78.	Mahala Private Industrial Training Institute, Khasra No 1504, Khatushyamji Road, Reengus, Dist. Sikar – 332404 MIS CODE- PR08000334	Electrician – 12(6+6+6)	1. The de-affiliation proceedings of the ITI was initiated due to the complaint received by State Directorate for denial of exam centre 2. SCN dated 14.10.2025 was issued to the ITI by State Directorate and the reply from the ITI was received. 4. The Joint Director Regional office Jaipur was directed to conduct the inspection of the ITI as per the complaint received and submit the report with recommendations As per inspection report submitted by the ITI was recommended for de-affiliation. 5. Thereafter, the matter was discussed in 11th SSDEC dated 10.06.2026 and directed to conduct joint inspection to verify the reply submitted by ITI and the findings of the inspecting team shall be put up in next SSDEC. 6. Accordingly, the joint inspection dated 18.06.2026 was conducted and during the inspection the following were observed:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the de-affiliation proceedings against the ITI were initiated pursuant to a complaint regarding denial of an exam centre. A Show Cause Notice dated 14.10.2025 was issued to the ITI, and a reply was received. 2. Pursuant to the complaint, an inspection was conducted by the Joint Director, Regional Office Jaipur, which recommended de-affiliation. The 11th SSDEC directed a fresh Joint Inspection to verify the ITI's reply. 3. SCAA noted that during the Joint Inspection conducted on 18.06.2026, the ITI refused to undergo inspection and did not provide any documents to the inspection team. The inspection further revealed that other institutions were found running in the same campus, as evident

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI denied for inspection and no document provided before the inspection team and other institutions running in the same campus as per main entrance gate sign boards. 7. Further Inspecting Committee team recommended De-affiliation of ITI. 8. The matter was revisited in the 12th SSDEC meeting dated 23.06.2026 and SSDEC recommended the following: a) In view of severe deficiencies recorded by the IC team, SSDEC may forward de-affiliation proposal for Electrician (6+6)	from signboards at the main entrance gate. 4. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the Electrician – 18(6+6+6) trade/units should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 5. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 6. The reply must reach the DGT within 15 days from the date of

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
				issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in , using the following subject line: "Reply to Notice of 33rd SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Annexure 3

Annexure 3 as referred in Agenda 3 regarding - Consideration of inspection report of ITIs in Rajasthan having more than 15 affiliated units in a single trade in reference to DGT letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
1	Jambukhand Pvt ITI, Banswara, Kalinjara, Bagidora Dist- Banswara (PR0800928)	Electrician (10+14)	- Joint inspection was carried out on 03.07.2026 - The inspection report reveals the following observations: - The Joint Inspection Team observed that out of 14 workshops, only 8 workshops (4 machinery workshops and 4 tool workshops) were functional. - No tools/equipment were found in the remaining 6 workshops (Workshops 9 to 14) - ICVC mentioned that Building and other infrastructure details were found satisfactory. All relevant documents were available.	- The Committee examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). - Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the SCAA recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. - However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the 06 units of Electrician trade of the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. - The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
				location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
2	Rukmani Devi Pvt, Jaipur Suratpura Road, Vill. + P.O. Kalwara, The. Sanganer, Dist - Jaipur(PR0800 1363)	Electrician (18+18)	1. The inspection was carried out on 03.07.2026 2. The institute denied inspection to the Joint Inspection Team. 3. During the visit, the ITI was found open; however, no trainees or instructors were present at the institute. 4. The watchman contacted the Director, who arrived later and provided only a superficial walkthrough of the institute instead of facilitating a proper inspection. 5. Required information/documents were not provided to the inspection team. including: • Principal and Authorized Person details • Land and building details	1. The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been found during the inspection. The findings indicate that the institute was not functioning as a regular training institution and was in violation of the provisions of the Affiliation Norms. Such deficiencies adversely affect the interests and future of the trainees and seriously compromise the quality of training being imparted by the concerned ITI. 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			• Workshop details, machinery and equipment information • Electricity connection details • Electricity bills (2025–26) • Instructor details • Attendance records • Placement details • IT Lab details 6. The building Needs Repair 7. Subsequently, the Regional Director, RDSDE Rajasthan, carried out a inspection to the institute on 14.07.2026, which substantiated the findings of the Joint Inspection Team. 8. During the visit, the main gate was found locked from inside, they have asked the Mr. Raju (Chowkidar) to open main gate of ITI then he has opened the gate. 9. No Principal, instructors or other staff were present. 10. Workshop of electrician trade was dusty condition and extra desk furniture laying on. 11. Computers in IT Lab were not working and dusty condition, pigeon's wastage laying on desk in the IT lab. All computers are old version/outdated. 12. Regional Director has discussed nearby Mohan Lal tea stall peoples about the ITI training activity status. They have told us trainees comes only one day for practical exams.	3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			13. It seems like there is no training activities was happening in the ITI.	
3	Shri Mohan Pvt ITI, Dausa, Police Line, Naheshwara Road, Dist- Dausa (PR08000858)	Electrician (17+17)	1. Joint inspection was carried out on 02.07.2026. The inspection team made the following observations: 2. Major machinery, tools and equipment were found non-functional in the Electrician trade. Several items prescribed in the Standard Tool List (STL), including Sl. Nos. 94, 96–99, 105, 108–110, 111, 114, 118, 119, 121, 126, 127, 136–146, 150, 151, 154–158, were reported as not in working condition. 3. Major machinery, tools and equipment were not available as per the Standard Tool List (STL). Items corresponding to Sl. Nos. 95, 100–107, 112, 113, 115–117, 120, 122–125, 128–135, 139, 142, 145, 147–149, 152, 153, 159–166 were found not available. 4. Workshops were not properly maintained, and benches and stools were found lying in the workshop. 5. The IT Laboratory was not functional, as computers had not been installed and network connectivity was not available. 6. Electricity consumption was found to be very low, raising concerns regarding the operational status of the institute. 7. Mismatch in instructor records: The instructors recorded in the attendance register were different from those	1. The Committee examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			mentioned in the documents submitted by the institute.	of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
4	Sorabh Pvt ITI, Dausa, Infront of Goverdhan Temple, Agra Road, Khedli, Dist - Dausa(PR0800 0877)	Electrician (8+8)	1. Joint inspection was carried out on 02.07.2026. The inspection team made the following observations: 2. Building condition: The inspection team recorded that the building requires repair. 3. Workshop machinery and equipment (Electrician Trade): 4. Non-functional machinery/equipment: Major machinery, tools and equipment corresponding to STL Item Nos. 94, 96–99, 105, 108–110, 111, 114, 118, 119, 121, 126, 127, 136–138, 140, 141, 143, 144, 146, 150, 151, 154–158 were found not in working condition. 5. Not available: Major machinery, tools and equipment corresponding to STL Item Nos. 95, 100–107, 112, 113, 115–117, 120, 122–125, 128–135, 139, 142,	1. The Committee examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			145, 147–149, 152, 153, 159–166 were not available as per the Standard Tools List (STL). 6. Workshop condition: The Electrician workshop was found in very poor condition, and there was no adequate gangway/path for the movement of trainees between connected workshops. 7. Other institution operating in the same building: A Degree College was found operating in the same building as the ITI. The inspection team enclosed geotagged photographs for reference. 8. Workshop housekeeping: The workshop was not properly maintained, and materials were found lying scattered inside the workshop. 9. Drawing Hall: A Drawing Hall was not available.	should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
5	Shyam Pvt ITI, Dausa, Dehlal-deedwana, Dist-Dausa (PR08001694)	Electrician (12+12)	1. Joint inspection was carried out on 02.07.2026. The inspection team made the following observations: 2. Building documents not available: The Building Completion Certificate (BCC) and Structural Safety Certificate were	1. The Committee examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection. The deficiencies indicate non-compliance with the provisions of the

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			not available for verification. Further, the approved building plan covers only the ground floor, whereas the existing institute building comprises Ground + 3 (G+3) floors. 3. Deviation from approved building layout: Classrooms, the IT Laboratory, and other institutional rooms are functioning on the first floor, which is not in accordance with the approved building layout/drawing submitted at the time of affiliation. 4. Abnormal electricity consumption: The institute's electricity consumption appears disproportionately high in comparison with the current trainee enrolment and requires verification. 5. No CITS-qualified instructor available: No instructor possessing the mandatory CITS qualification was found during the inspection. 6. Instructor qualification deficiency: The Workshop Calculation & Science (WCS) and Engineering Drawing (ED) instructor does not possess the qualifications prescribed under the DGT norms. 7. Electricity meter location: The electricity meter is installed at a location considerably distant from the ITI building. 8. Registers not produced: The stock registers, issue registers, and log books	Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			were not produced for verification during the inspection. 9. Non-compliant institute signboard: The institute signboard is not displayed as per DGT guidelines. The existing signboard is printed on a flex banner, which does not conform to the prescribed standards. 10. Workshops were non-operational.	received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
6	Ashish ITI, Dausa Khasra No. 632, Lalsot Road, Near Joshi Kothi, Kherla Khurd, Dist - Dausa(PU0800 1731)	Electrician (8+8)	1. Joint inspection was carried out on 03.07.2026. The inspection team made the following observations: 2. Building Completion Certificate (BCC) and Structural Safety Certificate were not produced for verification during the inspection. 3. Major structural cracks were observed in most classroom and workshop walls, indicating deterioration of the building condition. Photographic evidence has been enclosed with the inspection report. 4. Consumption of raw materials was found to be significantly low compared to the trainee enrolment and practical training requirements. 5. No power backup facility (Generator/UPS) was available for uninterrupted operation of training equipment and essential services. 6. Stock registers, issue registers and log books were not produced for verification during the inspection.	1. The Committee examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities have been established during the inspection. The deficiencies indicate non-compliance with the provisions of the Affiliation Norms, and adversely affect the quality of training being imparted by the concerned ITI(s). 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			7. All instructors were not present during the inspection; therefore, their attendance could not be fully verified. 8. Fire extinguishers were not properly installed and maintained at the designated locations as per prescribed safety norms. 9. Adequate safe drinking water facilities for trainees and staff were not available. 10. A separate Engineering Drawing (E.D.) Hall, as prescribed under DGT norms, was not available. 11. Major machinery and equipment in all eight workshops were either non-functional or unavailable as per the latest Standard Tools List (STL): 12. Workshop 1 & 2: STL Item Nos. 137, 138, 139, 141, 142, 143, 144 & 147 were non-functional. STL Item Nos. 90, 119, 126(h), 135, 136, 161 & 166 were not available. 13. Workshop 3 & 4: STL Item Nos. 137, 138, 139, 143, 147 & 152 were non-functional. STL Item Nos. 90, 119, 126(h), 135, 136, 159, 160, 161 & 165 were not available. 14. Workshop 5 & 6: STL Item Nos. 141, 142, 143, 147 & 152 were non-functional. STL Item Nos. 90, 119, 126(h), 135, 136, 159, 160, 161, 165 & 166 were not available. 15. Workshop 7 & 8: STL Item Nos. 137, 138, 139, 141, 142, 148 & 152 were non-functional. STL Item Nos. 90, 119,	duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			126(h), 135, 136, 159, 160, 161, 165 & 166 were not available. 16. Shop tools and equipment were found to be inadequate, unavailable and not maintained as per the latest Standard Tools List (STL).	
7	Vision Pvt ITI, Bhilwara, Khasra No. 1493/1136, Near Jahazpur Chungi Naka, Uncha, Dist - Bhilwara (PR08001285)	Electrician (8+8)	- Major machinery for the Electrician trade (8+8 units) was found available, and the inspection team specifically recorded that no major deficiency was found in the workshops. - The building condition was found to be Good. - IT Laboratory, Drawing Hall, Internet connectivity, and Placement Cell were available and functional. Low enrolment in the Electrician trade, with only 39% of the sanctioned capacity filled. Building Safety Certificate was not available during inspection. The institute submitted only a receipt of the application made to the PWD in 2018, but the requisite certificate had not been obtained.	- The SCAA examined the Joint Inspection Report submitted by the State Directorate/RDSDE and observed that no major deficiencies affecting the functioning of the institute were found during the inspection. - Accordingly, the Committee recommended that the de-affiliation proceedings initiated against the institute be dropped. The Committee further recommended that the institute may be permitted to continue affiliation, subject to continued compliance with the provisions of the Affiliation Norms.
8	Sorabh Pvt ITI Kheda, Karauli, Khasra No. 953/2 Vill & Post Kheda Hindaun City,	Electrician (22+22)	The above-mentioned ITI has submitted an application for closure of the entire institute with effect from the academic session 2026–27 . The institute has stated that, as per the resolution passed in the Society meeting held on 05.12.2026 , it has decided to close the	In view of the ITI's own request for voluntary closure of the institute, the Electrician (22+22) trade/units are hereby de-affiliated. No admissions in the institute shall be permitted from the Academic Session 2026–27 onwards.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
	Dist - Karauli (PR08001089)		institute due to low admissions and the resulting financial hardship. In view of the above, the ITI management has expressed its inability to conduct the proposed joint physical inspection scheduled for 03.07.2026 .	
9	Vishvkarma Pvt Kota, Kota, Khasara No. 14,10/1, Village Abhypura, Post Gandhiphali, Tehsil Ladpura Dist-Kota (PR08000320)	Electrician (8+8)	1. The joint inspection was carried out on 03.07.2026 2. Vishvakarma Pvt. ITI (PR8000320) was not found operational at the notified location during the joint inspection conducted on 03.07.2026. 3. The inspection team observed that a B.Ed. College was functioning at the premises instead of the ITI. 4. The institute informed that they had already informed DGT and RDSDE through a letter dated 01.07.2026 that it had applied for shifting (relocation) of the institute to another location, and therefore the ITI was not operating at the inspected premises 5. No application for shifting found n DGT portal and at State Directorate level	1. The SCAA examined the Joint Inspection Report submitted by the State Directorate/RDSDE and observed that the institute was not operational at its affiliated/notified location during the joint inspection conducted on 03.07.2026. The inspection team found that a B.Ed. College was functioning at the notified premises instead of the ITI. Although the institute informed the inspection team that it had intimated DGT and RDSDE vide its letter dated 01.07.2026 regarding its proposal for shifting (relocation) to another location, no application for shifting was found to have been submitted or processed either on the DGT Affiliation Portal or at the State Directorate level. 2. The SCAA observed that, as per the Affiliation Norms, an existing ITI cannot shift or operate from any location other than its affiliated premises without following the prescribed relocation procedure and obtaining approval from DGT. Operating from an unaffiliated location or relocating without such approval constitutes a violation of the Affiliation Norms and attracts de-affiliation proceedings.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
				3. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 4. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 5. The SCAA further recommended that the approved Minutes of the 33rd SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 6. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
				to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
10	Param Pvt ITI Sikar, Narayan Ka Bas, Via-Khuri Bari, Dist - Sikar (PU08001654)	Fireman (8+8) Other trades: 1. Fire Technology and Industrial Safety Management (NSQF)-5(2+2+1) 2. Food Production (General) (NSQF)-3(1+1+1) 3. Health Safety & Environment (NSQF)-2(1+1) 4. Health Sanitary Inspector (NSQF)-5(2+2+1) 5. House Keeper (NSQF)-1(1+0+0)	1. Joint inspection was carried out on 03.07.2026 2. Building condition: The inspection team recorded that the building requires repair. 3. Mismatch in institute address: The address mentioned in the electricity bill differs from the address recorded in the affiliation order/departamental records, requiring verification. 4. IT Laboratory deficiencies: 5. No working computers were available in the IT Laboratory. 6. Internet connectivity was not available. 7. Computers in the IT Lab were inadequate. 8. Drawing Hall not available. 9. Insufficient classroom infrastructure: The institute had fewer classrooms than required. 10. No instructors or staff present: No instructor or other staff member was present during the inspection. Only the Principal and President were available. Further, instructor details were not provided to the inspection team. 11. Attendance records not available: Average trainee and staff/instructor attendance records were not available for verification.	The matter was also deliberated under Agenda Item 2 of the SCAA. Accordingly, the decision pertaining to the ITI is reflected at Sl. No. 11 of the above Agenda Item 2.

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	33 rd SCAA remarks
			IV	V
			12. Electricity consumption: Electricity consumption was recorded as almost nil (0–2 kWh) for most months, indicating negligible operational activity. 13. Surrender of trade: The Principal and President submitted a letter for surrender of the Fireman trade (6-month duration), comprising 8+8 units, during the inspection.	
