

DGT-Aff011/4/2026-O/o DIR (TC) [e-file 79811]

Government of India/भारत सरकार

Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय

Directorate General of Training/ प्रशिक्षण महानिदेशालय

7th Floor, Kaushal Bhawan,
Chanakyapuri, New Delhi- 110023
Date: 21.09.2026

To

The State Directors

Rajasthan, Bihar, Jharkhand, Madhya Pradesh, Tamil Nadu and Punjab

The Regional Directors, RDSDEs

Rajasthan, Bihar, Jharkhand, Madhya Pradesh, Tamil Nadu and Punjab

Subject: Minutes of the 35th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 20.08.2026 & 21.08.2026 - regarding.

Madam/Sir,

Please find enclosed herewith a copy of Minutes of the 35th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” held on 20.08.2026 & 21.08.2026.

2. Any grievances regarding the decision outlined in the Minutes of the Meeting may be raised through the NIMI portal (<https://nimionlineadmission.in/iti/GrievancePortal/register.php>) within 30 days from the date of issue of the Minutes of the Meeting. Grievances submitted after this period will not be considered.

3 This issues with the approval of Competent Authority.

भवदीय ,

(केतन पटेल)

निदेशक, टी . सी अनुभाग

Copy for information to:

1. Sr.PPS to DG(T), DGT, New Delhi.
2. PPS to DDG(Affiliation)/SCAA Chairperson, DGT Hqrs, New Delhi.
3. DGT MIS Portal In-charge, New Delhi, with a request to upload MoM on DGT MIS portal.

(श्रमेव शर्मा / Shramev Sharma)

उप निदेशक /Deputy Director , टी . सी अनुभाग

DGT-Aff011/4/2026-O/o DIR (TC) [E-file 79811]
Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय

Minutes of 35th Meeting of “Standing Committee on Accreditation and Affiliation held on 20.08.2026 & 21.08.2026

The 35th meeting of the Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on 20.8.2026 & 21.08.2026 to discuss the Affiliation /De-affiliation matters of ITIs in 06 States.

The list of participants who attended the meeting is attached at ***Annexure – 1***.

2. At the outset, Sunil Kumar Gupta, Deputy Director of General (DDG), DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ketan Patel, Director, TC took up agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decision taken by the Chair, are placed below: -

Agenda 1: Action taken report of 34th SCAA meeting related to Affiliation held on 06.08.2026.

The Minutes of the 34th SCAA meeting held 06.08.2026 have been issued and shared with all concerned stakeholders for necessary action and compliance.

Agenda 2: Matter regarding Affiliation/De-affiliation of ITIs of various States in continuation of the discussions held in the 29th, 30th and 31st SCAA meetings, along with joint verification reports discussed in 33rd SCAA meeting and proposals received from the State Directorate/SSDEC.

During the **35th SCAA meeting**, the Committee deliberated upon the affiliation/de-affiliation matters of ITIs of **Madhya Pradesh, Bihar, Jharkhand, Tamil Nadu, Rajasthan and Punjab**, in continuation of the decisions taken in the **29th, 30th and 31st SCAA meetings**. In compliance with the decisions of the respective SCAA meetings, show cause notices/final opportunities were provided to the concerned ITIs to submit their representations/replies within the prescribed timelines. The Committee also considered the pending matters of Rajasthan ITIs for which final opportunities had been granted in the 30th and 31st SCAA meetings, as well as the proposal for de-affiliation of ITIs received from the **State of Punjab along with SSDEC recommendations**. Further, the Committee considered the joint verification reports submitted by the RDSDE Rajasthan in respect of certain ITIs, pursuant to the discussions held in the 33rd SCAA meeting, wherein the RDSDE Rajasthan was requested to conduct joint verification and furnish the verification reports to DGT. The details of the concerned ITIs and the remarks/decisions of the **35th SCAA** are available in ***Annexure-2***.

Agenda 3: Consideration of inspection report of ITIs in Bihar having more than 15 affiliated units in a single trade in reference to DGT letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026

Brief Facts:

1. DGT, vide letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, directed the concerned RDSDEs to conduct joint inspections of ITIs having more than 15 affiliated units in a single trade and less than 60% admissions against the approved seating capacity for the Academic Year 2025. The inspection was intended to verify the operational status of the institutes, adequacy of infrastructure, availability of instructors, machinery, and compliance with the Affiliation Norms.
2. Accordingly, the inspection report of 08 ITIs received from Bihar
3. Remarks/Decision of 35th SCAA: The SCAA examined the reports, and its remarks/decision are available at ***Annexure-3***.

Annexure 1: List of Participants

The following DGT Officers were present during the meeting:

1. Sh. Sunil Kumar Gupta, Deputy Director General
2. Sh. Ketan Patel, Director, TC, DGT – Member
3. Sh. Satish Kumar, Joint Director, TC Section, DGT
4. Sh. Shramev Sharma, Deputy Director, TC Section, DGT
5. Sh. Rajesh Kumar, Deputy Director, TC Section, DGT
6. Ms. Pooja Verma, Deputy Director, TC Section, DGT
7. Ms. Priyanka Somani, Deputy Director, TC Section, DGT
8. Ms. Kanika Kalhan, Assistant Director, TC Section, DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

S. No.	State	Name of RDSDEs Officials	Name of State Officials
1	Bihar	Sh. RC. Mandal, Regional Director Sh. Abhishek Singh, Deputy Director	Sh. Rakesh Ranjan, Joint Director
2.	Madhya Pradesh	Sh. Sumant Kumar, Deputy Director	Sh. R.K. Austin, Deputy Director
3.	Jharkhand	Dr. B.K. Dubey, Regional Director	Ms. Anju Aggarwal, Deputy Director
4.	Tamil Nadu	Sh. P.M. Damodharam, Assistant Director	Sh. Jay Kumar, Deputy Director
5.	Rajasthan	Sh. R.C. Meena, Regional Director	Sh. Munish Kumar, Director
6.	Punjab	Lt. Col Vishal Arora, Regional Director	Sh. Parmjit Singh , Assistant Director

Annexure-2 as referred in Agenda 2 regarding Affiliation/De-affiliation of ITIs of various States in continuation of the discussions held in the 29th, 30th and 31st SCAA meetings, along with joint verification reports discussed in 33rd SCAA meeting and proposals received from the State Directorate/SSDEC

1. Pt. Brij Kishore Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Gram Besra Tehsil Malthone Distt -Sagar Madhya Pradesh- 470441 MIS code: PR23000904	1. Electrician- 5(2+2+1) 2. Computer Operator and Programming Assistant-2(1+1) 3. Stenographer & Secretarial Assistant (Hindi)-2(1+1) 4. Fitter- 3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceeding of the ITI was initiated due to less grading.
- ii. The due procedure was followed during de-affiliation proceedings.
- iii. The matter was discussed in its 4th SSDEC meeting dated 18.09.2023 and as principle of natural justice, 4th SSDEC decided to conduct joint inspection of the ITI.
- iv. The joint inspection of the ITI was conducted and joint inspection committee recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi).
- v. Based on joint inspection the 5th SSDEC in its meeting dated 22.05.2024 recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi).
- vi. The matter was discussed in 26th SCAA in its meeting dated 06.03.2026 and SCAA decided that RDSDE to provide clarification regarding deficiencies in COPA trade.
- vii. Thereafter, RDSDE forwarded the matter to DGT to de-affiliate COPA Trade of the mentioned Pvt ITI as per 5th SSDEC recommendations.
- viii. The matter was discussed in the 29th SCAA meeting held on 08.05.2026, wherein the ITI was granted an opportunity to represent itself against the deficiencies observed during the joint inspection dated 13.09.2023, namely: no software license available, 03 Air conditioners not available, 03 KVA Online UPS not available, LAN Tester not available, and Revolving Computer chair not available.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.

- x. Thereafter, the reply of the ITI was received vide email dated 29.06.2026. However, the said reply was submitted beyond the stipulated time and is, therefore, a belated submission. In its reply, the ITI submitted the following:
- a) The deficiencies observed during inspection are being rectified and that the required infrastructure, including laboratories and classrooms, is under development. It has assured that all deficiencies will be removed in compliance with the prescribed norms before the commencement of the Academic Session 2027–28 and has requested that the proposed de-affiliation be withdrawn, permitting the continuation of the COPA trade while undertaking to adhere to all regulatory requirements in future.

35th SCAA remarks:

The Committee noted that the ITI was granted sufficient opportunity, vide 29th SCAA dated 08.05.2026, to address the deficiencies observed in the COPA trade during the joint inspection dated 13.09.2023, and to submit a comprehensive, duly supported reply within 21 days. The ITI's reply, received on 29.06.2026, was submitted beyond the stipulated 21-day period. In any event, the reply does not deny the deficiencies but merely states that they are 'being rectified' and that the required infrastructure is 'under development,' effectively admitting that the deficiencies persist. Since the deficiencies continue to persist despite the considerable time already afforded to the institute, and the reply is a belated submission, the Committee decided to de-affiliate COPA 2(1+1) trade/units of the ITI. COPA – 2(1+1) trade/units are hereby de-affiliated and the ITI is not allowed to admit trainees in this trade from the Academic Session 2026–27.

2. Nalanda Covent Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address -AT- Ajnaura, Parwalpur, Bihar Sharif, Dist: Nalanda, Bihar-803114 MIS code: PU10000799	1. Electrician- 16(8+8)

Brief of Matter:

- i. A complaint was received against the ITI alleging that two ITIs were functioning from the same premises, several irregularities were found in the ITI, and a paramedical college was also operating at the same location. Accordingly, the State Directorate initiated de-affiliation proceedings.
- ii. A Joint Inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed:
- a) The longitude and latitude were slightly different as per NCVT MIS portal mentioned Longitude and Latitude.

- b) The machines, tools, and equipment in Workshops Nos. 1, 2, 3, and 4, located on the ground floor, were found installed but not connected to a three-phase power supply.
 - c) None of the machines were in running condition. The workshops were completely dark, with no bulbs, tube lights, or other lighting arrangements installed. Dust was accumulated on all machines, tools, equipment, tables, and foundations, indicating that no training activities have been conducted in the workshops for a considerable period.
 - d) Workshops Nos. 5 and 6, located on the first floor, were found completely occupied with multiple dual desks in place of the required installed machines.
 - e) Workshops Nos. 7 and 8, located on the second floor, were found without any installed machines, tools, or equipment.
 - f) No change-of-location approval letter issued by the DGT (TC Section), New Delhi, was provided to the Joint Inspection Committee by the said Private ITI. Further, no bench vices for practical training were available in any of the workshops.
 - g) No training material was available in any of the classrooms. All classrooms were found filled with garbage and accumulated dust.
 - h) As per the statements made, only two training faculty members were available at the time of inspection. The Principal was not present during the inspection.
 - i) As per the statements of the present staff, no CITS-qualified instructor was available on the campus.
 - j) A gate bearing a signboard of Nav Nalanda Private ITI, Kako Bigha, Maghara, Bihar Sharif, District Nalanda (PR10000636), was found inside the Nalanda Convent Private ITI campus. However, no separate workshops, IT labs, or drawing halls were available for the transferred Private ITI.
 - k) A signboard of a nursing college in the name of “Shri Arvind Paramedical and Nursing Institute, Ajnaura, Nalanda, PIN-803114,” run by the same society, Shri Arvind Foundation, was also found within the campus. The gate of the said institute opens on the same roadside as the ITI campus gate, indicating commercial use of the Private ITI campus without any intimation to the higher authorities.
- iii. SCN was issued to the ITI by the State on 06.02.2025.
 - iv. The ITI replied to the SCN vide email dated 25.02.2025 and the reply of the ITI was considered by State Directorate.
 - v. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.
 - vi. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided the following :
 - a) Upon examination of the records and relevant facts, the Committee observed that the final decision with regard to the de-affiliation of the ITI shall remain subject to the outcome/final adjudication of the matter pending before the Hon’ble Court.
 - b) However, considering that the ITI has been found to be in violation of the prescribed Affiliation Norms, and that permitting admissions in the ITI may result in substandard training adversely affecting the future of trainees, the

Committee, in the interest of maintaining training standards and ensuring compliance with the applicable norms, observed that the matter warrants consideration for restriction of admissions in the ITI for the session 2026–27.

- vii. Accordingly, in adherence to the principles of natural justice, the ITI was given a final opportunity to submit its representation/reply explaining as to why admissions for the session 2026–27 should not be restricted on account of the violations of the prescribed Affiliation Norms
- viii. It has been conveyed to the ITI that the Minutes of 29th SCAA shall be treated as the final notice issued by DGT.
- ix. The ITI did not avail the opportunity given by 29th SCAA.

35th SCAA remarks:

The Committee noted that the matter is sub judice before the Hon'ble Court, and the final decision regarding admission and de-affiliation of the ITI shall be taken only after the final decision/adjudication of the Hon'ble Court. Till such time, status quo shall be maintained. The Committee further noted that the ITI is required to remove the deficiencies identified during the joint inspection dated 25.01.2025.

3. Nav Nalanda Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Kako Bigha, Maghara, Biharsharif, Nalanda , Bihar. MIS code- PR10000636	1. Electrician-2 (1+1)

Brief of Matter:

- i. A complaint was received against the ITI alleging that two ITIs were functioning from the same premises, several irregularities were present in the ITI, and a paramedical college was also operating at the same location. Accordingly, the State Directorate initiated de-affiliation proceedings.
- ii. A Joint Inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed:
 - a) As per the NCVT Portal, the recorded coordinates are Latitude 25.1708 and Longitude 85.4354; however, the GPS coordinates observed during inspection were Latitude 25.193898 and Longitude 85.493886, which differ from those mentioned on the NCVT Portal.
 - b) No evidence of any training activities was observed at the said address of the Private ITI.

Annexure-2

- c) The entire ITI campus building has been converted into a commercial private middle school operating under the name “New Sahara Public School,” recognized by the Government of Bihar, running classes from Play Group to Class VIII.
- d) As per the statement of the school Principal available at the site, the ITI was shifted to another location long ago due to expiry of the lease period, which could not be renewed for running the Private ITI.
- e) During the inspection, photographs of the ITI rooms were taken through an open window, wherein some ice-cream making machines and other machinery were found kept idle without any utilization.
- f) During the site visit, all rooms were found locked, and no training activities appeared to have been conducted for a long period, as a large quantity of paddy straw was found stored in front of the ITI building.
- g) No signboard in the name of Nav Nalanda Private ITI, Kako Bigha, Maghara, Bihar Sharif, District Nalanda (PR10000636), was displayed along the roadside or near the building.
- h) As per the NCVT MIS Portal, the ITI is in a non-existent condition at this location.
- iii. SCN was issued to the ITI by the State on 06.02.2025.
- iv. The ITI replied to the SCN vide email dated 25.02.2025 and the reply of the ITI was considered by State Directorate.
- v. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non- compliance of NCVT norms.
- vi. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided the following:
 - a) Upon examination of the records and relevant facts, the Committee observed that the final decision with regard to the de-affiliation of the ITI shall remain subject to the outcome/final adjudication of the matter pending before the Hon’ble Court.
 - b) However, considering that the ITI has been found to be in violation of the prescribed Affiliation Norms, and that permitting admissions in the ITI may result in substandard training adversely affecting the future of trainees, the Committee, in the interest of maintaining training standards and ensuring compliance with the applicable norms, observed that the matter warrants consideration for restriction of admissions in the ITI for the session 2026–27.
- vii. Accordingly, in adherence to the principles of natural justice, the ITI was given a final opportunity to submit its representation/reply explaining as to why admissions for the session 2026–27 should not be restricted on account of the violations of the prescribed Affiliation Norms
- viii. It has been conveyed to the ITI that the Minutes of 29th SCAA shall be treated as the final notice issued by DGT.
- ix. The ITI did not avail the opportunity given by 29th SCAA.

35th SCAA remarks:

The Committee noted that the matter is sub judice before the Hon'ble Court, and the final decision regarding admission and de-affiliation of the ITI shall be taken only after the final decision/adjudication of the Hon'ble Court. Till such time, status quo shall be maintained. The Committee further noted that the ITI is required to remove the deficiencies identified during the joint inspection dated 25.01.2025.

4. Manthan Private ITI, Sehore

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Amlaha, District- Sehore, Madhya Pradesh- 466113 MIS code: PR23000479	1. Electrician-9(3+3+3) 2. Computer Operator and Programming Assistant-3(1+1+1) 3. Draughtsman (Civil)- 3(1+1+1) 4. Welder-3(1+2) 5. Fitter-7(2+2+3) 6. Mechanic Diesel-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated due to complaint regarding withdrawal of scholarship by submitting fake documents by the ITI.
- ii. The SCN was issued by the State Directorate on 09.05.2025 and the ITI replied to the SCN.
- iii. Thereafter, the complaint was inquired by a committee constituted by State Directorate and an inquiry dated 26.02.2025 was conducted by the Inspecting Members.
- iv. Further, the matter was discussed in 11th SSDEC in its meeting held on 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.
- v. Accordingly, the Joint Inspection was conducted by RDSDE and State Directorate officials on 18.11.2025 in which following deficiencies were observed:
 - a) The Joint Inspection revealed serious deficiencies across all key areas: essential statutory documents such as land records and Building Completion Certificate were not available; infrastructure and utilities were non-compliant, with a single low-load electricity connection shared with other institutions; critical records including machinery bills, stock registers, staff appointments, and student attendance were entirely missing; no Trainees were present and training activities appeared non-functional despite claims of online classes; most machinery across trades was either not installed, not as per revised syllabus, or found rusted and non-operational; workshop areas were below prescribed norms

with structural issues like wall cracks, and facilities such as drawing hall and IT lab were absent; the campus was shared with other institutions, further violating norms; and basic safety requirements were unmet, with no fire safety certificate and non-functional extinguishers- collectively indicating that the ITI is largely non-operational and in serious violation of affiliation standards.

- vi. The Joint Inspection Committee recommended the ITI for de-affiliation of all trades of ITI as ITI is not running as per norms.
- vii. The SCN dated 03.12.2025 was issued to the ITI.
- viii. The ITI replied to the SCN on 13.12.2025.
- ix. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the reply of the ITI was considered but found unsatisfactory due to which the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) Deficiencies reported by Joint Inspection Committee indicates that ITI is not imparting training to the Trainees
 - b) the reply from ITI is not satisfactory in various aspect such as sanctioned electricity load and unit electricity consumption, as per revised syllabus tools and equipment's as well as machineries and infrastructure etc.
- x. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xi. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xii. However, the ITI did not avail the opportunity given by 29th SCAA.

35th SCAA remarks:

The Committee noted that the ITI was granted a final opportunity, vide 29th SCAA dated 08.05.2026, to show cause as to why it should not be de-affiliated, based on the deficiencies observed during the joint inspection dated 18.11.2025 and the recommendation of the 12th SSDEC, including: absence of essential statutory documents (land records, Building Completion Certificate); non-compliant infrastructure with a single shared low-load electricity connection; missing machinery bills, stock registers, staff appointment and attendance records; absence of trainees and non-functional training activity; machinery not installed / not as per revised syllabus / rusted and non-operational across most trades; undersized workshops with structural defects; absence of a drawing hall and IT lab; campus shared with other institutions; and absence of a valid fire safety certificate, with non-functional extinguishers. The ITI did not avail the opportunity granted by the 29th SCAA. In view of the above, and since the deficiencies collectively establish that the ITI is largely non-operational and in serious violation of the prescribed Affiliation Norms, the Committee decided to **de-affiliate all trade/units of the ITI**, namely Electrician-9(3+3+3), Computer Operator and Programming

Assistant-3(1+1+1), Draughtsman (Civil)-3(1+1+1), Welder-3(1+2), Fitter-7(2+2+3), and Mechanic Diesel-3(1+1+1). The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

5. H L Somani Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address : Sikroda,Jhansi Road, District: Gwalior , Madhya Pradesh- 475001 MIS code: PR23001078	1. Electrician-6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI.
- ii. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN.
- iii. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.
- iv. Accordingly, the Joint Inspection dated 18.11.2025 was conducted by RDSDE and State Directorate officials in which following deficiencies were observed:
 - a) ITI not exist at the given address Rairu Dabra Bypass Road.
 - b) RSC Nursing college was running in the premises.
- v. The Joint Inspection Committee recommended the ITI for de-affiliation of all trades/units as ITI not exist at the given address. R.S.C. nursing college running in the premises.
- vi. The SCN dated 03.12.2025 followed by reminder SCN dated 18.12.2025 were issued to the ITI by RDSDE.
- vii. The ITI did not reply to the both.
- viii. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) ITI has not submitted the reply. It indicates that ITI does not exist.
- ix. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- x. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xi. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following:

- a) The institute has contested the proposed de-affiliation, stating that the observations recorded in the 29th SCAA are factually incorrect and unsupported by evidence.
- b) It has denied the allegation that the ITI is non-functional or non-existent at the approved location and claimed compliance with DGT/NCVT infrastructure norms.
- c) The institute has submitted documentary evidence, including electricity bills, geo-tagged photographs, machinery/equipment details, and trainee records, to establish its functioning.
- d) It has contended that the Joint Inspection Team's findings were based on limited observations and do not reflect the actual status of the institute.
- e) The institute has submitted that the existence of another educational activity on part of the premises does not establish that the ITI is non-existent.
- f) It has further argued that delayed or non-submission of a reply cannot, by itself, be treated as proof that the institute is non-existent and that such determination should be based on objective verification.
- g) The ITI has stated in its reply that the documents such as -Affiliation Letter, Approved Building Map, Registered Rent Agreement., Building ownership/building-related documents, Positive Inspection Report of the Joint Director, Geo-tagged photographs, Machinery and equipment purchase bills, Staff records and qualification documents, Electricity bills and electricity connection documents, Trainee/student records and attendance details and Grading Certificate are attached with the reply.
- h) As per reply submitted by the ITI no Approved Building Map, Registered Rent Agreement and Positive Inspection Report of the Joint Director are attached with the reply.

35th SCAA remarks:

The Committee considered the reply of the ITI dated 21.06.2026 disputing the findings of the joint inspection dated 18.11.2025. The Committee noted that although the ITI has claimed to have submitted the Approved Building Map, Registered Rent Agreement, and Inspection Report of the Joint Director along with its reply, these documents are, in fact, not attached. In view of the conflicting claims regarding the existence and functioning of the ITI at the given address, the Committee decided that RDSDE and the State Directorate shall conduct a joint verification of the ITI to ascertain the correctness of the ITI's submissions and its present operational status, and submit a report along with its recommendation to DGT for a final decision, within 1 month from the date of issuance of the Minutes of this Meeting.

6. New Molecular Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Bada Gaon Chitora Road Gwalior, District – Gwalior, Madhya Pradesh- 474006 MIS code: PR23000985	1. Electrician-6(2+2+2) 2. Fitter-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI .
- ii. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN.
- iii. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.
- iv. Accordingly, the Joint Inspection dated 12.11.2025 was conducted by RDSDE and State officials but the ITI refused for inspection.
- v. The SCN dated 03.12.2025 was issued to the ITI by RDSDE.
- vi. The ITI replied to the SCN on 13.12.2025.
- vii. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.
 - b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms, therefore recommended de-affiliation of the ITI.
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- x. The ITI replied to SCN vide email dated 18.06.2026. in its reply the ITI submitted the following:
 - a) The institute has denied the findings of the Joint Inspection Team and contended that it is fully functional and compliant with DGT norms. It has submitted that the inspection was not conducted properly, relevant records and infrastructure were not duly verified, and documentary evidence establishing its functioning has been furnished. The institute has

further stated that the inspection was conducted pursuant to directions of the High Court of Madhya Pradesh and has requested that the proposed de-affiliation proceedings be dropped.

35th SCAA remarks:

The Committee noted that the ITI had earlier refused to undergo the joint inspection scheduled on 12.11.2025 and that, as held by the 12th SSDEC, the ITI cannot decline a joint inspection citing the pendency of a petition before the Hon'ble Court or any other reason, as the concerned RDSDE and the State retains the right to inspect and evaluate the ITI's performance at any time. The Committee further noted that in its reply dated 18.06.2026, the ITI has merely claimed to be fully functional and DGT-compliant without furnishing supporting documentary evidence — no Building Completion Certificate, land document, electricity bill, or photographs of the IT Lab, Drawing Hall, or fire safety certificate/equipment have been attached, and the premises appear unorganised in the photographs submitted. Since no joint inspection of the ITI has been conducted till date, the Committee decided that RDSDE and the State Directorate shall conduct a joint inspection of the ITI to verify its functioning and compliance with the prescribed norms, and submit a report along with its recommendation to DGT for a final decision, within 1 month from the date of issuance of the Minutes of this Meeting.

7. D.S.M. Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Jhansi Road Gwalior, District: Gwalior, Madhya Pradesh- 474007 MIS code: PU23000802	1. Electrician-6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI.
- ii. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN.
- iii. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.
- iv. Accordingly, the Joint Inspection dated 27.11.2025 was conducted by RDSDE and State officials but ITI has challenged Joint Inspection before Gwalior HC WP No 46465 of 2025. Hence ITI denied Joint Inspection.
- v. The SCN dated 03.12.2025 was issued to the ITI by RDSDE.
- vi. The ITI replied to the SCN on 12.12.2025.

- vii. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.
 - b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms, therefore recommended de-affiliation of the ITI.
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- x. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following:
 - a) The ITI states that an inspection was conducted at DSM Pvt. Industrial Training Institute, Gwalior (PU23000802) on the basis of a false complaint, due to which the institute had filed a case in the Gwalior Court. However, the institute was not aware of the case relating to Maa Shitla Pvt. ITI, which was brought to its notice by your office, and therefore it has withdrawn the case. The institute further states that it is functioning properly and that it was neither opposed to the inspection earlier nor will it oppose any inspection in future. Accordingly, the authorities may conduct an inspection at any time after giving prior information.

35th SCAA remarks:

The Committee noted that the ITI had earlier denied the joint inspection scheduled on 27.11.2025 by challenging it before the Hon'ble Gwalior High Court in WP No. 46465 of 2025, and that, as held by the 12th SSDEC, an ITI cannot decline a joint inspection citing the pendency of a petition before the Hon'ble Court or any other reason, as the concerned RDSDE and the State retains the right to inspect and evaluate the ITI's performance at any time. The Committee further noted the ITI's submission dated 21.06.2026 that the said case, arising out of a false complaint, has since been withdrawn upon it coming to light that the matter actually concerned Maa Shitla Pvt. ITI, and that the ITI has stated it is not opposed to inspection and has itself invited a fresh inspection with prior intimation. The Committee noted that the reply is accompanied only by an electricity bill copy and a few photographs (classroom, IT lab, Principal's room, and name-flex), which does not constitute comprehensive proof of compliance. Since no joint inspection of the ITI has been conducted till date, the Committee decided that RDSDE and the State Directorate shall conduct a joint inspection of the ITI to verify its functioning and compliance with the prescribed norms, and submit a report along with its recommendation to DGT for a final decision, within 1 month from the date of issuance of the Minutes of this Meeting.

8. JKN Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: NH-75, Nainagir Morar Gwalior, District: Gwalior, Madhya Pradesh-474006 MIS code: PR23000565	1. Fitter-3(1+1+1) 2. Electrician- 3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI .
- ii. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN.
- iii. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.
- iv. Accordingly, the Joint Inspection dated 28.11.2025 was conducted by RDSDE and State officials but ITI has denied Joint Inspection citing filing of WP No 46242 of 2025. No stay granted by Court. Hence Joint Inspection committee recommended for de-affiliation of the ITI.
- v. The SCN dated 03.12.2025 was issued to the ITI by RDSDE.
- vi. The ITI replied to the SCN on 10.12.2025.
- vii. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.
 - b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms, therefore recommended de-affiliation of the ITI.
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- x. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following:
 - a) The institute states that the proceedings arose from its alleged non-permission for Joint Inspection, which was then sub judices before the Hon'ble High Court, and denies any intention to obstruct the departmental process.

- b) It expresses regret and assures full cooperation in all future inspections, verifications and compliance proceedings.
 - c) It claims to be fully operational with prescribed infrastructure, machinery, staff and trainees and has submitted supporting geo-tagged photographs/videos and documents.
 - d) It relies on satisfactory past assessments and a recent positive inspection report regarding its infrastructure and functioning.
 - e) It claims to have been imparting training since 2015 in accordance with DGT/NCVT norms, with no serious violation conclusively established.
 - f) It alleges that the complaint is motivated and unsupported by credible evidence and contends that de-affiliation, being an extreme measure, is unwarranted.
- xi. Prayer: The institute requests that the proposed de-affiliation proceedings be dropped/kept in abeyance and offers to undergo re-inspection or physical/joint verification, assuring complete cooperation.

35th SCAA remarks:

The Committee noted that the ITI had earlier denied the joint inspection scheduled on 28.11.2025 by citing the filing of WP No. 46242 of 2025, in which no stay had been granted by the Hon'ble Court, and that, as held by the 12th SSDEC, an ITI cannot decline a joint inspection citing the pendency of a petition before the Hon'ble Court or any other reason, as the concerned RDSDE and the State retains the right to inspect and evaluate the ITI's performance at any time. The Committee further noted several discrepancies in the ITI's reply dated 21.06.2026: the land document submitted is a Notary document and not a registered deed; the Building Completion Certificate does not bear a readable name or signature of the signing authority; the inspection report relied upon (dated 15.05.2026) was conducted at the State level only, and not jointly; the workshop roof is tin-sheeted, which is not as per norms; and, most significantly, the electricity bill submitted shows zero consumption for the months of February, March and April 2026, whereas the attendance sheets for the corresponding period show trainees and staff as being almost fully present, which is contradictory. Since no joint inspection of the ITI has been conducted till date, and the ITI has itself offered to undergo re-inspection/joint verification, the Committee decided that RDSDE and the State Directorate shall conduct a **joint inspection** of the ITI to verify its functioning and compliance with the prescribed norms, and submit a report along with its recommendation to DGT for a final decision, within **1 month** from the date of issuance of the Minutes of this Meeting.

9. Shri Vishwakarma Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: O-4/152 Shatabdi Puram D.D.Nagar Gwalior (M.P.)- 474020 MIS code: PU23000955	1. Electrician-6(2+2+2) 2. Computer Operator and Programming Assistant-2(1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI .
- ii. The SCN was issued by the State Directorate on 04.08.2025 followed by reminder dated 03.09.2025. Then ITI replied to the reminder SCN.
- iii. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.
- iv. Accordingly, the Joint Inspection dated 02.01.2026 was conducted by RDSDE and State officials. During the Joint Inspection, the ITI not found at the location, Hence Joint Inspection Committee recommended for de-affiliation of the ITI.
- v. The SCN dated 05.01.2026 followed by reminder SCN dated 19.01.2026 were issued to the ITI by RDSDE.
- vi. The ITI replied to the SCN reminder on 21.01.2026.
- vii. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) ITI in its reply has submitted image of other ITI i.e. Ramji Private ITI Gwalior Workshop.
 - b) Also, ITI has not submitted any supporting document/s which explicitly proves the existence of ITI. This implicates that ITI does not exist. Therefore, SSDEC recommends for de-affiliation.
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- x. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following:
 - a) The ITI stated that it has been operational since 2017 and has undergone regular inspections, during which it claims to have been found compliant with the applicable affiliation norms.

- b) Regarding the alleged denial of joint inspection dated 28.11.2025, the ITI submitted documentary evidence in support of its compliance, including:
- c) Geo-tagged photographs of the institute building and infrastructure.
- d) Videography of classrooms, laboratories and workshops.
- e) Photographs/videos of tools and machinery, including their operation.
- f) Electricity bills to substantiate the use of machinery and equipment.
- g) List of faculty/staff employed by the institute.
- h) Student attendance sheets.
- i) The ITI claimed that the submitted documents establish the proper functioning of the institute and assured that any further documents required would be furnished.
- j) It requested that the de-affiliation proceedings, if initiated, be dropped; alternatively, an opportunity of hearing may be provided before any adverse decision.

35th SCAA remarks:

The Committee noted that during the joint inspection dated 02.01.2026, the ITI was not found at the declared location, on the basis of which the Joint Inspection Committee had recommended its de-affiliation. The Committee further noted that the ITI, in its earlier reply, had submitted an image of a different institute, namely Ramji Private ITI, Gwalior, as if it were its own workshop, and that despite claiming in its reply dated 21.06.2026 to have submitted geo-tagged photographs, videography of classrooms/laboratories/workshops, machinery photographs/videos, electricity bills, staff list and attendance sheets, none of these key documents — including the electricity bill, land lease document, and Building Completion Certificate — are, in fact, attached; only a few photographs of machinery, a classroom and the principal's room have been furnished, and even the entrance of the ITI is not visible in the photograph submitted. The Committee observed that the ITI has, on more than one occasion, failed to establish its existence and functioning at the declared location and has furnished misleading material in support of its case. In view of the above, the Committee decided **to de-affiliate all trade/units** of the ITI, namely **Electrician-6(2+2+2) and Computer Operator and Programming Assistant-2(1+1)**. The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

10. Sai Anushasan Private ITI, Jabalpur

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Sai Mandir Pushpak Nagar Adhartaal Jabalpur, Madhya Pradesh- 482002 MIS code: PU23000840	1. Computer Operator and Programming Assistant-3(1+1+1) 2. Stenographer & Secretarial Assistant (Hindi)- 3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated due to complaint received against the ITI in DGT which was forwarded to State Directorate.
- ii. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN.
- iii. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI.
- iv. Accordingly, the Joint Inspection dated 28.03.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed:
 - a) ITI found closed at the time of Inspection.
 - b) ITI was having COPA and Steno Hindi Trades. Below the name of ITI, Fitter, Electrician (both overpainted to hide) COPA and Steno & Secretarial (Hindi&English) was written.
- v. The SCN dated 09.06.2025, followed by reminder SCN dated 14.07.2025 were issued to the ITI by RDSDE.
- vi. The ITI has submitted a copy of e-mail sent to RDSDE MP on 18.07.2025 regarding closure of the ITI at the time of inspection.
- vii. The committee has been informed that the trades were mentioned for their other ITI advertisement which they have overpainted.
- viii. Thereafter, again Joint Inspection of the ITI was conducted on 15.10.2025 where in following were observed:
 - a) Land Registration documents were not available, rent agreement dated 14.10.2025 for 30 years is available, however, area mentioned is 260 sqft meter. which is not valid.
 - b) The committee has observed that the current power load consumption is significantly lower than what is required as per NCVT affiliation norms.
 - c) Many bills are not having GST.
 - d) The registers are not being properly maintained and authenticated. In the COPA trade register, there is no entry after 2016.

- e) Trainers are not having experience and CITS qualification as per DGT Norms. One COPA trainer having CITS qualification is appointed on 14.10.2025.
- f) The committee has observed that biometric attendance machine is available for the staff, however, the institute is not using it. The institute has been maintaining attendance records manually through registers.
- g) The committee has observed that biometric attendance machine is available for the trainees; however, it is not being used. The institute has been maintaining attendance records manually through registers, however, registers are also not properly maintained.
- h) All the machineries were installed; however, wiring is not proper.
- i) The computers were not installed properly - dates were showing as 2014, no antivirus, no Ethernet connection. UPS is not connected to all the systems.
- j) Principal Office and Library were having 8.165 sqm area which is very less as per DGT Norms. In the name of library, only one almirah having old books were available.
- k) The BCC is not available and the building plan layout is not approved by Competent Authority. Visibility is very less in some areas.
- l) Teacher Records are not maintained properly.
- m) Safety measures: Fire safety certificate not available.
- n) The committee has made the following additional observations:
 - o) The trainers and trainees were not present as per their shift.
 - p) T&E bills and records are not maintained properly.
 - q) Many desktops and CPUs were kept inside the almirah.
 - r) Sanitary facilities: The committee observed that the basic amenities as drinking water and toilet is not in usable condition.
- ix. The Joint Verification Committee recommends for the de-affiliation of the ITI.
- x. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation.
- xi. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xii. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xiii. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following:

- a) The ITI has submitted the comprehensive reply with attached photos and documents such as- copy of electricity bill, affidavit copy for correcting the area related deficiency, photos of IT lab, trainees and trainers' records, fire safety certificate request letter, Copy of BCC, Building plan layout, etc with all clarifications.

35th SCAA remarks:

Sl. No.	Deficiency/Observation during Joint Inspection dated 15.10.2025	Reply furnished by ITI dated 21.06.2026	Remarks of 35th SCAA
1	No registered land document was produced. The ITI had only a fresh 30-year rent agreement dated 14.10.2025, with the area mentioned as 260 sq.ft./sq.m.	The ITI submitted an affidavit stating that the area mentioned in the rent agreement was incorrect and sought to correct the same.	The reply furnished is not found satisfactory, as the registered land lease document, which is mandatory as per the prescribed norms, has not been produced.
2	Power load/consumption was found significantly below the prescribed norms.	The ITI stated that it is presently running only two trades, namely Stenographer & Secretarial Assistant (Hindi) with 08 trainees and COPA with 38 trainees. The comparatively low electricity consumption was attributed to limited trainee strength, one-year trades, use of natural light and ventilation, etc. Six months' electricity bills were submitted.	The reply furnished is not found satisfactory. The electricity bills submitted indicate monthly consumption of approximately 77–137 units during December 2025 to May 2026, with an average consumption of about 115 units per month. Against the sanctioned/contract demand of 12 kW, the maximum demand recorded during the relevant period was substantially lower. Considering that the ITI has reported 46 trainees, including 38 trainees in COPA, which involves regular computer-based practical training, the electricity consumption and maximum demand are not commensurate with the claimed regular functioning/utilisation of the ITI.
3	A number of bills submitted for equipment/materials did not contain GST details.	The ITI stated that GST bills were available for major/high-value purchases, whereas minor/low-value purchases were sometimes made against cash bills without GST details. A GST bill for certain equipment purchased subsequently was also enclosed.	The reply furnished is not found satisfactory, as the bill submitted with GST details pertains to equipment purchased subsequent to the Joint Inspection and, therefore, does not address the deficiency

			observed during the inspection regarding bills without GST details.
4	COPA trade register did not contain entries after 2016.	The ITI stated that the registers were available and maintained, but could not be properly presented during inspection due to pressure of time. It stated that the registers were subsequently updated/authenticated and submitted photographs/sample records.	The reply is not found satisfactory, as subsequent updating and authentication of the COPA register does not explain the absence of entries since 2016, as observed during the Joint Inspection, nor establish that the records were being maintained contemporaneously.
5	Trainers did not possess the requisite CITS qualification/records. One trainer for COPA was stated to have been appointed on 14.10.2025, i.e. on the date of inspection.	The ITI stated that all faculty members were registered on NIMS and that their profiles had been verified/approved. Screenshots were enclosed.	
6	Biometric attendance machines were available but not being used. Manual attendance registers were also not properly maintained.	The ITI stated that the biometric hardware was available but had not been activated due to lack of technical knowledge/software-related issues. It stated that the system was subsequently activated for trainees and staff and enclosed screenshots.	
7	Machinery was installed, but the wiring was found to be improper.	The ITI stated that the wiring was functional and that it was subsequently upgraded to a concealed/underground system. Photographs were enclosed.	
8	Computers were found with dates indicating 2014; antivirus was not installed; Ethernet connectivity was not available and UPS connections were incomplete.	The ITI stated that the date/time issue was technical in nature and that the systems were functional. It subsequently stated that the date/time had been corrected, antivirus installed/updated, Ethernet connectivity restored and UPS connections completed. Photographs were enclosed.	
9	Principal's Office and Library together measured only 8.165 sq. m.; library consisted essentially of one almirah containing old books.	The ITI stated that the norms applicable in 2015 did not prescribe a specific minimum area for these facilities and that management had discretion in this regard. It also stated	

		that revised norms could not be applied retrospectively.	
10	Building Completion Certificate (BCC) was not available and the building plan was not approved.	The ITI stated that BCC is applicable to new ITIs, whereas a valid Structural Stability Certificate (SSC) is applicable to existing/legacy ITIs. It submitted an SSC and stated that the building plan had been authenticated by a registered architect.	The reply is not found satisfactory. Although submission of a Structural Stability Certificate (SSC) is acceptable for an existing ITI, the SSC furnished has been issued by an Architect/Structural Consultant and is stated to have been countersigned by a Civil/Structural Engineer. However, the signatures are not placed on the page containing the substantive contents of the certificate but appear on a separate page. Further, on the signature page, the signature of the counter-signing authority is placed above that of the issuing authority, instead of below it. The manner and placement of the signatures raise concerns regarding the proper authentication and integrity of the document.
11	Fire Safety Certificate was not produced during inspection.	The ITI stated that it had applied to the Municipal Corporation for issuance of the Fire Safety Certificate and enclosed the application/request letter dated 09.06.2025.	The reply is not found satisfactory, as the ITI has only submitted the application/request for issuance of the Fire Safety Certificate (FSC) and has not produced the requisite Fire Safety Certificate.
12	Teacher records and Teaching & Evaluation (T&E) bills/records were not properly maintained.	The ITI stated that the academic records were available and maintained, though some signatures/seals were required to be completed. It stated that the records were subsequently updated, stamped and cross-verified. T&E bills/records were also stated to be available and subsequently rearranged/organised.	
13	Trainers/trainees were not found present as per the prescribed shift timings.	The ITI stated that all trainers and trainees adhere to their assigned shifts and that, on the date of inspection, they had remained	

		beyond scheduled hours voluntarily to assist the inspection team and provide information/documents.	
14	Desktops/CPU's were found stored inside almirahs.	The ITI stated that these were buffer/surplus systems kept as inventory for immediate replacement, if required.	
15	Drinking water and toilet facilities were not found usable.	The ITI stated that the facilities were available and functional and had subsequently been upgraded. It submitted photographs showing separate male/female washrooms, tile work, lighting, water supply and hygiene arrangements.	

The Committee considered the reply furnished by the ITI dated 21.06.2026, along with the explanations and documents submitted by the ITI in response to the final opportunity granted by the 29th SCAA. Upon consideration of the reply and the material placed on record, the Committee found that the issues specifically recorded above have not been satisfactorily explained and/or addressed.

In view of the above, the Committee concluded that the ITI has not established compliance with the prescribed Affiliation Norms in respect of the matters remaining unresolved. Accordingly, the Committee decided to de-affiliate the following trade/units of the ITI:

(i) COPA – 3(1+1+1); and

(ii) Stenographer & Secretarial Assistant (Hindi) – 3(1+1+1).

The ITI shall not be permitted to admit trainees in the aforesaid trades/units from Academic Session 2026-27.

11. New Anushasan Private ITI, Jabalpur

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Ravan Park , Near Chawla Dairy , Ranjhi Jabalpur (M.P.)-482011 MIS code : PU23000946	1. Stenographer & Secretarial Assistant (English)-3(1+1+1) 2. Fitter- 6(2+2+2)

Brief of Matter:

- The de-affiliation proceedings were initiated due to complaint received against the ITI in the DGT which was forwarded to State Directorate.

- ii. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN.
- iii. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI.
- iv. Accordingly, the Joint Inspection dated 27.03.2025 was conducted by RDSDE and State officials. During the Joint Inspection, the following were observed:
 - a) The inspection revealed multiple deficiencies: the address in the rent agreement and electricity bill does not match the actual site; mandatory approvals such as Building Completion Certificate and approved layout plan are not available; electricity consumption is below prescribed norms with address discrepancies in bills; machinery bills are outdated (only from the time of affiliation); inventory and academic records, including dead stock, raw materials, student attendance, and student/teacher records, are either not maintained properly or unauthenticated; staff qualifications do not meet prescribed norms and biometric attendance is absent; required tools and equipment for Fitter trade are not available as per revised syllabus, with many tools found packed and essential facilities like UPS and projector non-functional; infrastructure is below norms, including inadequate library, IT lab (without internet), principal and staff rooms, and drawing hall lacking basic equipment; and safety compliance is poor, with no fire safety certificate and improper refill documentation—indicating significant non-compliance with affiliation standards.
- v. The Joint Inspection Committee Disagree for continuation of affiliation due to mismatch in address and deficiencies observed
- vi. The SCN dated 14.05.2025, followed by reminder SCN dated 18.06.2025 were issued to the ITI by RDSDE.
- vii. Thereafter, again Joint Inspection of the ITI was conducted on 16.10.2025 wherein following were observed:
 - a) The committee observed that while the address mentioned in the rent agreement and electricity bills is consistent, the rent agreement contains overwriting and repeated mention of “Sai ITI.”
 - b) Electricity consumption remains significantly below NCVT norms despite correct address details.
 - c) Newly procured machinery as per revised syllabus is available and installed; however, wiring is improper.
 - d) Registers have started being maintained but lack proper authentication.
 - e) Instructors do not possess the required experience certificates and CITS qualification.
 - f) Biometric attendance systems for both staff and trainees are available but not in use, with attendance being recorded manually.
 - g) Infrastructure is inadequate, with the library (5.24 sqm) and IT lab (16.81 sqm) areas falling short of prescribed norms; the IT lab also lacks proper Ethernet connectivity and wiring. Essential academic records such as lesson plans and check sheets are not properly maintained.
 - h) The Building Completion Certificate and approved building plan are still not available, though an updated application without proper letterhead has been submitted to the Nagar Palika Nigam.

- i) Fire safety compliance is also lacking, with no certificate available despite a similar incomplete application; however, a fire extinguisher refill bill with GST has been submitted.
- j) Serious irregularities were noted, including presence of a trainee in a non-sanctioned Electrician trade and advertisement of non-approved trades (COPA and Electrician).
- k) Additionally, basic amenities such as drinking water and toilets were found to be in unusable condition.
- viii. The Joint Verification Committee recommends for the de-affiliation of the ITI.
- ix. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation.
- x. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xi. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xii. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following:
 - a) The ITI has submitted the comprehensive reply with attached photos and documents such as- copy of electricity bill, affidavit copy for correcting the name related deficiency, photos of IT lab, trainees and trainers' records, fire safety certificate request letter, Copy of BCC, Building plan layout, etc with all clarifications.

35th SCAA remarks:

The reply furnished by the ITI has been examined with reference to the deficiencies observed during the Joint Inspection. The submissions made by the ITI and the documents furnished in support thereof have been duly considered. However, the reply does not satisfactorily address the material deficiencies observed during inspection.

The rent agreement contains overwriting and repeatedly mentions "Sai ITI" instead of "New Anushashan Private ITI", and the subsequently furnished affidavit does not rectify the discrepancy in the underlying document. The electricity records reflect very low utilisation, with average monthly consumption of approximately 232 units and average Maximum Demand of approximately 2.41 kW against a connected load of 17 kW, which has not been satisfactorily explained. Further, the records submitted in response to the deficiency include documents pertaining to another ITI and a non-affiliated trade and, therefore, do not establish proper maintenance and authentication of records of New Anushashan Private ITI. Further, the Structural Stability Certificate furnished raises concerns regarding its proper authentication and integrity, while the requisite Fire Safety Certificate has not been furnished despite considerable time having elapsed since submission of the application.

Mere submission of applications or subsequent rectification measures does not, by itself, establish compliance with the prescribed requirements. Thus, notwithstanding the opportunity afforded to the ITI to explain and address the deficiencies, material deficiencies relating to the authenticity and adequacy of institutional records, utilisation of infrastructure, building safety documentation and fire safety requirements continue to remain unaddressed.

Accordingly, the deficiencies, considered cumulatively, establish non-compliance with the prescribed requirements. Therefore, the **New Anushashan Private ITI** is hereby **de-affiliated**.

Comparison of Deficiencies: Joint Inspection vs. ITI's Reply

Sr. No	Deficiency (Joint Inspection 16.10.2025)	ITI's reply (21.06.2026)	Remarks
1	Rent agreement has overwriting and repeatedly names "Sai ITI" instead of this ITI	The rent agreement dates back to 2016 and was executed when the affiliation process for Sai Anushashan ITI and New Anushashan ITI was being managed simultaneously. The ITI states that the mention of Sai Anushashan/Sai ITI was an inadvertent clerical/typographical mistake. A notarised affidavit has been submitted stating that wherever such name appears in the agreement, it should be read as New Anushashan Private ITI for official and regulatory purposes.	The reply furnished is not found satisfactory, as the rent agreement itself contains overwriting and repeatedly mentions "Sai ITI" instead of "New Anushashan Private ITI". The discrepancy is material, as the name appearing in the rent agreement goes to the identity of the ITI/entity to which the document relates. The affidavit subsequently submitted by the ITI does not, by itself, rectify the discrepancy in the underlying rent agreement and, therefore, does not satisfactorily address the deficiency observed during the Joint Inspection.
2	Electricity consumption significantly below NCVT norms	The ITI states that the required electrical load is available and functional. It explains the low consumption by stating that about 75% of Fitter practical work involves hand tools/manual operations, while heavy machines	The electricity bills furnished by the ITI indicate an average monthly consumption of approximately 232 units during September 2025 to April 2026. Further, against the connected load of 17 kW, the Maximum Demand recorded during December 2025 to

		are used only during specified syllabus weeks. It also states that only 10 trainees are enrolled in English Steno, with 9 attending regularly, and that the trade involves manual shorthand/dictation with limited computer use. A six-month comparative electricity bill analysis has been submitted.	May 2026 ranges from 1.672 kW to 3.392 kW, with an average of approximately 2.41 kW. Thus, the recorded Maximum Demand remains substantially below the connected load. The explanation furnished regarding the nature and periodic use of machinery does not satisfactorily explain the low utilisation reflected in the electricity records.
3	Newly procured machinery installed but wiring improper	The ITI states that the workshop wiring was already functional but has subsequently been upgraded to a concealed/underground system. Photographs of the upgraded wiring have been submitted.	
4	Registers now maintained but lack proper authentication	The ITI states that trainee profiles, academic records and registers were structurally complete and maintained, but certain areas required authentication. It states that historical and current registers have now been updated, stamped and cross-verified by the Principal. Photographs of authenticated records have been submitted.	The reply furnished is not found satisfactory, as the documents submitted include lesson plans pertaining to the Electrician trade, whereas the Electrician trade is not affiliated with New Anushashan Private ITI. Further, the lesson plans bear the name 'Anushashan Pvt. ITI', which is a separate ITI having the same owner. Submission of documents pertaining to another ITI and a non-affiliated trade in response to the deficiencies of New Anushashan Private ITI does not establish compliance with the prescribed requirements and is liable to mislead

			the authority regarding the records maintained by this ITI. Accordingly, the deficiency regarding proper maintenance and authentication of records remains unaddressed.
5	Instructors lack CITS qualification/experience certificates	The ITI states that all faculty members have been registered on the National Instructor Management System (NIMS) and that their profiles have been approved/verified. Screenshots of the institutional staff panel have been submitted.	
6	Biometric attendance available but unused; manual recording	The ITI states that biometric attendance hardware had already been procured and was physically available at the time of inspection, but attendance could not be initiated due to lack of proper guidance. It states that, after obtaining technical guidance, biometric attendance for trainees and staff has been activated.	
7	Library (5.24 sqm) and IT lab (16.81 sqm) undersized; IT lab lacks proper Ethernet/wiring	The ITI states that its affiliation was obtained under the 2015 norms, which, according to the ITI, did not prescribe a specific minimum library area and left allocation of library space to management based on operational requirements. It further argues that subsequent infrastructure norms should not be applied retrospectively to an already	

		affiliated institution. An extract of the 2015 norms has been submitted. The ITI states that after the first inspection it converted the Multipurpose Hall into the IT Lab. It claims that the hall is larger than the minimum area required and states that the upgraded IT Lab was shown to the second inspection team. A building/floor layout plan has been submitted. The ITI states that the IT Lab has internet connectivity and that its networking infrastructure has been upgraded with a wall-mounted network rack, network switch, structured LAN cabling and PVC conduits. Photographs and Wi-Fi connection proof have been submitted.	
8	Lesson plans / check sheets not properly maintained	The ITI states that essential trainee profiles, academic records and registers were maintained, but additional signatures and verification seals were required. It states that the records have subsequently been updated, stamped and cross-verified by the Principal and that an SOP requiring weekly managerial sign-offs has been introduced.	

9	BCC and approved building plan not available (only an informal, non-letterhead application to Nagar Palika Nigam)	The ITI states that the BCC is mandatory for newly proposed ITIs, whereas for existing/legacy institutions a valid Structural Stability Certificate (SSC) is required. It has submitted an SSC and states that an application for BCC has also been made to Nagar Nigam. The ITI states that at the time of initial affiliation the 2015 norms required a building plan authenticated and signed by a registered Architect. It claims that its building plan bears the Architect's seal and Council of Architecture registration number and has submitted the building layout plan.	The reply is not found satisfactory. Although submission of a Structural Stability Certificate (SSC) is acceptable for an existing ITI, the SSC furnished has been issued by an Architect/Structural Consultant and is stated to have been countersigned by a Civil/Structural Engineer. However, the signatures are not placed on the page containing the substantive contents of the certificate but appear on a separate page. Further, on the signature page, the signature of the counter-signing authority is placed above that of the issuing authority, instead of below it. The manner and placement of the signatures raise concerns regarding the proper authentication and integrity of the document.
10	No fire safety certificate (similar incomplete application on file)	The ITI states that a formal Fire Safety Certificate was not mandatory at the time of its initial affiliation in 2016, but that it has initiated the process to obtain one. It states that fire-fighting equipment and safety gear are available and that an application has been submitted to Nagar Nigam. The application/acknowledgement has been submitted as evidence.	The reply furnished is not found satisfactory. The ITI has stated that an application for issuance of the Fire Safety Certificate was submitted on 19.06.2025. However, the same application dated 19.06.2025 had already been submitted by the ITI in its reply to the SCN issued by the State/RDSDE. No subsequent Fire Safety Certificate or other documentary evidence establishing grant of the requisite certificate has been furnished.

			Further, despite considerable time having elapsed since submission of the application, the ITI has not furnished the requisite Fire Safety Certificate. Mere submission of an application for obtaining the certificate does not establish compliance with the prescribed fire safety requirements. Accordingly, the deficiency remains unaddressed.
11	Trainee found undergoing training in a non-sanctioned Electrician trade	The ITI states that the trainee concerned is officially enrolled in the Fitter trade. It explains that during inspection the newly admitted trainee became confused under pressure and incorrectly stated that he was in Electrician. The ITI refers to his documented disability/medical condition and submits supporting medical/disability documentation.	
12	Advertisement of non-approved trades (COPA, Electrician)	The ITI states that the advertisement was a consolidated advertisement for three sister institutions operating under the Anushashan Group of Institutions. It states that New Anushashan ITI is affiliated for Fitter and English Steno, while Electrician and COPA belong to sister institutions. It says the advertisement was part of joint marketing/branding and was not intended to misrepresent the	

		approved trades of New Anushashan ITI, and undertakes greater care in future.	
13	Drinking water/toilets found in unusable condition	The ITI states that drinking water and toilet facilities have always been available and functional and that they have subsequently been upgraded. It states that separate male/female washrooms are operational with tile work, lighting, maintenance, water supply and handwash/soap facilities. Photographs have been submitted.	

12. Anushasan Private ITI, Jabalpur

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Plot No. 1203/20Near Bade Sai Mandir,Pushpak Nagar Adhartaal Jabalpur M.P-482001. MIS code: PU23000495	1. Fitter-3(1+1+1) 2. Electrician- 3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated due to complaint received against the ITI in the DGT which was forwarded to State Directorate.
- ii. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN.
- iii. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI.
- iv. Accordingly, the Joint Inspection dated 26.03.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed:

- a) The inspection revealed major deficiencies: absence of key approvals (unsigned building plan, no BCC), incomplete rent agreement, and low electricity consumption; lack of updated tools and equipment as per revised syllabus; poorly maintained and unauthenticated records; absence of CITS-qualified and Employability Skills trainers; no biometric attendance system; inadequate machinery installation with unsafe wiring and operation; substandard infrastructure with insufficient space and poor visibility; deficient IT and drawing lab facilities; and non-compliance with safety norms, including absence of a fire safety certificate.
- v. The Joint Inspection Committee Disagree for continuation of affiliation based on the deficiencies observed during inspection.
- vi. The SCN dated 14.05.2025, was issued to the ITI by RDSDE.
- vii. Thereafter, again Joint Inspection of the ITI was conducted on 14.10.2025 wherein following were observed:
 - a) The committee noted that despite a revised rent agreement and partial compliance such as procurement of machinery and recruitment of an Employability Skills trainer, major deficiencies persist: low power consumption, incomplete and unauthenticated records, non-use of biometric attendance, insufficient CITS-qualified trainers, improper wiring and partial installation of equipment, absence of BCC and approved building plan, inadequate IT and drawing lab facilities, lack of fire safety certification, and poor basic amenities. In view of these continued shortcomings, de-affiliation of the ITI is recommended.
- viii. The Joint Verification Committee recommends for the de-affiliation of the ITI.
- ix. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation.
- x. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xi. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xii. The ITI replied to SCN vide email dated 21.06.2026. In its reply the ITI submitted the following:
 - a) The ITI has submitted the comprehensive reply with attached photos and documents such as- copy of electricity bill, , photos of IT lab, trainees and trainers records, fire safety certificate request letter, Copy of BCC , Building plan layout, etc with all clarifications .

35th SCAA remarks:

Sl. No.	Deficiency / Observation during Joint Inspection dated 14.10.2025	Reply furnished by ITI dated 21.06.2026	Remarks of 35th SCAA
1	Low power consumption	The ITI submitted electricity bills for the relevant period and explained that hand tools were used, heavy machinery was operated periodically, and natural daylight/ventilation reduced electricity use.	The reply furnished is not found satisfactory. The electricity bills submitted by the ITI indicate monthly consumption ranging from 64.79 to 391 units during December 2025 to May 2026, with an average consumption of approximately 210.67 units per month. Further, the Maximum Demand recorded during the same period ranges from 1.671 kW to 6.097 kW, with an average of approximately 3.04 kW. The explanation furnished regarding the use of hand tools, periodic operation of heavy machinery and availability of natural daylight and ventilation does not satisfactorily explain the low utilisation reflected in the electricity records, particularly in respect of an ITI running Electrician and Fitter trades. Accordingly, the deficiency remains unaddressed.
2	Incomplete and unauthenticated records	The ITI stated that trainee profiles, academic records and registers were structurally complete and maintained, while acknowledging that certain records required additional signatures/verification seals. It stated that records were subsequently updated, stamped and cross-verified by the Principal and that an SOP for weekly managerial sign-offs was implemented.	The reply furnished is not found satisfactory, as the ITI has acknowledged that certain records required additional signatures and verification seals. The subsequent updating, stamping and cross-verification of the records by the Principal does not establish that the records were being properly maintained and authenticated contemporaneously, as required. The subsequently implemented SOP also does not address the deficiency observed during the Joint Inspection. Accordingly, the deficiency regarding proper maintenance and authentication of records remains unaddressed.

Sl. No.	Deficiency / Observation during Joint Inspection dated 14.10.2025	Reply furnished by ITI dated 21.06.2026	Remarks of 35th SCAA
3	Non-use of biometric attendance	The ITI stated that biometric attendance hardware was available at inspection but had not been activated, and that the system was subsequently activated. Screenshots of subsequent activation were submitted.	The reply furnished is not found satisfactory. The ITI has stated that the biometric attendance hardware was available at the time of inspection but had not been activated and that the system was subsequently activated. However, subsequent activation of the biometric attendance system does not address the deficiency observed during the Joint Inspection regarding its non-use and improper maintenance of manual attendance records. The screenshots submitted establish subsequent activation of the system but do not establish proper attendance records for the period under consideration. Accordingly, the deficiency remains unaddressed.
4	Insufficient CITS-qualified trainers	The ITI stated that faculty profiles were registered/verified on NIMS and submitted related trainer records.	
5	Improper wiring	The ITI stated that the wiring was functional and that it was subsequently upgraded to concealed/underground wiring, with photographs submitted.	
6	Partial installation of equipment	The ITI stated that machinery/heavy equipment and benches were installed and operational and submitted photographs/video as evidence.	
7	Absence of BCC	The ITI stated that BCC was not applicable at initial affiliation and submitted a Structural Stability Certificate, while indicating that the BCC-related process was being undertaken.	The reply is not found satisfactory. Although submission of a Structural Stability Certificate (SSC) is acceptable for an existing ITI, the SSC furnished has been issued by an Architect/Structural Consultant and is stated to have been countersigned by a Civil/Structural Engineer. However, the signatures are not placed on the page containing the substantive

Sl. No.	Deficiency / Observation during Joint Inspection dated 14.10.2025	Reply furnished by ITI dated 21.06.2026	Remarks of 35th SCAA
			contents of the certificate but appear on a separate page. Further, on the signature page, the signature of the counter-signing authority is placed above that of the issuing authority, instead of below it. The manner and placement of the signatures raise concerns regarding the proper authentication and integrity of the document.
8	Absence of approved building plan	The ITI submitted a building plan stated to be authenticated/sealed by the competent architect and explained its position regarding the applicable requirement.	
9	Inadequate IT Lab facility	The ITI stated that the required IT lab facilities were available and submitted photographs/video, explaining that the facilities were not properly presented during the inspection and were subsequently rearranged/upgraded.	
10	Inadequate Drawing Lab facilities	The ITI stated that the required drawing lab facilities were available and submitted photographs/video and details of tables, chairs, lighting, fans and drawing boards.	
11	Lack of Fire Safety Certificate	The ITI stated that an application for issuance of the Fire Safety Certificate had been submitted on 19.06.2025 and submitted fire-safety related documents/evidence.	The reply furnished is not found satisfactory. The ITI has stated that an application for issuance of the Fire Safety Certificate was submitted on 19.06.2025. However, the same application dated 19.06.2025 had already been submitted by the ITI in its reply to the SCN issued by the State/RDSDE. No subsequent Fire Safety Certificate or other documentary evidence establishing grant of the requisite certificate has been furnished. Further, despite considerable time having elapsed since

Sl. No.	Deficiency / Observation during Joint Inspection dated 14.10.2025	Reply furnished by ITI dated 21.06.2026	Remarks of 35th SCAA
			submission of the application, the ITI has not furnished the requisite Fire Safety Certificate. Mere submission of an application for obtaining the certificate does not establish compliance with the prescribed fire safety requirements. Accordingly, the deficiency remains unaddressed.
12	Poor basic amenities	The ITI stated that basic amenities were available and functional and submitted photographs indicating subsequent upgradation of the facilities.	

The reply furnished by the ITI has been considered in light of the deficiencies recorded during the Joint Inspection and the subsequent submissions made by the ITI. The ITI has not satisfactorily addressed the deficiencies relating to low electricity consumption and corresponding low utilisation of the institute, incomplete and unauthenticated records, non-use of biometric attendance and absence of a satisfactorily authenticated Structural Stability Certificate in place of BCC. Further, the requisite Fire Safety Certificate has not been furnished despite considerable time having elapsed since submission of the application. These deficiencies, particularly those relating to utilisation, records, attendance, structural documentation and fire safety, indicate that the ITI has not established compliance with the prescribed requirements.

Accordingly, the deficiencies, considered cumulatively, establish non-compliance with the prescribed requirements. Therefore, the Anushashan Pvt. ITI (MIS Code: PU23000495) is hereby de-affiliated.

13. Sanskar Bharti Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Siddhi Vinayak Tower, Near Sacheti Petrol Pump AB, District: Gwalior, M.P- 474010. MIS code: PU23000680	1. Electrician-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on CPGRAM portal on 11.09.2025.
- ii. The SCN was issued by the RDSDE on 30.09.2025 to the ITI. Then ITI replied to the reminder SCN.
- iii. Thereafter, the Joint Inspection dated 21.11.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed:
 - a) The inspection revealed critical deficiencies: absence of land and building documents, disconnected electricity, and non-availability of machinery bills, records, and staff details; the ITI remained closed for three years with no Trainees present; machinery is not installed as per norms and could not be tested due to lack of power; infrastructure is inadequate with no classrooms, poor workshop conditions, and absence of IT lab and drawing hall; basic amenities and safety measures are largely missing; and the premises are shared with a school—indicating the institute is non-functional and grossly non-compliant.
- iv. The Joint Inspection committee recommended for de-affiliation of the ITI.
- v. The SCN dated 03.12.2025 followed by reminder SCN dated 18.12.2025 were issued to the ITI by RDSDE.
- vi. The ITI did not reply to the both SCN and reminder SCN.
- vii. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) Deficiencies reported by Joint verification committee indicate that ITI is not functional.
- viii. Further, ITI did not submit any reply/representation. Therefore, SSDEC recommends for de-affiliation.
- ix. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- x. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xi. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The joint inspection dated 21.11.2025 found that the ITI has been closed for the past three years, with no trainees present. The electricity connection was disconnected, so the machinery could not even be tested. The ITI had no land or building documents, no machinery bills, no proper records, and no staff details. There were no classrooms, no IT lab, and no drawing hall, and basic amenities and safety measures were missing. The premises were also found shared with a school. This shows the ITI is not functioning at all. The ITI did not reply to the SCN dated 03.12.2025 or the reminder SCN dated 18.12.2025, and did not respond

to the final opportunity given by the 29th SCAA either. Since the ITI gave no explanation or evidence at any stage, and has been non-functional for three years, the Committee has decided to de-affiliate Electrician-3(1+1+1) trade/units of the ITI. The ITI will not be allowed to admit trainees in this trade from the Academic Session 2026-27.

14. New Adarsh Private ITI, Rewa

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Petrol Pump Satna Road Semariya, Dist: Rewa, M.P-486445 MIS code: PU23000426	1. Electrician- 6(2+2+2)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on 29.09.2025.
- ii. The SCN was issued by the RDSDE on 30.09.2025 to the ITI. Then ITI replied to the reminder SCN.
- iii. Thereafter, the Joint Inspection dated 04.12.2025 was conducted by RDSDE and State officials. During the Joint Inspection, the following were observed:
 - a) The inspection revealed serious deficiencies: unclear land details in the rent agreement, absence of BCC and approved building plan, nil electricity consumption despite sanctioned load, outdated and incomplete machinery bills, poorly maintained or missing records, unqualified and insufficient staff, absence of biometric attendance, low student presence, outdated and mostly non-functional machinery, inadequate infrastructure and amenities, deficient IT facilities, no drawing hall, and lack of fire safety compliance—indicating major non-compliance with norms.
- iv. The Joint Inspection committee recommended for de-affiliation of the ITI.
- v. The SCN dated 08.12.2025 was issued to the ITI by RDSDE.
- vi. The ITI replied to the SCN on 11.12.2025.
- vii. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) Deficiencies reported by Joint verification committee indicate that ITI is not functional.
- viii. Further, the reply submitted by the ITI is not satisfactory.
- ix. Therefore, SSDEC recommends for de-affiliation.

- x. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xi. The ITI replied to SCN vide email dated 16.06.2026. in its reply the ITI submitted the following:
 - a) a) Land & Building: Registered rent agreement with clear land details executed; Building Completion Certificate (BCC) and approved building plan obtained from the competent authority.
 - b) b) Electricity & Infrastructure: Electricity and diesel generator bills submitted; machinery purchase invoices and maintenance records compiled; workshop, IT lab and drawing hall upgraded.
 - c) Staff & Attendance: Qualified instructors appointed as per DGT norms and biometric attendance system installed and operational.
 - d) Safety Compliance: Valid Fire NOC obtained from the State Fire Services Department after inspection.
- xii. Request: The institute claims that all deficiencies have been rectified and requests withdrawal of the proposed de-affiliation order.
- xiii. Assurance: The institute has assured continued compliance with CTS/DGT norms and readiness for further physical verification/inspection, with supporting documents enclosed.

35th SCAA remarks:

The ITI has claimed in its reply dated 16.06.2026 that all deficiencies found during the joint inspection dated 04.12.2025 have been fixed, including a registered rent agreement, a Building Completion Certificate, upgraded infrastructure, qualified staff, a working biometric system, and a valid Fire NOC. However, on checking the documents actually submitted, several problems remain: the land lease is not registered; the electricity bills for September and October 2025 show zero consumption, and other months are also very low, which does not match the claim of an operational institute; the Building Completion Certificate attached does not contain any safety-related clause; the workshop roof is tin-sheeted with holes, which is not as per norms; and some machine plug points appear unwired or broken. Since there is a wide gap between what the ITI claims and what its documents actually show, the Committee has decided that RDSDE and the State Directorate shall conduct a joint verification of the ITI to check the correctness of the ITI's claims, and submit a report along with its recommendation to DGT for a final decision, within 1 month from the date of issuance of the Minutes of this Meeting.

15. Vaidehi Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Vaidehi Private I.T.I., Nasirabad Road, Babai, Dist: Narmadapuram , M.P-461661 MIS code: PU23000368	1. Electrician-6(2+2+2)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on 29.09.2025. The reason for the complaint were as follows:
 - a) There is no infrastructure/building of this ITI.
 - b) ITI is operational only on papers.
 - c) Trainees are admitted in this ITI But they are sent to Other ITI which is a violation of NCVT norms and is harmful for the future of trainees.
- ii. The SCN was issued by the RDSDE on 30.09.2025 followed by reminder dated 31.10.2025 to the ITI.
- iii. The ITI did not reply to the both SCN and reminder SCN.
- iv. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) No reply has been submitted by ITI to the SCN as well as its reminder. It appears that ITI has nothing to submit in its support.
 - b) Therefore, SSDEC recommends for de-affiliation.
- v. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- vi. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- vii. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The Committee noted that the complaint against the ITI alleged absence of any infrastructure/building, that the ITI is operational only on paper, and that trainees admitted in the ITI are in fact sent to another ITI for training, in violation of NCVT norms and to the detriment of the trainees' interests. The ITI did not reply to the SCN dated 30.09.2025 or the reminder SCN dated 31.10.2025, and the only submission on record is a grievance filed on the online portal on 25.06.2026, which was itself a delayed submission. In the absence of any timely reply or explanation from the ITI at any stage of the proceedings, and in view of the serious and uncontroverted allegations against it, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-6(2+2+2). The ITI is not allowed to admit trainees in this trade/unit from the Academic Session 2026-27.

16. Maa Narmada Private ITI, Raisen

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Ward No, 2, Near Galla Mandi Bypass Road Begumganj, Dist: Raisen , M.P-464881 MIS code: PR23000968	1. Electrician-12(4+4+4) 2. Computer Operator and Programming Assistant-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by RDSDE due an inquiry report forwarded by MPSSDEGB in respect of complaint received against the ITI for change of owner ship.
- ii. The State Directorate vide their letter dated 15.12.2025 informed the following in respect of the complaint against the ITI :
- iii. Maa Narmada Private ITI, Begumganj (PR23000968) was previously operated under Jan Paras Shiksha Samiti Sagar, which was registered on June 10, 2010.
- iv. However, the ITI is currently being functional under Jai Swami Welfare Society, Gairatganj, Raisen, which was registered on October 7, 2020.
- v. The inquiry was conducted by Principal Govt. ITI based on the Complaint.
- vi. As per the inquiry report, ITI ownership was transferred from Jan Paras Shiksha Samiti, Sagar to Jai Swami Welfare Society Gairatganj Raisen.
- vii. Thereafter, the SCN dated 16.12.2025 was issued to the ITI as well as the Society .
- viii. Dr. Jai Narayan Yadav, Jan Paras Shiksha Samiti, Sagar stated in his reply that "The Jan Paras Shiksha Samiti Sagar had previously informed you through a letter that the Maa Narmada ITI in Begumganj should be de-affiliated because it was being operated without the permission of the District Education Committee, which was unconstitutional. Mr. Niranjana Lodhi was operating the ITI illegally, and legal action should be taken against him, and he should be given the strictest possible punishment. I have already applied to the Station House Officer of Begumganj Police Station regarding this matter.
- ix. However, reply has been received in the letterhead of Jan Paras Samiti, Sagar. Sh. Anil Jain, Secretary (also the complainant) in which it has been stated that the society has not been changed.
- x. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:
 - a) As change in ownership is not allowed as per Affiliation norms. Further, concerned ITI may be informed to apply as per Norms.

- xi. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xii. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xiii. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The Committee noted that as per the inquiry report and the State Directorate's letter dated 15.12.2025, the ITI, originally registered and operated under Jan Paras Shiksha Samiti, Sagar (registered 10.06.2010), is now being operated under Jai Swami Welfare Society, Gairatganj, Raisen (registered 07.10.2020), indicating a change of ownership/management society. The Committee noted the conflicting replies received on the SCN dated 16.12.2025 — one from Dr. Jai Narayan Yadav alleging that the ITI was being run without the permission of the District Education Committee and that a police complaint has already been lodged in this regard, and another from Sh. Anil Jain, Secretary, on the same society's letterhead, claiming that the society has not changed — which only confirms that the affairs of the ITI and its ownership are in a state of dispute. The Committee noted that a change of ownership/management society is not permitted under the Affiliation Norms, and that the concerned party is free to apply afresh in accordance with the norms. The Committee further noted that the ITI did not avail the final opportunity granted by the 29th SCAA. In view of the unauthorised change of ownership and the ITI's failure to respond to the proceedings, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-12(4+4+4) and Computer Operator and Programming Assistant-3(1+1+1). The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

17. Shree Pratap Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Utila bypass, Gram-Rai, Badagaon, Morar, District-Gwalior, M.P-474006. MIS code: PU23000935	1. Electrician-6(2+2+2) 2. Health Sanitary Inspector-2(1+1) 3. Stenographer & Secretarial Assistant (Hindi)- 3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has address been changed without inspection/request.
- ii. SCN was issued to the ITI on 08.04.2021.

- iii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.
- iv. Thereafter the Joint Inspection was conducted on 13.03.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending.
- v. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, it was apprised that the 2nd Joint Inspection of the ITI is pending, therefore, SSDEC directed to conduct the pending Joint Inspection of the ITI at the earliest.
- vi. Accordingly, Joint Inspection of the ITI was conducted on 12.11.2025, wherein ITI again denied for inspection.
- vii. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:
 - a) The ITI has given sufficient opportunity.
 - b) The ITI denied the both joint inspections.
 - c) There are no specific directions from Hon'ble Court(s) There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- x. The ITI replied to SCN vide email dated 19.06.2026. in its reply the ITI submitted the following: ITI's reply (05.06.2026) — brief points:
 - xi. Same complaint was already inspected by RDSDE in 2021, which found the institute "Suitable" at its approved location.
 - xii. DGT's own RTI reply (25.11.2021) confirms this report was on record and forwarded for consideration.
- xiii. 29th SCAA's recommendation appears to have overlooked this favorable report, making the action arbitrary and against natural justice.
- xiv. Matter is pending before MP High Court, Gwalior Bench (WP 13125/2025); adverse action during pendency would prejudice the institute.
- xv. No fresh proceedings should be initiated on the same complaint once already inspected and found suitable.
- xvi. Institute claims full cooperation with all authorities at all times.
- xvii. Prayer: Take the 2021 report and RTI reply on record; reconsider and drop the de-affiliation proposal; no coercive action during pendency of the writ petition; grant a personal hearing before any final decision.
- xviii.

35th SCAA remarks:

The Committee noted that the ITI has, on two occasions — 13.03.2025 and again on 12.11.2025 — denied the joint inspection sought to be conducted, on both occasions citing the pendency of a petition before the Hon'ble Court. The Committee emphasised that an ITI cannot deny a joint inspection on this or any other ground, as DGT, RDSDE and the State Directorate are fully authorised to conduct a joint inspection of an ITI at any time to ascertain the quality of training being imparted to its trainees, and that this authority to inspect is not taken away merely because a petition concerning the ITI is pending before a Court, in the absence of any specific order restraining such inspection.

The Committee considered the ITI's reply dated 19.06.2026 relying upon an inspection report of 2021 which found the institute "suitable," and the pendency of WP 13125/2025 before the Hon'ble High Court of Madhya Pradesh, Gwalior Bench. The Committee noted that a report from 2021 does not establish the ITI's present compliance and functioning, particularly when the ITI has since twice refused to permit a fresh joint inspection that would have verified its current status, and that no order of the Hon'ble Court restrains such inspection. By repeatedly denying inspection, the ITI has itself prevented verification of the quality of training presently being imparted and cannot now be permitted to rely on older findings as a substitute for current verification. In view of the above, the Committee decided to **de-affiliate** all trade/units of the ITI, namely Electrician-6(2+2+2), Health Sanitary Inspector-2(1+1), and Stenographer & Secretarial Assistant (Hindi)-3(1+1+1). The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

18. The National Private ITI , Datia

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Gwalior Road Indergarh, District-Datia, M.P- 475675	1. Electrician-6(2+2+2)
MIS code: PR23000767	

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has been shifted to another place without approval.
- ii. SCN was issued to the ITI on 08.04.2021.

- iii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.
- iv. Thereafter the Joint Inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending.
- v. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, it was apprised that the 2nd Joint Inspection of the ITI is pending, therefore, SSDEC directed to conduct the pending Joint Inspection of the ITI at the earliest.
- vi. Accordingly, Joint Inspection of the ITI was conducted on 11.11.2025, wherein ITI again denied for inspection.
- vii. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:
 - a) The ITI has given sufficient opportunity.
 - b) The ITI denied the both joint inspections.
 - c) There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- x. The ITI replied to SCN vide email dated 18.06.2026. in its reply the ITI submitted the following: Denies non-cooperation; MP State Directorate found the institute's address matches NCVT records, institute was inspected multiple times, always cooperative, and found "Suitable."
 - a. Principal met Deputy Director on 19.08.2021 with documents; NCVT MIS portal was re-activated on 27.08.2021, said to prove compliance.
 - b. Matter sub judice — WP No. 13125/2025 (joint petition with Shree Pratap ITI, Case 18) pending before MP High Court, Gwalior Bench.
 - c. Cites natural justice grounds (Maneka Gandhi, Mohinder Singh Gill, Kranti Associates) — says decision arbitrary without considering the inspection report.
 - d. Prayer: Consider the inspection report; set aside de-affiliation; no adverse action pending High Court case.

35th SCAA remarks:

The Committee noted that the ITI has, on two occasions — 12.03.2025 and again on 11.11.2025 — denied the joint inspection sought to be conducted, on both occasions citing the pendency of a petition before the Hon'ble Court. The Committee emphasised that an ITI cannot deny a joint inspection on this or any other ground, as DGT, RDSDE and the State Directorate are fully authorised to conduct a joint inspection of an ITI at any time to ascertain the quality of training being imparted to its trainees, and that this authority to inspect is not taken away merely because a petition concerning the ITI is pending before a Court, in the absence of any specific order restraining such inspection. The Committee considered the ITI's reply dated 18.06.2026, which relies on the address having earlier matched NCVT records, past inspections said to have found the institute "suitable," reactivation of the NCVT MIS portal on 27.08.2021, and the pendency of the jointly filed WP No. 13125/2025 before the Hon'ble High Court of Madhya Pradesh, Gwalior Bench (the same petition as in the connected matter of Shree Pratap Private ITI, Gwalior). The Committee noted that such past findings do not establish the ITI's present compliance and functioning, particularly when the ITI has since twice refused to permit a fresh joint inspection that would have verified its current status, and that no order of the Hon'ble Court restrains such inspection. By repeatedly denying inspection, the ITI has itself prevented verification of the quality of training presently being imparted, and cannot now be permitted to rely on older findings as a substitute for current verification. In view of the above, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-6(2+2+2). The ITI is not allowed to admit trainees in this trade/unit from the Academic Session 2026-27.

19. SR Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Kherikapura,(Ghuisar), Gohad, Distt. Bhind, District- Bhind ,M.P - 477116 MIS code: PR23001049	1. Electrician-10(6+2+2) 2. Fitter-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal.
- ii. SCN was issued to the ITI on 15.09.2021 by DGT.
- iii. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter.

- iv. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a Joint Inspection of the ITI in coordination with the State Directorate.
- v. Thereafter, a Joint Inspection of the ITI was conducted on 22.05.2025, wherein the following deficiencies were observed:
 - a) The inspection revealed major deficiencies, including incomplete and non-compliant documents (unclear rent agreement address, unapproved BCC), inadequate infrastructure, and poorly maintained or non-functional machinery. Essential registers and records were not available, staff strength and qualifications were below norms, and attendance systems were weak with low trainee presence. Key facilities like IT lab and drawing hall were inadequate or unavailable, the building layout differed from the approved plan, and mandatory safety requirements, including fire safety certification, were not met.
- vi. The Joint Inspection committee recommended the ITI for de-affiliation as the ITI seems to be not functional for long since, electricity consumption is less, T&E are rusted, few machines working, many machines are not installed on foundations.
- vii. The SCN dated 26.05.2025 was issued to the ITI and the ITI replied to the SCN. The reply of the ITI was considered.
- viii. The matter was discussed in 11th SSDEC meeting held on 15.09.2025, it was apprised that the Joint Inspection of the ITI is pending, therefore, SSDEC directed to complete the pending Joint Inspection of the ITI at the earliest.
- ix. Accordingly, the Joint Inspection of the ITI was conducted on 27.11.2025 in which following were observed:
 - a) The Committee noted that despite submission of a revised rent agreement, the ITI has significant deficiencies in infrastructure, machinery, staffing, and records. Equipment is inadequate and poorly maintained, staff are unqualified with irregular appointments, and actual attendance of trainers and trainees is far below records. Essential facilities and labs are lacking or substandard, records are incomplete or unreliable, and safety measures are non-compliant. Overall, the institute appears non-functional with serious violations of affiliation norms.
- x. The Joint Inspection committee recommended the ITI for de-affiliation.
- xi. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:
 - a) Joint Verification Committee has reported that deficiencies have not been rectified by ITI. It indicates that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation of the ITI.
- xii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xiii. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xiv. The ITI replied to SCN vide email dated 22.06.2026. in its reply the ITI submitted the following:
 - a) a) The institute has submitted its reply stating that it is fully functional and compliant with DGT/NCVT norms. It claims that all deficiencies observed during the inspection have been rectified, the required infrastructure, machinery, staff and

training facilities are available, and all relevant records are properly maintained. The institute has submitted that supporting documents, geo-tagged photographs and videos in support of its claims, has been enclosed with the reply and has requested that the proposed de-affiliation proceedings be reconsidered.

35th SCAA remarks:

The ITI has claimed in its reply dated 22.06.2026 that it is now fully functional and compliant with DGT/NCVT norms, and that all deficiencies found during the two rounds of joint inspection (22.05.2025 and 27.11.2025) have been rectified, enclosing supporting documents, photographs and videos. However, on checking the documents actually submitted, the land document produced is only a Notary document and not a registered deed, and the photographs and videos relied upon — including the Drawing Hall photos, overall ITI photos, the drill machine video, and the Electrician workshop videos — are not geo-tagged, and therefore do not establish the location or the date on which they were taken. Given the ITI's history of non-functionality across two earlier joint inspections and the absence of any verifiable proof of the claimed rectification, the Committee has decided that RDSDE and the State Directorate shall conduct a joint re-verification of the ITI to check the correctness of the ITI's claims, and submit a report along with its recommendation to DGT for a final decision, within 1 month from the date of issuance of the Minutes of this Meeting.

20. Shri Sai Private ITI, Singrauli

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Main Road, Tali, Waidhan, Singrauli District- Singrauli, M.P MIS code: PR23000174	1. Electrician-2(1+1)

Brief of Matter:

- i. The Joint Inspection was conducted on 20.06.2023. During the Joint Inspection it was observed that ITI was not adhering to NCVT norms as there were various infrastructural deficiencies such as – machinery was not in working condition, tools and equipment's for affiliated trades were not as per norms, classroom and workshops were not safe, only few documents of ITI were provided by the ITI.
- ii. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the Joint Inspection of those ITIs whosoever response to the SCN.
- iii. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN.
- iv. Thereafter, the 2nd Joint Inspection was conducted on 11.09.2023 in which the ITI was found closed.

- v. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI.
- vi. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided that as 'Principle of natural justice' one more opportunity is provided to the ITI and conduct Joint Inspection again.
- vii. In compliance with the decision of the 12th SCAA, the Joint Inspection was again conducted on 14.03.2024 and NCVT member recommended the ITI for de-affiliation due to following deficiencies:
 - a) The old lease document (dated 02/12/2010) provided by ITI was not visible on the day of inspection. Therefore, ITI has made the lease document on current date.
 - b) BCC was not available during inspection.
 - c) CITS trained instructor was not available in the ITI.
 - d) Biometric attendance of staff and Trainees were not available on the day of inspection.
 - e) Except toilet other amenities were not available in the ITI.
 - f) Drawing hall was available but not as per norms.
 - g) IT lab of the ITI was not as per norms.
 - h) The SCVT member recommended the ITI for affiliation.
- viii. The matter was again discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint Inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.
- ix. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.
- x. Thereafter, the matter was discussed in 21st SCAA in its meeting dated 28.04.2025, wherein SCAA in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 14.03.2024, and to submit its reply to the RDSDE within 20 days from the date of issue of 21st SCAA MoM.
- xi. Accordingly, the joint verification of the ITI was conducted on 15.01.2026 and the remarks of the joint verification committee are as follows:
 - a) The committee has reported that the principal of Shri Sai Private ITI, Singrauli refused for conducting the joint verification stating that the inspection of the said ITI has already been conducted thrice till date and the reports have not been shared to him. Also, as the matter is in the Hon'ble High Court for consideration, he will allow the inspection as per the direction of Hon'ble High Court.

- b) Also, the committee observed that the ITI is running in the basement and there is no stay order from the Hon'ble High Court for not conducting verification. Joint Verification could not be conducted on 15.01.2026 and deficiencies could not be verified.
- c) The committee agrees with the remarks of earlier inspection committee and 21st SCAA meeting and recommends for de-affiliation of the ITI.
- xii. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:
 - a) There is no stay order from Hon'ble Court in respect of Petitions filed by these ITIs explicitly stating that no inspection by the Controlling Authority shall be carried out until the final adjudication of the said Petition. ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.
 - b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms. In view of above, SSDEC recommends for De-affiliation of ITI.
- xiii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- xiv. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- xv. The ITI replied to SCN vide email dated 20.06.2026. in its reply the ITI submitted the following:
 - a) The institute has submitted that it has been functioning since 2011 and was compelled to suspend admissions in 2023, resulting in substantial financial losses. It states that the proprietor is a 100% visually impaired person who personally manages the institute and has made continuous efforts to maintain its operations. The institute claims that its trainees have secured employment in reputed organizations, including NTPC, Coal India and other leading companies, demonstrating the quality of training imparted. It further submits that the institute is operational with the required infrastructure and has furnished photographs and videos in support of its claims. The institute has requested the competent authority to consider its submission sympathetically, permit continuation of its affiliation, and provide an opportunity to continue imparting skill training in the interest of the trainees.
 - b) The institute also submits that the matter of the ITI is under sub judice and the ITI will compliance as per Hon'ble court order when the order will come.
 - c) In addition to the above, the ITI submit that the ITI is functioning as per affiliation since 2011. from that time the institute was situated at the same level as the main road. However, due to continuous road construction and elevation work undertaken by the Municipal Corporation, the level of the main road gradually increased. Consequently, the institute now appears to be located in a basement, although it was originally constructed at ground level.

- d) It has been also submitted that earlier many times the de-affiliation proceedings of the ITI was initiated without any evidences.

35th SCAA remarks:

The Committee noted the long history of this matter, spanning multiple joint inspections since 2023, including a split finding at the inspection dated 14.03.2024 where the NCVT member recommended de-affiliation while the SCVT member recommended affiliation, which was resolved by the 8th SSDEC in favour of the senior NCVT member's report recommending de-affiliation.

The Committee further noted that when a joint verification was attempted on 15.01.2026, the ITI's Principal refused to permit it, stating that the ITI had already been inspected thrice without the reports being shared with him and that he would allow inspection only as directed by the Hon'ble High Court, notwithstanding that no stay order restrains such verification.

The Committee reiterated that an ITI cannot deny a joint inspection or verification citing the pendency of a petition before the Hon'ble Court or any other reason, as the concerned RDSDE/State are fully entitled to inspect and evaluate the ITI's performance at any time to safeguard the interests of trainees.

The Committee took note of the ITI's reply dated 20.06.2026, including its submission regarding the proprietor's visual impairment, the placement of trainees with reputed employers, and its explanation that the institute now appears to be in a basement only on account of subsequent road-elevation works by the Municipal Corporation and not due to any construction violation. However, these submissions do not address the ITI's repeated refusal to permit verification, nor the deficiencies recorded during the inspection dated 14.03.2024, namely the absence of a valid contemporaneous lease document, absence of a Building Completion Certificate, absence of a CITS-trained instructor, absence of biometric attendance, missing basic amenities other than toilets, and a drawing hall and IT lab not meeting the prescribed norms. In view of the persistent deficiencies, the repeated refusal to allow verification of the ITI's present functioning, and the absence of any order from the Hon'ble Court restraining inspection, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-2(1+1). The ITI is not allowed to admit trainees in this trade/unit from the Academic Session 2026-27.

21. Tata Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Jawahar Nagar, Road No. 6, Mango, Jamshedpur, East Singhbhum, Jharkhand – 831012. MIS code- PR20000017	1. Electrician-4(2+2) 2. Fitter- 3(1+2)

Brief of Matter:

- i. A joint surprise inspection was conducted by the RDSDE team along with the Employment Officer, Jamshedpur on 04.10.2025.
- ii. During inspection the ITI was found locked and closed and the Joint Inspection Committee recommend the ITI for de-affiliation.
- iii. The SCN dated 18.10.2025 was issued to the ITI but no reply received from the ITI.
- iv. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons:
 - a) ITI was completely nonfunctional.
- v. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- vi. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- vii. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The joint surprise inspection dated 04.10.2025 found the ITI locked and closed, on the basis of which the Joint Inspection Committee recommended de-affiliation. The ITI did not reply to the SCN dated 18.10.2025, and the 5th SSDEC accordingly recommended de-affiliation on the ground that the ITI was completely non-functional. The ITI also did not avail the final opportunity granted by the 29th SCAA. In the absence of any explanation or reply from the ITI at any stage of the proceedings, and in view of the ITI being found closed and non-functional, the Committee has decided to de-affiliate all trade/units of the ITI, namely Electrician-4(2+2) and Fitter-3(1+2). The ITI will not be allowed to admit trainees in these trades from the Academic Session 2026-27.

22. Sri Sidhi Vinayak Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address : Chhota Kankra, P.O. – Madhupur, P.S.- Saraikela, Dist. Saraikela Kharsawan, Jharkhand – 833220 MIS code: PR20000232	1. Electrician-4(2+2) 2. Fitter- 4(2+2)

Brief of Matter:

- i. A surprise inspection of the Institute was carried out on 10.10.2025. As per the inspection report, serious lapses and non-compliances were recorded.
- ii. The SCN dated 14.10.2025 was issued to the ITI but no reply received from the ITI.
- iii. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons:
 - a) ITI was completely nonfunctional.
- iv. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- v. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- vi. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The surprise inspection dated 10.10.2025 recorded serious lapses and non-compliances at the ITI. The ITI did not reply to the SCN dated 14.10.2025, and the 5th SSDEC accordingly recommended de-affiliation on the ground that the ITI was completely non-functional. The ITI also did not avail the final opportunity granted by the 29th SCAA. In the absence of any explanation or reply from the ITI at any stage of the proceedings, and in view of the ITI being found non-functional, the Committee has decided to de-affiliate all trade/units of the ITI, namely Electrician-4(2+2) and Fitter-4(2+2). The ITI will not be allowed to admit trainees in these trades from the Academic Session 2026-27.

23. Mehar Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: NH-33, Near PWD IB Bharagora, East Singhbhum, Jharkhand. MIS code: PR20000257	1. Electrician-4(2+2) 2. Fitter- 4(2+2)

Brief of Matter:

- i. A surprise inspection of the Institute was carried out on 11.10.2025. As per the inspection report, serious lapses and non-compliances were recorded.
- ii. The SCN dated 15.10.2025 was issued to the ITI but no reply received from the ITI.
- iii. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons:
 - a) ITI was completely nonfunctional.
- iv. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- v. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- vi. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The surprise inspection dated 11.10.2025 recorded serious lapses and non-compliances at the ITI. The ITI did not reply to the SCN dated 15.10.2025, and the 5th SSDEC accordingly recommended de-affiliation on the ground that the ITI was completely non-functional. The ITI also did not avail the final opportunity granted by the 29th SCAA. In the absence of any explanation or reply from the ITI at any stage of the proceedings, and in view of the ITI being found non-functional, the Committee has decided to de-affiliate all trade/units of the ITI, namely Electrician-4(2+2) and Fitter-4(2+2). The ITI will not be allowed to admit trainees in these trades from the Academic Session 2026-27.

24. Tribal Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: - (1) Sidroul, Nunkum (as per NCVT MIS portal), Ranchi, Jharkhand-834001. (2) Rajaulatu, P.O Numkum (As per the State DET portal):- MIS code: PR20000045	1. Electrician- 18(11+7) 2. Fitter-14(7+7) 3. Health Sanitary Inspector-1(0+1) 4. Mechanic Diesel-6(3+3) 5. Welder-5(2+3)

Brief of Matter:

- i. Initial surprise inspection of the ITI was conducted on 23.08.2023 in accordance to verify the infrastructural and training facility of the ITI.
- ii. During inspection severe deficiencies related to infrastructure and workshops were observed.
- iii. Thereafter, the SCN dated 12.09.2023 followed by reminder SCN dated 09.06.2025 were issued to the ITI but ITI did not reply to the both.
- iv. Another surprise inspection of the Institute was carried out on 28.07.2025 following were observed:
 - a) The premises were being used for the running of YBN University on the place of ITI.
 - b) The workshops, infrastructure, training facilities are completely dismantled & non- functioning.
 - c) No separate electricity connection in the ITI
 - d) Machineries and equipment's were not available as per the norms in r/o affiliated trade/units in this ITI
 - e) No valid documents of the ITI were provided.
 - f) Principal was not present in the institute.
 - g) No CITS trained staffs available.
 - h) It was also informed by State Directorate that during the inspection dated 28.07.2025, the ITI was made as practical exam center for AITT 2025 due to which it was found dismantled condition.
- v. Accordingly, again surprise Joint Inspection dated 08.09.2025 was conducted in which again severe deficiencies were observed such as:
 - a) A board of University was installed and running in the ITI premises.
 - b) The labs and machineries of electrician, Fitter and Mechanic Diesel trades were very old and completely nonfunctional.
 - c) No trainees were available during inspection.
 - d) The ITI found non- functional in working hours.

- e) The instructors available in the ITI were not as per affiliation norms.
- vi. The Joint Inspection committee recommended de-affiliation of the ITI.
- vii. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons:
 - a) ITI was completely non-functional
- viii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- ix. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- x. The ITI replied late vide email dated 25.06.2026. in its reply the ITI submitted the following:
 - a) The institute denies the allegation that it was non-operational during the surprise inspection conducted on 23.08.2023 and states that attendance registers and all prescribed records were produced before the inspection team.
 - b) It contends that there are no infrastructure-related deficiencies and claims that all classrooms, workshops, machinery and equipment are available and compliant with the prescribed norms. Photographs of the classrooms and workshops have also been enclosed.
 - c) The institute states that it has been functioning for the past 26 years with the requisite infrastructure.
 - d) It submits that the ITI and YBN University are separate entities with independent infrastructure and workshops. The electricity connection is in the name of the sponsoring society, Tribal Social Welfare Society, which is stated to be permissible.
 - e) The institute claims that all machinery and equipment are available and in proper working condition.
 - f) It states that the Principal was on leave on the date of inspection.
 - g) The institute reiterates that it has well-developed workshop infrastructure and denies the allegations made against it.
 - h) Requested to protect the ITI from de-affiliation.

35th SCAA remarks:

The Committee noted that the Minutes of the Meeting of the 29th SCAA were issued/shared with the ITI on 02.06.2026, and the ITI was required to submit its reply within 21 days therefrom, i.e., on or before 23.06.2026. The ITI, however, submitted its reply only on 25.06.2026, which is beyond the stipulated period, and the reply is accordingly a belated submission. The Committee further noted that three separate surprise inspections (23.08.2023, 28.07.2025 and 08.09.2025) consistently found the ITI's workshops and infrastructure dismantled and non-functional, a university operating from the ITI's premises, machinery not available as per norms, absence of CITS-trained staff, and no trainees present, and that the ITI failed to reply to the SCN

dated 12.09.2023 or the reminder SCN dated 09.06.2025 at all. The ITI's belated reply denies these findings in general terms but does not adequately explain the discrepancy between the address recorded on the NCVT MIS portal and the address recorded on the State DET portal, nor does it furnish any independent documentary proof — such as a registered lease/ownership document distinct from the University, or a current joint verification report — to rebut the consistent findings of three separate inspections. In view of the belated and unsubstantiated reply, and the ITI being found non-functional across three rounds of inspection, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-18(11+7), Fitter-14(7+7), Health Sanitary Inspector-1(0+1), Mechanic Diesel-6(3+3), and Welder-5(2+3). The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

25. Kiran Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Hehal Ranchi Jharkhand -834005	1. Electrician-4(2+2) 2. Fitter- 4(2+2)
MIS code: PR20000156	

Brief of Matter:

- i. Initial surprise inspection of the ITI was conducted on 23.08.2023 in accordance to verify the infrastructural and training facility of the ITI .
- ii. During inspection severe following deficiencies related to infrastructure and workshops were observed.
 - a) ITI was running less than 4 trades.
 - b) ITI was running less than 0.5 acers.
 - c) Workshops were used for Godown for their Electronic shops.
 - d) Safety norms such as wiring flooring , fire extinguishers were not followed by the ITI.
 - e) Workshops, classrooms and other amenities were insufficient. The building seems to be residential building of the owner.
- iii. Subsequently, a Show Cause Notice (SCN) dated 12.09.2023, followed by a reminder SCN dated 09.06.2025, was issued to the ITI. The ITI submitted its reply to the reminder SCN.
- iv. In its reply dated 16.06.2025, the ITI submitted the following points:
 - a) The ITI has affiliation for two trades, granted in 2012, and claims compliance with DGT criteria for affiliated trades.
 - b) It stated that both trades adhere to the space norms as per DGT guidelines applicable at the time of affiliation (2012).

- c) The proprietor operates a separate Kiran electronic shop on Bajra–Bariyatu Road, located away from the ITI. Due to renovation work, some shop equipment was temporarily kept in the workshop for a few hours as an exceptional circumstance.
 - d) The ITI contended that the allegation lacks authenticity, stating that it follows the 5S concept in letter and spirit and has implemented safety measures, including proper wiring.
 - e) It informed that a display board has been installed on the main road (Aadiwasi Chowk) leading to the ITI, along with a wall painting at the entrance gate for visibility and identification.
 - f) The ITI claimed to have adequate infrastructure, including RO water facility, notice boards, CCTV cameras, classrooms, and separate toilets for boys and girls, maintained with proper cleanliness and hygiene.
 - g) It stated that no detailed communication regarding re-affiliation criteria was received via mail or letter.
 - h) Staff details have already been uploaded in the instructor column on the NCVT portal.
 - i) The ITI clarified that the trade practical venue and examiners are decided by the Nodal ITI (Govt. ITI Ranchi), and it has no role in selecting the home centre.
 - j) It stated that attendance is currently maintained manually, and no guidelines for mandatory biometric attendance of trainees have been received.
- v. Subsequently, on 18.07.2025, during the CTS Practical Examination 2025, when the ITI was designated as an examination centre, a surprise inspection was conducted by RDSDE officials acting as a flying squad. During the visit, it was observed that the labs and workshops had been dismantled and were non-functional. The institute premises were being used as a garage and storage space, and no trainees were present. These observations, duly supported by photographic evidence, reaffirm the non-functional status of the institute, consistent with earlier findings.
- vi. Accordingly, again Joint Inspection dated 01.09.2025 was conducted in which again severe deficiencies were observed such as:
- a) The land lease expired on 01.09.2025
 - b) BCC was not approved.
 - c) The electricity connection is not separate for the ITI. and ITI is not provided the relevant Electricity Bill in reference of ITI.
 - d) Machinery bills were not available during inspection.
 - e) No biometric attendance of staff and student were taken.
 - f) Only registers were available, no trainees were there during inspection.
 - g) Some Machineries were available in dismantled conditions and workshops are using as Storage and godown.
 - h) IT lab and Drawing hall were not available.
 - i) PM Vishwakarma Scheme is running in the same building and classroom.

- j) No parking space, drainage system not available in the Road, very congested road, Workshops are in dismantled conditions and using godown, storages.
- k) Lab in non-working condition and majority of machines as per trade list is not available.
- l) Staff appointment letter provided by the ITI that is not sufficient according to the affiliated trades and units. No staff members are present during the inspection and not taken the class.
- vii. The Joint Inspection Committee recommended the ITI for de-affiliation.
- viii. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons:
 - a) ITI was completely nonfunctional.
- ix. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- x. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.
- xi. The ITI replied to the SCN vide email dated 20.06.2026. in its reply the ITI submitted the following:
 - a) The institute contends that most inspection observations were based on temporary circumstances or incomplete facts and that the institute is presently fully functional.
 - b) It submits that the institute should not be treated as non-functional merely because it is operating less than four trades, as it is running the trades originally approved by DGT.
 - c) It states that the institute is operating from the approved premises, and land/building documents have been enclosed.
 - d) It claims that the observation regarding non-availability of a separate electricity connection is incorrect, stating that a separate 20 kW industrial electricity connection exists in the institute's name.
 - e) It explains that the workshop was temporarily used for storing materials during inspection, but is regularly used for practical training.
 - f) It asserts that all required machinery and equipment for Electrician and Fitter trades are available, along with purchase bills.
 - g) It states that the IT Lab and Drawing Hall are available and functional.
 - h) It submits that the required staff and instructors are available and that any absence during inspection was temporary and should not lead to the institute being declared non-functional.
 - i) It clarifies that activities under the PM Vishwakarma Scheme are conducted separately and do not interfere with ITI training.
 - j) It states that adequate land, building and infrastructure are available for conducting training.

- k) It contends that absence of biometric attendance cannot be a ground for de-affiliation, as attendance registers and other records are maintained.
- l) The institute submits that it has been providing skill training to youth for several years and that de-affiliation would adversely affect existing and future trainees.
- m) The institute has requested DGT to drop the proposed de-affiliation proceedings, consider the enclosed documentary evidence, and conduct a fresh inspection after giving prior intimation.
- n) Supporting documents enclosed include geo-tagged photographs, machinery list and purchase bills, land/lease documents, building/BCC documents, electricity proof, staff and trainee attendance records, CCTV photographs, fire & safety compliance documents, and IT Lab/Drawing Hall photographs.

35th SCAA remarks:

The ITI has submitted a detailed reply dated 20.06.2026 disputing the findings of the earlier inspections, including claims of a separate 20 kW industrial electricity connection now in the ITI's name, availability of all required machinery with purchase bills, a functional IT Lab and Drawing Hall, adequate staff, and that the PM Vishwakarma Scheme activities conducted in the same building do not interfere with ITI training, supported by a substantial set of documents including geo-tagged photographs, machinery bills, land/lease documents, BCC, electricity proof, attendance records, CCTV photographs and fire/safety compliance documents. The Committee also noted the TC observation that the workshop rooftop is tin-shed, which is not as per norms, and that the land lease found during the joint inspection dated 01.09.2025 had expired on that very date. Given the volume of fresh documentary claims made by the ITI and the need to verify them against the ground reality, particularly in light of the ITI's history of three earlier inspections finding it non-functional, the Committee has decided that RDSDE and the State Directorate shall conduct a joint verification of the ITI to check the correctness of the ITI's claims, and submit a report along with its recommendation to DGT for a final decision, within 1 month from the date of issuance of the Minutes of this Meeting.

26. Saravana Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Thiruthani, Thiruvallur District., Tamil Nadu – 631209 MIS code: PR33000460	1. Electrician-4(2+2) 2. Fitter- 2(1+1)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI were initiated by State Directorate due to unauthorized change in location.
- ii. The SCN was issued to the ITI on 29.05.2025 and the ITI replied to the SCN.
- iii. Thereafter the joint inspection dated 24.02.2026 were conducted by State Directorate and RDSDE officials.
- iv. During the inspection the following were observed:
 - a) No relevant document available for shifting the ITI from the old building to the new one. Maximum records or documents related to the ITI are not available with them.
 - b) The Joint Inspection Committee inspected the ITI and it was found that the institute had been shifted from one location to another without prior approval or intimation. The original affiliated building had been demolished. The second location is situated at an approximate distance of 3 to 3.5 km from the original site.
 - c) During our visit, the institute did not maintain or produce records of staff details and salary particulars for verification.
 - d) The rental agreement for the new building expired last year (2025) . However, the building appears to be an old structure and not a newly constructed one. During our visit to the ITI, the required and valid documents were not submitted for verification.
 - e) It was observed that the stock register and raw material register were not maintained as per the prescribed norms
 - f) A few of the equipment items have been installed and are in working condition; however, some equipment has not yet been installed.
 - g) During the visit, it was observed that basic amenities were not available, except for the drinking water facility.
 - h) No approval copy was produced for shifting the building. Student record details and biometric attendance records were not maintained. Trainer record details and biometric attendance records were not maintained. Proper documents such as the Building Completion Certificate and Safety Certificate were not submitted for verification
- v. The matter was discussed in 7th SSDEC in which SSDEC recommended de-affiliation of ITI due to above said observations during joint inspection.
- vi. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC.
- vii. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- viii. The ITI did not avail the opportunity provided by 29th SCAA.

35th SCAA remarks:

The Committee noted that the Minutes of the Meeting of the 29th SCAA were issued/shared with the ITI on 02.06.2026, and the ITI was required to submit its reply within 21 days therefrom, i.e., on or before 23.06.2026. The ITI did not submit any reply within the stipulated period. The Committee noted that the joint inspection dated 24.02.2026 found that the ITI had shifted from its originally affiliated building, which now stands demolished, to a new location approximately 3 to 3.5 km away, without prior approval or intimation to the authorities. The Committee further noted that at the new location, the rental agreement had already expired in 2025, the building appeared to be an old structure rather than newly constructed, and no approval for the shift, staff/salary records, stock and raw material registers, student and trainer biometric attendance records, Building Completion Certificate, or Safety Certificate were produced for verification, and basic amenities other than drinking water were not available. In view of the unauthorised change of location, the consequent deficiencies found at the new site, and the ITI's failure to reply within the stipulated period or avail the opportunity granted by the 29th SCAA, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-4(2+2) and Fitter-2(1+1). The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

27. Banke Bihari Private ITI, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Mau Road Gram Bhadroli Dist. Gwalior, Madhya Pradesh: 474010 MIS code: PR23001080	1. Electrician- 6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.
- ii. SCN was issued to the ITI on 08.04.2021.
- iii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.
- iv. Thereafter the Joint Inspection was conducted on 02.05.2025 wherein, the ITI denied for inspection.
- v. Then again, the Joint Inspection was conducted on 08.07.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending.

- vi. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:
 - a) The ITI has given sufficient opportunity.
 - b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.
- vii. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to showcause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.
- viii. The ITI replied to the SCN on 23.03.2026.
- ix. The institute, in its reply, submitted that
 - x. the allegation relating to denial of entry for joint inspections conducted on 02.05.2025 and 15.09.2025 is not correct.
 - xi. The institute has also submitted certain documents/materials, including geo-tagged photographs and video footage of the institute premises, classrooms and workshops; photographs/videos of tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records.
- xii. Further, the institute requested that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for personal hearing in the event of any adverse decision and expressed willingness to furnish any additional documents/information, if required.
- xiii. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.
- xiv. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026
- xv. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 15.07.2026 the following observations were recorded:
 - a) ITI denied for inspection citing that the W.PC 13126/2026 is pending in Hon'ble Court and grievance 1701of 2028 on NIMI portal is also pending .
 - b) The ITI location is 4 Km from Geotag location on SIDH portal. The current location of the ITI is Mau road Bhardoli.
 - c) There is no stay order from the court for the ITI.
 - d) ITI representative did not signed.
- xvi. The joint verification team recommended for de-affiliation.

35th SCAA remarks:

The Committee noted that pursuant to its decision at the 29th SCAA to conduct a joint verification of the ITI to objectively assess the claims made in its reply, RDSDE submitted its joint verification report dated 15.07.2026. The report records that the ITI once again denied the verification, this time citing the pendency of WP No. 13126/2026 before the Hon'ble Court and Grievance No. 1701/2028 on the NIMI portal, despite there being no stay order from the Court restraining such verification. The Committee reiterated that an ITI cannot deny a joint inspection or verification citing the pendency of a petition or grievance, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time. The Committee further noted that the ITI's location was found to be 4 km away from its geo-tagged location recorded on the SIDH portal, and that the ITI's representative refused to sign the verification report. The Committee took note that this was the third occasion — after the inspections dated 02.05.2025 and 08.07.2025 — on which the ITI has refused to permit inspection/verification. The joint verification team has recommended de-affiliation of the ITI. In view of the ITI's repeated and continuing refusal to permit verification of its compliance, the unexplained discrepancy in its geo-tagged location, and its refusal to sign the verification report, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-6(2+2+2) and Stenographer & Secretarial Assistant (Hindi)-3(1+1+1). The ITI is not allowed to admit trainees in these trade/units from the Academic Session 2026-27.

28. Shri Vijay Private ITI College, Gwalior

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Shri Vijay Pvt. ITI, Near Govt. High School, Maheshp, Dist: Gwalior, Madhya Pradesh- 474001 MIS code: PU23000388	1. Electrician- 3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.
- ii. SCN was issued to the ITI on 08.04.2021.
- iii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.

- iv. Thereafter the Joint Inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection.
- v. Then again, the Joint Inspection was conducted on 02.07.2025 wherein, the ITI denied for inspection.
- vi. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:
 - a) The ITI has given sufficient opportunity.
 - b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.
- vii. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.
- viii. The ITI replied to the SCN on 25/26.03.2026.
 - a) The institute submitted that it has been affiliated since 2013 and has been conducting vocational training activities under the CTS framework.
 - b) The institute further submitted its response with reference to the observations relating to denial of joint inspections conducted on 02.05.2025 and 15.09.2025.
 - c) The institute also submitted certain documents/materials, including geo-tagged photographs of the institute premises situated near Govt. High School, Maheshpura, Gwalior; videography/photographs of classrooms, workshops, tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records, for consideration by the competent authority.
 - d) Further, the institute requested that its reply be taken on record and that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for hearing before any adverse final decision is taken.
- ix. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.
- x. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 17.07.2026 the following observations were recorded:
 - a) ITI denied for inspection citing that the W.PC 8117/2025 is pending in Hon'ble Court and grievance on NIMI portal is also pending .
 - b) There is no stay order from the court for the ITI.
 - c) The joint verification team recommended for de-affiliation

35th SCAA remarks:

- i. The Committee noted that pursuant to its decision at the 29th SCAA to conduct a joint verification of the ITI to objectively assess the claims made in its reply, RDSDE submitted its joint verification report dated 17.07.2026.
- ii. The report records that the ITI once again denied the verification, this time citing the pendency of WP No. 8117/2025 before the Hon'ble Court and a grievance pending on the NIMI portal, despite there being no stay order from the Court restraining such verification.
- iii. The Committee reiterated that an ITI cannot deny a joint inspection or verification citing the pendency of a petition or grievance, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time. The Committee took note that this was the third occasion — after the inspections dated 12.03.2025 and 02.07.2025 — on which the ITI has refused to permit inspection/verification. The joint verification team has recommended de-affiliation of the ITI.
- iv. In view of the ITI's repeated and continuing refusal to permit verification of its compliance despite the absence of any restraining order from the Hon'ble Court, the Committee decided to de-affiliate all trade/units of the ITI, namely Electrician-3(1+1+1). The ITI is not allowed to admit trainees in this trade/unit from the Academic Session 2026-27.

29. Sket ITI Balaghat

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address : Main Road,Dulapur,P.O: Badgao,The Lanji, District: Balaghat, Madhya Pradesh-481222. MIS code : PR23001090	1. Electrician- 6(2+2+2)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.
- ii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.
- iii. Thereafter the Joint Inspection was conducted on 07.03.2025 wherein, the following deficiencies were observed:
 - a) The Building Completion Certificate is not in accordance with the prescribed norms.
 - b) The electricity bills indicate a shortage of power supply.

- c) Information regarding staff appointments is incomplete.
- d) Records of staff and student attendance are not available.
- e) Student records are incomplete.
- f) Details regarding machinery installation are improper and incomplete.
- g) The working status of machinery is not as per norms, and some motors were found to be under repair.
- h) Detailed information about the buildings reveals the presence of an asbestos-roof structure, as seen in the workshop photograph, which is not as per norms.
- i) The IT laboratory is not available as per norms, and there is no provision of internet connectivity, LAN, or Wi-Fi.
- j) The Drawing Hall/Electrical Lab lacks essential safety measures, such as proper earthing and earth-proof flooring, and several open-ended wires were observed.
- iv. The SCN dated 01.05.2025 followed by reminder dated 09.06.2025 were issued to the ITI but ITI did not reply.
- v. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI has nothing to submit in its support.
- vi. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.
- vii. The ITI replied to the SCN on 25.03.2026(26.03.2026)
- viii. In its reply the ITI submitted the following:
 - a) For Recent Compliance the ITI stated that Following the 26th SCAA Minutes notice dated March 5, 2026, the ITI is submitting all required information lists via email as of March 25, 2026 to RDSDE M.P.
 - b) The ITI has attached all the ITI related document and photographs with its reply.
- ix. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.
- x. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 14.07.2026 the following observations were recorded:
 - a) The land ownership document in the name of lesser not available. The plot number not displayed in the address. land border not marked on layout drawing.
 - b) BCC is signed by sub engineer. Layout drawing is not as per norms, date not mentioned, land boundary not shown, architect registration expired in 2022.BCC is signed in 2025.
 - c) The name and address of ITI mentioned on the ECB does not match with other document and number, do not match with physical meter installed in the ITI. Also, the monthly Electricity bill negligible indicating no training.

- d) None of the instructor possess NCIC. Instructors do not know ITI details like number of trainees admitted, shift timing, etc. No proof of salary payment to staff.
- e) Students attendance records not available as per norms. Unavailability of biometric attendance with lack of student study records indicate no training.
- f) Many machines and equipment were kept uninstalled. Foundation bolts are missing for some machines. Machines not connected, wiring broken. Not available as per norms.
- g) The electrician trade instructor present on the day of inspection could not identify and operate machines. Many machines not connected or not working.
- h) Only 02 computers working in ITI lab, no air conditioner, no UPS, open wires. Seepage from roof, IT lab is in very poor condition.
- i) Fire safety certificate not available, fire extinguisher validity was expired.
- j) Wires hanging loose. Temporary wiring observed. Cracks in walls and roofs. rat, snake holes observed in floor, dangerous for trainees. overhead high voltage electricity line passing through the ITI.
- k) The joint inspection committee mentioned in the report that ITI is not in a condition to conduct training as per norms.

35th SCAA remarks:

- i. The Committee noted that pursuant to its decision at the 29th SCAA to conduct a joint verification of the ITI to objectively assess its compliance, RDSDE submitted its joint verification report dated 14.07.2026, which recorded extensive and serious deficiencies.
- ii. These include the absence of a valid land ownership document in the name of the lessor and an unmarked land boundary; a Building Completion Certificate signed by a sub-engineer on the basis of a layout drawing that is undated and does not show the land boundary, issued despite the architect's registration having expired in 2022; an electricity bill whose name, address and meter number do not match the physical meter installed at the ITI, with negligible monthly consumption indicating no actual training activity; the complete absence of NCIC/CITS-qualified instructors, with the instructor present being unable to answer basic questions about the institute or even identify and operate the machinery; absence of student attendance and biometric records; machinery kept uninstalled with missing foundation bolts and broken wiring; a poorly functioning IT lab with only two working computers, no UPS or air conditioning, and roof seepage; absence of a valid fire safety certificate and an expired fire extinguisher; and serious safety hazards including loose and temporary wiring, cracks in the walls and roof, rat and snake holes in the floor, and an overhead high-voltage electricity line passing through the ITI premises.
- iii. The joint inspection committee has recorded that the ITI is not in a condition to conduct training as per the prescribed norms. The Committee noted that the ITI did not reply to the SCN dated 01.05.2025 or the reminder dated 09.06.2025, and that its

subsequent reply dated 25/26.03.2026 was a general submission of documents without addressing the specific deficiencies, which the joint verification has now shown to be far more serious than earlier recorded, including hazards to the safety of trainees.

- iv. In view of the gravity and persistence of these deficiencies, the Committee decided to **de-affiliate** all trade/units of the ITI, namely Electrician-6(2+2+2). The ITI is not allowed to admit trainees in this trade/unit from the Academic Session 2026-27.

30. Technocrat Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Anand Nagar, Near Sagartall Road, Distt:-Gwalior,474001 MIS code: PU23000764	1. Electrician- 6(2+2+2)

Brief of Matter:

- i. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal.
- ii. SCN was issued to the ITI on 15.09.2021 by DGT.
- iii. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter.
- iv. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a Joint Inspection of the ITI in coordination with the State Directorate.
- v. Thereafter, a Joint Inspection of the ITI was conducted on 08.07.2025, wherein the ITI denied for inspection by stating that ITI has filed the petition which is pending before the Hon'ble Court.
- vi. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.
- vii. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of Meeting.
- viii. The ITI replied to the SCN on 26.03.2026.
- ix. In its reply the ITI submitted the following:
 - a) Operational History: The ITI has been running since 2014 after obtaining affiliation and claims to be in full compliance with all NCVT and ITI norms.

- b) Inspection Clarification: The document addresses the claim that the institute denied joint inspections on May 2, 2025, and September 15, 2025.
 - c) Maintenance of Norms: The applicant asserts that the institute has undergone regular inspections previously and has always been found to be running in accordance with affiliation standards.
 - d) Compliance Submission: In response to a letter dated March 11, 2026, the ITI is submitting this comprehensive explanation supported by documentary evidence to prove it is a functional entity.
 - e) Infrastructure Evidence: The institution confirms it is operating from its designated building in Gwalior and has included geo-tagged photographs and location data as "Annexure A/1" to verify the premises.
 - f) The Principal requests that the provided response be taken on record and that the de-affiliation proceedings be dropped in the interest of justice. They also explicitly request an opportunity for a formal hearing before any adverse final decision is made.
- x. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.
 - xi. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 16.07.2026 the following observations were recorded:
 - a) ITI denied for inspection citing that pending grievance no 1719 of 2026 stating that inspection to be postponed or suspended till decision of Grievance.
 - b) ITI address not specific. geotag location appr 600 m from ITI.

35th SCAA remarks:

- i. The Committee noted that pursuant to its decision at the 29th SCAA to conduct a joint verification of the ITI to objectively assess its compliance, RDSDE submitted its joint verification report dated 16.07.2026, which records that the ITI once again denied the verification, this time citing a pending grievance (No. 1719 of 2026) and requesting that the inspection be postponed or suspended until the grievance is decided.
- ii. The Committee reiterated that an ITI cannot deny a joint inspection or verification citing a pending grievance, a pending Court petition, or any other reason, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time.
- iii. The Committee further noted that this was the second occasion — after the inspection dated 08.07.2025 — on which the ITI has refused to permit inspection/verification, and that the verification report additionally recorded that the ITI's address is not specific and that its geo-tagged location is approximately 600 metres away from the ITI.

- iv. In view of the ITI's repeated refusal to permit verification of its compliance and the unresolved discrepancy in its declared location, the Committee decided to **de-affiliate** all trade/units of the ITI, namely Electrician-6(2+2+2). The ITI is not allowed to admit trainees in this trade/unit from the Academic Session 2026-27.

31. Raj Uttam Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Army School Badagaon chauraha Morar Gwalior, District: Gwalior, Madhya Pradesh- 474006. MIS code- PR23001028	i. Electrician- 3(1+1+1) ii. Fitter-3(1+1+1)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.
- ii. SCN was issued to the ITI on 08.04.2021.
- iii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.
- iv. Thereafter the Joint Inspection was conducted on 03.03.2025 wherein, the following deficiencies were observed:
 - a. The land document was manipulated.
 - b. The BCC was not as per norms.
 - c. The recent electricity bill was not provided by the ITI, only Dec 2024 bill provided in which 0 units consumed in Oct & Nov 2024.
 - d. The machinery was not procured as per the revised syllabus for both trades.
 - e. Trades instructors were not present as per the appointment letters and the ITI not provide their Qualification & experience certificates.
 - f. Staff & Student Attendance were taken physical attendance and also not properly maintained by the ITI.
 - g. Student records were not provided.
 - h. In Fitter trade machinery was not installed.
 - i. In Electrician trade the machinery was partially installed. Not available as per revised syllabus.
 - j. Since instructors were not available in the ITI, therefore machinery working condition was not checked during inspection.
 - k. The ITI and drawing labs were not as per norms.
 - l. Other activities such as owner family was staying in the ITI premises. Private school board in the ITI premises were found.
- v. The SCN was issued to the ITI on 01.05.2025 and the ITI replied to the SCN.

- vi. Based on ITI reply, the joint verification dated 11.06.2025 was conducted to verify the removal of deficiencies were observed, but ITI not allowed for Joint Inspection by stating that the ITI will get inspected through the Hon'ble Court and do not want the inspection to be done now.
- vii. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI the deficiency removal by the ITI cannot be verified since ITI did not allow joint inspection.
- viii. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.
- ix. The ITI replied to the SCN on 24.03.2026.
- x. In its reply the ITI submitted the following:
 - a) Operational Background
 - The ITI has been affiliated since 2018 and claims consistent compliance with vocational training norms.
 - b) Inspection-Related Submissions
 - In response to allegations of denial of inspections on 02.05.2025 and 15.09.2025, the institute has submitted a detailed reply citing principles of natural justice and asserting that it is functional.
 - c) Infrastructure & Location
 - The institute is located near Army School, Badagaon Chauraha, Morar, Gwalior.
 - Geo-tagged photographs have been submitted to verify the location of the building (Annexure A/1).
 - d) Workshops & Equipment
 - Videography and photographs of classrooms, practical labs (Fitter and Electrician), and the computer lab have been provided to demonstrate availability and functionality of tools and machinery (Annexures A/2 and A/3).
 - e) Staffing & Attendance
 - Faculty list (Annexure A/5) and student attendance records (Annexure A/6) have been submitted to indicate ongoing academic activities.
 - f) Electricity Usage
 - Electricity bills (Annexure A/4) have been furnished as supporting evidence of operational activity.
 - Consumer name: Uttam Private ITI; Service address: Badagaon, Morar.
 - Sanctioned load: 14.0 KW (Three-phase connection).
 - Consumption: 338 units recorded in the bill dated 14.03.2025.
 - g) Visual Evidence (Geo-tagged)
 - Classroom photographs dated 23.03.2026 show availability of benches.
 - Exterior geo-tagged images confirm the frontage of "Raj Uttasm Private ITI College."
 - h) Request
 - The Principal has requested that de-affiliation proceedings be dropped based on the submitted evidence.
 - A request has also been made for an opportunity of personal hearing before any adverse decision is taken.

- i) Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.
- j) The RDSDE submitted its joint verification report vide email dated 11.08.2026. As per joint inspection report dated 04.08.2026 the following observations were recorded :
- ITI denied citing pending WP 8117/2025 in Hon'ble Court and grievance.
 - No stay order.
- k) The joint inspection committee recommended for de-affiliation of the ITI.

35th SCAA remarks:

The Committee noted that pursuant to its decision at the 29th SCAA to conduct a joint verification of the ITI to objectively assess its compliance, RDSDE submitted its joint verification report dated 04.08.2026, which records that the ITI once again denied the verification, this time citing a pending W.P.C(No. 8117 of 2025) in Hon'ble Court.

The Committee reiterated that an ITI cannot deny a joint inspection or verification citing a pending grievance, a pending Court petition, or any other reason, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time.

The Committee further noted that this was the second occasion — after the inspection dated 04.08.2026 — on which the ITI has refused to permit inspection/verification.

In view of the ITI's repeated refusal to permit verification of its compliance, therefore, the Committee decided to de-affiliate all trade/units of the ITI, namely -Electrician- 3(1+1+1) and Fitter-3(1+1+1). The ITI is not allowed to admit trainees in these trades/units from the Academic Session 2026-27.

32. OM Pvt ITI , Morena

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Lala,Kapura, Ater Road, Porsa, District-Morena, Madhya Pradesh- 476115 MIS code: PR23001088	i. Electrician- 12(4+4+4)

Brief of Matter:

- i. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.
- ii. SCN was issued to the ITI on 08.04.2021.
- iii. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.
- iv. Thereafter the Joint Inspection was conducted on 17.04.2025 wherein, the ITI denied for inspection.
- v. Then again, the Joint Inspection was conducted on 03.07.2025 wherein, the ITI denied for inspection.
- vi. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSSEC recommended de-affiliation of the ITI due to following reasons:
 - a) The ITI has given sufficient opportunity.
 - b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.
- vii. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.
- viii. The ITI furnished a delayed reply to the SCN on 28.03.2026
- ix. The institute submitted that
 - a. Joint inspections conducted on 17.04.2025 and 03.07.2025 could not be carried out due to administrative constraints and staff availability.
 - b. The institute further submitted that it is conducting training in the Electrician trade with 6 units (2+2+2) under the CTS framework.
 - c. The institute also submitted certain documents/materials relating to infrastructure, workshops, classrooms, tools and machinery, safety arrangements, training activities, faculty details, and geo-tagged photographs/videos of the institute premises and workshops, for consideration by the competent authority.
 - d. Further, the institute requested that the de-affiliation proceedings may be dropped and cited principles of natural justice in support of its request.
- x. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to de-affiliate the ITI as the delayed reply was submitted by the ITI
- xi. After that a corrigendum dated 14.07.2026 was issued by the DGT in which joint inspection decision was taken as the reply was inadvertently not taken in the 29th SCAA meeting.
- xii. Accordingly RDSDE conducted the joint inspection on 05.08.2026 and submitted its joint verification report vide email dated 11.08.2026.
- xiii. As per joint inspection report dated 05.08.2026 the following observations were recorded :

- The ITI requested postponement of the joint inspection scheduled on **05.08.2026** to **10.08.2026**, citing the ongoing annual examinations and pre-scheduled vacation period.
- It stated that academic/administrative staff were on leave and regular staff attendance would resume from **10.08.2026**, while regular student classes would commence from **17.08.2026**.
- The ITI further informed that the relevant Society records/documents were kept at the Society office and would be made available at the Institute by **10.08.2026**, with the concerned officer/staff present to facilitate the inspection.
- Accordingly, the ITI requested that the **joint inspection be rescheduled from 05.08.2026 to 10.08.2026**.

35th SCAA remarks :

The Committee noted that pursuant to the decision taken in the **29th SCAA**, a Joint Verification of the ITI was directed to objectively assess its compliance. Accordingly, the RDSDE conducted the Joint Inspection on **05.08.2026**. However, the ITI, on the scheduled date, once again requested postponement of the inspection to **10.08.2026**, citing annual examinations, vacation period and non-availability of staff, and stated that the relevant records would be made available on 10.08.2026.

The Committee reiterated that an ITI cannot deny or seek to indefinitely defer a Joint Inspection/Verification on the ground of staff availability, examinations, vacation or any other reason, particularly when the inspection has been directed by the competent authority. The concerned RDSDE and State Directorate are duly empowered to inspect and evaluate the compliance and functioning of the ITI.

The Committee further noted that the ITI had **earlier denied Joint Inspections on 17.04.2025 and 03.07.2025** and, despite being granted repeated opportunities, again failed to facilitate the Joint Verification on the scheduled date of **05.08.2026**.

In view of the ITI's repeated failure to facilitate the Joint Inspection/Verification and its continued non-cooperation in the verification of compliance, the Committee decided to **de-affiliate** all trade/unit(s) of the ITI, namely Electrician – 12 (4+4+4). The ITI shall not be permitted to admit trainees in the said trade/unit(s) from Academic Session 2026-27.

33. Shashtri Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: 15- 16, Baba Tadkeshwar Nagar, Ward No. 19, Surajkund, Chaksu, Jaipur Rajasthan	i. Electrician - 2 (1+1) ii. Fitter - 2 (1+1)
MIS Code: PU08001675	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025.
- iii. Further, a Joint Inspection was conducted on 30.06.2025.
- iv. During inspection following deficiencies were found:
 - a) No CITS Instructor appointed for Electrician Trade.
 - b) Electrician Trade Machinery sr, no 144, 145, 165, 166, 159, 106, 107 etc not available.
 - c) Fitter trade machinery sr. no. 197 -204 etc are not available.
 - d) IT lab computer system not in working conditions or outdated.
 - e) ED hall not available.
 - f) Fitter Tools were rusted and seems to be not in use.
 - g) Low unit consumption
- v. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vi. Based on the findings of the Joint Inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for deaffiliation of the ITI.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The replies to the SCN was received on 10.01.2026 and 13.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) Electrician Trade: No CTIS (Craft Instructor Training Scheme) staff previously; now appointed, with supporting documents attached.
 - b) Machines/Equipment: Inspection team noted some missing; all now installed and operational, with video evidence and bills attached.
 - c) Fitter Trade: Deficiencies identified by inspectors; all rectified, with video and bills attached.
 - d) IT Lab: Issues fixed; all computers now functional, with video attached.
 - e) Electricity Bills: Last three months' bills attached as proof.
 - f) Building Compliance: Fully meets NCVT (National Council for Vocational Training) standards.
 - g) Request: The institute invites surprise/physical verification or inspection at any time and seeks permission to complete the admission process for students in the 2025-26 session.
- x. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.

- xi. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show- cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.
- xii. Thereafter, in compliance of Hon'ble court decision dated 23.01.2026, the ITI replied on 14.02.2026.
- xiii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xiv. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 23.04.2026 and following are the observations of the Joint Inspection committee:
 - a) Building complete certificate was not available at institute.
 - b) Machinery bills complete payment record not available.
 - c) Biometric machine was not working. Student bio metric attendance was also not working.
 - d) Teachers records were partially available.
 - e) No drawing hall was available in the ITI.
- xv. However, the Joint Inspection committee recommended the following:
 - a) Electrician 2(1+1) Shift-1 Unit-1 Shift-2 Unit-1
 - b) Fitter 2(1+1) Shift-1 Unit-1 Shift-2 Unit-1
- xvi. The matter was deliberated in the 30th SCAA meeting. Upon consideration of the deficiencies identified earlier, the following additional deficiencies were also observed by the SCAA in the Joint Inspection dated 23.04.2026:
 - a. The Fire Safety Certificate was not available.
 - b. The Drawing Hall, as required under the prescribed affiliation norms, was not available in the ITI.
 - c. Machinery bills complete payment record not available.
- xvii. Therefore, the SCAA in view of the above decided, that, the ITI should rectify all deficiencies identified during the Joint Inspection including the additional deficiencies mentioned above and submit the report to the concerned State Directorate within 21 days of issue of this Minutes of the Meeting. State Directorate should verify the removal of deficiencies and submit its recommendations to DGT within next 7 days for further considerations in SCAA.
- xviii. The minutes of 30th SCAA meeting were issued on 22.06.2026.
- xix. Further, State Directorate Rajasthan has sent an email dated 20.08.2026 with a letter dated 11.08.2026, as per which Joint Verification committee has verified the removal of above-mentioned deficiencies.

35th SCAA remarks:

Based on the verification report received from State Directorate of Rajasthan, SCAA has decided that ITI is allowed to admit trainees in session 2026-27.

34. Bhuvneshwari Pvt ITI,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Swarna Durga Mandir Ke Pass, Anand Vihar Colony, Nh-12, Kota Road, Tonk, Rajasthan MIS Code: PR08000508	Electrician - 3(1+1+1)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 04.01.2025.
- iii. The ITI replied to the SCN on 22.01.2025.
- iv. Further, a Joint Inspection was conducted on 30.07.2025.
- v. During inspection following deficiencies were found:
 - a) Out of 5 trainers only one trainer was found to be CITS Trained.
 - b) As per Annexure-III, serial no. (c and g) of VI were not strictly followed and records were not found on the day of inspection.
 - c) The number of Instructors sponsored by ITI for CTI training is 00.
 - d) Records of trainees like test copies, Jobs, charts, models etc., were not found.
 - e) Instructor records not found like-weekly & monthly schedule.
 - f) The register for issuing raw materials to the trainees was not found.
 - g) The diesel generator set was found to be only 5 KVA, whereas the requirement is 7.5 KVA. 8. Diesel consumption log book not found.
- vi. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vii. Based on the findings of the Joint Inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation.
- viii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.

- ix. The reply to the SCN was received on 13.01.2026.
- x. In its reply the ITI submitted the following:
 - a) CITS Trained Staff (NSQF Level 4 Syllabus): Qualification met; staff will be appointed soon; advertisement already placed.
 - b) Annexure 3rd Point: Completed.
 - c) Instructor Training: Sponsoring two instructors for CTI training.
 - d) Records Submitted: Trainees' test copies, jobs, charts, models included in the file.
 - e) Schedules Submitted: Instructor monthly/weekly schedules.
 - f) Raw Materials Register: Submitted.
 - g) Diesel Generator: Installed a 7.5 kW unit.
 - h) Diesel Log Book: Consumption log submitted.
- xi. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.
- xii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xiii. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 20.04.2026 and following are the observations of the Joint Inspection committee.
 - a) ITI is not recommended for any of the trade/units.
 - b) The lease deed is not registered, shows two rooms on the first floor that are currently under construction, and contains extensive overwriting, making its validity appear suspicious.
 - c) The Building Completion Certificate (BCC), Fire Safety Certificate, and Building Safety Certificate are all completely unavailable.
 - d) Electricity connection not on the name of ITI or society, meter seal box was broken, Electricity connection documents were not available.
 - e) The classrooms and drawing hall are not constructed to the proper required size, and the store room is built inside Workshop-2, forcing it into an irregular L-shape.
 - f) The institute lacks a boundary wall, hostel, canteen, staff room, dispensary, library of proper size, and separate toilets.
 - g) There are absolutely no facilities or provisions available for physically handicapped (PH) candidates.
 - h) There is no dedicated administrative office space, as the principal's office and the general office share a common room.
 - i) The overall electricity consumption of the institute is abnormally low, the electricity connection is not registered in the name of the ITI or committee, the meter seal box is broken, and connection documents are unavailable.

- j) There is a severe shortage of tools and equipment, including a 10% to 70% deficit in trainees' tools and a 50% to 60% shortage of shop tools. The details of less tools and equipment are as below:
 - k) Trainees tool kit: Sl.no 09 is not available.
 - l) Shop tools and Accessories: Sl.no- 16, 18, 19, 20, 23, 24, 28, 29, 31, 36, 38, 39, 40, 42, 44, 46, 47, 50,52, 59, 60, 61, 63, 64, 65, 66, 67, 68, 71, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 89, 90,92, 93 were not available.
 - m) Shop equipment: Sl.no.95,96,97,99,100,101,103,104,106,108,109,110,115,116 were not available.
 - n) Shop Machinery: Sl.no 144,147,148,149,150 (02 not available), 151 (01 no available) , 153 (7.5 KVA Gen-set not available, 05 KVA available), 159,160,161,162,164,165,166,were not available.
 - o) Shop floor Furniture and materials: Sl. no 167 (01 not available) ,168,175 (expired) were not available.
 - p) Only 14 to 15 pieces of shop machinery are available on-site, out of which only 3 to 5 major machines (140,141,155,156,158) are operational; the remaining machinery has loose electrical connections or is in a completely condemned condition.
 - q) No machinery installation certificates could be found anywhere on the premises.
 - r) The IT lab is highly inadequate, equipped with only 1 to 6 working computers that operate on outdated software versions.
 - s) Drawing hall, store office and staff room were not available.
 - t) Staffing is highly deficient as the institute is short-staffed, the appointed personnel do not possess the proper qualifications, and the Principal is under-experienced, holding only an ITI or diploma pass qualification.
 - u) Essential administrative documentation is missing, as biometric attendance machines are unavailable, trainer and trainee records are not maintained, the raw material consumption register is absent, and the dead stock register contains only old entries or is missing.
 - v) Available fire extinguishers have not been refilled or maintained. Fire safety certificate and building safety certificate not available.
 - w) First floor of building was under construction, a family was residing in the ITI campus, two cows were tied in the ITI campus and it seems school was running in the ITI campus.
- xiv. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks:
- a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 20.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of 30th SCAA MoM) for additional deficiencies observed.

- c. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - d. The reply must reach to the DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xv. The minutes of 30th SCAA meeting were issued on 22.06.2026.
- xvi. However, ITI has not submitted Show-cause reply within stipulate time period.

35th SCAA remarks:

- i. The Committee noted that the joint inspection dated 20.04.2026 found the ITI not fit to be recommended for any trade/unit whatsoever, recording deficiencies of a fundamentally serious nature far exceeding those recorded in the earlier inspection, including an unregistered lease deed bearing extensive overwriting with rooms still under construction, complete absence of the Building Completion Certificate, Fire Safety Certificate and Building Safety Certificate, an electricity connection not held in the name of the ITI or its society, severe shortages of tools, equipment and machinery across all categories, an inadequate and outdated IT lab, an underqualified and understaffed establishment, absence of basic administrative and attendance records, absence of any facility for physically handicapped candidates, and, most tellingly, that the first floor of the building was under construction, a family was found residing on the ITI campus, cattle were tied within the campus, and a school appeared to be operating on the premises.
- ii. The Committee noted that the 30th SCAA, despite these severe deficiencies, granted the ITI a final opportunity to show cause, . However, ITI has not submitted any reply whatsoever to this notice. In the absence of any explanation from the ITI, and in view of the fundamental and pervasive non-compliance recorded during the joint inspection, which shows that the premises are not being used as a functioning ITI at all, the Committee decided to **de-affiliate** the ITI in its entirety.

35. Lal Bahadur Shashtri Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Hindaun Road Saloda, Tehsil Gangapur, Sawai Madhopur , Rajasthan MIS Code: PR08000332	Electrician - 6(2+2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 03.01.2025.
- iii. The reply dated 20.01.2025 was received from the ITI.
- iv. Further, a Joint Inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official.
- v. During the inspection, the ITI refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association.
- vi. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 04.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.
- x. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.
- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xii. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 21.04.2026 and following are the observations of the Joint Inspection committee.
 - a) ITI recommended for De-affiliation.
 - b) The lease deed contains extensive overwriting, raising suspicions regarding its validity.

- c) The Building Completion Certificate (BCC), Fire Safety Certificate, and Building Safety Certificate are all unavailable.
- d) The drawing hall and classrooms are not constructed to the proper required size.
- e) The store room is built inside Workshop-2, forcing the workshop into an irregular L-shape.
- f) The institute lacks a boundary wall, hostel, canteen, staff room, dispensary, and separate toilets.
- g) There are absolutely no facilities or provisions for physically handicapped (PH) candidates.
- h) There is no dedicated office space; the principal's office and the general administrative office share a common room.
- i) There is a 70% deficit in trainees' tools and more than a 60% shortage of shop tools and equipment. The details of the shortage of tools and equipment are as follows
 - j) Trainees tool kit: Sl.no- 01,04,05, 06,07,08,09,10,11 were not available.
 - k) Shop tools and accessories: Sl.no 16,23,24,26,28,29,42,43,44,47,64,65,69 (without bulb and not working), 70,71,73,78,79,82,84,86,88,89,90,92, are not available.
 - l) Shop equipment: Sl.no 94,96,101,103,105,106,108,111, 114,117,118,119,122,128,134,135,136 were not available.
 - m) Shop machinery: Sl.no 142,145,146,147,151,157,159,160,161,164,165,166 were not available.
 - n) Shop floor furniture and materials: Sl.no 168,175 (expired) are not available and other items are available for only 02 units.
 - o) Only 14 pieces of shop machinery are available on-site. Of these, only 3 major machines (S.lno-141, 156, 158 are operational; the rest have loose electrical connections or are in a completely condemned condition.
 - p) 0 machinery installation certificates were found on the premises.
 - q) Only one single computer is in running condition inside the IT lab, and it operates on an outdated version.
 - r) The institute has a shortage of staff, and those who are appointed do not possess the proper qualifications.
 - s) The Principal is only a diploma pass-out and lacks the required professional experience.
 - t) principal and office room are in common room
 - u) Drawing hall and class room are not in proper size.
 - v) Biometric attendance machines are not available. Dead stock registers, raw material consumption logs, and trainer/trainee records were missing completely.
 - w) The overall electricity consumption of the institute is abnormally low, indicating that regular practical training is not being conducted.
 - x) The available fire extinguishers have not been refilled or maintained.
 - y) Fire safety certificate and building certificate not available.
 - z) Store is available within workshop-2 and workshop – 2 is in L shape.
 - aa) Amenities were not available as per norms and No facility was available for Physically Handicapped candidate.
- xiii. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks:

- a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 21.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
- b. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for additional deficiencies observed.
- c. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
- d. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
- e. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

Minutes of 30th SCAA were issued on 22.06.2026.

- xiv. The ITI's compliance reply was received via email on 14.07.2026.
- xv. Following the inspection conducted at the Institute on April 21, 2026, all identified deficiencies have been fully rectified as detailed in Column No. 4 of the inspection form.
- xvi. The ITI is currently fully operational at its original affiliated location (granted on September 13, 2013), continuing its mission to provide technical education to rural and economically disadvantaged students with an unblemished record.
- xvii. In light of these facts, it is respectfully requested that the authority:
- xviii. Review & Revise Remarks: Re-examine and cancel the adverse findings noted against the ITI under Serial No. 6 on June 22, 2026, as all compliance requirements have now been met.
- xix. Prevent Adverse Action: Abstain from proposing any affiliation cancellation or dispatching further re-inspection teams, as rectification has already been completed.
- xx. Grant Operational Access: Issue the Institute's ID, Password, and Seat Matrix to allow regular operations and student admissions to proceed uninterrupted.
- xxi. The ITI missed the 21-day submission deadline and sent their reply on the 22nd day (July 14, 2026) additionally there is no attachment/supporting document in the reply.

35th SCAA remarks:

- i. The Committee noted that the joint inspection dated 21.04.2026 recorded severe deficiencies, including a lease deed with extensive overwriting, complete absence of the Building Completion Certificate, Fire Safety Certificate and Building Safety Certificate, an irregularly shaped workshop, absence of a boundary wall and basic amenities, absence of any facility for physically handicapped candidates, severe shortages of tools, equipment and machinery (a 70% deficit in trainees' tools and over 60% shortage of shop tools/equipment), only 3 of 14 available machines operational, no machinery installation certificates, an inadequate and outdated IT lab, an underqualified and understaffed establishment, abnormally low electricity consumption, and unmaintained fire extinguishers.
- ii. The Committee noted that the ITI's compliance reply was received only on 14.07.2026, beyond the stipulated 21-day period, and that despite claiming all deficiencies stood fully rectified, the ITI did not enclose any supporting document, photograph or other evidence whatsoever in support of this claim. In view of the belated and wholly unsubstantiated reply, and the severe deficiencies recorded during the joint inspection, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

36. Maharshi Dayanand Saraswati Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Rainbow Tower Ward No-2 Rainwal Road Chomu, Jaipur Rajasthan	Electrician – 6 (2+2+2)
MIS Code: PR08000026	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 07.01.2025.
- iii. The ITI replied to the SCN on 22.01.2025.
- iv. Further, a Joint Inspection was conducted on 12.09.2025 by the RDSDE and State official.
- v. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4(2+2).
- vi. However, as per Joint Inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025:
 - a) Out of 15 instructors, only four trainers have been found to possess CITS qualifications.

- b) The diesel consumption logbook was not found.
- c) The provisions under Annexure III (Serial No. c & d of IV-b) have not been followed, and the relevant records have not been made available.
- d) On the day of inspection, the following classrooms/theory areas have been found to be below the prescribed DGT norms: Fitter Theory/Classroom – 24.19 sqme. Electrician Theory/Classroom (1st) – 21.24 sqm, Electrician Theory/Classroom (2nd) – 21.16 sqm, Diesel Mechanic Theory/Classroom – 21.28 sqm.
- e) No instructor in the Fitter trade has been found to possess CITS qualification.
- f) As per the building plan submitted by the ITI, the Mechanic Diesel lab area has been found to be 137.12 sqm, which is less than the required area as per the NSQF Level 3.5 course (including parking space).
- g) The total electrical load available in the ITI has been found to be 13 KW, against the required 13.51 KW.
- h) A movable (non-foundation) generator set of approximately 62.5 KW has been found on the premises, whereas the stock register and submitted bills indicate a 5 KW generator set.
- i) Tools and equipment shop machinery of following serial numbers not available in Electrician NSQF Level \$ Syllabus - (24,28,29,32-(a),38,51,53,54,79,82-(a,b),83,89,92,101,104,108,118 (e,f),122,139,165.
- j) Tools and equipment, General, Shop outfit, machinery of the following serial numbers was not available as per Fitter trade syllabus- (10, 21, 27, 30, 46, 53, 54,82, 93,104, 105,107, 108,109, 117,119, 120, 123, 131, 132, 133,134,135,140, 152, 157, 160,178)
- k) Tools and accessories for pneumatics and hydraulics were not available.
- l) Tools and equipment shop machinery of following serial numbers not available in Diesel Mechanic trade NSQF level- 3.5 syllabus- 15,25,39,55,64,109,111,114,123,125,127,133,135,136,138,151,172,184,186.
- m) Not Recommended for affiliation by the Joint Inspection committee
- n) Fitter - (1+1+1) 03 Unit
- o) Mechanic Diesel - (1+1+1) 03 Unit
- vii. Based on the findings of the Joint Inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 4(2+2)
- viii. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned deficiencies and also as per the 10th SSDEC meeting held on 23.09.2025 recommendations.
- ix. Thereafter, the matter was discussed in 25th SCAA wherein a final opportunity to the ITI was granted to represent itself within 21 days by a way of SCN.
- x. The ITI did not reply to the SCN.
- xi. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the

petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.

- xii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xiii. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 23.04.2026 and following are the observations of the Joint Inspection committee.
 - a) Not recommended for any trade.
 - b) Entrance passage at first floor to the classrooms and IT lab too narrow and mass evacuation will be impossible in case of panic situation.
 - c) Fire system and equipment's not updated and refilled, entry passage of first floor for classrooms and library is too narrow and also mass evacuation is impossible in case of panic situation.
 - d) Only 02 PCs are in working condition out of 12 PCs and PCs are of very old version, tinned shaded IT labs.
 - e) Area not as per current norms, classroom and Diesel mechanic workshop less than current norms but affiliated in 2006 and subsequent trade addition from 2008 to 2015, no scope to increase size.
 - f) The library and washrooms were in very poor condition.
 - g) Major machinery of diesel mechanic trade (engines) not found with proper foundation Recently added tools in syllabus in Electrician Fitter and Diesel Mechanic.
 - h) Raw materials register not updated since 2015 and also unverified, no signature of principal or section in charge.
 - i) Dead Stock Register not updated since 2006-2008.
 - j) Bills of most of machinery and equipment available but recently included tools in updated tool list not purchased.
 - k) Electricity consumption have been too low in current session despite of total 53 current admissions.
 - l) Lease period from 1-07-2011 to 30-06-2026.
 - m) BCC not available.
 - n) Bill of mostly tools equipment and machinery bill available but tool and equipment machinery added in latest norms not purchased.
- xiv. The matter was deliberated upon during the SCAA meeting, and based on the recommendations of the Joint Inspection Committee, the SCAA decided as under:
- xv. In compliance with the principles of natural justice, all concerned ITIs, including the petitioner institute, were afforded an opportunity to represent their case against the proposed de-affiliation pursuant to the decision taken in the 25th SCAA meeting held on 13–14 November 2025. Further, the Hon'ble High Court, vide order dated 23 January 2026, disposed of 36 connected matters and permitted the petitioner institutes to submit fresh replies along with supporting documents in response to the proposed de-affiliation.

- xvi. Pursuant to the directions of the Hon'ble High Court and in furtherance of the principles of natural justice, an additional opportunity was granted to the petitioner institutes vide email dated 5 February 2026, calling upon them to show cause as to why de-affiliation proceedings should not be initiated based on the observations of the Inspection Team and the recommendations of the SSDEC recorded in the minutes of the 25th SCAA meeting.
- xvii. It is observed that the ITI did not submit any reply to the show cause notice issued pursuant to the decision of the 25th SCAA meeting.
- xviii. The matter was subsequently considered in the 27th SCAA meeting held on 6th March 2026, wherein it was decided that a Joint Inspection of the institute be conducted to assess its compliance with the prescribed affiliation norms.
- xix. Accordingly, a Joint Inspection was conducted on 23 April 2026 by officers of the concerned State Directorate and the RDSDE.
- xx. Based on the observations recorded by the Joint Inspection Committee, the institute was found non-compliant with the prescribed Affiliation Norms. The inspection revealed serious deficiencies relating to infrastructure, safety measures, availability and functioning of prescribed tools and equipment, maintenance of records, IT facilities, and overall compliance with the prescribed training requirements.
- xxi. It was further observed that several deficiencies pointed out during the earlier Joint Inspection conducted on 12 September 2025 continued to persist during the subsequent Joint Inspection conducted on 23 April 2026. In particular, deficiencies relating to availability of prescribed tools and equipment, infrastructure requirements, maintenance of records, engagement of qualified instructional staff, and workshop facilities were found to be recurring in nature.
- xxii. The Joint Inspection Committee also observed serious safety concerns in the institute, including inadequate evacuation arrangements, poor condition of fire safety systems, inadequate workshop and classroom infrastructure, and poor condition of library and washroom facilities, which adversely affect the safety and training environment of the institute.
- xxiii. It was further observed that the institute failed to maintain and update essential records, including raw material registers and dead stock registers, and several prescribed tools and equipment under the updated norms were not found available during inspection.
- xxiv. The Joint Inspection Committee, after considering the overall status of compliance and functioning of the institute, did not recommend continuation of affiliation for all trade/unit of the institute.
- xxv. Matter was discussed in the 30th SCAA meeting and the SCAA is therefore of the considered opinion that, despite being afforded multiple opportunities by the DGT, including pursuant to the directions of the Hon'ble High Court vide order dated 23 January 2026, the institute failed to rectify the deficiencies and demonstrate compliance with the prescribed affiliation norms under the CTS. The deficiencies observed by the Joint Inspection Committee are serious in nature and adversely affect the quality of infrastructure, safety standards, training facilities, and overall standards required for imparting quality vocational training under the CTS. The quality of training imparted to prospective trainees under the CTS is of paramount importance to the DGT. Continuation of affiliation in Fitter and Mechanic Diesel trades an institute that fails to maintain

the prescribed standards and comply with the affiliation norms would adversely affect the interests of trainees and compromise the quality objectives of the training system.

Therefore, in view of the above observations and the recommendation of the Joint Inspection Committee, the ITI is hereby de-affiliated for all units of Fitter and Mechanic Diesel trades

Accordingly, no admissions shall be permitted in the institute from the Academic Session 2026–27 onwards.

Further, for Electrician 4(2+2) trade/unit, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of MoM).

The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to DGT within 21 days from the date of issuance of these Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.

In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

- xxvi. The minutes of 30th SCAA meeting were issued on 22.06.2026.
- xxvii. The ITI's compliance reply was received via email on 12.07.2026.
- xxviii. ITI submitted the following in its reply:
 - a. Narrow entrance passage / evacuation issue: The institute submitted that it has been functioning since 2006 without any untoward incident. The passage is about 3.5 feet wide and is connected to an emergency exit near the IT Lab. It further stated that there are two staircases on the first floor for evacuation.
 - b. Fire safety system: The institute stated that the fire safety system has been repaired, fire extinguishers have been refilled, and supporting photographs and certificates have been enclosed.
 - c. IT Lab: Old desktop computers have been replaced by new laptops. The institute stated that false ceiling/fibre sheet work is being carried out in the IT Lab. Photographs, videos and purchase bills have been enclosed.
 - d. Workshop/Classroom area: The institute stated that the Diesel Mechanic trade was affiliated in 2008, when the workshop area complied with the then applicable DGT norms. It further submitted that the Fitter trade is being shifted/restructured, after which the Diesel Mechanic workshop area would comply with the current norms.
 - e. Library and washrooms: The institute stated that maintenance and cleaning work has been completed and photographs have been enclosed.

- f. Machinery and tools: The institute submitted that all major Diesel Mechanic machinery is available and that the engine foundation has now been properly constructed. It further stated that the latest tools and equipment prescribed in the updated syllabus have been procured, and photographs have been enclosed.
- g. Machinery bills: The institute stated that bills of machinery, tools and equipment are available and have been enclosed.
- h. Registers: The Raw Material Register and Dead Stock Register have been updated and verified by the Principal. The institute assured that both registers will be updated regularly in future.
- i. Electricity consumption: The institute explained that electricity consumption is low because a DG set is used during power outages. Diesel consumption records and diesel bills have been enclosed.
- j. Lease deed: The institute submitted that a fresh registered lease deed has been executed through the Registrar's Office and enclosed the registered lease documents along with the Society's certified Executive Committee resolution.
- k. Building Completion Certificate (BCC): The institute stated that the BCC has been applied for and that the issuing office is located at Phulera, causing delay. It assured that the certificate will be obtained at the earliest.

35th SCAA remarks:

- i. The Committee noted that the 30th SCAA had already de-affiliated the Fitter and Mechanic Diesel trade/units of the ITI as a final decision, with no admissions permitted from the Academic Session 2026-27 onwards, and had granted the ITI a conditional continuation for Electrician-4(2+2), subject to removal of the deficiencies recorded during the joint inspection dated 23.04.2026 within 21 days.
- ii. The Committee considered the ITI's compliance reply dated 12.07.2026 and found that, while certain deficiencies have been addressed, material deficiencies persist: the narrow entrance passage/evacuation arrangement at the first floor remains structurally unresolved; the desktop computers in the IT Lab have been replaced with laptops, which is not as per the prescribed norms; the Raw Material and Dead Stock Registers have been only partially updated with a few current-year entries rather than fully regularised; and the Building Completion Certificate has still not been obtained, being only stated as "applied for." Since these are the same categories of infrastructural and safety deficiency that persisted across two rounds of joint inspection, and remain unresolved even after the conditional opportunity granted, the Committee decided to **de-affiliate** the Electrician - 4(2+2) trade/unit of the ITI as well. Accordingly, the ITI stands de-affiliated in its entirety, and no admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

37. Tulsi Pvt ITI, Near Ganesh Temple Vill.

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Junia Teh. Kekri, Ajmer Rajasthan MIS Code: PR08001946	Electrician- 3(1+1+1) Health Sanitary Inspector - 2(1+1)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 04.01.2025.
- iii. The reply dated 14.01.2025 was received from the ITI.
- iv. Further, a Joint Inspection of the ITI was conducted on 18.06.2025 by the RDSDE and State official.
- v. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 10.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) No Refusal of Inspection: Denies refusing inspection. On June 17, 2025, the joint team arrived during a symbolic protest/closure by the state ITI association, which was administrative opposition, not deliberate non-cooperation.
 - b) Closure Not Intentional: The closure was temporary and situational; the institute operates regularly with all trades, staff, equipment, and infrastructure per DGT norms; training activities are ongoing.
 - c) SCN Reply Already Submitted: Response to SCN was provided on January 24, 2025, and should be considered.
 - d) De-Affiliation is Harsh: Based on one unusual day; unjust to hundreds of trainees; violates natural justice principles and DGT's policy of opportunity for rectification.
 - e) Ready for Re-Inspection: Fully prepared for inspection on any date; all records, machinery, staff attendance, biometric/online data, and training activities will be presented.
- x. Request: Remove from de-affiliation recommendation list; grant re-inspection opportunity; continue affiliation in trainees' interest. Assures commitment to DGT/NCVT rules.

- xi. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.
- xii. Thereafter, in compliance of Hon'ble court decision dated 23.01.2026, the ITI replied on 17.02.2026.
- xiii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xiv. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 21.04.2026 and following are the observations of the Joint Inspection committee.
 - a) Recommended for de-affiliation.
 - b) No safety measures are found.
 - c) Hostel banner is published in the premises of the institute. Banner of Krishna public school is visible over the ITI building.
 - d) No computer is the running in IT lab
 - e) Machinery are not in working condition and hand tools are in short by percentage 60
 - f) Students record is not found.
 - g) Dead Stock Register and Raw Materials Register not maintained.
 - h) Machinery are not working in Electrician trade.
 - i) Building Certificate valid only for 1 year only expired in present condition.
 - j) Lease deed is not registered and only for 5 years up to 13 march 2021.
 - k) Only one-month bill is submitted and bill is not on the name of institute.
 - l) Area of IT lab is also less.
 - m) Some machinery of amla candy making is found with large number of carrat and a banner of girls and boys' hostel for ssc and army preparation is found and some beds are also found in the institute
- xv. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks:
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 21.04.2026 severe deficiencies were observed, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4).
 - c. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists

of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

d. The reply must reach to DGT within 21 days from the date of issuance of these Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.

e. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

f. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

xvi. The minutes of 30th SCAA meeting were issued on 22.06.2026.

xvii. ITI has not submitted reply to SCN

35th SCAA remarks:

- i. The Committee noted that the joint inspection dated 21.04.2026 found no safety measures in place, a hostel banner and a banner of a different school (Krishna Public School) displayed on the ITI premises, no computer running in the IT lab, non-working machinery with a 60% shortage of hand tools, absence of student records, unmaintained Dead Stock and Raw Material Registers, an expired Building Certificate, an unregistered lease deed valid only up to 13.03.2021, only a single month's electricity bill submitted and that too not in the institute's name, and, most tellingly, machinery for candy-making found on the premises alongside a hostel banner for SSC/Army coaching and beds — indicating that the premises are being used for purposes unconnected with ITI training.
- ii. The Committee noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 30th SCAA. In the absence of any explanation and in view of the fundamental non-compliance and apparent diversion of the premises to unrelated commercial use, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

38. Sanskar Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Arain, Near Petrol Pump, Kisangarh Road, Arain, Ajmer, Rajasthan	Electrician – 6 (2+2+2)
MIS Code: PR08001462	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 04.01.2025.
- iii. The reply dated 24.01.2025 was received from the ITI.
- iv. Further, Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official.
- v. During the inspection the ITI was found closed and under strike declared by State level ITI Association.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by the way of SCN.
- viii. The reply to the SCN was received on 07.01.2026. In its reply the ITI submitted the following:
 - a) The Institute has never refused inspection at any stage. On 17.06.2025, when the Joint Inspection team visited the Institute, a symbolic protest/temporary closure had been declared by the State-level ITI Association as an administrative protest. The said closure was not intended to avoid inspection, nor was there any malafide intention or non-cooperation from the Institute.
 - b) The closure of the Institute on that particular day was purely temporary and due to prevailing circumstances. It was not a deliberate act to deny inspection.
 - c) The Institute is functioning regularly and smoothly. All trades, staff members, tools, machinery, equipment, and infrastructure are available as per DGT norms. Training activities are being conducted without interruption in accordance with prescribed guidelines.
 - d) The Show Cause Notice dated 04.01.2025 was duly replied to by the Institute on 24.01.2025 within the stipulated time. The said reply may kindly be taken into proper consideration before taking any adverse decision.
 - e) Recommending de-affiliation based on a single day's abnormal and circumstantial situation would be excessively harsh and would adversely affect the future of hundreds of trainees. Such action would be contrary to the principles of natural justice and also against the policy of providing an Opportunity of Rectification as adopted earlier by the authorities.
 - f) The Institute is fully prepared and gives its unconditional consent for re-inspection at any time deemed appropriate by the competent authority.
 - g) In view of the above submissions, it is humbly requested that the recommendation for de-affiliation may kindly be reconsidered and an opportunity for re-inspection may be granted in the interest of justice and in the larger interest of the students.
- ix. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the

petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.

- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 22.04.2026 and following are the observations of the Joint Inspection committee.
 - a) Recommended for De-affiliation:
 - b) only 7 panel are working condition and rest are required maintenance and parts are also old.
 - c) 20% machinery is under maintenance.
 - d) washroom is not cleaned properly.
 - e) As per Map a shop is running at IT Lab location and shifted to first floor.
 - f) Fire extinguisher is available although Fire Safety Certificate not available.
 - g) biometric attendance of staff and trainees is not available only register is available.
 - h) IT lab is partially working. Laptops are available instead of PCs.
 - i) De affiliation for 2+2+2units for electrician trade is proposed.
- xii. The matter was deliberated in the 30th SCAA meeting. Based on the recommendations of the Joint Inspection Committee, SCAA observed that
 - a.during Joint Inspection dated 24.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b.However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4).
 - c.The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - d.The reply must reach to DGT within 21 days from the date of issuance of Minutes of Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
 - e.In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. The minutes of 30th SCAA meeting were issued on 22.06.2026.

xiv. ITI has not submitted the show-cause reply within the 21-day timeline. The ITI submitted its reply on 25.07.2026.

35th SCAA remarks:

- i. The Committee noted that the ITI failed to submit its reply within the stipulated 21-day period granted by the 30th SCAA. The reply was submitted only on 25.07.2026, after expiry of the prescribed timeline. Accordingly, the belated reply cannot be considered as a valid reply to the notice.
- ii. The Committee, however, noted that the claims made by the ITI in its belated submission do not satisfactorily address the deficiencies recorded during the Joint Inspection. The ITI has claimed compliance with respect to the machinery, IT Lab, biometric attendance and fire safety arrangements; however, the Fire Safety Certificate, photographs of the IT Lab and relevant registers/documents claimed in the reply have not been furnished/are not available on record.
- iii. Further, the photographs available on record indicate that the machinery is not properly mounted/installed and that several machines, tools and equipment are in poor condition and inadequately maintained. The condition of the workshop and equipment does not demonstrate that the requisite facilities are being maintained in a manner suitable for regular practical training.
- iv. The Committee observed that the deficiencies recorded during the Joint Inspection, coupled with the absence of satisfactory documentary evidence establishing compliance, indicate improper functioning of the ITI and failure to maintain the requisite training infrastructure in accordance with the prescribed norms.
- v. In view of the above, the Committee decided to **de-affiliate** the ITI in entirety. No admissions shall be permitted in the ITI from Academic Session 2026-27 onwards.

39. Devyani Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Agra Road Dausa, tehsil Dausa, Dist Dausa, Rajasthan	Electrician- 9 (3+3+3)
MIS Code: PR08001581	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025.
- iii. The reply dated 04.02.2025 was received from the ITI.

- iv. Further, a Joint Inspection of the ITI was conducted on 04.07.2025 by the RDSDE and State official.
- v. During the inspection, the ITI officials refused to undergo the inspection.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.
- viii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- ix. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 24.04.2026 and following are the observations of the Joint Inspection committee
 - a) Both the NCVT and SCVT members observed serious deficiencies in infrastructure, safety, machinery, training activities, record maintenance, and basic amenities during the inspection of the ITI. Based on the observations, the following consolidated deficiencies were noted:
 - b) The institute has inadequate fire and safety arrangements. Only two fire extinguishers/fire buckets were available in the entire building, and no valid fire safety certificate was produced during inspection. The fire extinguishers did not display any validity or expiry details.
 - c) Safety measures in the institute were found to be highly inadequate. Earthing was not provided for nearly 50% of the machinery, posing a serious risk of electric current leakage and endangering the safety of trainees and staff.
 - d) Around 50% of the machinery/equipment was found to be non-functional, while several other machines were in poor working condition.
 - e) The IT laboratory was found to be poorly maintained. Out of six computers available, only three were in working condition. The lab also lacked proper cleanliness and adequate seating arrangements.
 - f) The institute lacked adequate basic amenities. Only one toilet was available in the entire building, and no separate toilet facility for girls was provided. Drinking water facilities were also not available, and overall cleanliness was found to be unsatisfactory.
 - g) The drawing hall was inadequately equipped, with no proper seating arrangement or ceiling fans available.
 - h) No trainees were present in the institute on the day of inspection, indicating that regular training activities were not being conducted.
 - i) Only 5 staff members, including the Principal, were present against the sanctioned/available strength of 13 staff members on the day of inspection.

- j) The institute was maintaining only physical attendance registers, and no biometric attendance system was available. Attendance records for the inspection day were also not properly maintained, and class teacher signatures were missing in the attendance register.
- k) Essential institutional records, including the Raw Material Consumption Register and Dead Stock Register, were not maintained by the institute.
- l) Academic and training-related records were also inadequate. Only a partially prepared weekly training programme was available, and no other trainer-related records were produced during inspection.
- m) Based on the above serious deficiencies, both the NCVT and SCVT members did not recommend continuation of affiliation for any trade/unit of the institute.
- x. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 24.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4).
 - c. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - d. The reply must reach to DGT within 21 days from the date of issuance of Minutes of Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"
 - e. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xi. The minutes of 30th SCAA meeting were issued on 22.06.2026.
- xii. ITI has not submitted Show-cause reply within stipulated time period.

35th SCAA remarks:

- i. The Committee noted that the joint inspection dated 24.04.2026, , recorded serious and consolidated deficiencies, including grossly inadequate fire and safety arrangements with no valid fire safety certificate, absence of earthing for nearly 50% of

the machinery posing a risk of electric shock, about 50% of machinery non-functional, a poorly maintained IT lab with only 3 of 6 computers working, inadequate basic amenities including absence of a separate toilet for girls and no drinking water facility, an inadequately equipped drawing hall, no trainees present on the day of inspection, only 5 of 13 sanctioned staff present, absence of biometric attendance with incomplete manual registers, and unmaintained Raw Material Consumption and Dead Stock Registers. On the basis of these findings, Joint Inspection committee did not recommend continuation of affiliation for any trade/unit of the institute.

- ii. The Committee noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 30th SCAA. In the absence of any explanation from the ITI, and in view of the concurrence of both inspecting members that the institute is not fit for continuation in any trade, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

40. Noble Technology Pvt ITI,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Pratap Nagar, Agra Road, Dausa , Rajasthan, Pin Code - 303303 MIS Code: PR08000410	Electrician – 11 (4+3+4) Health Sanitary Inspector – 3 (1+1+1)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 07.01.2025.
- iii. The ITI replied to the SCN on 25.01.2025.
- iv. Further, a Joint Inspection was conducted on 10.09.2025.
- v. Accordingly, the Joint Inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed:
 - a) The electrical connection of the ITI is registered in the name of the building owner, instead of the institute management, which is not in compliance with the DGT affiliation norms.
 - b) In the trade Health Sanitary Inspector shortage of tools and equipment were observed on the day of inspection.
 - c) The machinery available in the ITI for Electrician trade is only for 4(2+2) instead of 8(4+4).
 - d) One single hall in the ITI at first floor was designated as Electrician lab but lacks in necessary tools and machinery for the trade.

- vi. Based on the findings of the Joint Inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
- vii. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.
- viii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- ix. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 23.04.2026 and following are the observations of the Joint Inspection committee:
 - a) NCVT Member comments: Trade Recommendation: Not recommended for any unit of the Electrician and HSI trades, specifically Electrician (0,0,0) and HSI (0,0,0).
 - b) BCC & Location: BCC is not available at the ITI. The physical ITI location is 6 km away from its NCVT MIS mapped location.
 - c) Power Supply: The EB connection registered name has been corrected to the ITI's name, and a 15 KW power load is verified as available.
 - d) Attendance & Presence: No attendance was marked between April 21 and April 23 (inspection dates). Zero trainees were present during the inspection.
 - e) Infrastructure: Classrooms are poorly maintained and not in good condition.
 - f) Missing Equipment: For the Electrician trade (2+2 units), equipment serial numbers 107, 165, and 166 are missing. For the HSI trade, serial numbers 4, 5, 7, 8, 9, and 10 are missing, and the on-site equipment is in poor condition.
 - g) Equipment Status & Maintenance: Electrician items under serial numbers 142, 144, 145, and 158 are non-functional. Tools were found scattered and in disarray.
 - h) Compliance: The fire safety certificate was not produced/provided
 - i) SCVT members comments: ELECTRICIAN -(4+4+4) HSI-(1+1+1).
- x. The matter was deliberated in the 30th SCAA meeting and gave following remarks b
 - a. Based on the recommendations of the Joint Inspection committee, SCAA observed that during Joint Inspection dated 23.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of MoM).

- c. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
- d. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
- e. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xi. The minutes of 30th SCAA meeting were issued on 22.06.2026.
- xii. ITI has not submitted Show-cause reply within stipulated time period.

35th SCAA remarks:

- i. The Committee noted that the Joint Inspection dated 23.04.2026 recorded several serious deficiencies, including non-availability of the Building Completion Certificate; a significant discrepancy in the physical location of the ITI, which was found approximately 6 km away from its NCVT MIS mapped location; no attendance being marked and zero trainees being present throughout the three-day inspection period from 21-23.04.2026; poor maintenance of classrooms; missing/non-functional prescribed equipment in both trades; tools being found scattered and in disarray; and non-production of the Fire Safety Certificate.
- ii. The Committee further noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 30th SCAA. The significant discrepancy in the mapped and physical location, complete absence of trainees and attendance during the entire inspection period, coupled with the deficiencies in infrastructure, equipment and safety arrangements and failure of the ITI to respond to the proceedings, indicate that the ITI was not functioning in accordance with the prescribed norms.
- iii. In view of the above, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from Academic Session 2026-27 onwards.

41. Shri Kedarnath Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Circuit House New Housing Board Colony, Khan Bhankari Road, Dausa MIS Code: PR08000374	i. Electrician- 4(2+2)

Brief of the matter :

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 07.01.2025.
- iii. The ITI replied to the SCN on 16.01.2025.
- iv. Further, a Joint Inspection was conducted on 01.08.2025.
- v. During inspection following deficiencies were found:
 - a. Library is not maintained.
 - b. Theory lab furniture is in very bad condition to extent not useable.
 - c. In electrician trade lab some items and machines are not working.
 - d. The IT Lab was in the basement, it was very damp.
 - e. At the time of inspection there are no trainees available.
 - f. At the time of Inspection, no records of trainees related to the trade were found like trade files, Projects & Models.
- vi. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vii. Based on the findings of the Joint Inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation.
- viii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- ix. The reply to the SCN was received on 10.01.2026.
- x. In its replies the ITI submitted the following:
 - a. Library is not maintained: _Library is fully functional and operational for 11 years with regular trainee use (issuing/returning books).
 - b. Books outside racks or on tables during inspection is normal/temporary (trainees studying).
 - c. Treating minor disarrangement as a "serious deficiency" justifying de-affiliation is unjustified and unreasonable; cannot be grounds for de-affiliation.
- xi. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.

- xii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms.
- xiii. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 23.04.2026 and following are the observations of the Joint Inspection committee:
 - a. ITI found OK
 - b. Drawing Hall not available.
- xiv. The Joint Inspection committee recommended for Electrician trade 4 units (2+2+0), MoU for third shift is not available.
- xv. Thereafter, the matter was discussed in 30th SCAA and SCAA decided that ITI to remove following deficiencies and submit the report to concerned State Directorate within 2 weeks from the date of issue of these minutes of meeting.
 - Drawing hall not available

Then, State shall verify the removal of the deficiencies and submit the report to DGT within next 7 days for further consideration in next SCAA.

- xvi. After that State Directorate Rajasthan vide its letter dated 11.08.2026 informed that the joint verification committee verifies the removal of the deficiency.

35th SCAA remarks :

Based on the verification report received from the State Directorate of Rajasthan, the SCAA decided that the ITI is allowed to admit trainees in Electrician – 4(2+2) for the Academic Session 2026-27. The SCAA further noted that the corresponding third shift (2 units) of the recommended portion had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode; however, in compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026 and the said third-shift units stand restored. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice.

42. Central Modern Private

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Industrial Training Institute Main Bahar Road, Jaipur Highway, Dist.-Jodhpur Rajasthan	i. Mechanic Diesel- 2(1+1) ii. Electrician -4(4+0)
MIS Code: PR08000166	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 04.01.2025.
- iii. The reply dated 24.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official.
- v. During the inspection the following were observed
 - a) a) The ITI was found closed and also the workshops were also found locked.
 - b) b) The ITI owner was contacted telephonically and it was told that the ITI was under a strike declared by the State-level ITI Association.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 14.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) Rule/Precedent for De-affiliation on Single Refusal
 - b) No DGT Rule/Act/Circular equates “refusal for inspection” directly to de-affiliation.
 - c) Only one refusal occurred (23.06.2025) due to valid reason — State I.T.I. Union Strike.
 - d) Institute is not a “wilful defaulter” or engaged in regular obstruction to hide irregularities.
 - e) SSDEC recommendation is illegal and made under pressure.
 - f) Double Punishment for the Same Offence (Not Allowed)
 - g) For the same refusal (23.06.2025), the institute was already punished by “Not Allowed Admissions” for sessions 2025-2027 (Electrician & Mechanic Diesel trades).
 - h) This was a financial punishment.
 - i) Recommending de-affiliation now amounts to second punishment for the identical fault — against principles of natural justice.
 - j) Both punishments (if any) should have been decided together in one meeting.
 - k) Legal Judgments Do Not Support This Case
 - l) All cited judgments in the Show Cause Notice have been examined + legal opinion taken.
 - m) No judgment supports “First-time refusal of inspection = De-affiliation recommendation”.

- n) Request DGT to produce any such judgment before confirming de-affiliation.
- x. Request: Kindly remand the wrongful SSDEC recommendation back for detailed reconsideration and grant the institute a reasonable opportunity of being heard.
- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xii. The concerned State Directorate and RDSDE have conducted the joint inspection on 05.05.2026 and following are the observations of the Joint Inspection committee:
 - a) BCC not available.
 - b) Heavy shortage of machinery as per syllabus.
 - c) Complete Machinery bill were not available.
 - d) Dead Stock Register and Raw Material consumption Register were not available.
 - e) No Student present during inspection.
 - f) 11 out of 16 major shop machinery not available in MD trade. 50 percent tools equipment shortfall. In Electrician trade 13 major items out of 29 items not available.
 - g) In Electrician trade 8 major machinery not working condition.
 - h) In mechanic diesel heavy machinery shortages were there.
 - i) Shortage of workshop area.
 - j) 5 computers available in IT lab.
 - k) Drawing hall was not available.
 - l) NIL recommendations by joint inspection committee.
- xiii. The matter was deliberated in the 31st SCAA meeting and gave following remarks
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 05.05.2026 severe deficiencies as mentioned observed and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed.
 - c. Furthermore, SCAA also observed that the BCC and Fire safety Certificate are not available in the ITI.
 - d. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo- tagged photos., Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

- e. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.
- f. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiv. The ITI's compliance reply was received via email on 23rd July, 2026.
- xv. With reference to the notice of the 31st SCAA meeting, ITI requested to consider the following facts and clarifications regarding the Joint Inspection Committee (JIC) observations:
 - a. Context of the Inspection (05.05.2026) No Prior Intimation: The ITI said they did not receive any email notification regarding the inspection date. ITI learned of the inspection when the team arrived on 05.05.2026.
 - b. Semi-Functional Status: Due to the denial of admissions since 2025, the ITI currently has zero trainees. Because there was no active batch, smaller equipment and tools were kept under lock and key for safety and security.
 - c. Inspection
 - d. Environment: The inspectors were cooperative and understanding. Given the zero notice, the ITI presented everything possible in that short duration. However, machinery undergoing repairs and certain tools could not be displayed, leading to minor omissions.
 - e. Submission of Mandatory Compliance Documents: As observed by the SCAA, the following documents have now been obtained from the competent authorities and are attached to this reply
 - a) Building Completion Certificate (BCC) Fire Safety Certificate
 - b) Point-by-Point Clarifications to JIC Observations Machinery & Tools: The ITI possesses full machinery and tools for both trades as per the syllabus.
 - c) Machinery Under Repair: The eight major machines in the Electrical trade that were non-functional during the inspection have been fully repaired and are working perfectly. Evidence is attached via geo-tagged photographs.
 - d) Tool Display: Tools that were locked away due to the surprise nature of the inspection have now been photographed and presented.
 - e) Purchase Bills: Relevant equipment bills that could not be produced during the joint inspection are now attached. Registers: The Dead Stock Register and Raw Material Consumption Register are fully available and meticulously updated.
 - f) Infrastructure Space: The workshop area strictly complies with the norms set during the initial establishment of the ITI. IT Lab & Drawing Hall: The IT Lab is equipped with 15 computers. The deficiency in the Drawing Hall was solely due to a missing signboard, which has now been installed (photograph attached).
 - g) Conclusion & Appeal: All the above clarifications are duly substantiated by attached bills and geo-tagged photographs. CENTRAL MODERN PVT ITI fully meets the objectives of the Craftsmen Training Scheme (CTS)

but is currently facing financial hardship due to the denial of admissions since 2025. We sincerely request the committee to grant us an opportunity through a fresh inspection to verify our complete compliance.

35th SCAA remarks:

The Committee noted the reply dated 23.07.2026 submitted by the ITI in response to the notice of the 31st SCAA, wherein the ITI has furnished the Building Completion Certificate and Fire Safety Certificate, along with photographs of the machinery and Drawing Hall, in support of its claimed compliance. However, the machinery photographs do not bear any identifiable name/tag, and the photograph of the Drawing Hall shows the door in closed condition. Accordingly, the claims regarding the machinery and Drawing Hall cannot be verified from the material available on record. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the said claims and submit a report within 7 days from the date of issue of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the verification report.

43. Vikas Pvt ITI,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: P.N. - 27, Prem Nagar, Digari, District: Jodhpur, Rajasthan, 342015	Electrician– 2 (1+1) Health Sanitary Inspector– 2 (1+1)
MIS Code: PU08001811	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 04.01.2025.
- iii. The reply dated 18.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official.
- v. During the inspection the owner of the ITI was present and submitted its letter dated 26.06.2025 by stating that the ITI is not ready for inspection and requested to conduct the inspection in further course of time.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 12.01.2026.

- ix. In its reply the ITI submitted the following:
 - a) a) Due to pressure from the ITI College Association's strike decision, they could not allow inspection on June 26, 2025. Informed authorities they are ready for joint inspection post-strike, but none was conducted.
- x. Request: Consider the explanations, reject SSDEC Rajasthan's de-affiliation recommendation from its 9th and 10th meetings on September 17-18, 2025 (due to refusal of inspection). Grant admission permission for the 2026-27 session. Assures readiness for future inspections and urges halting de-affiliation in the interest of education and trainees.
- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xii. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee:
 - a) lease deed was available but expired on 31.01.2025.
 - b) Machinery bills were available only for electrician trade. No Machinery bills were available for HSI trade.
 - c) Dead Stock Register and Raw Material consumption Register were not available.
 - d) Staff appointment info not available.
 - e) old staff attendance records were available but current year attendance records were not available.
 - f) Attendance register maintained. However, no trainees were present during inspection.
 - g) Students study records not available, no Student present during inspection.
 - h) machinery installed but few machines not working in electrician trade. Tools and equipment were unused and covered with dust.
 - i) 34% of major shop machinery not available in electrician trade. and no item found in HSI trade. also 4 major machinery not working in electrician trade.
 - j) Amenities were not sufficient.
 - k) Trainer record not available also, no trainer /instructor available at the time of inspection.
 - l) office classroom not as per norms.
 - m) IT lab not functional equipment not available in IT lab.
 - n) Drawing Hall was not available.
 - o) Expired fire extinguisher installed only in Electrician workshop does not has validity.
 - p) Nil recommendations by joint inspection committee.
- xiii. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 06.05.2026 severe deficiencies were observed and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.

- b. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed.
 - c. Furthermore, SCAA also observed that the Fire safety Certificate is not available in the ITI.
 - d. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos., Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.
 - f. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiv. The minutes of 31th SCAA meeting were issued on 08.07.2026.
 - xv. ITI has not submitted the show-cause reply.

35th SCAA remarks:

- i. The Committee noted that the Joint Inspection dated 06.05.2026 recorded a NIL recommendation for the ITI and found several serious deficiencies, including an expired lease deed; machinery bills available only for the Electrician trade and no machinery/items found for the Health Sanitary Inspector trade; absence of Dead Stock and Raw Material Consumption Registers, staff appointment information and current-year attendance records; no trainees, trainer/instructor or student study records; 34% shortage of major shop machinery in the Electrician trade, with several machines non-functional; insufficient amenities; non-functional IT Lab; absence of Drawing Hall; and only an expired fire extinguisher, with no Fire Safety Certificate available.
- ii. The Committee noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 31st SCAA. The deficiencies recorded during the Joint Inspection, particularly the complete absence of trainees, staff and essential functioning training infrastructure, indicate that the ITI was not functioning in accordance with the prescribed norms.
- iii. In view of the above, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from Academic Session 2026-27 onwards.

44. Pooja Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Sathin Cauraha, Piparcity, Dist.Jodhpur Rajasthan MIS Code: PR08000568	Electrician- 6 (2+2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 04.01.2025.
- iii. The reply dated 21.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official.
- v. During inspection the ITI refused for inspection and submitted the following vide its letter dated 24.06.2025:
 - a) The ITI did not receive the letter no-F.7(12) T.1/De-aff Inspection/2025/777367 dated 18.06.2025 sent by State Directorate either by email nor by post.
 - b) The ITI also submitted a letter dated 24.05.2025 regarding the strike declared by the State-level ITI Association.
 - c) The ITI also stated that the new admission counselling for the session 2025-2026 are ongoing in the ITI due to which the other ITI
 - d) It was also submitted that the ITI had already submitted a reply to the Show Cause- Notice dated 21.01.2025, but no response was received, and the inspection team again visited the institute. It was further stated that they are now with the State-level Association and are not interested in today's inspection.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 07.01.2026.
- ix. In its reply the ITI submitted the following :
 - a) No inspection notice dated 18.06.2025 was received by the Institute.
 - b) An ongoing strike by the ITI Association concluded on the same day.
 - c) Authorities had assured that the inspection would be rescheduled between 23–28.06.2025.
 - d) The Institute had kept all documents ready and prepared a Demand Draft of ₹12,000 (photograph attached) for the inspection.

- e) A reminder was also sent on 17.10.2025 expressing readiness for inspection.
- f) Despite this, no inspection has been conducted till date, whereas more than 120 other ITIs were inspected, which amounts to discriminatory treatment.
- g) Further, the restriction imposed on admissions for the academic session 2025–26 was done without issuing prior notice or providing an opportunity of hearing, thereby violating the principles of natural justice. It is pertinent to mention that several ITIs, including the present Institute, have obtained interim relief/stay orders from the Hon'ble Court.
- h) In the absence of any joint inspection having been conducted, there are no findings against the Institute. Therefore, the Institute cannot be labeled as having “refused inspection,” nor can any recommendation for de-affiliation be sustained on the basis of a non-conducted inspection.
- i) The recommendation for de-affiliation is thus arbitrary, discriminatory, and in violation of the principles of natural justice and due process. The Institute has at all times expressed its readiness and willingness for inspection and has never refused the same.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 07.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Old Bill available new items bill as per syllabus upgrade not available
 - b) Dead stock and consumable entry done in same register. total entry was not available.
 - c) Raw Material consumption entry and bill not available after 2017.
 - d) Current academic year student record not available.
 - e) Some machines are not installed 02 major shop machinery not available 12 equipment not available
 - f) 8 major machinery not in working condition. tools and equipment rusty and unused from long lime.
 - g) Not sufficient amenities for trainee strength.
 - h) Demonstration plan and lesson plan not available
 - i) Separate principal office not available.
 - j) 8 computers available of old configuration running in windows 7, as against 10 computers required as per norms.
 - k) Drawing Hall not available.
 - l) No validity of fire extinguisher available.
 - m) Nil recommendations by joint inspection committee.
- xii. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks:
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 07.05.2026 severe deficiencies were observed and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.

- b. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed.
 - c. Furthermore, SCAA also observed that the Drawing hall and Fire safety Certificate are not available in the ITI .
 - d. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.
 - f. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. The minutes of 31th SCAA meeting were issued on 08.07.2026.
 - xiv. The ITI's compliance reply was received via email on 18th July, 2026.
 - xv. ITI submitted the following:
 - a) Geo-Tagged Infrastructure & Location: Geo-tagged photos verifying the institute's location and infrastructure are attached (Pages 1–9).
 - b) Operational Machinery & Equipment: Video evidence (Pages 10–23) and photographic proof (Pages 24–59) confirming functional machinery and equipment are attached.
 - c) Fire Safety Certificate: Valid Fire Safety Certificates issued by Cloud Mitigation Certificate (dated 14/07/2026) and Municipality Pipar City (dated 26/05/2014) are enclosed (2 Pages).
 - d) Drawing Hall Compliance: At the time of QCI inspection, accreditation was granted under the existing infrastructure. Furthermore, as per updated DGT norms, Engineering Drawing subjects/instructors have been phased out, making this condition non-applicable to ITI.
 - e) Notice Delivery: Kindly note that official communication regarding the 31st SCAA meeting was not received by our institute via email, post, or phone prior to this notice.
 - f) All information and documents attached herewith are true and correct to the best of our knowledge. We request you to kindly accept this submission and drop the proceedings.

35th SCAA remarks:

- i. The Committee noted the ITI's reply dated 18.07.2026 to the notice of the 31st SCAA, wherein the ITI claimed to have submitted geo-tagged photographs, video and photographic evidence of operational machinery and Fire Safety Certificates. The ITI also contended that it had not received the notice of the 31st SCAA meeting and that the requirement of a Drawing Hall is no longer applicable in view of the phasing out of Engineering Drawing under the updated DGT norms.
- ii. The Committee observed that no Fire Safety Certificate is attached with the reply, contrary to the claim of the ITI. Further, the Minutes of the 31st SCAA meeting were sent to the registered email ID of the ITI, contrary to its claim of non-receipt. Only limited photographs of machinery have been furnished, and the photographs of the infrastructure indicate that the roof is tin-shed.
- iii. In view of the discrepancies between the claims made by the ITI and the material available on record, the Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims regarding machinery, infrastructure and Fire Safety Certificate and submit its report within 7 days from the date of issue of these Minutes of Meeting. The matter shall be placed before the SCAA for further consideration on receipt of the verification report.

45. Suparshva Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - Vill. & Post Fagodiya Wala, Bad Ka Balaji, Ajmer Road, Tehsil Sanganer, Dist. Jaipur-302026	Electrician- 6 (2+2+2)
MIS Code - PR08001403	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State on 07.01.2025.
- iii. The ITI replied to the SCN on 22.01.2025.
- iv. Further, a joint inspection was conducted on 18.09.2025.
- v. Accordingly, the joint inspection of the ITI was conducted on 18.09.2025. During the inspection the following deficiencies were observed:
 - a) i. A Paramedical college and the ITI are running under same building.

- b) ii. The qualification of superintendent does not match as per norms.
- vi. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 03.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) All facilities of the ITI are fully compliant with prescribed norms, as confirmed during inspection.
 - b) It is submitted that both institutions are managed by the same society but function independently on separate floors with separate entrances. The ITI operates from the Basement and Ground Floor with a separate gate, whereas the other institute operates from the First Floor with a separate gate.
 - c) There is no overlap or interference in academic or administrative functioning, and the arrangement does not adversely affect the quality of training imparted to ITI trainees.
 - d) The Institute has been functioning successfully since the academic session 2014-15 without any such objection earlier.
 - e) Multi-story buildings are commonly used for educational institutions, universities, and offices. The use of upper floors does not violate any norms.
 - f) The Institute is ready and willing to undergo re-inspection at any time to verify compliance.
 - g) In view of the above clarifications, it is respectfully requested that the allegation under Point (i) be reconsidered and the Show Cause Notice on this ground be withdrawn. The Institute remains committed to complying with any further directions issued by the competent authority.
 - h) In compliance with the updated norms, a new qualified Superintendent has been appointed without any delay. All relevant appointment documents and qualification certificates are enclosed for verification.
 - i) The Institute has been contributing significantly to technical education and student welfare since 2014. Adequate infrastructure, qualified staff, and necessary facilities are available as per norms. In light of the above factual clarifications and corrective measures taken, it is humbly requested that the Show Cause Notice be quashed and the matter be decided favorably.
 - j) The ITI has attached building layout plan of the ITI, ITI Building photos in which the name of the ITI is written, qualification documents of the appointed Principal for ITI
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 19.05.2026 and following are the observations of the Joint Inspection committee:
 - a) Recently added equipment bill not present before inspection team
 - b) Dead Stock Register poorly maintained, entries are not verified not any issuer details.

- c) Raw Materials Register not maintained.
- d) Only one CITS qualified instructors
- e) No trainees physically present on day of inspection
- f) In IT Lab computers were in poor condition without LAN connectivity.
- g) Drawing Hall not available.
- h) According management paramedical College being run on second floor, ground and first floor being used for ITI with separate gate
- i) Joint inspection committee recommended- Electrician 4(2+2).
- xii. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks:
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 06.03.2026, the following deficiency was again observed which was recorded in earlier Joint Inspection:
 - b. A Paramedical College being run in the same building.
 - c. Earlier during joint inspection dated 18.09.2025, a Paramedical college and the ITI are running under same building.
 - d. Furthermore, SCAA also observed that the following:
 - i. Electricity Bill not in the name of ITI.
 - ii. In IT Lab computers were in poor condition without LAN connectivity.
 - iii. Drawing Hall not available
 - iv. No Separate Electricity Connection for the ITI.
 - e. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of MoM) for deficiencies observed.
 - f. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of NOC obtained for running Paramedical college in the same ITI premises and with geo tagged photos of separate ITI gate and paramedical college gate. Geo-tagged photographs of the institute infrastructure and location, separate Electricity bills for both and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - g. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.
 - h. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. The minutes of 31th SCAA meeting were issued on 08.07.2026.

- xiv. The ITI's compliance reply was received via email on 20th July, 2026.
- a. With reference to the Show Cause Notice cited above, a point-wise response and compliance report is hereby submitted on behalf of Suparshva Private ITI, Gram-Phagodia Wala, Post-Bad Ke Balaji, Ajmer Road, Jaipur, Rajasthan.
 - b. The institute is managed by "Jai Shree Rama Krishna Shikshan Evam Samajik Vikas Sansthan/Samiti, Jaipur" (registered in 2010) and has been successfully operating since 2014 in full compliance with prescribed guidelines and regulations.
 - c. Equipment Bills: All required training equipment, machinery, and teaching aids were physically present at the institute during the inspection, as verified in the inspection report. The physical equipment along with the original purchase and GST bills are maintained in official records and are enclosed for verification.
 - d. Dead Stock Register: The Dead Stock Register was maintained in the institute's records. All unverified entries have since been fully updated, verified, and duly signed with issuer details.
 - e. Raw Materials Register: Raw material records were previously maintained in digital format. Following directions from the inspecting officer, a dedicated physical Raw Materials Register has been prepared and updated up to date.
 - f. CITS Qualified Instructors: As per the initial requirement for operating 4 Electrician units (2+2), a minimum of one CITS-qualified instructor was deployed. Upon instructions from the inspecting officer, an additional CITS-qualified instructor was immediately appointed.
 - g. Trainee Presence on Inspection Day: The inspection took place during the first shift, in which no students were enrolled. Trainees are enrolled exclusively in the second and third shifts, and their attendance is regular (currently undertaking second-year examinations). The attendance register is enclosed.
 - h. IT Lab Condition & Connectivity: The IT Lab is fully functional. All computers have been repaired and restored to optimal working condition, and high-speed LAN/internet connectivity has been re-established.
 - i. Drawing Hall Availability: As per updated NCVT norms, regular classrooms are permitted for Engineering Drawing instruction, or the requirement has been revised. The space was accordingly designated as an extra classroom. However, if explicitly required, the institute assures full compliance to designate or restore a dedicated Drawing Hall immediately.
 - j. Operation of Paramedical College in the Same Building: The society operates two separate institutes within the same building structure, utilizing entirely separate entries and floors:
 - k. Suparshva Private ITI operates exclusively on the Basement Floor and Ground Floor with a Separate Building Front Gate, ensuring no disruption to training quality.
 - l. The Paramedical College operates on the First Floor with a Separate Side Staircase Gate.
 - m. Both institutes have been functioning independently and successfully since 2014–15 without mutual hindrance.

- n. Prayer / Request Considering the availability of all core infrastructure, equipment, and qualified staff, as well as the educational interests of trainees in the region, it is requested that the point-wise clarification be accepted, the inspection team's remarks be resolved, and the proceedings be dropped. The institute remains committed to complying with all official directives.

35th SCAA remarks:

The Committee noted that despite the 31st SCAA having specifically required the ITI to produce a No Objection Certificate for the operation of a Paramedical College within the same building, no such NOC has been produced by the ITI in its reply dated 20.07.2026. The Committee further noted a material inconsistency in the ITI's own case regarding the relative position of the two institutions within the building: during the initial inspection, the signboard/board of the Paramedical College was found positioned on the ground floor, whereas in the subsequent inspections and in the ITI's own submissions, the ITI is shown to be functioning on the ground floor with the Paramedical College shown on the first floor. This shift in the stated floor-wise position of the two institutions over the course of the de-affiliation proceedings, without any explanation from the ITI, raises a serious doubt as to the genuineness of the claimed physical separation between the ITI and the Paramedical College, and suggests that the arrangement may have been altered during the pendency of the proceedings to meet the objection raised. In the absence of the required NOC and in view of this unexplained inconsistency regarding the co-location of the Paramedical College, the Committee is not satisfied that the ITI functions independently and in compliance with the prescribed Affiliation Norms. Accordingly, the Committee decided to de-affiliate the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

46. Shri Govind Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - 302/715 Khora Bisal, The. Amer Benad Road, Dist. Jaipur Rajasthan	Electrician-6(2+2+2)
MIS Code - PR08001364	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. The SCN was issued to the ITI by State Directorate on 07.01.2025.
- iii. The reply dated 24.01.2025 was received from the ITI.

- iv. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official.
- v. During the inspection the following were observed:
 - a) ITI was FOUND CLOSED.
 - b) The ITI owner refused for inspection.
 - c) A school was running in the same ITI premises.
- vi. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 13.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) ITI found closed during inspection: Classes were ongoing with trainees present on 23.06.2025. The main gate was closed due to mandatory directives ("bandh") from the Joint Private ITI Union (Sangh/Yunion).
 - b) Owner refused inspection: The owner declined due to the same union-imposed obligations/directives on that date.
 - c) School running in the same ITI premises: A school exists on site, but the ITI building/premises is separate from the school's. Attached photos prove the distinct buildings and premises for both.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee:
 - a) Building land is on agricultural land and conversion certificate was not available.
 - b) Experienced certificate of all instructors was not available except principal
 - c) DC Compound motor with starter and switch was not in working
 - d) Major machinery working except s.no 142
 - e) Some machines were not in working condition.
 - f) Govind Public School was running in same building.
 - g) The Joint inspection committee not recommended for any trade and units due to following reason:
 - h) since electricity bill is not as per norms and land is not as per norms so not recommended for any trade any unit-comment by SCVT member.
- xii. The matter was deliberated in the 31st SCAA meeting, and SCAA also observed the following based on the joint inspection committee recommendations:
 - a. Building land is on agricultural land and conversion certificate was not available.
 - b. Electricity bill is in the name of Shri Govind Shiksha Samiti (total 7 KW).
 - c. Govind Public school and ITI both are running in the same building.

- d. Drawing hall available but not as per norms.
 - e. Fire safety Certificate is not available.
 - f. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed and also on the above SCAA observations.
 - g. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - h. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. The minutes of 31th SCAA meeting were issued on 08.07.2026.
- xiv. The ITI's compliance reply was received via email on 25th July, 2026. With reference to the Joint Inspection conducted on 08.05.2028 and the subsequent SCAA meeting, please find below the point-by-point replies to the observed deficiencies along with supporting evidence:
- a. Joint Inspection Committee Points & Responses :
 - b. Land Conversion: Land falls under Gram Panchayat jurisdiction. Land conversion certificate (non-educational to educational) issued by Gram Panchayat Officer is attached.
 - c. Instructor Experience Certificates: All certificates were shown during inspection; geo-tagged photos of all instructors' experience certificates are now attached.
 - d. DC Compound Motor & Starter (S.No. 142): It was under maintenance during inspection. It has been fully repaired and is operational (video proof attached).
 - e. Machinery Status: Except for S.No. 142, all machines were working during inspection. Presently, 100% of machinery is operational (video attached).
 - f. Govind Public School Premise: School and ITI operate in separate buildings with separate entrances. Geo-tagged photographs proving independent facilities are re-attached.
 - g. SCAA Meeting Points & Responses : Electricity Connection Load: Sanctioned electricity load has been upgraded from 7 kW to 10 kW (documented proof attached).

- h. Drawing Hall Norms: The Drawing Hall has been upgraded to strictly meet prescribed norms (geo-tagged photos attached).
- i. Fire Safety Certificate: Fire Safety Certificate issued by the local Gram Panchayat Officer is attached.
- j. In view of the complete compliance demonstrated above, ITI has requested to kindly accept this submission and clear the raised points.

35th SCAA remarks:

- i. The Committee noted the persistent non-compliance by the ITI in this matter. During the Joint Inspection dated 23.06.2025, the ITI was found closed and the owner refused to permit the inspection. Further, during the Joint Inspection dated 06.05.2026, the land was found to be agricultural land without any conversion certificate, experience certificates of instructors other than the Principal were not available, machinery and equipment were found defective, and Govind Public School was found functioning in the same building as the ITI. The SCVT Member had accordingly recommended that no trade/unit be continued and that the ITI be de-affiliated.
- ii. The ITI was thereafter granted a final 15-day opportunity to furnish the requisite documents and photographs. In its reply dated 25.07.2026, the ITI claimed to have obtained a land conversion certificate and Fire Safety Certificate, upgraded the electricity load, repaired the machinery, upgraded the Drawing Hall, and shifted the ITI and Govind Public School to separate buildings with separate entrances. However, on examination of the documents and photographs furnished, the Committee observed that the land conversion certificate and Fire Safety Certificate have been issued by the Gram Panchayat and not by the competent authority. Further, the photographs do not establish that the Drawing Hall has been upgraded as per the prescribed norms. Most importantly, no photograph showing a separate entrance of the ITI has been furnished; the photograph submitted is of the entrance of Govind Public School. Thus, the claim regarding functioning of the ITI and the school in separate buildings with separate entrances remains unsubstantiated.
- iii. In view of the persistent and unresolved issue of co-location with Govind Public School, continued non-compliance with the prescribed Affiliation Norms, and failure of the ITI to substantiate the claimed compliance, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from Academic Session 2026-27 onwards.

47. L.J. Private ITI, Village Shivadaspura,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Chandlai Road, Tehsil-Chaksu, Dist.Jaipur -303903, Rajasthan MIS Code: (PR08001719)	Electrician - 6(2+2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder 06.02.2025.
- iii. The reply dated 26.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official.
 - a. During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.
- v. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vi. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- vii. The reply to the SCN was received on 11.01.2026.
- viii. In its reply the ITI submitted the following:
 - a) Our college is running as per NCVT rules, still if the department has any kind of objection then they can inspect us, we are ready for it.
- ix. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- x. The concerned State Directorate and RDSDE have conducted the joint inspection on 08.05.2026 and following are the observations of the Joint Inspection committee:
 - a) Building Certificate not available.
 - b) Electricity sanctioned power 5 kw
 - c) No experience certificate provided for staff.
 - d) Physical staff attendance available till 24-25
 - e) Machinery- s.no.147,159,160,161,163,164,165 154, not available
 - f) Machinery 140,141,142,143 not in working condition

- g) The computer lab was not as per norms
- h) Drawing hall not available
- i) The joint inspection committee Not recommended for any trade and any unit.
- xi. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks:
 - a. Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 08.05.2026 severe deficiencies as mentioned observed and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed.
 - c. Furthermore, SCAA also observed that the Fire safety Certificate is not available in the ITI .
 - d. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
 - f. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xii. The minutes of 31th SCAA meeting were issued on 08.07.2026.
- xiii. ITI has not submitted the show-cause reply within stipulated time period.

35th SCAA remarks:

- i. The Committee noted that the ITI had not facilitated a proper Joint Inspection, having refused inspection on 24.06.2025 citing a strike. When the fresh Joint Inspection was subsequently conducted on 08.05.2026, several serious deficiencies were observed, including non-availability of the Building Certificate, sanctioned electricity load of only 5 kW, non-availability of experience certificates of staff, physical staff attendance records available only up to 2024-25, several prescribed machines being missing and several others being non-functional, computer lab not conforming to the prescribed norms, and absence of a Drawing Hall. The Joint Inspection Committee did not recommend continuation of any trade/unit of the ITI.

- ii. The Committee further noted that the Fire Safety Certificate is also not available. Despite being granted a final 15-day show-cause opportunity, with a specific requirement to submit documentary evidence, including geo-tagged photographs of operational machinery and infrastructure, the ITI has not submitted any reply.
- iii. In the absence of any explanation or documentary evidence establishing compliance, and considering the serious and wide-ranging deficiencies affecting the overall functioning of the ITI, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from Academic Session 2026-27 onwards.

48. Vidhya Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Bhilwara Haled Tehsil Bhilwara, Rajasthan-311001 MIS Code: PR08001765	Electrician – 6 (2+2+2) Fitter – 3 (1+1+1)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 04.01.2025.
- iii. The reply dated 23.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official.
- v. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 08.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) It is respectfully submitted that, as recorded in Point No. 5 of the Minutes, the Department itself acknowledged that the proposed inspection dated 19.06.2025 could not be conducted due to a state-level strike declared by the ITI Association.

- b) The said event was beyond the control of the Institute and constitutes an unavoidable force majeure circumstance. Therefore, the same cannot be construed as a “wilful refusal” on the part of the Institute.
- c) Proactive Approach for Re-Inspection (Proof of Bona-fide Intent)- After the strike was withdrawn, the Institute proactively requested the Department to conduct a joint inspection. In this regard, the following communications were sent:
- a) Letter/Email dated 31.07.2025 (Ref: VITI/2025-26/47), Letter/Email dated 04.10.2025 (Ref: VITI/2025-26/60), Letter/Email dated 09.10.2025 (Ref: VITI/2025-26/61)
 - b) These communications were sent to the official email IDs, namely: dte.trg.raj@gmail.com, inspectiondetraining@gmail.com, dte_raj@rajasthan.gov.in, and sunil.gupta67@gmail.com
 - c) Copies of the said communications are enclosed herewith.
 - d) This clearly establishes the Institute’s bona-fide intention and refutes any allegation of refusal to undergo inspection.
 - e) Readiness for Inspection- The Institute is fully operational with all requisite infrastructure, machinery, and qualified staff as per prescribed norms. In the interest of transparency and natural justice, the Institute hereby invites even an unannounced surprise inspection at any time convenient to the Department.
 - f) Prayer / Conclusion- In view of the above facts, particularly the Department’s own acknowledgment of the strike as the reason for non-conduct of inspection, it is respectfully prayed that the allegation of wilful refusal be set aside and the de-affiliation proceedings initiated against the Institute be kindly dropped.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 07.05.2026 and following are the observations of the Joint Inspection committee:
- a) 2 instructors appointed in fitter are not cited trained.
 - b) In Fitter trade Sl.no 198,199,200,201,202,203,204 machinery not available.
 - c) Electrician machinery sno 137,140,141,142,145,147 were in maintenance (at the time of inspection)
 - d) Classrooms are used for ED (based on 2014 norms)
- xii. The joint inspection committee Recommended for Electrician (2+2) and Not recommended for Fitter (1+1).
- xiii. The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:
- xiv. SCAA noted that the Joint Inspection team in its inspection dated 07.05.2026 has recommended affiliation for Electrician – 4(2+2) trade/units.

- xv. However, upon scrutiny the following deficiencies are also observed:
- a) Machinery sl. nos. 137, 140, 141, 142, 145, and 147 were found under maintenance at the time of inspection.
 - b) Classrooms are being used for Engineering Drawing, as per 2014 norms, and no separate Drawing Hall is available.
 - c) Fire Safety Certificate is not available.
 - d) Based on the recommendations of the Joint Inspection Committee, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units, subject to removal of the above-mentioned deficiencies. The State Directorate shall ensure that the deficiencies are removed by the ITI before the commencement of the Academic Session 2026-27.
 - e) SCAA further observed that the Joint Inspection Committee has not recommended affiliation for Fitter – 2(1+1) trade/units due to the following deficiencies:
 - f) 2 instructors appointed for the Fitter trade are not CITS trained.
 - g) Machinery sl. nos. 198, 199, 200, 201, 202, 203, and 204 are not available.
 - h) ITI is being granted a final opportunity to show-cause as to why Fitter – 2(1+1) trade/units should not be de-affiliated, based on the deficiencies mentioned above. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xvi. The ITI's compliance reply was received via email on 29th July, 2026.:
- a) Voluntary Surrender: The institute is surrendering and requesting de-affiliation for the Fitter Trade (2 Units) as they no longer wish to offer it.
 - b) Compliance & Rectification: All deficiencies and observations regarding the Electrician Trade (4 Units) noted in the 31st SCAA Minutes have been addressed. All machinery, electrical panels, and equipment are now fully repaired and compliant with DGT/NCVT norms.
 - c) Core Request: They request permission to continue affiliation and student admissions for the Electrician Trade (4 Units) for the 2026–27 academic session, while accepting the surrender of the Fitter Trade.
 - d) Status: Supporting documents and photographs are attached, and the institute is ready for inspection at any time.

35th SCAA remarks:

- i. The Committee noted that the ITI has voluntarily surrendered the Fitter – 2(1+1) trade/units vide its reply dated 29.07.2026. The Committee decided to accept the voluntary surrender. Accordingly, the Fitter – 2(1+1) trade/units stand de-affiliated, and no admissions shall be permitted in the said trade from Academic Session 2026-27 onwards.

- ii. With regard to the Electrician – 4(2+2) trade/units, the Committee noted that the Joint Inspection Committee had recommended continuation subject to removal of the deficiencies observed during inspection, namely, machinery under maintenance, absence of a separate Drawing Hall, and non-availability of the Fire Safety Certificate.
- iii. The Committee further noted the compliance verification report submitted by the State Directorate vide letter dated 18.08.2026, confirming that the deficiencies relating to the machinery under maintenance and the absence of a separate Drawing Hall have been removed. However, the Fire Safety Certificate from the competent authority has not yet been furnished by the ITI.
- iv. The Committee decided to allow admissions in Electrician – 4(2+2) trade/units for Academic Session 2026-27, subject to submission of the Fire Safety Certificate from the competent authority within one month from the date of issuance of these Minutes of Meeting, failing which the matter shall be placed before the Committee for further necessary action.

49. Arpan Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - Near Senior Secondary School, Uchhan, Tehsil-Roopbas (Bharatpur) -321302	Electrician - 2(1+1) Fitter - 2 (1+1)
MIS Code - PR08000056	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 03.01.2025.
- iii. ITI replied to the SCN on 21.01.2025.
- iv. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official.
- v. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1).
- vi. However, as joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025:
 - a) Fitter – Tools, equipment and classroom has not found as per DGT Norms. In fitter trade, as per syllabus, item no. 179-196, 198-204 were not found and item no. 41, 42, 67, 68, 73, 85-87, 89, 90, 102, 104, 106-108, 114-116, 122, 124, 133-135, 146, 152, 155-157, 160, 161, 184-196 were not found.
 - b) Majority tools & files were found corrosive and damaged. Item no. 177 and 179 not found as per norms.
 - c) During the inspection, it was not clarified whether the fitter classroom was available or not

- vii. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 02 (1+1) and de-affiliate Fitter 02 (1+1).
- viii. Thereafter, the matter was discussed in 25th SCAA wherein a final opportunity to the ITI was granted to represent itself within 21 days by a way of SCN.
- ix. The reply to the SCN was received on 12.01.2026.
- x. In its reply the ITI submitted the following:
 - a) a) Request for Reconsideration – Fitter Trade (2 Units)- The institute respectfully seeks reconsideration regarding the deficiencies noted for the Fitter Trade during the Joint Inspection.
 - b) b) Factual and Clerical Inconsistencies in Inspection Report- It is submitted that the inspection report contains certain factual and clerical inconsistencies, including: Incorrect mention of the inspection date. Confusion regarding the availability of the Fitter classroom. Contradictory observations concerning tools and equipment.
 - c) c) Continuity of Affiliation and Infrastructure- The institute has been affiliated since 2007 and has been operating from the same building without any change in location. All required classrooms, workshops, and infrastructure facilities are available as per prescribed norms.
 - d) d) Availability of Tools and Equipment-All tools and equipment required for the Fitter Trade, including hydraulic and pneumatic tools, are available in the workshop and were duly shown to the inspection committee at the time of inspection.
 - e) e) Video evidence of the classrooms and the Fitter workshop has been enclosed to substantiate the availability of infrastructure and equipment.
 - f) f) Contradictory Observations in Missing Tools List-The institute submits that there are contradictions in the list of allegedly missing tools. Certain observations appear impractical in nature, particularly regarding basic items such as work benches and bench vices, which are permanently installed in the workshop and were available at the time of inspection.
 - g) g) Compliance of Major Machinery- It is further submitted that major machinery, including lathe machines, was found compliant during the inspection. This indicates that essential workshop infrastructure was in place and functional.
 - h) Parity with Similarly Placed Institutes- It is respectfully pointed out that in several other cases, including Impulse Pvt. ITI, Dausa, continuation of affiliation was recommended despite similar or comparatively greater deficiencies. The institute therefore seeks parity and equal treatment in line with principles of fairness and consistency.
 - i) Importance of Fitter Trade- The Fitter Trade plays a vital role in providing employment-oriented skills to trainees. Discontinuation of affiliation would adversely affect students and local employment opportunities.
 - j) Prayer- In view of the documentary evidence submitted, the inconsistencies in the inspection report, parity with similarly placed ITIs, and the larger interest of trainees, the institute respectfully requests continuation of affiliation for

Fitter Trade (2 units). The institute is willing to submit any additional clarification or documentary proof, if required . the institute remains committed to full compliance with all prescribed norms and standards.

- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xii. The concerned State Directorate and RDSDE have conducted the joint inspection on 18.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Institute not found as per uploaded NCVT MIS portal longitude and latitude
- xiii. The joint inspection committee recommended for de affiliation due to institute not found at the location updated on NCVT MIS Portal.
- xiv. The matter was deliberated in the 31st SCAA meeting, and SCAA decided as under:
 - a. ITI is being granted a final opportunity to show cause as to why trade/units of the ITI should not be de-affiliated due to the following observation during the joint inspection dated 18.05.2026:
 - b. Institute not found as per uploaded NCVT MIS portal longitude and latitude
 - c. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.
 - d. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xv. The minutes of 31th SCAA meeting were issued on 08.07.2026.
- xvi. The ITI's compliance reply was received via email on 23rd July, 2026.
 - a. Discrepancy between the physical location of the ITI and the geotagged coordinates (latitude/longitude) uploaded on the NCVT MIS portal.
 - b. Minor Distance Shift: The Inspection Committee noted a distance of approximately 400 meters between the physical institute and the portal coordinates (which plot to an agricultural plot).
 - c. Historical Manual Input Error: Over 10 years ago, DGT instructed ITIs to manually enter latitude and longitude values. Earlier GPS technology and manual truncation (e.g., entering 4 decimal digits instead of 8) frequently resulted in accuracy gaps.
 - d. Inherent GPS Variance: Two geotagged photos taken at the exact same front gate on different dates (24.09.2025 and 09.04.2026) showed slight variations in coordinate readings despite being taken at the same physical spot. This proves GPS readings naturally fluctuate due to technical reasons, not intentional tampering.
 - e. Systemic Issue: Mapping inaccuracies exist across many established government and private ITIs nationwide. Singling out a specific rural ITI without evaluating broader technological margin-of-error standards is unfair.
 - f. The institute has operated at the exact same location continuously since July 2007:

- g. Approved Building Map: Consistent map approvals attached from 2007 through the current academic cycle.
- h. Lease / Rent Agreement: Verified Lease Deed issued by the Tehsildar dated August 26, 2011.
- i. Utility Records: Electricity bills continuously issued to this specific institute address since June 2007, backed by an official certification letter from the Assistant Engineer (AEN), JVVNL (Jaipur Vidyut Vitran Nigam Limited).
- j. State Portal Compliance: State-level photos with GPS tags and PDF submissions of the main gate have been submitted continuously over the last 2 years.
- k. Repeated Inspections: The institute has undergone three separate joint inspections since December 24, 2024.
- l. Shifting Grounds: Earlier inspection committees evaluated the institute at this exact physical location without raising coordinate issues. The latest inspection was meant to review previous observations, but instead raised an entirely new technical discrepancy regarding portal mapping.
- m. Comprehensive Verification: Video recordings, GPS-tagged photographs of classrooms and laboratories, and recent app-based tablet inspections conducted by DGT confirm that the institute's physical infrastructure and facilities are intact and functional.
- n. Capacity Impact: The institute operates on a small scale (40 total intake capacity, with 20 seats permitted last year via temporary stay and 20 showing vacant).
- o. Rural Service & Student Welfare: De-affiliation over a software coordinate discrepancy negatively impacts students in a rural area.
- p. Requested Action: Requesting the DGT/SCAA to evaluate the physical documentary proof, acknowledge the GPS error as a technical/human data-entry limitation, drop the de-affiliation proceedings, and grant approval/affiliation for the Fitter Trade.

35th SCAA remarks:

The Committee considered the ITI's reply dated 23.07.2026 to the show-cause notice regarding the discrepancy between the ITI's physical location and the GPS coordinates uploaded on the NCVT MIS portal, and decided to allow the ITI to admit trainees for the Academic Session 2026-27 in both Electrician – 2(1+1) and Fitter – 2(1+1) trade/units. As regards the Fitter – 2(1+1) trade/units, the Committee decided that a fresh Joint Inspection shall be conducted within three months from the date of issuance of the Minutes of this Meeting to verify the ITI's claim of no deficiencies in the Fitter trade, and the matter shall be decided based on the outcome of the inspection. The Committee further directed the State Directorate to identify all such cases where an ITI has not shifted from its original location, but a discrepancy exists between the actual coordinates of the ITI and the coordinates uploaded on the MIS portal, and submit a report to DGT for appropriate action.

50. L.S.M.D. Bharatpur Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - Riico Road, Railway Fatak No.38, Dist.-Bharatpur Pin-321021 Rajasthan	Fitter- 2(1+1) Electrician- 2(1+1)
MIS Code - PU08001504	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 03.01.2025.
- iii. The ITI replied to the SCN on 18.01.2025.
- iv. Further, a joint inspection was conducted on 18.08.2025.
- v. Accordingly, the joint inspection of the ITI was conducted on 18.08.2025. During the inspection the following deficiencies were observed:
 - a) Other activities such as a 10th school, residential facilities, and animal husbandry were found to be operating within the ITI campus.
 - b) Most of trade related machines were not installed and were not as per DGT specification norms. Also, the machines available in the workshop were found to be in poor condition on the day of inspection
 - c) The IT Lab was not found as per DGT norms.
- vi. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 02.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) At the time of inspection, the Secretary was unable to be present due to a family tragedy, and the Principal was hospitalized due to dengue. Despite a request for postponement under these unavoidable circumstances, the inspection was conducted in their absence.
 - b) The Institute submits that the deficiencies reported in the inspection are not factual and largely arose due to ongoing renovation work (painting/distempering) and the temporary absence of key officials. A detailed point-wise reply to all major objections has already been submitted along with geo-tagged photographs, videos, and location maps as supporting evidence.

- c) With regard to specific observations: No non-ITI activities were being conducted on the campus on the date of inspection. The play school referred to in the report had already been closed and shifted prior to the inspection.
- d) The area referred to as a residential portion is merely a guard room for security purposes.
- e) Allegations regarding animal husbandry are incorrect; a stray cow had temporarily entered the premises, which was beyond the Institute's control.
- f) Machines and IT Lab equipment were temporarily shifted or covered due to renovation work; the same have now been fully re-installed and are operational strictly as per DGT/NCVT norms.
- g) The Institute has been operational since 2014 and has maintained a good grading of 8.2. It has consistently complied with NCVT/DGT norms and has a clean record of functioning.
- h) In view of the above submissions and supporting evidence, it is respectfully requested that the matter may kindly be reconsidered, re-inspection may be allowed if deemed necessary, and a new portal ID/password may be issued to enable the continuation of student welfare measures and institutional activities.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 20.05.2026 and following are the observations of the Joint Inspection committee.
 - a) The original registered lease deed/rent agreement is not available; a photocopy notarized on a ₹100 stamp paper has been submitted, and the name of the ITI has been incorrectly recorded in the rent agreement papers.
 - b) The land layout plan has been submitted; however, the submitted building map depicts only an incomplete plan of the structure, and the staircase shown in the map does not correspond to the actual staircase present at the site. The ITI management has not provided the plan for the first floor, nor is the parking area depicted in the building map.
 - c) Most of the trade machinery is available and installed. Electrician trade sr.no.128 battery NA,135,155,164,165, not available, and sr no.119,120,128,141,162 are not working. Shop tools & Equipment available only for 2(1+1) units; most shop tools are not available for additional units.
 - d) Desktop computers with the latest configurations, in accordance with prescribed norms, are not available in the IT lab. Internet connectivity and networking were also unavailable at the time of inspection.
 - e) The roof of the electrician workshop is an industrial tin shed. The land layout plan has been submitted; however, the submitted building map depicts only an incomplete plan of the structure, and the staircase shown in the map does not correspond to the actual staircase present at the site. The ITI management has not provided the plan for the first floor, nor is the parking area depicted in the building map.
 - f) As per Annexure-III- recommended for Electrician trade 2 (1+1) units Subjected to the submitted original registered lease deed/rent agreement in the name of the LSMD Pvt. ITI (the ITIs name is incorrectly recorded in the photocopy of the lease deed/rent agreement).

- g) As per SCVT member comments: Registered lease/Rent NA. Rs100 stamp paper photocopy that shown different ITI name also building layout not match actual infrastructure workshop roof are tin shed ITI recommended for de-affiliation
- h) NCVT member recommended affiliation for Electrician trade 2 (1+1) units
- xii. The matter was deliberated in the 31st SCAA meeting, and SCAA decided as under:
 - a) ITI is being granted a final opportunity to show cause as to why trade/units of the ITI should not be de-affiliated due to the following observation during the joint inspection dated 20.05.2026:
 - i. The ITIs name is incorrectly recorded in the photocopy of the lease deed/rent agreement.
 - ii. Registered lease/Rent NA. Rs100 stamp paper photocopy that shown different ITI name.
 - iii. Building layout not match actual infrastructure.
 - iv. The ITI Workshop roof are made up of tin shed.
 - b) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
 - c) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
 - d) Furthermore, SCAA also observed that the following deficiencies, ITI also need to remove these deficiencies.
 - i. Drawing Hall is not as per norms.
 - ii. Fire Safety Certificate is not available.
- xiii. The ITI's compliance reply was received via email on 22nd July, 2026.
 - a) Rectification Breakdown Lease Deed Name Mismatch: Typographical error in the name on the ₹100 stamp paper photocopy provided during inspection.
 - b) Corrected via a newly executed and officially registered Lease/Rent Deed with the accurate ITI name, attached to the response.
 - c) Building Layout Discrepancy: An outdated layout plan was submitted during the initial inspection.
 - d) A revised layout matching the actual structure has been drawn up, certified by a licensed architect/engineer, and attached. Workshop Roof Structure.
 - e) Workshop roof constructed with tin shed.
 - f) Clarified that the roof uses high-quality industrial tin shedding over a steel frame with proper heat insulation, ventilation, lighting, and waterproofing, making it fully safe and operational.
 - g) Drawing Hall Compliance: Drawing hall area/setup did not comply with norms. Reconfigured to meet DGT norms regarding area, furniture, lighting, and seating. Fire Safety Certificate: Fire Safety Certificate was unavailable during inspection. Formal application/receipt for the Fire Safety NOC has been submitted to competent authorities and attached; the original certificate will be forwarded upon receipt. The Principal requests the SCAA/DGT to accept the

compliance report and maintain the institute's affiliation to safeguard the academic and professional future of its students.

h) Fire NOC application submitted.

35th SCAA remarks:

The Committee considered the ITI's compliance reply dated 22.07.2026 to the show-cause notice regarding the lease deed, building layout, and workshop roof, and decided to allow the ITI to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units. However, ITI shall submit Fire Safety Certificate shall be submitted within one month from the date of issuance of the Minutes of this Meeting. Further, a fresh joint inspection of the ITI shall be conducted by the State Directorate and RDSDE within three months from the date of issuance of the Minutes of this Meeting.

51. Brijpal Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Village- Relu, Kathumer, (Alwar)- 321605 MIS Code: PR08000044	i. Fitter- 2(1+1) ii. Electrician- 2(1+1)

Brief of Matter:

- iii. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- iv. SCN was issued to the ITI by the State on 07.01.2025.
- v. The ITI replied to the SCN on 23.01.2025.
- vi. Further, a joint inspection was conducted on 12.09.2025.
- vii. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed:
 - a) In Electrician and Fitter trades major shortage of tools, equipment and machinery as per syllabus were observed on the day of inspection. Also, some machinery was not in working condition and found rusty in condition.
 - b) The top wooden surface of workbenches found in practical lab and were not suitable for practical purpose as per norms.
 - c) The machinery was found to be not properly earthed.
- viii. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
- ix. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.

- x. The reply to the SCN was received on 08.01.2026.
- xi. In its reply the ITI submitted the following:
 - a) The Fitter trade has been operational since 2006 as per prescribed norms, and all required machinery is duly installed and functional. Some additional industrial equipment has recently been procured and is being utilized during practical training. The Electrician trade has been operational since 2010 as per DGET norms, and all machines/equipment are installed and operational. Minor issues relating to certain monitors/tools have already been rectified.
 - b) The wood-working surface related deficiency has been rectified. The wood-working surface has been repaired and is now fully functional. A photograph of the repaired surface is enclosed.
 - c) Calibration and proper arrangement of the machinery have been completed. A supporting photograph is enclosed.
- xii. In view of the above compliance and rectifications, it is respectfully requested that the same may kindly be considered and the matter be resolved.
- xiii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xiv. The concerned State Directorate and RDSDE have conducted the joint inspection on 13.05.2026 and following are the observations of the Joint Inspection committee.
 - a) lease document validity expired in 4 August 2026, but rent lease member Sh. Bhim Singh is now not currently member of society
 - b) BCC not available
 - c) Very low Electricity consumption in every month
 - d) latest added new tools and machinery bill not available as per new tool list
 - e) raw material registers not available and not available any types of raw material in fitter and electrician lab for practical performed
 - f) only 4 staff details are available only principal and electrician instructor.
 - g) Most of the machineries are not working properly and most of the hand tool are rusted and work bench are not available as per norms
 - h) Mostly machinery are not working and lathe machine attachments for lathe operations are not available and mostly electrical panel not functioning properly.
 - i) DG set generator was in very bad condition.
 - j) Water facilities not available and very poor condition
 - k) Both labs areas are overlapping
 - l) only three laptops are working out of 5 laptops
 - m) All machineries are not working properly and lathe machine are not at all. attachments for lathe machine operations are available. all electrical panel not functioning properly and all hand tools are having

- n) No fire extinguisher no fire buckets no safety guard on machinery no earthing of machines
- o) The joint inspection committee not recommended any trade and unit of the ITI.
- xv. The matter was deliberated in the 31st SCAA meeting and gave following remarks:
 - a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 13.05.2026 severe deficiencies as mentioned observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed.
 - c) Furthermore, SCAA also observed that the Drawing Hall and Fire safety Certificate are not available in the ITI.
 - d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
 - f) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xvi. The minutes of 31th SCAA meeting were issued on 08.07.2026.
- xvii. ITI has not submitted the show-cause reply.

35th SCAA remarks:

- i. The Committee noted that the fresh Joint Inspection conducted on 13.05.2026 revealed serious deficiencies, including an expired lease document, non-availability of the Building Completion Certificate, abnormally low electricity consumption, absence of raw material registers and raw material in the labs, staff records available only for the Principal and Electrician instructor, most machinery being non-functional and hand tools being rusted, non-functional electrical panels, a generator in poor condition, inadequate water facilities, overlapping lab areas, and complete absence of fire safety and machine safety

arrangements, including fire extinguishers, fire buckets, machine safety guards and machine earthing. The Joint Inspection Committee did not recommend continuation of any trade/unit of the ITI.

- ii. The Committee further noted that the Drawing Hall and Fire Safety Certificate are also not available. Despite being granted a final 15-day show-cause opportunity, the ITI has not submitted any reply.
- iii. In the absence of any explanation or evidence of compliance, and considering the serious and wide-ranging deficiencies affecting the overall functioning and safety of the ITI, the Committee decided to de-affiliate the ITI in its entirety. No admissions shall be permitted in the institute from Academic Session 2026-27 onwards.

52. Radha Krishna Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Khashra No.23, Sangod Road, Village.Dhikoli, Tehsil. Kanwas, Dist.Kota Pin-325601 Rajasthan MIS Code: PR08000734	Electrician- 6(2+2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 30.12.2024.
- iii. The reply dated 21.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was scheduled on 11.08.2025. However, ITI denied for inspection.
- v. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vi. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- vii. The SCN was issued to the ITI.
- viii. The reply to the SCN was received on 08.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) for 11.08.2025 inspection, institute denied/refused. Per letters (F.7(12)/T-1/DE&FF. Inspection/78207 and /78472), the Directorate conducted it earlier on 07-08.08.2025; institute requested two additional days for preparations due to no admissions/sessions in 2023-24 and 2024-25 (no operations for two years), rural location, and heavy rains/flooding disrupting arrangements in 2024-25.

- b) The Building has been renovated; all machinery, equipment, and documentation are now complete and compliant.
- c) The institute requests another opportunity for re-inspection at any time, in accordance with standards of the Directorate of Technical Education, Jodhpur, and DGE&T.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 13.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Donated land to society ownership and land conversion is residential not educational institutes purpose. land conversion is for residential purpose
 - b) BCC not produced by principal
 - c) Electric connection is not on ITI name it is on society name.
 - d) No entry in stock register of bill items and no payment related documents and receipt produced by principal.
 - e) Last entry in dead stock register month and year of item in register is may 2024 after that no items entry found in register.
 - f) 03 instructor absent, 06 instructor not having cits qualification
 - g) Student study records of any kind not provided by principal and as per principal zero session from session 2024 to inspection date but no documents produced to give prior information to directorate.
 - h) Machinery- No, s.no.89,92,86,84,107,134,153,159, 135,136,128,161 not available as per syllabus and s.n.64 found under rating as per norms
 - i) No s.no. 103-machinery found out of working.
 - j) 03 computers found out of working and 03 computers found old version
 - k) Drawing Hall not available.
- xii. The Joint inspection committee recommended Electrician trade (2+2) units for de-affiliation.
- xiii. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks.
 - a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 13.05.2026 severe deficiencies as mentioned observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed.
 - c) Furthermore, SCAA also observed that the BCC and Fire safety Certificate are not available in the ITI .

Annexure-2

- d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”
 - f) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiv. The minutes of 31th SCAA meeting were issued on 08.07.2026
- xv. The ITI's compliance reply was received via email on 22nd July, 2026. ITI has submitted following point-wise reply against the insepction observations: -
- a) Donated land/Society ownership and residential conversion - Necessary compliance/ documents are being submitted. Institute requests consideration.
 - b) BCC not provided by Principal - BCC is provided by the ITI.
 - c) Electric connection not on ITI name - As per the ITI electric connection is in Society name; institute functions under the society.
 - d) No stock register/ payment records - Stock register and supporting bills/ payment records have been updated.
 - e) Dead stock register updated only till May 2024 - Register has been updated with current entries.
 - f) 03 instructors absent; 06 without CITS - Required staff compliance is being completed and supporting documents has been submitted.
 - g) Student study records not produced - Relevant students records are submitted by ITI; zero admission status explained wherever applicable.
 - h) Certain machinery not available - Required machinery has been arranged/ is being arranged as per norms.
 - i) Machinery S. No. 103 not working - Machine repaired/ replaced and made functional.
 - j) 03 computers not working; 03 old version - Systems repaired/upgraded/ replaced
 - k) Drawing hall not available - Drawing hall has been provided/ arranged as per norms.
 - l) Fire Certificate - Certificate has been attached by the ITI.
 - m) ITI has requested to the DGT for accepted the compliance and also inspection observations be reconsidered for the affiliation and admission matter.

35th SCAA remarks:

The Committee noted the ITI's compliance reply dated 22.07.2026 to the notice of the 31st SCAA, wherein the ITI claimed to have rectified the deficiencies observed during the Joint Inspection dated 13.05.2026, including those relating to land conversion, stock and payment records, CITS compliance of staff, missing machinery, Drawing Hall and Fire Safety Certificate. However, the reply is largely generic and does not furnish specific documentary evidence substantiating compliance against most of the deficiencies. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims of the ITI and submit its final comments/report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

53. Nainwa Private ITI, Near Phed Office, Bansi Road, Tehsi Nainwa, Dist. Bundi - 323801 MIS Code - PR08001141

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Phed Office, Bansi Road, Tehsi Nainwa, Dist. Bundi - 323801	Electrician- 3(1+1+1)
MIS Code - PR08001141	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 30.12.2025. SCN replied dated 08.01.2025.
- iii. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official.
- iv. Inspecting members have given following observations:
 - a) During the inspection, 50–60% of hand tools were not found. 5 out of 6 labs were located in the basement, where around 2 feet of water logging was observed with no drainage arrangement, causing electricity supply failure. Due to these adverse conditions, inspection could not be carried out effectively.
 - b) Additionally, the land is recorded as agricultural land and no land conversion documents were provided.
- v. Further, inspecting members have recommended continuation of affiliation for Electrician – 3 (1+1+1).
- vi. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 3 (1+1+1).

- vii. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Electrician – 14 (5+5+4) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes.
- viii. The reply to the SCN was received on 06.01.2026.
- ix. The ITI submitted the following in its reply:
 - a. The Institute has been functioning in accordance with NCVT norms since 2008. The land was purchased in the name of the Institute in 2009, and the building was constructed accordingly.
 - b. In 2014, shifting of the building was duly approved after QCI inspection, and DGT granted affiliation for the Electrician trade (18 units) vide letter No. 6/20/191/2008-TC dated 31.07.2014.
 - c. The Institute has previously functioned as an examination centre and is fully equipped with workshops, machinery, tools, library, computer lab, and playground as per NCVT 2014 norms. It is one of the largest and well-established ITIs in the district, providing training and employment opportunities to a large number of trainees.
 - d. The Institute has six approved workshops, including five situated in the basement, which were duly recognized by DGET in 2014. However, the inspection conducted on 30.07.2025 was carried out as per NCVT 2018 norms, which are not applicable to the Institute approved under 2014 norms, despite repeated representations in this regard.
 - e. The inspection was conducted during heavy rainfall and flood-like conditions in Bundi district, when a public holiday had been declared and roads were blocked. Temporary water accumulation in the basement occurred due to the unprecedented rainfall but was promptly removed. These exceptional circumstances were not adequately considered.
 - f. Without considering the above facts and circumstances, 15 units were de-affiliated within a short span of time.
 - g. In view of the above submissions, it is humbly requested that the explanation furnished by the Institute may kindly be accepted, the decision regarding de-affiliation of 15 units may be reconsidered, and appropriate directions may be issued in the interest of justice and the future of the students.
 - h. The ITI submitted the Building Completion Certificate of the ITI along with ITI photographs with Electrician lab, classrooms, and machinery installed photos.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 14.05.2026 and following are the observations of the Joint Inspection committee.
 - a) The land is recoded as agriculture land. no land conversion documents produced by principal for use in institutional purposes.
 - b) Building Completion Certificate not produced by principal
 - c) Only 06 instructor present. 10 instructors not present as per produces record by principal. only 05 instructor are CITS complete.

- d) In complete. record updated on 21/6/2025.
- e) Machinery- not available sl.no 135,136,92,159,160,147
- f) Machinery- sl.no 70,127,162 not in working condition, found under rating as per syllabus sl no 64
- g) Only one works shop found in ground floor other works shops are situated in basement where water login is possible in rainfall and no proper drainage system found in this workshop. no exit gates.
- h) Drawing Hall not available.
- i) Workshop in basement have no proper lighting and ventilation. one entry gate. exit gate not available in emergency.
- j) Extinguisher refilling due since 31.5.2025
- xii. The Joint inspection committee recommended Electrician trade 12(6+6) units for de-affiliation.
- xiii. The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:
- xiv. SCAA noted that the deficiencies recorded during the Joint Inspection dated 14.05.2026 are persistent in nature and were also noted during the earlier Joint Inspection dated 30.07.2025. In particular, the following critical deficiencies continue to persist:
 - a) The land on which the ITI is situated is recorded as agricultural land, and no land conversion documents for institutional use have been produced despite being specifically noted during the earlier inspection.
 - b) Five out of six workshops are situated in the basement, where water logging remains possible during rainfall due to the absence of a proper drainage system. No emergency exit gate is available in these basement workshops, posing a serious safety risk to trainees and staff. Adequate lighting and ventilation are also lacking in these workshops.
 - c) Shortage of machinery (sl. nos. 135, 136, 92, 159, 160, 147 not available; sl. nos. 70, 127, 162 not in working condition).
 - d) Only 6 instructors were found present against 16 on record, with only 5 possessing CITS qualification.
 - e) Drawing Hall is not available.
 - f) Fire Safety Certificate is not available.
 - g) Building Completion Certificate was not produced.
- xv. SCAA observed that the basement workshops with water logging risk and absence of emergency exit gates pose a serious safety hazard to trainees and staff, and cannot be condoned under any circumstances. Furthermore, the absence of land conversion documents raises a fundamental question about the legal permissibility of running an educational institution at the said location.
- xvi. In view of the above, the Electrician – 10(5+5) trade/units situated in the basement workshops are hereby de-affiliated on account of serious safety concerns arising from water logging risk, absence of emergency exit gates, and inadequate lighting and ventilation. No admissions in these trade/units shall be permitted from the Academic Session 2026–27 onwards.
- xvii. With respect to the Electrician – 2(1+1) trade/units already recommended for continuation of affiliation by the earlier Joint Inspection dated 30.07.2025, SCAA observed that the following deficiencies are also observed which require the ITI to show-cause:

- a) The land is recorded as agricultural land and no land conversion documents for institutional use have been produced.
 - b) Building Completion Certificate has not been produced.
 - c) Drawing Hall is not available.
 - d) The ITI is hereby granted a final opportunity to show-cause as to why these Electrician – 2(1+1) trade/units should not also be de-affiliated. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xviii. ITI has not submitted the show-cause reply.
- xix. As per Hon'ble court order dated 11.08.2026, the court has stayed the proceedings until the next date of hearing.

35th SCAA remarks:

The Committee noted that the 31st SCAA had already de-affiliated the Electrician – 10(5+5) trade/units situated in the basement workshops on account of serious safety concerns, and that decision stands. As regards the remaining Electrician – 2(1+1) trade/units, the matter is deferred till the final order from the Hon'ble Court.

54. Chandel Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Reengus Road, Ward No. 30, Chomu Distt. Jaipur - 303702 MIS code: PR08001310	Electrician- 12(4+4+4)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 07.01.2025.
- iii. The reply dated 22.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official.
- v. The ITI refused to undergo the inspection vide letter dated 07.05.2025.

- vi. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 08.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) Institute respectfully requests re-scheduling of joint inspection (by RDSDE & State team) that was refused on 12.05.2025 solely due to the legitimate strike called by the Rajasthan State ITI Association. Strike has ended; normal operations resumed. Request reconsideration of any de-affiliation/denial decision based on this one-time refusal and grant fresh inspection date.
 - b) Reason for Refusal of Inspection
 - c) Scheduled joint inspection on 12.05.2025 could not take place.
 - d) State-level ITI union (Rajasthan ITI Association) announced and enforced a valid strike starting from 02.05.2025.
 - e) Institute, as an active member, followed the collective decision of the association.
 - f) Refusal was not due to any lack of cooperation, irregularity hiding, or unwillingness — purely due to strike circumstances.
 - g) Current Status: Strike has now concluded. All educational and administrative activities at the institute are running normally.
 - h) Compliance Assurance
 - i) Institute fully complies with all prescribed DGT/NCVT norms and standards. (On re-inspection date, full cooperation will be extended to the inspection team.
 - j) Requests Made
 - (i) Kindly re-schedule / fix a new date for inspection.
 - (ii) Reconsider any adverse decision (de-affiliation or similar) taken solely on the basis of the strike-period refusal.
 - (iii) This aligns with principles of natural justice.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee.
 - a) As per latest electric bill, Electric load found less than required load for affiliated trade i.e. 5 KW.
 - b) Tools and Machines as per latest trade tools list found less as s.no. 135,155 to 166. and only 1 DG set found.
 - c) Raw material register provided with entry of previous session.
 - d) Only principal is present on the day of inspection as there is no current session of training is running
 - e) Approximately 20% of available machines in IInd lab are not working.

- f) Only 5 computers are in working condition
- g) The Joint inspection committee not recommended any trade affiliation due to following reasons:
- h) Electric load is not as per norms.
- i) Major machineries are not found complete as per norms.
- j) Some machines found not in working condition. So, ITI affiliation not recommended.
- xii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
- xiii. SCAA noted that during the earlier Joint Inspection scheduled on 12.05.2025, the ITI refused to undergo inspection citing a strike called by the Rajasthan State ITI Association. The 27th SCAA, in adherence to the principles of natural justice, granted a final opportunity to the ITI and decided to conduct a fresh Joint Inspection to verify its functioning as per prescribed norms.
 - a) SCAA observed that during the Joint Inspection conducted on 06.05.2026, several deficiencies were observed, and the ITI had refused to undergo the Joint Inspection scheduled on 12.05.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - d) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiv. The minutes of 31th SCAA meeting were issued on 08.07.2026.
- xv. The ITI's compliance reply was received via email on 22nd July, 2026.
- xvi. Chandel Private Industrial Training Institute (PR08001310), was conducted on Joint Inspection 06.05.2026 by the concerned State Directorate and Regional Directorate of Skill Development and Entrepreneurship (RDSDE). In reference to points A to F of the report submitted by the inspection committee, point-wise compliance and corrective action details are presented below:

- a) Regarding Electrical Load: At the time of inspection, the sanctioned load in the electricity bill was 5 kW.
- b) ITI has applied to the Electricity Department for a load of 15 kW, deposited the demand note, and attached the receipt with this letter as Enclosure-1.
- c) Regarding Shortage of Tools and Machines: The tools and machines that were found deficient at serial numbers 135 and 155 to 165 have been purchased by the institute according to the new tool list. A copy of the bill for the new purchase is attached as Enclosure-2.
- d) Regarding Raw Material Register: The bills of raw materials for the previous 2 training sessions, 2023–2024 and 2024–2025, along with filled-in proper formats as per Annexure-III and photocopies of the bills, are attached as Enclosure-3.
- e) Regarding Training Session and Staff Attendance: On the day of inspection, no regular classes were being held as it fell in the period between the end of the old session and the start of the new session.
- f) Additionally, the institute regularly sends its staff for training in industrial instruction so that they can enhance their training work and deliver better training to students in accordance with modern industries.
- g) At present, since no regular classes were running, only the Principal was present.
- h) Currently, the new academic session has commenced, and all instructors and staff have completed their training and are present regularly.
- i) Regarding Faulty Machines in Lab-2: All the machines in Lab-2 that were out of order due to technical faults have been repaired. Now, 100% of the machines in the lab are operational and in working condition. Regarding Working Condition of Computers: In the institute's computer lab, necessary repairs along with new software and hardware additions for the required number of computers have been completed by an IT engineer, and all computers are fully functional.
- j) Request: All deficiencies have been rectified by the institute in a timely manner, and DGT Norms are being fully complied with. Therefore, ITI has requested to kindly maintain the affiliation of our institute, Chandel Private Industrial Training Institute (PR08001310)

35th SCAA remarks:

The Committee noted the ITI's compliance reply dated 22.07.2026 to the notice of the 31st SCAA, wherein the ITI has claimed to have rectified the deficiencies observed during the Joint Inspection dated 06.05.2026, including those relating to electrical load, shortage of tools and machinery, raw material register, staff attendance, faulty machines in Lab-2 and the computer lab. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims of the ITI and submit its report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

55. Maharishi Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: V/P-Boraj, Teh.- Dudu, Dist.-Jaipur Rajasthan MIS Code: PU08001554	Electrician-6(2+2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 07.01.2025.
- iii. The reply dated 16.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official.
- v. During the inspection the following were observed:
 - a) ITI found closed and the owner of the ITI refused for inspection.
 - b) No training staff was present.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 08.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) On 26.06.2025, a joint inspection by RDSDE and State officials was conducted immediately after the conclusion of the ITI Association strike. Despite the availability of staff and ongoing institutional activities, the inspection team stated that the inspection would be conducted strictly as per 2018 norms and that even minor deficiencies would not be overlooked.
 - b) The Institute was advised not to proceed with inspection and was directed to submit a letter, which was provided under the instructions of the inspection team.
 - c) It is respectfully submitted that the Institute has always remained operational, with training activities conducted as per prescribed norms. All required documents, infrastructure, and facilities were available at the time of inspection. Any minor issues were temporary in nature and did not warrant adverse conclusions.

- d) The Institute has made substantial investments in infrastructure and training facilities and has consistently complied with applicable norms without negligence.
- e) The sudden adverse observations and actions have negatively impacted admissions and have put the Institute's recognition at risk.
- x. In view of the above facts, it is humbly requested that the entire matter be examined thoroughly, the circumstances of inspection be reviewed in a fair and objective manner, and appropriate relief be granted in the interest of justice and the future of the students.
- xi. The ITI has attached the Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.
- xii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xiii. The concerned State Directorate and RDSDE have conducted the joint inspection on 04.05.2026 and following are the observations of the Joint Inspection committee.
 - a) No valid rent agreement was available at the time of inspection. produced copy of rent agreement was from 22 Feb 2017 to 22-01-2018, no new rent agreement was produced by ITI.
 - b) No BCC was available with the ITI only a sworn affidavit was produced at the time of inspection.
 - c) 10 KV electric meter was available in the name of ITI.
 - d) Bill was only available for old machines which are installed in lab but there are no bill available for newly added machineries.
 - e) No staff was CITS trained and appointment letter not signed by any competent authority, no dispatch and file number was on those appointment letters.
 - f) Attendance register was available. no biometric attendance was available in ITI and no trainee was present at the time of Inspection
 - g) Only old machines were available and installed properly but no New machines are available as per new syllabus and drilling machine was not grouted
 - h) Two to three machines from old syllabus are not working like mg set dc to ac 3 ac squirrel cage.
 - i) No canteen, dispensary, library available. drinking water not available in water cooler, toilets has no signage.
 - j) Building map was not approved by any engineer and length and width was also not mentioned in the map. original approved map was not available
 - k) Only 5 non-working PCs are there and furniture are not up to the mark.
 - l) Drawing Hall was not available but mentioned in map.
 - m) The fire extinguisher was not hanged and working, no safety fire bucket available in lab, fire safely certificates was also not available.

- n) No safety measures taken in labs.
- o) The Joint inspection committee not recommended any trade.
- xiv. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
 - a) SCAA noted that during the earlier Joint Inspection conducted on 26.06.2025, the ITI was found closed and the owner refused to undergo the inspection. The 27th SCAA, in adherence to the principles of natural justice, granted a final opportunity to the ITI and decided to conduct a fresh Joint Inspection to verify its functioning as per prescribed norms.
 - b) SCAA observed that during the Joint Inspection conducted on 04.05.2026, several deficiencies were observed, which could not be verified earlier as the ITI was found closed and the owner had refused to undergo the Joint Inspection scheduled on 26.06.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - c) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xv. The ITI's compliance reply was received via email on 22nd July, 2026.
- xvi. The ITI has taken immediate corrective measures, and 100% of the noted deficiencies have been completely rectified and upgraded as per NCVT norms:
 - a. Power backup and generator operationalization: Generator functionality has been fully resolved. The generator set is now completely operational and verified to support the full electrical load of all workshop machinery without any interruption.
 - b. Approved building plan, completion and fire safety certificates: The ITI has adhered to all infrastructural and safety norms. The approved building map/ plan and the official commercial completion certificate (CC) have been successfully procured. Additionally, a valid fire safety certificate is active and implemented on campus.

- c. Legal status of building land/ lease deed: The matter concerning the building lease deed is currently sub-judice before the hon'ble court. The ITI has pursuing appropriate legal remedies actively, and the procurement of a formal stay order is in its final stages to protect the academic interests of the trainees.
 - d. Admission permission for 2025 and 2026 batches: Due to the pending clearance from the Directorate, ITI trainees for the academic session 2025 & 2026 could not be mapped/ uploaded on the NCVT MIS Portal. Since full compliance has been met from our side, ITI has requested to immediate permission to upload the student data to secure trainees future.
 - e. Machinery, Wiring & Tool-kit Upgradation: A dedicated 10 KB electrical meter connection has fully active with all utility bills cleared. All trade-specific machinery, drilling equipment, and tool kits required by the NCVT syllabus have been properly installed, wired, and verified as functional.
 - f. Biometric Attendance, faculty (CITS) & Campus Amenities: The AEBAS Biometric attendance system is fully functional at the entrance. All developed instructors are duly qualified with CITS training, and their formal appointment records are updated. Essential student amenities, including a functional dispensary, a cold drinking water cooler, and a fully equipped drawing hall has completely ready.
- xvii. Prayer/ Request: Therefore, it is most respectfully prayed that compliance report may kindly be accepted and taken on official record. ITI has also requested to drop any adverse remarks or restrictions against ITI and grant immediate permission to onboard and process student data for the 2025 and 2026 academic sessions on the MIS portal.

35th SCAA remarks:

The Committee noted that although the ITI, in its compliance reply dated 22.07.2026, has claimed to have rectified 100% of the deficiencies observed during the Joint Inspection dated 04.05.2026, the issue regarding the legal title of the building in which the ITI is functioning remains sub judice.

The Committee further noted that, as per the interim order dated 13.08.2026 passed by the Hon'ble Court in S.B. Civil Writ Petition No. 14690/2026, titled Maharishi Pvt. ITI Vs. The State of Rajasthan, the ITI has been provisionally permitted to upload its data on the online portal by issuing a provisional login ID. The Hon'ble Court has clarified that the interim order shall not create any equity in favour of the petitioner and that the same shall remain subject to the final decision in the writ petition.

In view of the matter being sub judice, the Committee decided that the final decision regarding de-affiliation of the ITI shall be taken after the final directions/orders of the Hon'ble Court in the matter.

56. Shri Krishna Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Kalu Ka Bass Tigariy, Dist.Jaipur Rajasthan-303804	Electrician-6(2+2+2)
MIS Code: PR08001572	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025.
- iii. The reply dated 10.02.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 03.07.2025 by the RDSDE and State official.
- v. On the day of inspection, the ITI representative refused for inspection.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 10.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) No Intentional Refusal or Violation Non-conduct of inspection on the scheduled date was not due to any deliberate avoidance, non-compliance or violation of norms/rules.
 - b) Reason for Non-Inspection Due to unavoidable local circumstances and representative issues in the area at that time, clarity/communication gap occurred, making it practically difficult to facilitate the inspection on the fixed date.
 - c) Institute's Track Record: The institute has been functioning strictly as per NCVT affiliation norms since inception (2018 onwards).It has always complied with all timely directions/guidelines issued by Government of India / DGT. No serious irregularity or adverse finding has ever been recorded against the institute in the past.
 - d) Current Status & Assurance: The present status is fully clear and transparent. We unconditionally assure that inspection will never be refused in future under any circumstances.The institute will extend full cooperation on any date fixed by the competent authority.
 - e) Prayer Kindly grant one fresh opportunity for inspection under principles of natural justice so that:
 - f) The actual/ground position of the institute can be verified. Affiliation can continue uninterrupted in the interest of trainees/students.

- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 05.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Sale deed between society and seller, therefore end date of lease deed could not be mentioned
 - b) BCC not available.
 - c) All the new machines added in the electrician syllabus were not available at the time of inspection. bills produced for only old machines.
 - d) No trainee were present at the time of inspection. out of 6 units only 19 trainees were on rolled. no biometric attendance for trainees.
 - e) Only drilling machine not grouted
 - f) All the new machines added in new syllabus were not available at the time of inspection and most of the major machines were not working at the time of inspection.
 - g) One additional floor is available which is not mentioned in the available map
 - h) Laptops available in IT lab.
 - i) Drawing Hall was not available.
 - j) Fire safety certificate was not available. building safety certificate is available and attached.
 - k) The joint inspection committee recommended for total 4 units (2+2 units) of Electrician trade.
- xii. The matter was discussed in the 31st SCAA meeting and the SCAA gave following remarks:
 - a. SCAA observed that during the Joint Inspection dated 05.05.2026, several deficiencies were observed, including non-availability of the Building Completion Certificate; non-availability of new machines as per the revised Electrician syllabus, with bills produced only for old machines and most major machines found not in working condition; absence of trainees at the time of inspection with only 19 trainees found enrolled against the affiliated units; absence of biometric attendance records; the drilling machine found not grouted; an additional floor in the building not reflected in the approved map; laptops available in the IT lab which is not as per norms; and non-availability of the Drawing Hall. Based on the recommendations of the Joint Inspection Committee and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c. Furthermore, SCAA also observed that the Fire Safety Certificate is not available in the ITI.

- d. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any final notice.
- xiii. The ITI's compliance reply was received via email on 29th July, 2026.
- a. ITI has submitted the following point-wise clarifications and necessary supporting documents regarding the points noted for institute in the proceedings of the 31st Standing Committee on Accreditation & Affiliation (SCAA):
 - b. ITI has been continuously affiliated with NCVT/DGT and operational since 2018. During this period, competent authorities have inspected the institute on various occasions, and full cooperation was extended during every inspection. The institute remains committed to imparting quality skill training in accordance with DGT norms.
 - c. Building Completion Certificate (BCC): The Building Completion Certificate for the institute's building was duly issued by Gram Panchayat Tigariya. A verified copy is attached as Annexure-A.
 - d. Fire Safety Certificate: A valid Fire Safety Certificate issued by the competent authority is available with the institute and attached as Annexure-B.
 - e. Availability of New Machines: At the time of inspection, all required machines according to the revised syllabus were available on-site and presented to the inspection team. However, purchase bills for some machines could not be provided immediately during the inspection.
 - f. All machines are regularly used for training. During inspection, minor technical adjustments and routine maintenance were needed, which is standard practice in technical institutes. All machines are currently 100% functional and in active use. Video proof is included in Annexure-E.
 - g. Trainee Attendance: On the day of inspection, some trainees were absent due to a local religious event and fair for Lokdevta Bhomiya Ji Maharaj. This was a temporary event and does not reflect regular attendance. The institute operates regularly and will ensure stronger measures in the future to avoid training disruptions during such events.
 - h. Biometric Attendance: A biometric attendance system is installed at the institute. Due to practical circumstances on the day of inspection, it could not be demonstrated. The system is fully operational now, supported by records and screenshots in Annexure-F.

Annexure-2

- i. Drilling Machine: The drilling machine is properly installed and grouted at its designated site. Geo-tagged photos showing its current status are attached as Annexure-G.
- j. Additional Floor: The floor in question was constructed at the time of the institute's inception, and a Building Safety Certificate issued by the competent authority covers the entire building. A copy is attached as Annexure-H.
- k. IT Lab: The IT Lab is set up per required norms. There are currently 30 computers available and used for training. Geo-tagged photos are attached as Annexure-I.
- l. Drawing Hall: A separate Drawing Hall is available and explicitly marked on the approved building layout blueprint.
- m. General Submission: The institute has served technical education for years and has consistently cooperated during inspections. Evaluating overall operations based solely on circumstances of a single inspection day would not be fair. Our long-term history, compliance status, and the evidence attached here should be considered holistically.
- n. Prayer: Based on the submitted facts and documents, ITI has requested a sympathetic and fair review to maintain the affiliation of ITI, preserving the interests of students and the continuity of technical education.

35th SCAA remarks:

The Committee noted the ITI's compliance reply dated 29.07.2026 to the notice of the 31st SCAA, wherein the ITI has claimed to have rectified the deficiencies observed during the Joint Inspection dated 05.05.2026, including those relating to the Building Completion Certificate, Fire Safety Certificate, machinery, trainee attendance, biometric attendance, drilling machine, additional floor, IT Lab and Drawing Hall. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims of the ITI and submit its report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

57. Sahil Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: V.P.O. Dhodhsar, Via Govindgarh, Dist. Jaipur-303712 MIS Code - PR08001718	Electrician-3(1+1+1)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. The SCN was issued to the ITI by State Directorate on 07.01.2025.

- iii. The reply dated 22.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official.
- v. During the inspection the ITI was FOUND CLOSED.
- vi. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 13.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) The joint inspection scheduled for 25.06.2025 by RDSDE and state-level inspection team could not occur as the institute was closed due to a legitimate strike by the Rajasthan State ITI Union, of which the institute is an active member.
 - b) The closure followed the union's collective decision, not due to any deficiencies, irregularities, or lack of cooperation.
 - c) The strike has ended, and all educational/administrative activities are now normal.
 - d) Requests rescheduling of the inspection with full cooperation assured.
 - e) Urges reconsideration of any rejection/de-affiliation decision based solely on the missed inspection, in line with natural justice principles.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee.
 - a) BCC was not available.
 - b) 7.50 KW load electric meter available in the name of society. only one-month bill was presented which seems fake after checking same online.
 - c) Only three staff were present only one instructor was CITS trained. academic documents available for only three staff and appointment letters available for 6 staff
 - d) No electric connection on major machines. 3 machines were working with DG set. no name plates or tags on machines and lab also do not have any name plate
 - e) Only three machines were working. new machines added in new syllabus of Electrician were not available.
 - f) Amenities not as per norms.
 - g) Total 500 sqr. original map was not signed by any competent authority
 - h) Only five PCs was available in IT lab without electricity connection
 - i) No drawing hall available
 - j) No Fire safety certificate is available. fire extinguisher not working. no railing on staircase.
 - k) No plastic shock proof mats available in labs for prevention of electric shocks.

- l) The joint inspection committee not recommended any trade and unit of the ITI.
- xii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
 - a) SCAA noted that during the earlier Joint Inspection conducted on 25.06.2025, the ITI was found closed. The 27th SCAA, in adherence to the principles of natural justice, granted a final opportunity to the ITI and decided to conduct a fresh Joint Inspection to verify its functioning as per prescribed norms.
 - b) SCAA observed that during the Joint Inspection conducted on 06.05.2026, several deficiencies were observed, which could not be verified earlier as the ITI was found closed during the Joint Inspection scheduled on 25.06.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - c) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. ITI has not submitted the show-cause reply within the stipulated time period.

35th SCAA remarks:

The Committee noted that the fresh joint inspection conducted on 06.05.2026 recorded severe deficiencies, including absence of the Building Completion Certificate; an electricity bill submitted in the society's name which was found to be suspect/fake upon cross-verification online; only 3 staff present with only 1 CITS-trained; major machines without electric connection and running only on a DG set; only 3 machines working, with none of the new-syllabus Electrician machines available; substandard amenities; an unsigned building map; PCs in the IT lab without electricity connection; no Drawing Hall; and no Fire Safety Certificate, with a non-working fire extinguisher and no staircase railing or shock-proof mats. The joint inspection committee did not recommend any trade or unit of the ITI. Despite being granted a final show-cause opportunity of 15 days, the ITI has

not submitted any reply at all. In the absence of any explanation or evidence of compliance, and in view of the serious and wide-ranging deficiencies found on inspection, including the suspect electricity bill, the Committee decided to de-affiliate the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

58. Shri Ganesh Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - Bhagwati Nagar, Near Bad Ka Ped, Lalchandpura Road, Jhotwara Dist. Jaipur Rajasthan MIS Code - PR08001444	Electrician-12(4+4+4)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. The SCN was issued to the ITI by State Directorate on 07.01.2025.
- iii. The reply dated 22.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official.
- v. During the inspection the following were observed:
 - a) ITI was FOUND CLOSED.
 - b) No documents produced by ITI representative for inspection.
 - c) The tin-shed workshops were shown only from the outside by the ITI representative. The institute appeared to be non-operational for a long time.
- vi. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 13.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) ITI was FOUND Closed- Surprise inspection occurred when most trainees were at industry for practical training (on-the-job). Invitation letter from industry (Mach Unitech Systems) for trainee training is attached as proof.
 - b) Some staff on leave, but most present; staff attendance register -copy attached.

- c) No documents produced by ITI representative for inspection-Most requested documents were shown to the inspection team during the visit. Institute is ready to provide any remaining/future required documents.
- d) Tin-shed workshops shown only from outside; - institute appeared non-operational for long time Representative allowed lab/workshop inspection is continuously operational; recent lab photographs attached as evidence. Ready for future inspection of labs by team.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 07.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Attested copy of lease deed in f/o innovative education society is being attached but the address in lease deed is different from the ITI address. lease is valid for 15 yrs valid till 31 March 2029.
 - b) BCC available for lessor BD memorial Kalyan Sansthan
 - c) Produced bill was in the name of Shri Ganesh ITI but after checking K number online the connection was shown in favor of Ganpati ITI, therefore produced bill seems fake
 - d) Machines bills are available only for old machines
 - e) All available machines as per old syllabus were properly installed but no new machine available as per new syllabus.
 - f) No trainees record available.
 - g) The total built-up area of building is 2620 square meter (including basement plus three additional floors) additional two separate workshops was available apart from total 2620 built up area.
 - h) Drawing Hall available but not shown in map
 - i) The joint inspection committee not recommended any trade and unit of the ITI.
- xii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
 - a) SCAA noted that during the earlier Joint Inspection conducted on 23.06.2025, the ITI was found closed, no documents were produced, and the institute appeared to have been non-operational for a long time. The 27th SCAA, in adherence to the principles of natural justice, granted a final opportunity to the ITI and decided to conduct a fresh Joint Inspection to verify its functioning as per prescribed norms.
 - b) SCAA observed that during the Joint Inspection conducted on 07.05.2026, several deficiencies were observed, which could not be verified earlier as the ITI was found closed during the Joint Inspection scheduled on 23.06.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. SCAA noted with particular concern that the electricity bill produced by the ITI appeared to be fake, as verification of the K-number online revealed the connection to be in the name of a different entity, and that the address in the lease deed was different from the ITI's affiliated address.
 - c) SCAA also observed that Fire Safety certificate is not available.

- d) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - e) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - f) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. ITI has not submitted the show-cause reply within stipulated time period.

35th SCAA remarks:

- i. The Committee noted that the fresh Joint Inspection conducted on 07.05.2026 revealed serious deficiencies, including a lease deed executed at an address different from the ITI's affiliated address; the electricity bill produced in the name of the ITI, which, upon online verification of the K-number, was found to pertain to a different institute, namely Ganpati ITI; availability of machinery bills only for old machinery, with none of the machines prescribed under the new syllabus available; and complete absence of trainee records. The Joint Inspection Committee did not recommend continuation of any trade/unit of the ITI.
- ii. The Committee further noted that the Fire Safety Certificate is also not available. Despite being granted a final 15-day show-cause opportunity, the ITI has not submitted any reply.
- iii. In the absence of any explanation or documentary evidence establishing compliance, and considering the serious deficiencies affecting the functioning of the ITI, particularly the mismatch in the lease address and the electricity bill found to pertain to another institute, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from Academic Session 2026-27 onwards.

59. Guru Diksha Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - Mundawar Mahuwa Road, Teh. Mahuwa, Distt. Dausa	i. Fitter-2(1+1) ii. Electrician-2(1+1)
MIS Code - PR08000607	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 07.01.2025.
- iii. The ITI replied to the SCN on 28.01.2025.
- iv. Further, a joint inspection was conducted on 16.09.2025.
- v. Accordingly, the joint inspection of the ITI was conducted on 16.09.2025. During the inspection the following deficiencies were observed:
 - a) The major machinery for all affiliated trades of the ITI were not in working condition & also they were not connected to main supply.
 - b) The building of the ITI was found in pathetic condition and non -plastered.
 - c) The IT Lab available in the ITI was non-functional on the day of inspection.
- vi. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 15.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) All major machines have been repaired and connected to the main power supply; they are now fully operational.
 - b) The mentioned building was used for the now-closed trades and is not part of current operations. It has been repaired and brought to standard.
 - c) Some computers were not working during the inspection; they have been repaired and are now fully functional.
 - d) Based on the clarifications and rectifications, the institute requests an urgent re-inspection to enable admissions in the upcoming session.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 14.05.2026 and following are the observations of the Joint Inspection committee.
- a) BCC not as per norms. Building completion certificate given by pvt Civil Engineer.
 - b) Raw material register is available but consumption related record not available.
 - c) 70% Machinery available in Electrician trade. 95% Machinery available in fitter trade.
 - d) In Electrician Trade / Machine S. No.- 130,131,132,133,134,135,136, 137, 139 , 147, 149, 159, 162, 163, 164, 165, 167, 168, 169, 170, 171, 172, 173, 174, 175 176 are not available
 - e) In Fitter Trade / Machine S. No. -166,167,168,169,170,171,172,173, 174, 189, 204 are not available.
 - f) The ITI building was not as planned. The ITI reduced the number of rooms without any information and permission rooms and repositioned the class rooms.
 - g) In IT lab 80% computer working.
 - h) Drawing Hall is not available.
 - i) Fire extinguisher not available in labs only sand buckets available
- xii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
- a) SCAA noted that the Joint Inspection team in its inspection dated 14.05.2026 has not recommended affiliation for any trade/unit of the ITI. SCAA further observed that the latest Joint Inspection has revealed fresh deficiencies as mentioned in column (4). Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - d) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. The ITI's compliance reply was received via email on 24th July, 2026.

- xiv. ITI has initiated the process for the Building Completion Certificate (BCC). The file for BCC has been submitted to the Executive Engineer, PWD, Mahwa, Dausa, and the challan for the BCC fee has also been deposited. However, the Government of Rajasthan has prescribed a period of 15 to 30 days for this entire process. Therefore, the BCC process is taking time. Additionally, the Government of Rajasthan made large-scale employee and officer transfers on 10.07.2026, which has also caused difficulties in issuing the BCC. As soon as the BCC is generated, it will be presented before you or the State Director.
- xv. The stock register is available. The usage indent book has been prepared and sent to you.
- xvi. Electrician Trade Machine Serial Numbers 130, 131, 132, 133, 134, 135, 136, 137, 139, 147, 149, 159, 162, 163, 164, 165, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176 have been purchased, and their purchase bills along with geo-tagged photographs of the machines have been provided to you.
- xvii. Fitter Trade Machine Serial Numbers 166, 167, 168, 169, 170, 171, 172, 173, 174, 189, 204 have been purchased, and their purchase bills along with geo-tagged photographs of the machines have been provided to you.
- xviii. Regarding the ITI building, ITI have previously informed that in 2009 ITI had 4 trades, whereas currently, ITI have 2 trades (2 trades have been closed). ITI utilizing some rooms of the closed trades for Electrician/Fitter trades, and the unused rooms have been removed. Both the current and old blueprints (layout maps) of the ITI building along with geo-tagged photos have been submitted before you.
- xix. Sir, we have got the computers repaired, and 100% of the computers in the IT lab are now fully working.
- xx. Fire extinguishers have been installed, and their bill has been presented (Geo-tagged photos attached).
- xxi. Drawing Hall has been made available as per norms (Geo-tagged photos attached). All deficiencies have been completely rectified.

35th SCAA remarks:

- i. The Committee noted that the fresh Joint Inspection conducted on 14.05.2026 recorded a NIL recommendation for the ITI and revealed deficiencies including the Building Completion Certificate not being as per norms, significant shortage of machinery in both Electrician and Fitter trades, alteration in the building layout from the approved plan, absence of a Drawing Hall, and non-availability of fire extinguishers in the labs.
- ii. The Committee further noted that, in its compliance reply dated 24.07.2026, the ITI has stated that the Building Completion Certificate is still under process and has not yet been provided.
- iii. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims of the ITI regarding rectification of deficiencies, including whether the requisite Building Completion Certificate (BCC) is available and valid, and submit its report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

60. R.N.T. Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Bajrang Colony, Bari Dhaulpur , Rajasthan	i. Electrician-2(1+1+) ii. Mechanic Diesel- 2(1+1)
MIS Code: PR08000123	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 03.01.2025.
- iii. The ITI replied to the SCN on 27.01.2025.
- iv. Further, a joint inspection was conducted on 29.07.2025
- v. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 29.07.2025. During the inspection the following were observed:
 - a) ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter.
- vi. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 31.12.2025.
- ix. In its reply the ITI submitted the following:
 - a) The institute was granted affiliation by DGT in the year 2003. It is presently functioning at the same approved location (Badi, Bhilwara, Rajasthan) which is mentioned in the original affiliation order. The institute continues to operate from its duly approved and recognized premises.
 - b) During the surprise inspection conducted by the State Directorate on 24.12.2024, the inspection team reached approximately 200–300 meters away from the actual institute location (at some other company's head office / different site). The institute was wrongly marked as non-existing / not found due to this location mismatch. The institute strongly asserts that it is functioning at the correct, DGT-approved location as per records
 - c) Geolocation & NCVT MIS Portal Details- In 2015, DGT had conducted geo-tagging of the institute. The coordinates recorded were:
 - d) Latitude: 26.6298

- e) Longitude: 77.6366
- f) These details are still available and updated on the NCVT MIS Portal (as on 29.08.2015 and later). The institute continues to operate from the same approved and geo-tagged location.
- g) The institute is fully functional at its original, DGT-approved, and geo-tagged location. The inspection observation appears to be based on a location error. The institute requests withdrawal of the show cause notice and continuation/restoration of its affiliation.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 18.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Recommended Electrician 2 (1+1)
 - b) Electrician- all available.
 - c) Mechanic diesel - Shortage of General Shop Outfit are there as per revised syllabus March 2023 having Sr no 178,179,180,182,184,186,188,190,191,193,195,197,198,200
 - d) RNT PVT ITI found Running is Same Building having Latt. 26.6362 Long. 77.6289, Which is actual. But on the NCVT MIS Portal Latt. 26.6298 Long. 77.6366 was mentioned, which is need correction on Portal.
- xii. The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:
- xiii. SCAA noted that the Joint Inspection team in its inspection dated 18.05.2026 has recommended affiliation for Electrician – 2(1+1) trade/units, with all machinery and equipment found available as per norms.
- xiv. SCAA observed that a shortage of General Shop Outfit items as per the revised syllabus dated March 2023 has been found in the Mechanic Diesel – 2(1+1) trade/units. The ITI is hereby granted a final opportunity to show-cause as to why the Mechanic Diesel – 2(1+1) trade/units should not be de-affiliated, based upon the deficiencies observed during the Joint Inspection dated 18.05.2026.
- xv. Furthermore, the following deficiency is also observed by the SCAA:
- xvi. Fire Safety Certificate is not available.
- xvii. Based on the recommendations of the Joint Inspection Committee, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 2(1+1) trade/units, subject to removal of the above-mentioned deficiency. The State Directorate shall ensure that the deficiency is removed by the ITI before the commencement of the Academic Session 2026-27.
- xviii. The explanation with respect to the Mechanic Diesel trade, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, and any other documents substantiating compliance with the prescribed norms. The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line:

"Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

- xix. The ITI's compliance reply was received via email on 21st July, 2026.
- xx. In reference to the above subject, it is submitted that in the 31st meeting of the SCAA, certain deficiencies were pointed out at R.N.T. ITI Bari (PR08000123), Rajasthan, which were as follows:
 - a) Fire safety certificate is not available
 - b) Response: the Fire Safety Certificate is available with the institute, a photocopy of which is attached to this letter.
 - c) Non-availability of General shop outfit items at Sr. No. 178, 179, 180, 182, 184, 186, 188, 190, 191, 193, 195, 197, 198, 200 in the Mechanic Diesel trade was pointed out.
 - d) Response: the shortage of General shop outfit items at Sr. No. 178, 179, 180, 182, 184, 188, 190, 191, 193, 195, 197, 198, 200 in the Mechanic Diesel trade has been fulfilled by the institute. As evidence, bills for all of these, geo-tagged photos, and other proof are attached to this letter.

35th SCAA remarks:

The Committee noted that the ITI is allowed to admit trainees for Academic Session 2026-27 in Electrician – 2(1+1) trade/units, as already recommended by the Joint Inspection Committee. As regards Mechanic Diesel – 2(1+1) trade/units, the Committee noted that the ITI, in its compliance reply dated 21.07.2026, has claimed to have submitted the Fire Safety Certificate and rectified the shortage of General Shop Outfit items. However, the list of items claimed to have been rectified does not include Sr. No. 186, which was part of the original deficiency list. The Committee decided that the State Directorate and RDSDE shall jointly verify the ITI's compliance regarding the Fire Safety Certificate and General Shop Outfit items, including Sr. No. 186, and submit a report along with their recommendation to DGT for final decision within 1 month from the date of issuance of these Minutes of Meeting.

61. Maa Sharda Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Plot No.6, Opp. Chandrawati Hotel, Jhalrapatan Road, Dist.Jhalawar Rajasthan	i. Fitter-2(2+0) ii. Electrician- 6(2+2+2)
MIS Code: PR08000773	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by State Directorate on 30.12.2024.
- iii. The reply dated 21.01.2025 was received from the ITI.
- iv. Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official.
- v. During the inspection, the ITI refused to undergo the inspection vide its letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association.
- vi. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 06.01.2026.
- ix. In its reply the ITI submitted the following:
 - a) The allegation of refusal of inspection is clarified as being on account of a statewide strike called by the Rajasthan Private ITI Association from March to June 2025. During this period, private ITIs were directed by the Association to remain closed and to refrain from inspections in support of their demands.
 - b) A meeting was held on 24.06.2025 between representatives of the ITI Association and departmental officials (RDSDE and RCVET), wherein assurance was given for re-inspection. It was unanimously decided by the private ITIs to formally request re-inspection.
 - c) In the 8th SSDEC meeting, it was resolved to provide another opportunity to those ITIs that could not be inspected due to the strike. Accordingly, orders were issued in respect of approximately 111 ITIs (vide letter No. F.7(12)/T-1/De aff/2025/14690 dated 18.07.2025).
 - d) The Institute has consistently expressed its willingness for inspection and, vide letter No. MSPITI/2024-25/196 dated 24.07.2025 (sent through email), informed the authorities that it is ready for joint inspection at any time convenient to the department.
- x. The ITI has attached the following documents as supporting documents:
 - a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.
 - b) The ITI also submitted the photographs of lab, classroom office staff room, Generator, front ITI view, amenities present in the ITI etc.

- c) The ITI also attached the letter dated 24.07.2025 in which it was requested by the ITI to State Directorate that the ITI is ready for inspection.
- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xii. The concerned State Directorate and RDSDE have conducted the joint inspection on 11.05.2026 and following are the observations of the Joint Inspection committee.
 - a) As per new syllabus machinery bills were not present
 - b) Fitter trade pneumatics not present
 - c) In electrician trade shop machinery sr.no. 138, 143, 144, 149 not working in proper working condition.
- xiii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
 - a) SCAA observed that during the Joint Inspection dated 11.05.2026, several deficiencies were observed, which could not be recorded earlier as the ITI had refused to undergo the Joint Inspection scheduled on 09.06.2025. Based on the recommendations of the Joint Inspection Committee and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c) Furthermore, SCAA also observed that the Fire Safety Certificate is not available in the ITI.
 - d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiv. The ITI's compliance reply was received via email on 22nd July, 2026.
 - a) New Syllabus machinery bills not present - Bills enclosed
 - b) Fitter pneumatics not present - Equipment repaired
 - c) Machine 138, 143, 144, 149 not working - Repaired
 - d) Fire Safety Certificate - Valid fire safety certificate enclosed

e) Prayer : ITI has requested to accept the compliance and grant necessary approval.

35th SCAA remarks:

The Committee noted the ITI's compliance reply dated 22.07.2026 to the notice of the 31st SCAA, wherein the ITI has claimed to have rectified the deficiencies observed during the Joint Inspection dated 11.05.2026, including deficiencies relating to new-syllabus machinery, Fitter trade pneumatics, non-working Electrician machinery and the Fire Safety Certificate. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims of the ITI and submit its report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

62. BKLG Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: H.H. Colony, Bambor Road, Teh. - Tonk, Dist.-Tonk Pin-304001 Rajasthan	Eelectrician-18 (6+6+6)
MIS Code: PR08000588	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 04.01.2025.
- iii. The ITI replied to the SCN on 27.01.2025.
- iv. Further, a joint inspection was conducted on 31.07.2025.
- v. During inspection following deficiencies were found:
 - a) Sponsorship letter for CTI training and CTI retraining of trainers not provided.
 - b) Three out of eight CTIS trainer's appointment letter was not found.
 - c) Arrival and departure time of staff members was not found in the staff attendance register.
 - d) Date of payment and revenue stamp were not found in the salary distribution register.
Time table was not found for running units of the trade.
 - e) In the last 6 months bills of diesel, per 1tr. rate-91/11 was found to be same.
 - f) In the given 9 diesel bills the months were different but the serial number was in sequence in bills of 4-4 months.
 - g) CCTV cameras were not working.

- h) Original computer and printer bill were not provided.
- i) Original bills of raw materials and diesel not provided.
- vi. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vii. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation.
- viii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- ix. The reply to the SCN was received on 13.01.2026.
- x. In its reply the ITI submitted the following:
 - a) CITS Training & Trainer – Sponsorship Letter No sponsorship letter was required as per rules. CITS-qualified trainers were already available. All relevant letters are enclosed.
 - b) Appointment Letters of 3 CITS Trainers Total 8 posts sanctioned. 5 appointment letters were produced during inspection; the remaining 3 trainers have now joined. Their appointment letters are enclosed.
 - c) Staff Attendance Register – Joining Date Column Old register did not have a separate column. A new updated attendance registers with joining dates has been prepared and is enclosed.
 - d) Distribution Register & Master Roll New Distribution Register and Master Roll have been prepared as per norms. Copies are enclosed.
 - e) Diesel Bills – Same Rate ₹50.22 for last 6 months Diesel rate in the local market remained unchanged. Certificate from the petrol pump is enclosed as proof.
 - f) Diesel Bills – Month column shown as ₹0.00 in 7 bills This was a typographical error. Corrected bills with proper entries are enclosed.
 - g) CCTV Cameras All 8 CCTV cameras have been working since 2015. Temporary power issue was resolved on the same day. Current working photos are enclosed.
 - h) Original Bill of Computer Printer Original bill was misplaced during office shifting. Fresh purchase/repair bill is enclosed.
 - i) Labour Welfare & Digital Training Bills Bills were submitted in the Zonal Office during inspection. Copies of the same are enclosed for ready reference.
 - j) All other records (fire safety, stock, attendance, raw material, tools, machinery, etc.) were produced and verified during inspection. The institute is fully functional and compliant with all NCVT norms.
 - k) Prayer: Kindly accept the above compliance, drop the de-affiliation recommendation and restore our affiliation in the interest of trainees. We are ready for fresh re-inspection if required.
- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

- xii. The concerned State Directorate and RDSDE have conducted the joint inspection on 11.05.2026 and following are the observations of the Joint Inspection committee.
- a) Nil comments by Inspecting Committee.
Machinery bills are partially available.
 - b) As per DGT syllabus machinery serial no. 143, 140, 144 and 69 are not working. Issue with not proper functioning of voltmeter and amperemeter were also found in most of the machinery.
 - c) Proper parking facility, canteen, hostel and accessibility of PWD are not available in institute. Library has no proper ventilation and lighting and sufficient latest books are not available.
Weekly programme register, Sectional stock register and unit wise time table is not available with the instructors.
 - d) 3 Classrooms, Staff room, Principal room and first aid room space norms are not as per required norms. Proper ventilation and lighting is not available in rooms. Main entry gate was locked.
 - e) Total 10 computers are available which are less as per norms for 12 units and also 4 computers are not working.
 - f) Drawing hall not available in institute
 - g) Fire extinguishers are expired / not refilled. CCTVs are working.
- xiii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
- a) SCAA noted that the Joint Inspection conducted on 11.05.2026 has not recommended affiliation for any trade/unit of the ITI. SCAA further observed that the latest Joint Inspection has revealed fresh deficiencies as mentioned in column (4), in addition to the deficiencies observed during the earlier Joint Inspection dated 31.07.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - d) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

- xiv. A reply was received The institute states it has rectified all deficiencies noted during the inspection and submitted supporting documents, geo-tagged photos, and videos via email and speed post. They request acceptance of the response, addition of their name to the 2026–27 seat matrix, and provision of login credentials for student admissions.
- a) Procedural Timeline & Background 24.12.2024: Initial inspection conducted by state officials. 04.01.2025: Show Cause Notice (SCN) issued; replied to by the institute on 27.01.2025. 31.07.2025: Joint Inspection held. Point-wise compliance response submitted on 13.01.2026. 07.03.2026 (27th SCAA Meeting): Re-inspection ordered to grant the institute a final opportunity. 11.05.2026: Re-inspection conducted by the Joint Inspection Team.
 - b) Response to Specific Inspection Objections CITS Instructors & Sponsorship Letter: Objection: CITS sponsorship letter missing; 3 out of 8 instructors lacked appointment letters.
Institute Response: Qualified CITS instructors are present. Appointment letters and details for all remaining instructors were submitted on 13.01.2026.
 - c) Staff Salaries & Registers: Objection: Lack of revenue stamps on the salary register.
Institute Response: Salaries are disbursed through bank accounts, eliminating the need for revenue stamps on physical receipts. Salary distribution registers have been submitted.
 - d) Raw Materials & Machinery Bills: Objection: Missing original bills for raw materials (diesel) and specific machinery items (Sl. Nos. 143, 140, 144, 69, Voltmeter, Ammeter).
Institute Response: Machinery and raw materials were purchased as required. Original bills and geo-tagged photos are attached.
 - e) Infrastructure (Parking, Canteen, Hostel, Ramp for Disabled): Parking: Provided per 2014 QCI/DGET norms; additional parking is available at the current location per 2025 norms.
 - f) Canteen: Not required in 2014 norms. A canteen has been constructed on the upper floor as per 2025 guidelines (map, video, and geo-tagged photos attached).
 - g) Hostel: Not applicable since the institute runs 2 daytime shifts (12 units) rather than 3 shifts. Space is available in the complex if mandated.
 - h) Accessibility: Ramps for persons with disabilities are built and documented via geo-tagged video.
 - i) Library: Objection: Insufficient lighting/ventilation and lack of new books.
Institute Response: Adequate lighting and ventilation are available (video attached). Invoices for newly purchased books are provided (Page 24).
 - j) Registers & Timetable: Objection: Weekly Programme Register, Stock Register, and Unit-wise Timetable missing.
Institute Response: All three registers and timetables are fully updated and attached (Pages 25–57). Classrooms, Staff Room, Principal Room, First Aid Room
Institute Response: Built in strict compliance with 2014 NCVT/QCI affiliation norms. No structural changes have been made since inception. Maps and geo-tagged videos are provided.

- k) Main Gate Status: Objection: Main entrance gate was found locked during inspection. Institute Response: Refuted as incorrect; the gate was open and functional (geo-tagged video submitted).
- l) Computers & IT Lab: Objection: Only 10 computers for 12 units, with 4 broken. Institute Response: Purchased 12 new computer sets on May 30, 2026, alongside prior purchases. Full lab functionality is verified via bills and video.
- m) Drawing Hall: Institute Response: Drawing Hall was not required under 2014 guidelines. Space is currently set up within the complex under 2025 guidelines.
- n) Revised and legacy blueprints are attached. Fire Extinguishers & CCTV
Institute Response: Fire cylinders refilled (refill invoice dated 16/07/2026 attached, Page 60). CCTV system is verified operational by inspection team.

35th SCAA remarks:

The Committee considered the ITI's compliance reply dated 22.07.2026 to the notice of the 31st SCAA, wherein the ITI had claimed to have rectified the deficiencies observed during the Joint Inspection dated 11.05.2026, including the shortfall in the number of computers for the IT Lab, and had submitted purchase bills for 12 new computer sets in support of its claim.

The Committee noted that the computer purchase bills submitted by the ITI do not bear a GST registration number, which raises doubt regarding their genuineness. The Committee further noted that the ITI is required to have a requisite Drawing Hall as per the prescribed norms. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the genuineness of the said computer purchase bills, the actual availability and functionality of the requisite machinery/equipment, and the availability of the requisite Drawing Hall at the ITI, along with the other compliance claims of the ITI, and submit its report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

63. Vinayak Private Industrial Training Institute,

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Opp. Veterinary Hospital, Tonk Road, Newai, Distt. Tonk 304021, MIS Code: PR08001217	Electrician- 4(2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.

- ii. SCN was issued to the ITI by the State on 04.01.2025.
- iii. The ITI replied to the SCN on 24.01.2025.
- iv. Further, a joint inspection was conducted on 29.07.2025.
- v. During inspection following deficiencies were found:
 - a) Electrician Trade Tools deficiencies.
 - b) Instead of 7.5 KVA available Diesel Generator set was 5 KVA.
 - c) Some tools were brand new untouched and some were rusty and condition of rest maximum available tools equipment was very poor, not maintained servicing from long time some of them was broken.
 - d) No safety major followed, fire extinguisher was not CO₂, open wires were hanging and too much seepage on walls.
 - e) No Board, Skill, DGT Logo on Main Entrance, inside, outside.
 - f) As per NSQF level 04 except progress card and attendance record no evidence found i/o of Formative assessment.
 - g) Out of 6 electrician trade trainers 05 not CITS qualified and paid emolument not as per prescribed skilled wages norms and No proper light in the workshops.
- vi. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vii. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.
- viii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- ix. The reply to the SCN was received on 13.01.2026.
- x. In its reply the ITI submitted the following:
 - a) Electrician Trade Tools deficiencies rectified.
 - b) Clarifies that a 7.5 KVA Diesel Generator is installed (not 5 KVA as noted); photo and video attached.
 - c) Tools & Equipment cleaned and regularly used in practical work.
 - d) Safety standards complied with; CO₂ fire extinguisher refilled, open wires and seepage fixed.
 - e) Skill India and DGT logos installed at main entrance, inside, and outside; photo attached.
 - f) Formative Assessment completed.
 - g) CITS Qualified Instructor appointed and paid as per skilled wages norms.
 - h) Proper lighting arranged in workshops.
- xi. Request: Accept the response, continue affiliation, and grant admission permission.
- xii. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xiii. The concerned State Directorate and RDSDE have conducted the joint inspection on 12.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Nil comments by Inspecting Committee.

- b) Original land lease and society registration certificate and BCC were not provided; however, photo copies are provided.
- c) Diesel purchase bills and consumption log book was not available. Original Tools & machinery bills were not available. However, photocopies of partial tools and machinery bills were made available.
- d) Drawing hall was not available in the institute.
- e) Some computers were non-functional, while others had damaged screens or suffered from screen burn-in issues.
- f) Principal room, Staff room and Office room area is not as per norms. First-aid, Library, Placement room etc are not available in the institute. Workshop roof was covered with iron corrugated sheets.
- g) Parking, Hostel, Library, Canteen and Accessibility to PWD is not available in the institute.
- xiv. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
 - a) SCAA noted that the Joint Inspection conducted on 12.05.2026 has not recommended affiliation for any trade/unit of the ITI. SCAA further observed that the latest Joint Inspection has revealed fresh deficiencies as mentioned in column (4), in addition to the deficiencies observed during the earlier Joint Inspection dated 29.07.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c) SCAA also observed that Fire safety certificate is not available.
 - d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xv. The ITI's compliance reply was received via email on 22nd July, 2026.
 - a) Lease deed: Original claim resolved — the registered lease deed (11.08.2011, Sub-Registrar Newai, 15-year term to 10.08.2026, ₹7,500/month) is a genuine originally-registered document, not a photocopy. Satisfied.
 - b) Society registration: Original registration certificate (26.02.2008, Registrar of Societies, Karauli) provided. Satisfied.

- c) BCC: Two documents provided — an Occupancy Certificate (Nagar Palika Newai, 28.07.2016) and a separate certificate (12.07.2016) confirming the building is complete per the approved map and physically verified as structurally safe. These are genuine municipal certificates, not photocopies, and appear to satisfy the requirement — though note they're titled "Occupancy Certificate," not literally "Building Completion Certificate," which is a terminology point worth a quick confirmation with the State Directorate.
- d) Diesel bills & consumption logbook: Not clearly substantiated. The bills bundle contains mostly tool/equipment purchase invoices; I could not locate a dedicated diesel purchase bill or consumption logbook among them. One old 2009 invoice (addressed to the society's original Hukmi Khera premises, not Newai) lists a "Diesel Generator 7.5 KVA" as a line item, but that's a purchase record, not a consumption log, and it predates the Newai relocation. This item remains genuinely weak.
- e) IT Lab: Well-supported — geo-tagged photos show a full room of working desktop PCs (not laptops), consistent with a 2016 invoice (Mahesh Computers, Newai) for 12 desktop-core PCs, monitors, and peripherals. This directly rebuts the earlier finding.
- f) Drawing Hall: A room is shown with a "Drawing Hall" sign on the door in the geo-tagged photos, but the interior isn't clearly shown, and — importantly — the architect's blueprint does not label any room as a Drawing Hall; it shows two Electrician classrooms, an IT Lab, and two workshops, with no separate drawing space demarcated. This looks like a repurposed/reabeled room rather than a norms-compliant dedicated hall, and is worth a physical check.
- g) Principal/Staff/Office rooms, First-Aid, Library, Placement Cell: Geo-tagged photos genuinely show a Principal Office, Staff Room, First-Aid Room (with a stocked table), Library Room (with book-filled shelves), and a Placement Cell signage — all real, dated (18-22 July 2026), and GPS-located at Newai. The blueprint confirms room-by-room areas per the 2016 sanctioned plan (Office 14.87 sqm, Principal Room 10.30 sqm, Staff Room 13.19 sqm, etc.), though several of these (First-Aid, Library, Placement) aren't separately demarcated on the blueprint either — they appear to be functions housed within the existing sanctioned rooms rather than new construction, which is a reasonable practical fix but not an architecturally distinct space.
- h) Workshop roof: Explained as a 12-foot tin-shed structure per 2016 norms — plausible and consistent with the blueprint's Workshop Electrician-1/2 dimensions, though no independent safety certification for the roof specifically is enclosed.
- i) Parking, Library, Hostel: Geo-tagged photo shows a signed "Parking Area" with motorcycles; hostel argued as not required. Reasonably supported.

35th SCAA remarks:

The Committee considered the ITI's compliance reply dated 22.07.2026 to the notice of the 31st SCAA and decided to allow the ITI to admit trainees for Academic Session 2026-27. However, a fresh Joint Inspection of the ITI shall be conducted by the State Directorate and RDSDE within three months from the date of issuance of these Minutes of Meeting to verify compliance with the prescribed norms.

64. Gurukripa Pvt ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Rani Laxmi Bai Kanya Mahavidyalaya Khanndewat Road, Newai Tonk - 304021 MIS Code: PU08001789	Electrician- 12(4+4+4)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025.
- iii. Further, a joint inspection was conducted on 30.07.2025.
- iv. During inspection following deficiencies were found:
 - a) Electrician trade Tools Deficiency. Too much dust in the workshop and adequate lightening condition of available tools equipment were very poor and it was noticed that they have been rusty & untouched from very long time.
 - b) IT lab was non-functioning, computer was kept dump. Books in library were related to economics, public administration and Hindi Literature, Civil essential norms regarding board and signage not followed.
- v. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vi. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 08.01.2026.
- ix. In its reply the ITI submitted the following:

- a) Electrician Trade Tools Deficiency: Too much dust in the workshop; inadequate lighting; tools/equipment in poor condition, rusty, and untouched for a long time.
Reply: Tools and equipment are adequate per latest NCVT norms. Workshop is properly arranged with good illumination, RCC roof, and whitewashing. Attached: Bills, photos of workshops, and a demonstrative video.
- b) IT Lab and Library Issues: IT Lab non-functional with computers kept dumped; library books related to unrelated subjects (economics, public administration, Hindi literature); civil essential norms (board and signage) not followed.
Reply: IT Lab is properly arranged with 10 computers of latest configuration. Library has adequate Electrician trade books, plus some additional books for trainees.
- c) The institute requests resolution of these issues to avoid de-affiliation.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 13.05.2026 and following are the observations of the Joint Inspection committee.
 - a) Nil comments by Inspecting Committee
 - b) The electricity connection bill was found to be registered in the name of another individual instead of the actual land owner/user.
 - c) As per NSQF syllabus tools equipment and machinery sl no 140, 141, 142 and 147, were not working and serial no. 154, 164, and 165 were not available.
 - d) Parking, canteen, hostel and others accessibility to PWD was not available in the institute the library was found to have fewer books available.
 - e) Some computers were not functional and no internet connectivity was available in the IT Lab.
 - f) As per norms relevant drawing furniture was not available.
- xii. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under:
 - a) SCAA noted that the Joint Inspection conducted on 13.05.2026 has not recommended affiliation for any trade/unit of the ITI. SCAA further observed that the deficiencies of non-functional IT lab and inadequate library, which were also noted during the earlier Joint Inspection dated 30.07.2025, continue to persist. The latest inspection has additionally revealed fresh deficiencies as mentioned in column (4). Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.
 - b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed.
 - c) SCAA also observed that Fire safety certificate is not available.

- d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.
 - e) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
- xiii. The ITI's compliance reply was received via email on 21st July, 2026.
- xiv. ITI has responses regarding the deficiencies noted during a physical inspection conducted on 13.05.2026 and detailed in the 31st SCAA minutes notice dated - 08.07.2026:
- xv. Point -to-Point deficiency responses
- a) Electricity connection: The bill was in the name of another individual, not the land owner/user. Reply = The connection is registered to the governing society, "Shree Gurukripa Seva Sansthan, Newai". No other institute operates under this society, and the power is used exclusively for the ITI.
 - b) Tools, Equipment & Machinery: Serial No. 140, 141, 142 and 147 were non-functional; Serial nos. 154, 164 and 165 were missing. Reply = 140, 141, 142 and 147 machine tools has working properly. 154, 164, 165 have been procured/ provided for the workshops.
 - c) Infrastructure, Accessibility and library books: Parking, Canteen, Hostel, PwD accessibility was absent and library books was insufficient.
Reply = Parking and a pantry has available as per NCVT Norms. A hostel is not required under NCVT norms. Books are fully available as per standards.
 - d) IT Lab Systems & Internet: Some computers were not functional and internet was unavailable. Reply = All 10 computers are operational with good internet connectivity.
 - e) Engineering Drawing Furniture: Relevant drawing furniture was missing. Reply = Drawing furniture is available in the Engineering Drawing Hall.
 - f) Fire Safety Certificate: Fire Safety certificate was not available. Reply = The fire safety certificates has been attached.
 - g) The principal/ management requests the DGT to accept the submitted evidence (fire safety certificate, geo-tagged photos, videos, invoices, register copies) and resolve the pending compliance issues.

35th SCAA remarks:

The Committee noted the ITI's compliance reply dated 21.07.2026 to the notice of the 31st SCAA, wherein the ITI has claimed to have rectified the deficiencies observed during the Joint Inspection dated 13.05.2026, including deficiencies relating to electricity connection, deficient/missing machinery, infrastructure and library, IT Lab, drawing furniture and Fire Safety Certificate. The Committee decided that the State Directorate (SD), through the Nodal ITI Principal, shall verify the claims of the ITI and submit its report within 7 days from the date of issuance of these Minutes of Meeting. The matter shall be placed before the Committee for further consideration on receipt of the report.

65. Mata Chawli Devi Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address - Ganganagar Road, Sri Karanpur.Teh-Sri Karanpur, Distt. -Sri Ganganagar, Rajasthan-335073	1. Electrician- 4 (2+2) 2. Plumber-2(1+1)
MIS Code - PU08001740	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 08.01.2025.
- iii. The ITI replied to the SCN on 28.01.2025.
- iv. Further, a joint inspection was conducted on 04.08.2025
- v. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection it was observed that the ITI was not found on NCVT MIS portal location ITI owner telephonically confirmed that the ITI has been shifted to another location.
- vi. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.
- vii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- viii. The reply to the SCN was received on 12.01.2026.
- ix. In its reply the ITI submitted the following:

- a) The institute challenges the de-affiliation proposal, arguing it's based on incomplete facts and ignores exceptional circumstances (force majeure) where temporary shifting was necessary for trainee safety.
 - b) Managed by Sant Kabir Navyug Seva Samiti (registered society), the ITI has operated since 2016 without complaints or violations, affiliated by DGT on 27.09.2016 (Annexure-1 attached).
 - c) In late 2023-early 2024, the building deteriorated rapidly, becoming structurally unsafe, prompting representations from local representatives, parents, and students for repairs or relocation
 - d) On 13.07.2024, a severe storm damaged the building (workshop shed and side wall collapsed), making it unfit and risky; reported in local newspapers
 - e) On 23.07.2024, the principal requested urgent repairs from the landlord.
 - f) Landlord's reply on 12.08.2024 required vacating for ~6 months for reconstruction (Annexure-5).
 - g) Due to unavoidable circumstances, the ITI temporarily shifted on 05.11.2024 to new rented premises ~800 meters away, fully equipped per NCVT norms (ITI grading 7.9); includes architect blueprint and photos
 - h) A surprise state inspection on 24.12.2024 at the old site found it "not running," without prior notice or checking the new site.
 - i) On 01.01.2025, the institute informed Director, Technical Education, Jodhpur, about the shift with documents (rent agreement, layout, electricity docs, GPS photos)
 - j) Despite this, a show cause notice was issued on 08.01.2025 alleging non-operation at approved location.
 - k) Detailed reply submitted on 28.01.2025 explaining circumstances and requesting re-inspection/update .
 - l) Online application on 03.06.2025 for joint inspection at new site (Annexure-10).
 - m) Cites DGT Office Memorandum dated 10.09.2024 allowing shifts for force majeure like natural disasters.
 - n) During 04.08.2025 inspection, team only checked old site despite requests; led to 10th SSDEC (23.09.2025) de-affiliation recommendation based on incomplete facts.
 - o) Old building now demolished (only boundary wall remains); geo-tagged photos attached.
 - p) Argues reliance on Clause 3.5 of Affiliation Norms 2018 ignores DGT's force majeure exception, is arbitrary, violates natural justice, and would harm trainees; requests dropping proceedings, treating as exception, directing proper inspection, and continuing affiliation.
- x. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xi. The concerned State Directorate and RDSDE have conducted the joint inspection on 14.05.2026 and following are the observations of the Joint Inspection committee.
- a) "ITI shifted from the original location to another which is 2.6 KM away from the original location. coordinates of both locations mentioned in annexure-III. Recommended for de-affiliation at old location."

Annexure-2

- xii. The matter was discussed in 31st SCAA in its meeting dated 18.06.2026 wherein SCAA decided that the State Directorate shall examine the matter and furnish its comments within seven days on whether the case merits consideration as one of shifting due to force majeure. Thereafter, the matter shall be placed before the next SCAA for further deliberation.
- xiii. Thereafter, the State Directorate vide its letter dated 28.07.2026 informed the following :
- xiv. as directed by DGT, the State Directorate conducted an examination of the matter and submitted its report to DGT.
- xv. As per the ITI's reply, the original building was severely damaged due to a storm/natural calamity in July 2024. In view of the safety of trainees and continuity of training, the ITI stated that training activities were shifted to another premises under unavoidable circumstances.
- xvi. On the basis of the ITI's reply, the Government of India/DGT constituted a Joint Inspection Committee through RCVET and RDSDE representatives. A joint inspection was conducted on 14.05.2026.
- xvii. During the joint inspection, the original as well as the present premises were physically verified, including compliance with the applicable DGT norms. The State Directorate stated that the Joint Inspection Committee's detailed report is enclosed.
- xviii. State Directorate, Rajasthan's view/ recommendation: Since the matter has already been physically verified through joint inspection and the deficiencies/facilities have been examined, the Directorate requested that necessary further action may be taken on the basis of the joint inspection report and the ITI's reply, so that a timely decision can be taken in the interest of the trainees and their academic session.

35th SCAA remarks:

The Committee considered the ITI's reply and the report of the State Directorate regarding the shifting of the ITI from its original location, necessitated by the collapse of the original building following a storm on 13.07.2024. Keeping in view these extraordinary circumstances/force majeure, the Committee decided to allow the ITI to admit trainees at the new location. However, the ITI shall apply on the portal to regularize the shifting within 2 years, as per the new Affiliation Norms, failing which the ITI shall be de-affiliated at both locations.

66. Vinayak Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Taranagar-Delhi Road, Sardarshahar (Churu) MIS Code: PR08001909	1. Electrician 3(1+1+1)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 08.01.2025.
- iii. The ITI replied to the SCN on 29.01.2025.
- iv. Further, a joint inspection was conducted on 30.07.2025.
- v. During inspection following deficiencies were found:
 - a) Web site available but not updated.
 - b) Major Machinery not in working condition, Diesel Generator set was not available.
 - c) Only moveable DG set available outside the institute, entrance of workshop (underground) not safe as no railings fitted on staircase and IT lab not as per norms, only 10 laptops available without bills.
- vi. Further Joint Inspection team has recommended for de-affiliation of the ITI.
- vii. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI.
- viii. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.
- ix. The matter was again deliberated in the 27th SCAA meeting, wherein it was concluded that no reply had been received from the ITI against the opportunity provided in the 25th SCAA Meeting and, accordingly, the ITI was recommended for de-affiliation.
- x. Thereafter, it was observed that the ITI had submitted its reply through e-mail dated 12.01.2026 within the prescribed timeline. However, the reply was inadvertently overlooked during case processing as the e-mail had no specific subject line and the supporting documents were shared through a Google Drive link. Since the reply was submitted in time, therefore, in line with similar cases, a corrigendum dated 29.05.2026 was issued by DGT and the case status was changed from "De-affiliation" to "Verification".
- xi. Accordingly, joint verification of the ITI was conducted by State Directorate and RDSDE on 08.06.2026. The committee mentioned in its report that the joint inspection was conducted as per affiliation norms (initial affiliation of the ITI) and following were observed:
 - a) Mostly machines were found in working condition. 3nos of machines were under maintenance.
 - b) During inspection a few trainees having training record.
 - c) Institute constructed on a sloped land with G+2 and has electrician laboratory in semibasement and classroom, IT Lab, office and Library on above basement.
 - d) IT Lab available but website not updated.

- e) Drawing Hall not available. However ok is also written.
- f) As per the report the committee recommended the ITI for continuation of Electrician -2(1+1).

35th SCAA remarks:

Considering the report of the Joint Verification Team, the SCAA decided to allow the ITI to admit trainees for Academic Session 2026-27 in Electrician – 2(1+1) trade/units. However, the ITI shall remove the deficiency regarding non-availability of the requisite Drawing Hall. The State Directorate (SD), through the Nodal ITI Principal, shall verify the availability of the Drawing Hall and submit its report within one month from the date of issuance of these Minutes of Meeting.

67. Lovely Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Greenland, Kesrisinghpur District-Ganganagar, Rajasthan- 335027 MIS Code - PR08000582	1. Electrician - 4(2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 08.01.2025.
- iii. The ITI replied to the SCN on 18.01.2025.
- iv. Joint inspection conducted 04.08.2025. IC recommended: Electrician - 2(1+1).
- v. Deficiencies: 1) 07 untrained instructors 2) undersized building infra 3) 5% machinery missing 4) low raw material spending 5) low electricity consumption 6) tin sheds 7) aluminium/fibre partitions 8) ventilation/signage not per norms 9) RCC pole outside ITI area.
- vi. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1).
- vii. 25th SCAA (13-14.11.2025): ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(1+1+2).
- viii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.
- ix. RDSDE/State remarks (recent communication):
- x. Joint verification conducted by RDSDE Rajasthan on 28.07.2026. All 9 deficiencies confirmed rectified:

- a) Untrained instructors - now available as per norms
- b) Undersized building infrastructure - now as per norms
- c) 5% machinery missing/malfunctioning - now available and working
- d) Low raw material spending - sufficient spending confirmed for 2024-25 and 2025-26
- e) Low electricity consumption - reasonable; DG set installed with diesel bills provided
- f) Tin sheds over various rooms - removed, replaced with RCC structures
- g) Aluminium/fibre partitions - removed, permanent wall constructed
- h) Ventilation/signage not per norms - now proper
- i) RCC pole outside ITI area - now mounted inside ITI area
- xi. All deficiencies confirmed rectified - no outstanding issues.
- xii. Verification is institute-wide/general; does not specifically address the remaining Electrician-4(1+1+2) units left unrecommended by SSDEC.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan and the State Directorate on 28.07.2026 confirmed that all deficiencies noted against the ITI have been rectified. The Committee decided to allow the ITI to admit trainees for the Academic Session 2026-27 only in Electrician – 2(1+1) trade/units.

68. Pioneer Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Near Nirankari Satsang Bhawan, Sri Vijaynagar, District- Ganganagar, Rajasthan- 335704	1. Electrician - 6(3+3)
MIS Code - PR08001107	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN issued 08.01.2025; ITI replied 24.01.2025.
- iii. Joint inspection conducted 08.08.2025. IC recommended: Electrician - 4(2+2).

- iv. Deficiencies: 1) machinery <10%, some not working 2) undersized infra (Classroom/Library/Dispensary/Store/ED Hall) 3) low electricity 4) tin shade portions 5) instructors less experience/non-CITS 6) low raw material quantity.
- v. 10th SSDEC (23.09.2025): recommended Electrician - 4(2+2).
- vi. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(1+1+2).
- vii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.
- viii. RDSDE/State remarks (recent communication):
- ix. Joint verification by RDSDE Rajasthan (28.07.2026). All 6 deficiencies confirmed rectified:
 - a) Machinery <10% missing/malfunctioning - now available, working
 - b) Undersized infrastructure - now as per norms
 - c) Low electricity - reasonable (rural location); DG set + diesel bills provided
 - d) Tin-shed portions - removed, replaced with RCC
 - e) Instructors less experienced/non-CITS - now available, as per norms
 - f) Low raw material - sufficient spending confirmed (session 2025-26)
- x. All deficiencies confirmed rectified - no outstanding issues.
- xi. NOTE: Verification is institute-wide/general; does not specifically address the remaining Electrician-4(1+1+2) units left unrecommended by SSDEC.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan and the State Directorate on 28.07.2026 confirmed that all deficiencies noted against the ITI have been rectified. The Committee decided to allow the ITI to admit trainees for the Academic Session 2026-27 only in Electrician – 4(2+2) trade/units.

69. Chawala Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Plot No. 197-198 & 199, Kriti Colony Near Govt, District- Ganganagar, Rajasthan- 335001	1. Electrician - 8(4+4)
MIS Code - PR08001110	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN issued 08.01.2025; ITI replied 25.01.2025.
- iii. Joint inspection conducted 11.08.2025. IC recommended: Electrician - 4(2+2).
- iv. Deficiencies: 1) 8 instructors Non-CITS (5 less experience, 3 no experience, 2 no certificates) 2) Principal joining letter not provided 3) negligible raw material spending 4) low electricity 5) 40% machinery deficiency, some not working 6) Annexure-III filled incorrectly 7) undersized infrastructure.
- v. 10th SSDEC (23.09.2025): recommended Electrician - 4(2+2).
- vi. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(2+2).
- vii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.
- viii. RDSDE/State remarks (recent communication):
- ix. Joint verification by RDSDE Rajasthan (27.07.2026). All 7 deficiencies confirmed rectified:
 - a) Instructors - now available in accordance with rules
 - b) Principal's appointment/joining letter - now in accordance with rules
 - c) Raw material - sufficient amount spent in Session 2024-25
 - d) Electricity - DG set installed, reasonable diesel bills submitted
 - e) Machinery - most machines/equipment present, working condition
 - f) Annexure-III - verified and found correct
 - g) Building infrastructure - found in compliance with regulations
- x. All deficiencies confirmed rectified - no outstanding issues.
- xi. NOTE: Verification is institute-wide/general; does not specifically address the remaining Electrician-4(2+2) units left unrecommended by SSDEC.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan and the State Directorate on 27.07.2026 confirmed that all deficiencies noted against the ITI have been rectified. The Committee decided to allow the ITI to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units.

70. Technotime Private Industrial Training Institute

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Chak S.P.G.M, Anupgarh District- Ganganagar, Rajasthan- 335701 MIS Code - PR08000740	1. Electrician - 4(2+2)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN issued 08.01.2025; ITI replied 23.01.2025.
- iii. Joint inspection conducted 07.08.2025. IC recommended: Electrician - 2(1+1).
- iv. Deficiencies: 1) 7 instructors less experience, 3 no experience 2) map incorrect re room sizes, Annexure-III wrong 3) 16 rooms per lease/map, 6 locked/misused 4) not operating per layout 5) undersized infra (IT Lab/Store/Library/Classroom) 6) negligible raw material spending 7) low electricity 8) ED Hall unavailable 9) workshop tin-shed covered 10) >30% machinery deficient, many not working.
- v. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1).
- vi. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(1+1+2).
- vii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.
- viii. RDSDE/State remarks (recent communication):
- ix. Joint verification by RDSDE Rajasthan (28.07.2026). MIXED RESULTS - 6 of 10 items still deficient:
 - a) Instructor experience - STILL DEFICIENT: certificates improper, no dispatch no./date
 - b) Map/Annexure-III - STILL DEFICIENT: Annexure-III not provided
 - c) Room count (16 vs 17), 6 locked - STILL DEFICIENT: discrepancy persists, rooms still locked
 - d) Not operating per layout - RESOLVED: building now per approved map
 - e) Undersized IT Lab/Store/Library/Classroom - STILL DEFICIENT: computers/library materials still missing
 - f) Negligible raw material spending - STILL DEFICIENT: no documents provided
 - g) Low electricity - IMPROVED: DG set, diesel bills, indent book provided
 - h) ED Hall unavailable - PARTIALLY RESOLVED: hall available, furniture still missing
 - i) Tin-shed workshop - STILL DEFICIENT: still tin-shed covered
 - j) >30% machinery deficiency - RESOLVED: machines found working
- x. CONCLUSION: 6 of 10 deficiencies remain unresolved or only partially resolved.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan and the State Directorate on 28.07.2026 found that 6 of the 10 deficiencies noted against the ITI remain unresolved or only partially resolved, including instructor experience certificates still improper, Annexure-III still not provided, the room-count discrepancy and locked rooms persisting, the IT Lab/Store/Library/Classroom still undersized, raw material spending still undocumented, and the workshop still covered with a tin shed. In view of this persistent and substantial non-compliance despite repeated opportunities, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

71. Ch Mota Ram Meel Memorial Private ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, District-Ganganagar, Rajasthan- 335804	1. Electrician - 2(1+1) 2. Plumber - 2(1+1)
MIS Code - PR08001750	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN issued 08.01.2025; ITI replied 23.01.2025.
- iii. Joint inspection conducted 05.08.2025. IC recommended: Electrician - 2(1+1).
- iv. Deficiencies: 1) all instructors untrained 2) some instructors less experienced 3) undersized infra (Plumber workshop/Principal office/Clerk office/Staff room/ED Hall) 4) 10% machinery missing (Electrician) 5) some machinery not working, 6-30% missing (Plumber) 6) low raw material spending 7) low electricity consumption.
- v. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1).
- vi. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for Electrician-1(0+0+1) & Plumber-3(1+1+1).
- vii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.
- viii. RDSDE/State remarks (recent communication):
- ix. Joint verification by RDSDE Rajasthan. MIXED RESULTS - 5 of 7 items still deficient:

- a) Untrained instructors - PARTIALLY RESOLVED: 4 now trained; 1 Electrical + 1 Plumber instructor still lack documents
- b) Instructor experience - RESOLVED: confirmed per norms
- c) Undersized infrastructure - PARTIALLY RESOLVED: most areas per norms, but Plumber workshop still undersized (115 sqm vs required 120 sqm)
- d) 10% machinery missing (Electrician) - STILL DEFICIENT: Tool List items 78, 79, 101, 119 still unavailable
- e) Machinery shortage (Plumber) - STILL DEFICIENT: Tool List items 17, 55, 56, 58, 63, 67, 68 still unavailable
- f) Low raw material spending - STILL DEFICIENT: no supporting documents provided
- g) Low electricity - RESOLVED: consumption increased, bill attached
- x. CONCLUSION: 5 of 7 items remain unresolved or only partially resolved.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan found that 5 of the 7 deficiencies noted against the ITI remain unresolved or only partially resolved, including 2 instructors still without proper documents, the Plumber workshop still undersized, several machinery/tool-list items still unavailable in both the Electrician and Plumber trades, and raw material spending still undocumented. In view of this persistent and substantial non-compliance despite repeated opportunities, the Committee decided to **de-affiliate** the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

72. Smt Ganga Dixit Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Anoopgarh, Road, Gurunagar, Srivijaynagar, District- Ganganagar, Rajasthan- 335704	1. Electrician - 4(2+2) 2. HSI - 1(1+0)
MIS Code - PU08001906	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN issued 08.01.2025; ITI replied 24.01.2025.
- iii. Joint inspection conducted 08.08.2025. IC recommended: Electrician - 2(1+1).

- iv. Deficiencies: 1) >40% machinery missing 2) many machines not working 3) raw material/electricity negligible 4) undersized infra (principal room/library/office) 5) ED Hall/furniture unavailable 6) 2nd floor tin-shaded, poor condition 7) lease/agreement not proper dated 8) Annexure III wrongly filled 9) instructors less experienced, non-CITS 10) Principal/2 instructors docs not attached 11) DD not given for HSE affiliation, >90% HSI machinery NA.
- v. HSI - 2(0+1+1) already de-affiliated vide DGT order dated 17.01.2025.
- vi. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1).
- vii. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(1+1+2) & HSI-1(1+0).
- viii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.
- ix. RDSDE/State remarks (recent communication):
- x. Joint verification by RDSDE Rajasthan. ALMOST ENTIRELY UNRESOLVED - 10 of 11 items still deficient:
 - a) >40% machinery missing - STILL DEFICIENT: items 127,134,135,165,166 unavailable
 - b) Machines not working - STILL DEFICIENT: items 140,143,146,153 not working
 - c) Raw material/electricity negligible - STILL DEFICIENT: registers missing; electricity still negligible
 - d) Undersized infra - STILL DEFICIENT: IT lab/library still missing (only workshops/theory rooms adequate)
 - e) ED Hall/furniture unavailable - STILL DEFICIENT: no improvement
 - f) 2nd floor tin-shaded, poor condition - STILL DEFICIENT: no repair done (video attached)
 - g) Lease/agreement not proper dated - STILL DEFICIENT: no valid lease/registered rent agreement
 - h) Annexure III wrongly filled - STILL DEFICIENT: not provided at all
 - i) Instructors non-CITS - STILL DEFICIENT: CITS documents not provided
 - j) Principal/2 instructors docs missing - STILL DEFICIENT: none provided
 - k) DD not given for HSE; >90% HSI machinery NA - ITI submitted self-closure request for HSI trade (27.07.2026)
- xi. CONCLUSION: 10 of 11 deficiencies remain unresolved; only HSI resolved via voluntary closure.

35th SCAA remarks:

The Committee noted that HSI – 2(0+1+1) trade/units stand already de-affiliated vide DGT order dated 17.01.2025, and that the ITI has, in any event, submitted a voluntary self-closure request for the HSI trade on 27.07.2026, which the Committee accepts. As regards the Electrician trade, the Committee noted that the joint verification conducted by RDSDE Rajasthan found that 10 of the 11 deficiencies noted against the ITI remain entirely unresolved, including missing/non-working machinery, negligible raw material spending and electricity consumption, undersized infrastructure, absence of the Engineering Drawing Hall, an unrepaired tin-shaded second floor, absence of a valid lease/registered rent agreement, Annexure-III not provided at all, absence of CITS documents for instructors, and missing documents for the Principal and instructors. In view of this near-total and persistent non-compliance despite

repeated opportunities, the Committee decided to de-affiliate the ITI in its entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

73. Shri Ganesh Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: V.P.O. Churina, Tehsil: Buhana, District-Jhunjhunu, Rajasthan- 333515 MIS Code - PR08001904	1. Electrician - 4(2+2) 2. HSI - 1(1+0) 3. FTISM - 2(2+0)

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN issued 07.01.2025.
- iii. Joint inspection conducted 18.09.2025.
- iv. Deficiencies: a) III-phase machinery not running (Electrician) b) No faculty to identify tools + major equipment shortage (HSI).
- v. 10th SSDEC (23.09.2025): recommended de-affiliation. Per discussion with Chairperson SSDEC/State DET/RDSDE (25.09.2025): 10th SSDEC remarks read as recommended Electrician-4(2+2) & FTISM-2(2+0); not recommended HSI-1(1+0).
- vi. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no reason given for non-recommendation of HSI.
- vii. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA for Electrician (2+2) and HSI(1+0).
- viii. RDSDE/State remarks (recent communication):
- ix. Joint verification by RDSDE Rajasthan (27.07.2026). BOTH deficiencies resolved:
 - a) III-phase machinery not running (Electrician) - RESOLVED: now in working condition
 - b) No faculty/major equipment shortage (HSI) - RESOLVED: instructor now available, all machinery running
- x. RDSDE report explicitly recommends Health Sanitary Inspector - 1(1+0) for continuation.
- xi. CONCLUSION: All deficiencies resolved; HSI now recommended by RDSDE.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan on 27.07.2026 confirmed that both deficiencies noted against the ITI have been resolved, with the III-phase machinery in the Electrician trade now in working condition, and an instructor

now available with all machinery running in the Health Sanitary Inspector trade. RDSDE has accordingly recommended continuation of the Health Sanitary Inspector – 1(1+0) trade/units. The Committee decided to allow the ITI to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2), FTISM – 2(2+0), and Health Sanitary Inspector – 1(1+0) trade/units.

74. Carrier Develop Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: G-151, Brij Industrial Area, Bharatpur-321001	i. Electrician - 4 (2+2) 04 ii. Fitter – 4 (2+2) iii. Mechanic Diesel – 2 (1+1) iv. Welder – 1 (1+0)
MIS Code: PR08001018	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025.
- iii. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official.
- iv. Inspecting members have given following comments:
 - a. Mechanic Diesel trade: Shortage of tools equipment and machines as per latest trade tool list.
 - b. Welder trade: Shortage of tools equipment and machines as per latest trade tool list.
- v. However, inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) 04 and Fitter – 4 (2+2)
- vi. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 4 (2+2) and Fitter – 4 (2+2) and not recommended for affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0).
- vii. Thereafter, the matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 wherein SCAA decided the following :
 - a. SSDEC to provide reasons for de-affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0).
 - b. ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed.
- viii. RDSDE/State remarks (recent communication):
- ix. Joint verification by RDSDE Rajasthan (27.07.2026). The details of joint verification status are as below:
 - a. Tools, equipment and machinery of Welder trade are available as per standard tools list.
 - b. Tools, equipment and machinery of Mechanic Diesel trade as per standard tools list Sr.no 70,71,72,73,90,91,92,122,123,166,175,178,179,180,181,184,188,190,191,197,198,200, and 201 were not available .
- x. RDSDE report explicitly recommends Welder 1(1+0) for continuation and not recommended Mechanic Diesel-2(1+1) due to shortage of above tools, equipment and machinery in the trade.

35th SCAA remarks:

The Committee noted that the joint verification conducted by RDSDE Rajasthan on 27.07.2026 confirmed that the required tools, equipment and machinery for the **Welder trade** were available as per the standard tools list, whereas the tools, equipment and machinery against Sr. Nos. 70, 71, 72, 73, 90, 91, 92, 122, 123, 166, 175, 178, 179, 180, 181, 184, 188, 190, 191, 197, 198, 200 and 201 of the **Mechanic Diesel trade** were not available. RDSDE has accordingly recommended continuation of **Welder – 1(1+0)** and has not recommended continuation of **Mechanic Diesel – 2(1+1)** due to shortage of the prescribed tools, equipment and machinery. The Committee decided to allow the ITI to admit trainees for the Academic Session 2026-27 in **Welder – 1(1+0) trade/units** and not to allow admissions in **Mechanic Diesel – 2(1+1)**. Hence, Mechanic Diesel-2 (1+1) is hereby de-affiliated.

75. Bhagat Singh Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address: Kalwan Road, Near Phed office, Sikrai, Dausa	i. Electrician 4(2+2)
MIS Code: PR08001194	

Brief of Matter:

- i. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.
- ii. SCN was issued to the ITI by the State on 07.01.2025.
- iii. The ITI replied to the SCN on 25.01.2025.
- iv. Further, a joint inspection was conducted on 28.07.2025.
- v. During inspection following deficiencies were found:
 - a. In electrician trade lab some items and machines were not working.
 - b. IT lab is not properly maintained.
 - c. Washroom were in very bad condition and not usable at all.
 - d. There is no proper ventilation in Theory lab and lack of good furniture.
 - e. Building is very old and not well maintained.
 - f. At the time of inspection there are no trainees available.
 - g. At time of inspection no records of trainees related to the trade were found like trade files, Projects & Models.
- vi. Further Joint Inspection team has recommended for de-affiliation of the ITI.

- vii. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation.
- viii. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.
- ix. The reply to the SCN was received on 13.01.2026.
- x. In its reply the ITI submitted the following:
 - a. All deficiencies have now been rectified.
 - b. Required tools and equipment have been provided.
 - c. The IT lab and other facilities have been improved.
 - d. The building has been repaired and maintained.
 - e. Necessary records have been arranged and made available.
- xi. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.
- xii. The concerned State Directorate and RDSDE have conducted the joint inspection on 11.05.2026 and following are the observations of the Joint Inspection committee.
 - a. Recommended Electrician, 4(2+2).
 - b. Original building completion certificate not available. ITI plan approved by Jen, Panchayat Samiti, Sikrai, Distt-Dausa not available. ITI plan available but approved by private consultant.
 - c. All Machinery bills are available in photocopy not a single bill is available in original copy.
 - d. In IT lab 80% computer working.
 - e. Drawing Hall is not available.
 - f. 95% Machinery available
 - g. Some cracks shown in walls & roof.
 - h. Not any students study records found.
 - i. While checking the dead stock register, it was noticed that white fluid had been used in the register, the quantity had been overwritten on several pages and some of the last pages were not sign.
- xiii. Thereafter the matter was discussed in 31st SCAA in its meeting dated 18.06.2026 wherein SCAA decided the following :
 - a. SCAA noted that the Joint Inspection team in its inspection dated 11.05.2026 has recommended affiliation for Electrician – 4(2+2) trade/units.
 - b. However, upon scrutiny it has been observed that the following deficiencies are still present:
 - i. Original Building Completion Certificate is not available; the ITI's building plan approved by the Junior Engineer, Panchayat Samiti, Sikrai, is not available, and the available plan has been approved by a private consultant instead.
 - ii. All machinery bills are available only in photocopy form; no original bill has been produced.
 - iii. In the IT lab, only 80% of the computers are in working condition.
 - iv. Drawing Hall is not available.
 - v. Cracks have been found in the walls and roof of the building.

- vi. No student study records were found.
- vii. The Dead Stock Register was found to have been tampered with, with white fluid used to alter entries, quantities overwritten on several pages, and some pages left unsigned.
- viii. Fire Safety Certificate is not available.
- ix. 5% Machinery not available
- c. SCAA observed that the cracks found in the walls and roof of the building raise a serious safety concern for the trainees and staff. SCAA also observed that the use of correction fluid and overwriting of entries in the Dead Stock Register raises serious doubts regarding the authenticity and reliability of the records maintained by the ITI.
- d. In view of the safety concerns arising from the structural cracks, SCAA decided that the ITI shall first get the building structurally repaired and obtain a certificate of structural safety from a competent authority.
- e. Only upon removal of the cracks and submission of the said certificate, along with rectification of the remaining deficiencies mentioned above and a satisfactory explanation regarding the discrepancies in the Dead Stock Register, shall the ITI be allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. The State Directorate shall verify compliance before permitting admissions.

xiv. RDSDE/State remarks (recent communication):

xv. Joint verification by RDSDE Rajasthan (27.07.2026). The details of joint verification status are as below:

S.no	Deficiencies noted in 31 st SCAA	Rectification/ Verification Status
(i)	Non-availability of Original Building Completion Certificate and lack of layout plan approval by Junior Engineer, Panchayat Samiti, Sikrai.	The institute has submitted the building safety/completion and layout documents duly certified by the Public Works Department (PWD) as of today's date (27.07.2026).
(ii)	Non-production of original bills for machinery (photocopies only).	All Original Purchase Invoice Bills for the required machinery and equipment have been produced for verification.
(iii)	Only 80% computers in working condition in the IT Lab.	All remaining computers in the IT Lab have been repaired. Currently, all computers were found to be fully operational.
(iv)	Non-availability of Drawing Hall.	An Engineering Drawing Hall is available in ITI.
(v)	Cracks found in the walls and roof of the building.	Necessary civil repairs, plastering, and whitewashing have been completed to fully resolve all structural cracks.
(vi)	Absence of student study records.	The institute produced updated attendance registers, practical records and internal assessment records of students.

xvi. RDSDE report explicitly recommends Electrician 4(2+2) for continuation.

xvii. CONCLUSION: All deficiencies resolved; Electrician now recommended by RDSDE.

35th SCAA remarks:

The Committee noted that the joint verification conducted on 27.07.2026 confirmed that all deficiencies noted against the ITI in the 31st SCAA have been resolved. The Institute has produced the required building safety/completion and layout documents duly certified by PWD, original purchase invoices for machinery and equipment, and updated student records. Further, all computers in the IT Lab were found operational, the Engineering Drawing Hall was found available, and necessary civil repairs, plastering and whitewashing had been completed. RDSDE has accordingly recommended continuation of the Electrician trade with 4(2+2) units. The Committee decided to allow the ITI to admit trainees for the Academic Session 2026-27 in **Electrician – 4(2+2) trade/units**.

76. Indus Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address- V.P.O. Dehlon Sayan Bool road Ludhiana , Punjab MIS code: PR03000351	1. Geriatric (Old Age) Care- 2(1+1) 2. Physiotherapy Technician-1(1+0)

Brief of Matter:

- i. During a previous inspection conducted on 24.09.2025, the institute was found completely non-functional and was not operating from its affiliated premises. Instead, an industrial unit was found functioning at the site.
- ii. Despite two Show Cause Notices issued on 03.11.2025 and 18.12.2025, no reply was received from the institute.
- iii. The Committee also took note of the pending Civil Writ Petition No. 17176 of 2020 before the Hon'ble Punjab and Haryana High Court.
- iv. The matter was discussed in 8th SSDEC meeting dated 16.06.2026 and 8th SSDEC decided to de-affiliate the institute .

35th SCAA remarks:

SCAA observed that during the Inspection conducted on 24.09.2025, the ITI was found closed and also despite two Show Cause Notices issued on 03.11.2025 and 18.12.2025, no reply was received from the institute. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.

However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team that ITI was found closed.

The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 35th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.

77. Akal Kirpa Pvt. ITI

Address/ MIS Code of ITI	Trade units mapped on SIDH portal
Address- Malout, Sri Muktsar Sahib	All trades de-affiliated
MIS code: PR03000143	

- i. DGT issued Show Cause Notice on 06.07.2021.
- ii. ITI requested permission for admissions for the 2024 session vide letter dated 16.09.2024; the request was forwarded to RDSDE Punjab.
- iii. DGT issued another Show Cause Notice on 17.10.2024.
- iv. After consideration of the ITI's reply, DGT ordered Joint Inspection vide email dated 04.11.2024.
- v. Joint Inspection conducted on 26.11.2024. Based on the inspection report, DGT withdrew the Show Cause Notice vide email dated 31.12.2024 and directed rectification of deficiencies.
- vi. Physical verification of rectification conducted on 20.02.2025. Deficiencies were found removed; however, the report dated 03.03.2025 was not submitted in the prescribed Annexure-III format.
- vii. Two subsequent Joint Inspections conducted on 14.05.2025 and 10.09.2025 found the ITI closed.
- viii. ITI filed WP(C) 13534 of 2025 before the Delhi High Court against non-recommendation of affiliation.
- ix. ITI requested a fresh Joint Inspection on 06.10.2025, which was conducted on 15.10.2025. The Joint Inspection Report was submitted on 29.10.2025.
- x. Delhi High Court dismissed the writ petition as withdrawn by the ITI on 18.02.2026.
- xi. Matter was discussed in 8th SSDEC Meeting dated 16.06.2026 in which the Joint Inspection Report dated 29.10.2025 was considered. The Committee observed that certain deficiencies still remained, including non-availability of Dead Stock Register, Raw Material Register, insufficient tools, etc. The Committee further observed that the institute had several glaring deficiencies

and compliance could not be satisfactorily established from the records produced. Accordingly, it was decided that the deficiencies pointed out in the inspection report be again verified for compliance.

- xii. CONCLUSION: The matter was directed for **re-verification of the deficiencies** pointed out in the Joint Inspection Report dated 29.10.2025, as satisfactory compliance could not be established from the records available before the SSDEC.

35th SCAA remarks:

The Committee considered the matter and took note of the observations recorded in the 8th SSDEC meeting dated 16.06.2026, particularly the deficiencies pointed out in the Joint Inspection Report dated 29.10.2025, including non-availability of the Dead Stock Register and Raw Material Register, shortage of tools and other deficiencies. The Committee also noted that satisfactory compliance of the deficiencies could not be established from the records available before the Committee.

In view of the above observations, the Committee decided that the de-affiliation status of the ITI shall remain unchanged. The ITI shall continue to remain de-affiliated.

Annexure-3 as referred in Agenda -3 regarding consideration of inspection report of ITIs in Bihar having more than 15 affiliated units in a single trade

State: Bihar

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
1.	Siddharth Private ITI, At. Chitragopi More, Post. Padarawan, Jamhor, Aurangabad, Bihar PR10000552 Grading-6.9	Electrician-16(8+8)	Joint inspection of this ITI was conducted on 13.07.2026 and following are the observation of joint inspection team: 1. Machinery- - Domestic Appliances is not available in the workshop (S. No. 126). - Solar panel with Battery (180W) is not installed in the workshop (S. No. 134). 2. IT Lab: - The chairs appear to be arranged for temporary use. Remarks of Inspection Team 1. Electricity bill is in the name of “Harendra Kumar”, Principal cum Secretary of the ITI. Sanctioned load 28 KW with available old meter no.	The SCAA examined the joint inspection report submitted by the State Directorate & RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: 1. Electrician-16(8+8) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			U316968 and new meter no. SBHID0069932, make-HPL, capacity-15 A, and old meter has been replaced with the new one (Photo attached). 2. Building plan/Building map is not available in the institute and BCC is available with the sign of architect, without the sign of State Building Division Govt. Engineers. The full Building and workshop is of RCC structure. 3. Two MoUs are available with the industry and it is being uploaded for Industrial Placement (Uploaded). 4. As per discussion with the Principal regarding low admission, the major issue with the student is the admission fee. Many Pvt. ITIs are taking admission at a very low tuition fee rate, due to which the students are taking admission to those Pvt. ITIs with less Practical utilization of workshop. Also, the Principal has expressed that lowering of tuition fee is not possible due to conduction of regular theory classes and Practical utility of workshop.	operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			5. He also expressed the hostel facility to the required trainees in future as the land is available in front of the ITI campus as well as behind of the workshop. 6. The electrician workshop (No. 1, 2, 3 & 4) and fitter workshop (No. 1 & 2) is at ground floor with sufficient workshop area as per norms, and electrician workshop No. (5, 6, 7 & 8) is at first floor with sufficient area as per norms. IT and Drawing Hall is also available in the ITI campus as per norms. 7. Power consumption is very less.	
2.	Hitech Central Pvt ITI, Vill: Khajura,Block: Madhepur, Madhubani, Bihar PR10001168 Grading-4.8	1. Electrician-20(10+10) 2. Fitter-16(8+8)	Joint inspection of this ITI was conducted on 28.07.2026 and following are the observation of joint inspection team: 1. Land Documents- Lease is not registered. 2. Power Shortage Sanctioned load-44KW Required-54.02KW	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: 1. Electrician-12(6+6)

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			The electricity connection is not in the name of the ITI; it is in the name of the Chairman, Expert Group Trust. 3. IT Lab- - No. of working computer-Available-20 Required -36 Remarks of Inspection Team - The Pvt ITI started in the name of “Central Pvt ITI” at Khajura, Block – Madhopur, Madhubani, Bihar with DGT file no. – DGT-6/4/43/2018-TC-w.e.f. August 2018 session and changed the name into “Hitech Central Pvt. ITI” at Khajura, Block – Madhopur, Madhubani, Bihar through submission of affidavit for name change. - The affiliated trades with units available in the institute are as: Electrician-4+4 = 08, Fitter-4+4 = 08 w.e.f. August 2018 and again the same trades with units have been additionally added as: Electrician-6+6 = 12, Fitter-4+4 = 08 w.e.f. August 2019. The total units in the	2. Fitter-12(6+6) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			same institute becomes Electrician-10+10 = 20, Fitter-8+8 = 16 units w.e.f. August 2019. 3. The land lease is not registered and the RCC building seems in good condition and IT lab is not as per old building map submitted and only 13 nos. of the total classrooms are available with different required infrastructures in the institute. 4. The electricity connection is in the name of Chairman, Expert Group and not in the name of Hitech Pvt. ITI at the designated address. The sanctioned electricity load as per bill is 44.0 KW with consumer no. 11210097697, meter no. NBPD 3153, whereas the required total electricity sanctioned load = 54.0 KW as per norms. It shows the deficiencies of sanctioned load of 10 KW and the details of electricity consumption shows very low per month as per submitted bill details. 5. The old fitter workshop no. 1 is under soil filling work at the floor and work is under	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			process. The installed two lathes are working and the video is attached. The second workshop of fitter is under dilapidated condition on road side in front of the main building and no machinery is installed at its designated platform in the workshop. 6. The electrician workshop no. 1 is on the first floor of RCC main building where machineries are installed at its platform and tools and equipment are not put up in the workshop area and kept at store. The installed machineries are in working condition and bench vice is not fitted with required standard tap. (Photo attached). 7. The workshop no. 2 of electrician trade on the road side at ground floor is under dilapidated floor condition and it is still under platform repairing mode where electrician trade required machineries are still needs to be installed, i.e. required machineries, tools and equipment's are unavailable. (Photos attached).	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			8. There is no demarcation line of separation by specific color line (patty) in the both workshops and needs to be demarcated with numbering of all the workshops. Recommendation In view of the above observations, the committee recommends the admission under the trades with units as follows for coming session and recommends for de-affiliation process due to unavailability of installed machineries and equipment's in the workshop. 1. Electrician existing – 04+04 = 08 units only (in the first floor workshop of electrician trade and rest all the units are rejected and recommends for de-affiliation process due to unavailability of installed machineries and equipment's in the workshop). 2. Fitter existing – 02+02 = 04 units only (the ground floor workshop – 1 and rest all the units under fitter trade is rejected and recommends for de-affiliation process due to	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			unavailability of installed machineries and equipment's in the workshop).	
3.	Priya Institute of Electronic & Technology PR10000491 Grading:5.8	Electrician-30(15+15)	Joint inspection of this ITI was conducted on 17.07.2026 and following are the observation of joint inspection team: 1. Workshop Area – - Workshop area shortage in Electrician trade Workshop-1 = 531.22 sqm (workshop area shortage) Workshop-2 = 531.22 sqm (workshop area shortage) 2. Machinery- - Old lathes are installed and none are working. All the	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: - Electrician-14(7+7) - Fitter-6(3+3) - Refrigeration And air Conditioning Technician-2(1+1) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			old lathes are to be replaced with new ones as per norms 3. Electricity connection - Electricity connection is in name of Renu Priya enterprises - Power consumption is very low, which indicate limited utilisation of the training infrastructure and training activities at the ITI. 4. Placement- - No placement outcome in last 3 years 5. IT Lab - Out of 25 computers- 5 computers are non-functional 6. Drawing Hall - No standard drawing tables were available Remarks of Inspection Team	Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			1. The Pvt. ITI in the name of Priya Institute of Electronic and Technology, Patna (PRI1000049) is run by “Renu Priya Enterprises Pvt. Ltd.” and the company was incorporated on 04.06.1956, registered on 15 January 2004 as certificate of incorporation no.U9009BR2003PTC010050 and the institute is running since its 1st Affiliation order no. DGT-6/4/9/2004-TC dated 20.09.2003 and the key points found during the Joint inspection process on 17.07.2026 are as follows: 2. The electricity sanctioned load is in two parts in the name of “Renu Priya Enterprises Pvt. Ltd.” a) With 34 KW, consumer no. 10167577, b) With 39 KW, consumer no. 10107699. 3. The building map is very old and not visible with the dimension of different sites. BCC has not been provided with the signature of Govt.	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			Building Department, Patna Bihar. 4. The total classrooms available are 18, in which four nos. of classes were not with required infrastructure as per norms. Some classrooms were dark and without electric fan availability. The IT Lab was available with a total of 25 nos. of functional computers, among which 05 nos. of computers are non-functional. Therefore, only 20 nos. of computers were functional. 5. Drawing Hall area is available as per norms but full of desks and no standard drawing table was available in the drawing hall. 6. There are no sufficient numbers of amenities for boys and girls available on the first and third floor of the building area. 7. There is no availability of MRAC workshop area with installed machineries, tools and equipment's as per requirement in the ITI workshop. Therefore, the admission may be stopped immediately starting from session 2026-27.	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			8. The Pvt. ITI is affiliated with the following trades with units as follows: 1. Electrician Existing – 2+2+3+3+10+10 = 15+15=30 units 2. Fitter Existing – 2+2+3+3=5+5 = 10 units 3. Electronics Mechanic – 1+1=2 units 4. MRAC Existing – 1+1 = 2 units Recommendations In view of the above observations during the Joint Inspection, the committee recommends the trades with units as follows: 1. Electrician Existing – 04+04 = 08 units only (in electrician workshop-1 at first floor & rest all units are rejected and recommended for de-affiliation process due to shortage of areas). 2. Electrician Existing – 04+04 = 08 units only (in electrician workshop-2 at second floor & rest all units are rejected and recommended for de-affiliation	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			process due to shortage of areas). 3. Fitter Existing – 2+2 = 04 units only (*subject to replacement of old lathes into two nos. of new lathes as per norms and rest all units are rejected/recommended for de-affiliation process). 4. Electronics Mechanic Existing – 1+1 = 2 units. 5. MRAC Existing – Rejected all two units due to unavailability of workshop area and required tools and equipment's.	
4.	Jagtaran Kunwar Private ITI, Aropur, Naubatpur, Patna PR10000723 Grading-5.9	Electrician-16(8+8)	Joint inspection of this ITI was conducted on 01.08.2026 and following are the observation of joint inspection team: 1. Land Detail- - Land lease not registered. 2. Building Detail- - Building Condition- Building needs repair 3. Power Shortage-	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI, without referring the matter to the SSDEC/State Government. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			Required-28.8 KW Available-27 KW 4. Instructor- Details not produced by the institute. 5. Placement outcome- - Not Available 6. IT Lab - Computers not working, and no internet connection was available 7. Drawing Hall - Not available Remarks of Inspection Team 1. The Pvt. ITI started in the name of “Jagtaran Kunwar Pvt ITI”, Vill, Nisharpura, Tola- Aropur, Naubadpur, Patna, Bihar with DGT file no. DGT-6/4/94/2014-TC w.e.f. August 2014.	affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			2. The affiliated trades with units available in the institute are as: Electrician- 8+8 = 16 w.e.f. August 2014. 3. The land lease is not registered and the RCC building seems not in good condition and somewhere side walls are cracked under office campus and “No drawing hall is available”. IT lab is available but all the computers were not functional and no internet connection was available in the IT lab. The total no. of classrooms are available only 6 (six). 4. The electricity connection is in the name of Principal, Jagtaran Kunwar Pvt. ITI, Aropur with sanction load 27.0 KW with meter no. SBPD4559. (Photocopy attached) 5. The electrician workshop no. 1 to 4 and 5 to 8 are on the ground floor under Tin roof condition. 6. The ground surface of the both workshops is in broken condition and not maintained properly. 7. The MCB of the power supply panel was not working properly and 3 phase power supply was	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			not provided to the installed all machines in all the workshops from Sl. No. 1 to 8. Only few instructors were available to explain about the available machines. All the installed machineries in all the workshops are non-functional. Recommendation In view of the above observations, the committee recommends the suspension of the current admission process under the existing electrician trade of all the units and the de-affiliation process may be initiated at the earliest.	
5.	Raj Deo Yadav Pvt. ITI, Fathepur, P.O- Makhmilpur, Paliganj, Patna PR10000813 Grading:5.8	Electrician-36(18+18)	Joint inspection of this ITI was conducted on 01&05.08.2026 and following are the observation of joint inspection team: Building condition- - Not in good condition , it needs Repair BCC- - BCC is not as per norms, signed by the architect Power Shortage	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: Electrician-16(8+8)

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			Available-36.KW Required-53.82KW Power consumption is very low, which may indicate limited utilisation of the training infrastructure and training activities at the ITI. 4. IT Lab - No of computers available are less and out of 22 computers only 5 are working. 5. Drawing Hall - No standard Drawing hall tables are available. Remarks of Inspection Team 1. The email has been sent to the Principal, Rajdeo Yadav Pvt ITI, Fatehpur, Paligani Patna – 801110 to be ready for joint inspection on 01.08.2026. The Principal refused to conduct the joint inspection of the ITI premises and the committee returned back and again sent the mail to the Principal, ITI regarding carrying out the Joint inspection on 05.08.2026 and	However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			be ready with all required infrastructures and the joint inspection has been carried out on 05.08.2026. 2. The Pvt ITI started in the name of “Rajdeo Yadav Pvt. ITI (PRI1000813)”, Fatehpur, Chandosh Road, Paliganj, Patna, Bihar – 801110 with affiliated trade and unit as per DGT file no. DGT-6/4/69/2015-TC w.e.f. August 2015 as a) Electrician-2+2 = 4 units, b) Fitter-2+2 = units, c) Additional Electrician units-2+2 = 4 units w.e.f. 02.09.2020, d) Additional Electrician-8+8 = 16 units (with DGT file no. **DGT-AFF011(51)/26/2022-TC section i.c.). As per affiliation letter submitted by the Principal of the ITI, the total trade with units are i.) Electrician – 12+12 = 24 units and ii.) Fitter-2+2 = 4 units. 3. The SIDH Portal shows the affiliation with different data	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			as: A.) Electrician-2+6+6+2 = 16, Total 16+16 = 32 units and B.) Fitter-2+2 = 4 units and the total trade with units become 18+18 = 36 units, which does not match with the affiliation letter issued. 4. The land lease is not registered and the RCC building is in good condition and somewhere ground floor are cracked under workshop area and drawing hall is available without standard drawing table. IT lab is available with only 15 computers among which only 05 nos. of computers were functional and no any internet connection was available in the IT lab. 5. The electricity connection is in the name of Sh. Rajdeo Yadav M/s Pvt. ITI, Paliganj, Patna with sanctioned load 36 KW, rural area with consumer no. 2124015760, meter no. F1629337. (Photo copy attached) Recommendation	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			In view of the above observations, the committee recommends the following trade with units as follows: Electrician – 10+10 = 20 units (rest units of the electrician may be de-affiliated due to unavailability of required sanctioned electrical power and the shortage of installed machineries, tools and equipment's.) Fitter – 2+2 = 4 units.	
6.	Samastipur Institute of Technology, Jitwarpur Chauth, Muffasil, Samastipur PR10000824 Grading-0.8	Electrician-20(10+10)	Joint inspection of this ITI was conducted on 07.04.2026 and following are the observation of joint inspection team: Building- - BCC is not as per norms Amenities- - Boys and Girls washrooms are not in good condition	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI for de-affiliation of the following trades and units, without referring the matter to the SSDEC/State Government: Electrician-8(4+4)

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			and drinking water facility is also not proper. 3. IT Lab- - In the IT Lab, laptops have been provided instead of desktop computers, and the IT Lab was found to be poorly maintained and covered with dust. 4. Drawing Hall- - No proper drawing hall tables and chair are available 5. Machinery :electrician w/shop No-1,2,3&4 (4+4=8) and partial machines were working under workshop No.5,6,7, &8 and also in w/shop No. 9&10. Remarks of Inspection Team Recommended Electrician Existing trade with Units as- 1) Workshop (1,2,3&4) = 04+04 =08 units,	However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			2) Workshop (5,6,7&8) =02+02=04 Only 3) Workshop (9&10)-Nil, Due to partial running condition of machines.	
7.	Lord Budha Private ITI, Mariwa Road, Susta Factory, Siwan PR10000711 Grading-4.6	Electrician-15(5+10)	Joint inspection of this ITI was conducted on 14.07.2026 and following are the observation of joint inspection team: 1. Building- - Building is not in good condition need repair - Building plan not provided 2. Tools and equipment- Tools have not been displayed and lab equipment are outdated 3. Power Shortage- Required-33.02 KW Available-25.2KW Electricity bill is not submitted by the ITI 4. IT Lab- - Available not maintained, computer working condition is not confirmed due to electricity problem.	The SCAA examined the joint inspection report submitted by the State Directorate/RDSDE and observed that significant irregularities were established during the inspection, as detailed in Column IV. The deficiencies indicate non-compliance with the provisions of the DGT Affiliation Norms and adversely affect the quality of training being imparted by the concerned ITI. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended that DGT initiate de-affiliation proceedings against the concerned ITI without referring the matter to the SSDEC/State Government. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			Remarks of Inspection Team 1. Approach road from main road to ITI was found reachable. 2. IT Lab was not found in good condition; proper lab setup was not there. 3. One of the three Electrician Workshops and the Fitter Workshop were found dilapidated. 4. Most of the equipment available in the Electrician & Fitter Workshops was found outdated and non-functional. 5. Tools of the Electrician & Fitter Workshops were not shown. 6. Classrooms and workshops require repair and painting for a clean and healthy learning environment. 7. T&Es are required to be maintained as per the standard T&E list of the NSQF syllabus prescribed for the Electrician & Fitter trades by DGT. 8. As per DGT Order No. DGT-Aff011(47)/02/2022-O/o dt. 17/01/2025 and DET, Bihar letter no. 367 dt. 29/01/2025, 05+05 units of Electrician trade have already been de-affiliated.	compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			Currently, the ITI is functioning with 05+05 units of Electrician trade and 02+02 units of Fitter trade. 9. Recommendation: Although the Building Plan has not been provided by the ITI, it is found that the ITI has sufficient space to impart training to Electrician Trade (05+05 Units) and Fitter Trade (02+02 Units) in the upcoming academic session 2026-27.	
8.	Greater Pvt ITI, Chaknasir, Patepur, Vaishali, 843114 PR10000874 Grading-2.2	Electrician-24(12+12)	Joint inspection of this ITI was conducted on 01.08.2026 and ITI denied the inspection ICVC Remarks- 1. As per the SIDH Portal, the institute had declared its location as Latitude: 25.8788 and Longitude: 85.4957. The Joint Inspection Team visited the said location; however, no ITI was found functioning at the declared coordinates. A detailed geo-tagged video of the location was recorded by the inspection team. Verification through Google Maps also confirms that no ITI	The SCAA examined the Joint Inspection Report submitted by the State Directorate/RDSDE and observed serious irregularities, including deliberate denial of inspection, discrepancy between the declared and actual location of the ITI, and significant deficiencies in physical infrastructure and training facilities, as detailed in Column IV. The inspection further revealed no proper approach road, tin-sheet structures with roofing missing over a substantial portion of the workshop, absence of a boundary wall, and overgrown grass/vegetation within the premises, raising serious safety and infrastructure concerns. The overall condition of the premises appeared neglected and unsuitable for meaningful training activities, thereby raising serious concerns regarding the actual functioning of the ITI and its compliance with the prescribed provisions of the DGT Affiliation Norms. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			exists at the location declared on the SIDH Portal. 2. Upon enquiry with local residents and based on information obtained from the State Government Nodal ITI during the Self-Centre Inspection, the institute was ultimately located at Latitude: 25.815860 and Longitude: 85.519318, which is approximately 4 km away from the location declared on the SIDH Portal. 3. The institute had been informed well in advance regarding the scheduled inspection. However, on the date of inspection, the institute was found closed. The conduct of the institute clearly indicates deliberate denial of inspection, which is further corroborated by the emails sent by the institute categorically stating that it would not facilitate the inspection until its pending representation was decided. Copies of all communications received from the institute are enclosed. 4. At the site, only one security staff member, Shri Inamul Haq,	recommended that DGT initiate de-affiliation proceedings against the concerned ITI without referring the matter to the SSDEC/State Government. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. The SCAA further recommended that the approved Minutes of the 35th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			was present. Further, Md. Shams Alam, Director, Greater Private ITI categorically refused to open the institute for inspection. 5. Since the institute was found closed and access was denied, the Joint Inspection Team carried out an inspection of the premises from outside. Detailed geo-tagged videography and photography of the institute were undertaken. a) There was no proper approach road leading to the institute, which is evident from the enclosed video. b) The entire institute was constructed using tin-sheet structures. Further, the tin-sheet roofing was missing over nearly half of the workshop area, which is clearly visible in the enclosed photographs and videos. c) No boundary wall was found separating the institute premises from the adjoining land. Long grass	

Sr. No.	ITI Name and Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	35 th SCAA Decision
I	II	III	IV	V
			was found around the institute as well as inside the workshop area, posing a serious safety hazard to the trainees. Photographs in support of the observation are enclosed. d) Considering the visible civil infrastructure of the institute, it appears that no meaningful training activity could reasonably be carried out in the prevailing condition of the workshops. The workshop area observed through the portion where the tin-sheet roofing was missing appeared neglected and unfit for imparting training. This observation, coupled with the deliberate refusal of “Md. Shams Alam, Director, Greater Private ITI” to open the institute for inspection, raises serious concerns regarding the actual functioning of the institute.	
