

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,

चाणक्यपुरी, नई दिल्ली – 110023,

दिनांक : 15 अक्टूबर 2026

To

The State Director

Department of Labour, Employment, Training and Skill Development (Dealing with Craftsmen Training)
Ranchi, Jharkhand.

Subject: Issuance of De-Affiliation Order of Private ITIs of Jharkhand, as discussed in 35th Standing Committee on Accreditation and Affiliation in its meeting held on 20.08.2026 and 21.08.2026- regarding.

Madam/Sir,

The de-affiliation matters for the trades & units for the ITIs of **Jharkhand** State were discussed as an Agenda Item No.2 in the 35th Standing Committee on Accreditation and Affiliation (SCAA) meeting held on 20.08.2026 and 21.08.2026.

2. Based on the State Skill Development and Entrepreneurship Committee (SSDEC) recommendations and joint inspection reports, the 35th SCAA recommended de-affiliation of trades/units of ITIs w.e.f. session 2026-27, and same has been approved by the Competent Authority. The details of the ITIs are attached at **Annexure - 1**.

3. The recommendation of de-affiliation of trades & units of ITIs, as mentioned in attached list must be read in conjunction with the Minutes of 35th SCAA meeting issued on 21.09.2026.

4 It is informed that No fresh admission shall be made in the said trades/units from the Academic Session 2026-27 onwards. Any admission made in the said trades/units on or after the date of issue of this Order shall not be recognised by this Directorate General, Accordingly, the trainees so admitted shall not be eligible to appear in the All India Trade Test (AITT). The ITI concerned shall be solely responsible for the consequences of any such admission.

This issues with the approval of Competent Authority.

Encl.: As mentioned

भवदीय,


Digitally signed by KETANKUMAR
PRAVINBHAI PATEL
Date: 2026.10.15 16:18:35 +05'30'

(केतन पटेल)

निदेशक, टी . सी अनुभाग

Copy for information to: -

1. Sr.PPS to DG, DGT, Delhi.
2. PPS to DDG (Affiliation).
3. DGT MIS Portal in-charge, DGT HQ, New Delhi, with the request to upload this order on DGT MIS Portal & update the data as recommendation please.
4. The Regional Director, RDSDE, Jharkhand.
5. Concerned ITIs.



(अरुण कुमार गुप्ता)

उपनिदेशक टी . सी अनुभाग


Signed By:KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026 1

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	Tata Private ITI Jawahar Nagar, Road No. 6, Mango, Jamshedpur, East Singhbhum, Jharkhand – 831012. MIS Code - PR20000017	1. Electrician - 4(2+2) 2. Fitter - 3(1+2)	1. A joint surprise inspection was conducted by the RDSDE team along with the Employment Officer, Jamshedpur on 04.10.2025. 2. During inspection the ITI was found locked and closed and the Joint Inspection Committee recommend the ITI for de-affiliation. 3. The SCN dated 18.10.2025 was issued to the ITI but no reply received from the ITI. 4. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: a) ITI was completely nonfunctional. 5. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 6. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the joint surprise inspection dated 04.10.2025 found the ITI locked and closed, on the basis of which the Joint Inspection Committee recommended de-affiliation. 2. SCAA further noted that the ITI did not reply to the SCN dated 18.10.2025, and the 5th SSDEC accordingly recommended de-affiliation on the ground that the ITI was completely non-functional. 3. SCAA observed that the ITI did not avail the final opportunity granted by the 29th SCAA, and no explanation or reply has been received from the ITI at any stage of the proceedings. Therefore, all trade/units of the ITI, namely Electrician - 4(2+2) and Fitter - 3(1+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETAN KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. The ITI did not avail the opportunity provided by 29 th SCAA.	
2.	Sri Sidhi Vinayak Private ITI Chhota Kankra, P.O. – Madhupur, P.S.- Saraikela, Dist. Saraikela Kharsawan, Jharkhand – 833220 MIS Code - PR20000232	1. Electrician - 4(2+2) 2. Fitter - 4(2+2)	1. A surprise inspection of the Institute was carried out on 10.10.2025. As per the inspection report, serious lapses and non-compliances were recorded. 2. The SCN dated 14.10.2025 was issued to the ITI but no reply received from the ITI. 3. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: a) ITI was completely nonfunctional. 4. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 5. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the surprise inspection dated 10.10.2025 recorded serious lapses and non-compliances at the ITI. 2. SCAA further noted that the ITI did not reply to the SCN dated 14.10.2025, and the 5th SSDEC accordingly recommended de-affiliation on the ground that the ITI was completely non-functional. 3. SCAA observed that the ITI did not avail the final opportunity granted by the 29th SCAA, and no explanation or reply has been received from the ITI at any stage of the proceedings. Therefore, all trade/units of the ITI, namely Electrician - 4(2+2) and Fitter - 4(2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

 15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The ITI did not avail the opportunity provided by 29 th SCAA.	
3.	Mehar Private ITI NH-33, Near PWD IB Bharagora, East Singhbhum, Jharkhand. MIS Code - PR20000257	1. Electrician - 4(2+2) 2. Fitter - 4(2+2)	1. A surprise inspection of the Institute was carried out on 11.10.2025. As per the inspection report, serious lapses and non-compliances were recorded. 2. The SCN dated 15.10.2025 was issued to the ITI but no reply received from the ITI. 3. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: a) ITI was completely nonfunctional. 4. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 5. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the surprise inspection dated 11.10.2025 recorded serious lapses and non-compliances at the ITI. 2. SCAA further noted that the ITI did not reply to the SCN dated 15.10.2025, and the 5th SSDEC accordingly recommended de-affiliation on the ground that the ITI was completely non-functional. 3. SCAA observed that the ITI did not avail the final opportunity granted by the 29th SCAA, and no explanation or reply has been received from the ITI at any stage of the proceedings. Therefore, all trade/units of the ITI, namely Electrician - 4(2+2) and Fitter - 4(2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.



Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The ITI did not avail the opportunity provided by 29 th SCAA.	
4.	Tribal Pvt. ITI - (1) Sidroul, Nunkum (as per NCVT MIS portal), Ranchi, Jharkhand-834001., (2) Rajaulatu, P.O Numkum (As per the State DET portal):- MIS Code - PR20000045	1. Electrician - 18(11+7) 2. Fitter - 14(7+7) 3. Health Sanitary Inspector - 1(0+1) 4. Mechanic Diesel - 6(3+3) 5. Welder - 5(2+3)	1. Initial surprise inspection of the ITI was conducted on 23.08.2023 in accordance to verify the infrastructural and training facility of the ITI. 2. During inspection severe deficiencies related to infrastructure and workshops were observed. 3. Thereafter, the SCN dated 12.09.2023 followed by reminder SCN dated 09.06.2025 were issued to the ITI but ITI did not reply to the both. 4. Another surprise inspection of the Institute was carried out on 28.07.2025 following were observed: a) The premises were being used for the running of YBN University on the place of ITI. b) The workshops, infrastructure, training facilities are completely dismantled & non-functioning. c) No separate electricity connection in the ITI d) Machineries and equipment's were not available as per the norms in r/o affiliated	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Minutes of the 29th SCAA were issued/shared with the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. The ITI submitted its reply only on 25.06.2026, which is beyond the stipulated period and is accordingly a belated submission. 2. SCAA further noted that three separate surprise inspections (23.08.2023, 28.07.2025 and 08.09.2025) consistently found: (i) Workshops and infrastructure dismantled and non-functional. (ii) A university operating from the ITI's premises. (iii) Machinery not available as per norms. (iv) Absence of CITS-trained staff. (v) No trainees present.

Signed By: KETANK
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026




Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			e) No valid documents of the ITI were provided. f) Principal was not present in the institute. g) No CITS trained staffs available. h) It was also informed by State Directorate that during the inspection dated 28.07.2025, the ITI was made as practical exam center for AITT 2025 due to which it was found dismantled condition. 5. Accordingly, again surprise Joint Inspection dated 08.09.2025 was conducted in which again severe deficiencies were observed such as: a) A board of University was installed and running in the ITI premises. b) The labs and machineries of electrician, Fitter and Mechanic Diesel trades were very old and completely nonfunctional. c) No trainees were available during inspection. d) The ITI found non-functional in working hours. e) The instructors available in the ITI	3. SCAA observed that the ITI failed to reply to the SCN dated 12.09.2023 or the reminder SCN dated 09.06.2025. Its belated reply denies the findings in general terms but does not adequately explain the discrepancy between the address recorded on the NCVT MIS portal and that recorded on the State DET portal, nor does it furnish any independent documentary proof — such as a registered lease/ownership document distinct from the University, or a current joint verification report — to rebut the consistent findings of three separate inspections. Therefore, all trade/units of the ITI, namely Electrician - 18(11+7), Fitter - 14(7+7), Health Sanitary Inspector - 1(0+1), Mechanic Diesel - 6(3+3) and Welder - 5(2+3), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			were not as per affiliation norms. 6. The Joint Inspection committee recommended de-affiliation of the ITI. 7. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: a) ITI was completely non-functional 8. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 9. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026 10. The ITI replied late vide email dated 25.06.2026. in its reply the ITI submitted the following: a) The institute denies the allegation that it was non-operational during the surprise inspection conducted on 23.08.2023 and states that attendance	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			registers and all prescribed records were produced before the inspection team. b) It contends that there are no infrastructure-related deficiencies and claims that all classrooms, workshops, machinery and equipment are available and compliant with the prescribed norms. Photographs of the classrooms and workshops have also been enclosed. c) The institute states that it has been functioning for the past 26 years with the requisite infrastructure. d) It submits that the ITI and YBN University are separate entities with independent infrastructure and workshops. The electricity connection is in the name of the sponsoring society, Tribal Social Welfare Society, which is stated to be permissible. e) The institute claims that all machinery and equipment are available and in proper working condition.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			f) It states that the Principal was on leave on the date of inspection. g) The institute reiterates that it has well-developed workshop infrastructure and denies the allegations made against it. h) Requested to protect the ITI from de-affiliation.	

 15/10/26