

To

The State Director (Dealing with Craftsmen Training)
Rajasthan.

Subject: Issuance of De-Affiliation Order of Private ITIs of Rajasthan, as discussed in 35th Standing Committee on Accreditation and Affiliation in its meeting held on 20.08.2026 and 21.08.2026- regarding.

Madam/Sir,

The de-affiliation matters for the trades & units for the ITIs of Rajasthan State were discussed as Agenda Item No.2 in the 35th Standing Committee on Accreditation and Affiliation (SCAA) meeting held on 20.08.2026 and 21.08.2026.

2. Based on the State Skill Development and Entrepreneurship Committee's (SSDEC) recommendations and joint inspection reports, the 35th SCAA recommended de-affiliation of trades/units of ITIs w.e.f. session 2026-27, and same has been approved by the Competent Authority. The details of the ITIs are attached at **Annexure - 1**.

3. The recommendation of de-affiliation of trades & units of ITIs, as mentioned in attached list must be read in conjunction with the Minutes of 35th SCAA meeting issued on 21.09.2026.

4. The Directorate of Technical Education (Training), Rajasthan, vide e-mail dated 07.10.2026, has reported that no admissions have been made for the Academic Session 2026-27 in the ITIs listed in **Annexure - 1**, except Suparshva Private Industrial Training Institute (PR08001403), in which five trainees are shown as admitted on the SIDH portal. Accordingly, the ITIs listed in Annexure-I that have admitted trainees in the concerned trade(s)/unit(s) during the current academic session, as on the date of issuance of this de-affiliation order, shall be permitted to continue training, subject to compliance with the applicable rules, norms and directions issued by DGT from time to time.

5. However, no fresh admissions shall be permitted in the de-affiliated trade(s)/unit(s) with immediate effect. Any admission made in the said trade(s)/unit(s) on or after the date of issuance of this office order shall not be recognised by DGT, and the trainees so admitted shall not be eligible to appear in the All India Trade Test (AITT). Upon completion of the prescribed examinations of all trainees already admitted and enrolled in the said trade(s)/unit(s), the respective ITIs shall be made inactive on the concerned portal.

This issues with the approval of Competent Authority.

Encl.: As mentioned

भवदीय,

Digitally signed by KETANKUMAR
PRAVINBHAI PATEL
Date: 2026.10.15 16:21:38 +05'30'

(केतन पटेल)


निदेशक, टी . सी अनुभाग

Copy for information to: -

1. Sr.PPS to DG, DGT, Delhi.

Signed By:KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026 1

2. PPS to DDG (Affiliation).
3. DGT MIS Portal in-charge, DGT HQ, New Delhi, with the request to upload this order on DGT MIS Portal & update the data as recommendation please.
4. The Regional Director, RDSDE Rajasthan.
5. Concerned ITIs.




(अरुण कुमार गुप्ता)

उपनिदेशक टी . सी अनुभाग


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	Bhuvneshwari Pvt ITI Swarna Durga Mandir Ke Pass, Anand Vihar Colony, Nh-12, Kota Road, Tonk, Rajasthan MIS Code - PR08000508	1. Electrician - 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a Joint Inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found: - Out of 5 trainers only one trainer was found to be CITS Trained. - As per Annexure-III, serial no. (c and g) of VI were not strictly followed and records were not found on the day of inspection. - The number of Instructors sponsored by ITI for CTI training is 00. - Records of trainees like test copies, Jobs, charts, models etc., were not found. - Instructor records not found like-weekly & monthly schedule. - The register for issuing raw materials to the	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection dated 20.04.2026 found the ITI not fit to be recommended for any trade/unit whatsoever, recording deficiencies of a fundamentally serious nature, far exceeding those recorded in the earlier inspection, including: - An unregistered lease deed bearing extensive overwriting, with rooms still under construction. - Complete absence of the Building Completion Certificate, Fire Safety Certificate and Building Safety Certificate. - An electricity connection not held in the name of the ITI or its society. - Severe shortages of tools, equipment and machinery across all categories. - An inadequate and outdated IT lab.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			trainees was not found. vii. The diesel generator set was found to be only 5 KVA, whereas the requirement is 7.5 KVA. 8. Diesel consumption log book not found. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the Joint Inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026. 10. In its reply the ITI submitted the following: i. CITS Trained Staff (NSQF Level 4 Syllabus): Qualification met; staff will be appointed soon; advertisement already placed. ii. Annexure 3rd Point: Completed. iii. Instructor Training: Sponsoring two instructors for CTI training.	(vi) An underqualified and understaffed establishment. (vii) Absence of basic administrative and attendance records. (viii) Absence of any facility for physically handicapped candidates. (ix) The first floor of the building under construction, a family found residing on the ITI campus, cattle tied within the campus, and a school appearing to be operating on the premises. 2. SCAA further noted that the 30th SCAA granted the ITI a final opportunity to show cause; however, the ITI has not submitted any reply whatsoever. 3. SCAA observed that, in the absence of any explanation from the ITI, the fundamental and pervasive non-compliance recorded during the Joint Inspection shows that the premises are not being used as a functioning ITI at all. Therefore, all trade/units of the ITI, namely Electrician -

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			iv. Records Submitted: Trainees' test copies, jobs, charts, models included in the file. v. Schedules Submitted: Instructor monthly/weekly schedules. vi. Raw Materials Register: Submitted. vii. Diesel Generator: Installed a 7.5 kW unit. viii. Diesel Log Book: Consumption log submitted. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. 12. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to	3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			verify its functioning as per prescribed norms. 13. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 20.04.2026 and following are the observations of the Joint Inspection committee. i. ITI is not recommended for any of the trade/units. ii. The lease deed is not registered, shows two rooms on the first floor that are currently under construction, and contains extensive overwriting, making its validity appear suspicious. iii. The Building Completion Certificate (BCC), Fire Safety Certificate, and Building Safety Certificate are all completely unavailable. iv. Electricity connection not on the name of ITI or society, meter seal box was broken, Electricity connection documents were not available. v. The classrooms and drawing hall are not constructed to the proper required size, and the store room is built inside Workshop-2, forcing it into an irregular L-shape. vi. The institute lacks a boundary wall, hostel,	

Signed By: KETANKUMAR,
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			canteen, staff room, dispensary, library of proper size, and separate toilets. vii. There are absolutely no facilities or provisions available for physically handicapped (PH) candidates. viii. There is no dedicated administrative office space, as the principal's office and the general office share a common room. ix. The overall electricity consumption of the institute is abnormally low, the electricity connection is not registered in the name of the ITI or committee, the meter seal box is broken, and connection documents are unavailable. x. There is a severe shortage of tools and equipment, including a 10% to 70% deficit in trainees' tools and a 50% to 60% shortage of shop tools. The details of less tools and equipment are as below: xi. Trainees tool kit: Sl.no 09 is not available. xii. Shop tools and Accessories: Sl.no- 16, 18, 19, 20, 23, 24, 28, 29, 31, 36, 38, 39, 40, 42, 44, 46, 47, 50, 52, 59, 60, 61, 63, 64, 65, 66, 67, 68, 71, 72, 73, 74, 77, 78, 79, 80, 81,	

Signed By: KETANKUMAR,
PRAVINBHAI PATEL,
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			82, 83, 84, 85, 86, 87, 89, 90, 92, 93 were not available. xiii. Shop equipment: Sl.no.95,96,97,99,100, 101,103,104,106,108,109,110,115,116 were not available. xiv. Shop Machinery: Sl.no 144,147,148,149,150 (02 not available), 151 (01 no available) , 153 (7.5 KVA Gen-set not available, 05 KVA available), 159,160,161,162,164,165,166,were not available. xv. Shop floor Furniture and materials: Sl. no 167 (01 not available) ,168,175 (expired) were not available. xvi. Only 14 to 15 pieces of shop machinery are available on-site, out of which only 3 to 5 major machines (140,141,155,156,158) are operational; the remaining machinery has loose electrical connections or is in a completely condemned condition. xvii. No machinery installation certificates could be found anywhere on the premises. xviii. The IT lab is highly inadequate, equipped with only 1 to 6 working computers that operate on	

 15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			outdated software versions. xix. Drawing hall, store office and staff room were not available. xx. Staffing is highly deficient as the institute is short-staffed, the appointed personnel do not possess the proper qualifications, and the Principal is under-experienced, holding only an ITI or diploma pass qualification. xxi. Essential administrative documentation is missing, as biometric attendance machines are unavailable, trainer and trainee records are not maintained, the raw material consumption register is absent, and the dead stock register contains only old entries or is missing. xxii. Available fire extinguishers have not been refilled or maintained. Fire safety certificate and building safety certificate not available. xxiii. First floor of building was under construction, a family was residing in the ITI campus, two cows were tied in the ITI campus and it seems school was running in the ITI campus.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks: a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 20.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of 30th SCAA MoM) for additional deficiencies observed. c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. d) The reply must reach to the DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.	

 15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			15. The minutes of 30th SCAA meeting were issued on 22.06.2026. 16. However, ITI has not submitted Show-cause reply within stipulate time period.	
2.	Maharshi Dayanand Saraswati Pvt ITI Near Rainbow Tower Ward No-2 Rainwal Road Chomu, Jaipur Rajasthan MIS Code - PR08000026	1. Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a Joint Inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4(2+2). 6. However, as per Joint Inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: (i) Out of 15 instructors, only four trainers have been found to possess CITS qualifications. (ii) The diesel consumption logbook was not found. (iii) The provisions under Annexure III (Serial No. c & d of IV-b) have not been followed, and the relevant records	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the 30th SCAA had already de-affiliated the Fitter and Mechanic Diesel trade/units of the ITI as a final decision, with no admissions permitted from the Academic Session 2026-27 onwards, and had granted the ITI a conditional continuation for Electrician - 4(2+2), subject to removal of the deficiencies recorded during the Joint Inspection dated 23.04.2026 within 21 days. 2. SCAA considered the ITI's compliance reply dated 12.07.2026 and observed that, while certain deficiencies have been addressed, the following material deficiencies persist: (i) The narrow entrance passage/evacuation arrangement at the first floor

Signed By: KETAN KUMAR PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			have not been made available. (iv) On the day of inspection, the following classrooms/theory areas have been found to be below the prescribed DGT norms: Fitter Theory/Classroom – 24.19 sqm. Electrician Theory/Classroom (1st) – 21.24 sqm, Electrician Theory/Classroom (2nd) – 21.16 sqm, Diesel Mechanic Theory/Classroom – 21.28 sqm. (v) No instructor in the Fitter trade has been found to possess CITS qualification. (vi) As per the building plan submitted by the ITI, the Mechanic Diesel lab area has been found to be 137.12 sqm, which is less than the required area as per the NSQF Level 3.5 course (including parking space). (vii) The total electrical load available in the ITI has been found to be 13 KW, against the required 13.51 KW. (viii) A movable (non-foundation) generator set of approximately 62.5	remains structurally unresolved. (ii) The desktop computers in the IT Lab have been replaced with laptops, which is not as per the prescribed norms. (iii) The Raw Material and Dead Stock Registers have been only partially updated with a few current-year entries rather than fully regularised. (iv) The Building Completion Certificate has still not been obtained and is only stated as "applied for". 3. SCAA observed that these are the same categories of infrastructural and safety deficiency that persisted across two rounds of Joint Inspection and remain unresolved even after the conditional opportunity granted. Therefore, the Electrician - 4(2+2) trade/units of the ITI are also hereby de-affiliated, and the ITI stands de-affiliated in its entirety. No admissions shall be permitted in the institute from the

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			KW has been found on the premises, whereas the stock register and submitted bills indicate a 5 KW generator set. (ix) Tools and equipment shop machinery of following serial numbers not available in Electrician NSQF Level 4 Syllabus - (24,28,29,32-(a),38,51,53,54,79,82-(a,b),83,89,92,101,104,108,118 (e,f),122,139,165. (x) Tools and equipment, General, Shop outfit, machinery of the following serial numbers was not available as per Fitter trade syllabus- (10, 21, 27, 30, 46, 53, 54,82, 93,104, 105,107, 108,109, 117,119, 120, 123, 131, 132, 133,134,135,140, 152, 157, 160,178) (xi) Tools and accessories for pneumatics and hydraulics were not available. (xii) Tools and equipment shop machinery of following serial numbers not available in Diesel Mechanic trade NSQF level- 3.5 syllabus- 15,25,39,55,64,109,111,114,123,125,127,133,135,136,138,151,172, 184,186.	Academic Session 2026-27 onwards.


15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(xiii) Not Recommended for affiliation by the Joint Inspection committee (xiv) Fitter - (1+1+1) 03 Unit (xv) Mechanic Diesel - (1+1+1) 03 Unit 7. Based on the findings of the Joint Inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 4(2+2) 8. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned deficiencies and also as per the 10th SSDEC meeting held on 23.09.2025 recommendations. 9. Thereafter, the matter was discussed in 25th SCAA wherein a final opportunity to the ITI was granted to represent itself within 21 days by a way of SCN. 10. The ITI did not reply to the SCN. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the	

Signed By: KETANKUMAR
PRAVINBHAI
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. 12. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms. 13. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 23.04.2026 and following are the observations of the Joint Inspection committee. (i) Not recommended for any trade. (ii) Entrance passage at first floor to the classrooms and IT lab too narrow and mass evacuation will be impossible in case of panic situation. (iii) Fire system and equipment's not updated and refilled, entry passage of first floor for classrooms and library is too narrow and also mass evacuation is	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			impossible in case of panic situation. (iv) Only 02 PCs are in working condition out of 12 PCs and PCs are of very old version, tinned shaded IT labs. (v) Area not as per current norms, classroom and Diesel mechanic workshop less than current norms but affiliated in 2006 and subsequent trade addition from 2008 to 2015, no scope to increase size. (vi) The library and washrooms were in very poor condition. (vii) Major machinery of diesel mechanic trade (engines) not found with proper foundation Recently added tools in syllabus in Electrician Fitter and Diesel Mechanic. (viii) Raw materials register not updated since 2015 and also unverified, no signature of principal or section in charge. (ix) Dead Stock Register not	

 15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			updated since 2006-2008. (x) Bills of most of machinery and equipment available but recently included tools in updated tool list not purchased. (xi) Electricity consumption have been too low in current session despite of total 53 current admissions. (xii) Lease period from 1-07-2011 to 30-06-2026. (xiii) BCC not available. (xiv) Bill of mostly tools equipment and machinery bill available but tool and equipment machinery added in latest norms not purchased. 14. The matter was deliberated upon during the SCAA meeting, and based on the recommendations of the Joint Inspection Committee, the SCAA decided as under: 15. In compliance with the principles of natural justice, all concerned ITIs, including the petitioner institute, were afforded an opportunity to represent their case against the proposed de-affiliation Pursuant to the decision	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			taken in the 25th SCAA meeting held on 13-14 November 2025. Further, the Hon'ble High Court, vide order dated 23 January 2026, disposed of 36 connected matters and permitted the petitioner institutes to submit fresh replies along with supporting documents in response to the proposed de-affiliation. 16. Pursuant to the directions of the Hon'ble High Court and in furtherance of the principles of natural justice, an additional opportunity was granted to the petitioner institutes vide email dated 5 February 2026, calling upon them to show cause as to why de-affiliation proceedings should not be initiated based on the observations of the Inspection Team and the recommendations of the SSDEC recorded in the minutes of the 25th SCAA meeting. 17. It is observed that the ITI did not submit any reply to the show cause notice issued pursuant to the decision of the 25th SCAA meeting. 18. The matter was subsequently considered in the 27th SCAA meeting held on 6th March 2026, wherein it was decided that a Joint Inspection of the Institute be conducted to	

Signed By: KETAN KUMAR
PRAVINBHAI RAUT
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			assess its compliance with the prescribed affiliation norms. 19. Accordingly, a Joint Inspection was conducted on 23 April 2026 by officers of the concerned State Directorate and the RDSDE. 20. Based on the observations recorded by the Joint Inspection Committee, the institute was found non-compliant with the prescribed Affiliation Norms. The inspection revealed serious deficiencies relating to infrastructure, safety measures, availability and functioning of prescribed tools and equipment, maintenance of records, IT facilities, and overall compliance with the prescribed training requirements. 21. It was further observed that several deficiencies pointed out during the earlier Joint Inspection conducted on 12 September 2025 continued to persist during the subsequent Joint Inspection conducted on 23 April 2026. In particular, deficiencies relating to availability of prescribed tools and equipment, infrastructure requirements, maintenance of records, engagement of qualified instructional staff, and workshop	

Signed By: KETANKUMAR
PRAVINBHAI TEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			facilities were found to be recurring in nature. 22. The Joint Inspection Committee also observed serious safety concerns in the institute, including inadequate evacuation arrangements, poor condition of fire safety systems, inadequate workshop and classroom infrastructure, and poor condition of library and washroom facilities, which adversely affect the safety and training environment of the institute. 23. It was further observed that the institute failed to maintain and update essential records, including raw material registers and dead stock registers, and several prescribed tools and equipment under the updated norms were not found available during inspection. 24. The Joint Inspection Committee, after considering the overall status of compliance and functioning of the institute, did not recommend continuation of affiliation for all trade/unit of the institute. 25. Matter was discussed in the 30th SCAA meeting and the SCAA is therefore of the considered opinion that, despite being afforded multiple opportunities by the DGT, including pursuant to the directions	

Signed By: K. HANAKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			of the Hon'ble High Court vide order dated 23 January 2026, the institute failed to rectify the deficiencies and demonstrate compliance with the prescribed affiliation norms under the CTS. The deficiencies observed by the Joint Inspection Committee are serious in nature and adversely affect the quality of infrastructure, safety standards, training facilities, and overall standards required for imparting quality vocational training under the CTS. The quality of training imparted to prospective trainees under the CTS is of paramount importance to the DGT. Continuation of affiliation in Fitter and Mechanic Diesel trades an institute that fails to maintain the prescribed standards and comply with the affiliation norms would adversely affect the interests of trainees and compromise the quality objectives of the training system. Therefore, in view of the above observations and the recommendation of the Joint Inspection Committee, the ITI is hereby de-affiliated for all units of Fitter and Mechanic Diesel trades Accordingly, no admissions shall be permitted in the institute from the Academic Session-2026-27 onwards.	

Signed By: KETANK JAWAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Further, for Electrician 4(2+2) trade/unit, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of MoM). The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to DGT within 21 days from the date of issuance of these Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			26. The minutes of 30th SCAA meeting were issued on 22.06.2026. 27. The ITI's compliance reply was received via email on 12.07.2026. 28. ITI submitted the following in its reply: a) Narrow entrance passage / evacuation issue: The institute submitted that it has been functioning since 2006 without any untoward incident. The passage is about 3.5 feet wide and is connected to an emergency exit near the IT Lab. It further stated that there are two staircases on the first floor for evacuation. b) Fire safety system: The institute stated that the fire safety system has been repaired, fire extinguishers have been refilled, and supporting photographs and certificates have been enclosed. c) IT Lab: Old desktop computers have been replaced by new laptops. The institute stated that false ceiling/fibre sheet work is being carried out in the IT Lab. Photographs, videos	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and purchase bills have been enclosed. d) Workshop/Classroom area: The institute stated that the Diesel Mechanic trade was affiliated in 2008, when the workshop area complied with the then applicable DGT norms. It further submitted that the Fitter trade is being shifted/restructured, after which the Diesel Mechanic workshop area would comply with the current norms. e) Library and washrooms: The institute stated that maintenance and cleaning work has been completed and photographs have been enclosed. f) Machinery and tools: The institute submitted that all major Diesel Mechanic machinery is available and that the engine foundation has now been properly constructed. It further stated that the latest tools and equipment prescribed in the updated syllabus have been procured, and photographs have been enclosed.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			g) Machinery bills: The institute stated that bills of machinery, tools and equipment are available and have been enclosed. h) Registers: The Raw Material Register and Dead Stock Register have been updated and verified by the Principal. The institute assured that both registers will be updated regularly in future. i) Electricity consumption: The institute explained that electricity consumption is low because a DG set is used during power outages. Diesel consumption records and diesel bills have been enclosed. j) Lease deed: The institute submitted that a fresh registered lease deed has been executed through the Registrar's Office and enclosed the registered lease documents along with the Society's certified Executive Committee resolution. k) Building Completion Certificate (BCC): The institute stated that the BCC has been applied for and that the issuing office is	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			located at Phulera, causing delay. It assured that the certificate will be obtained at the earliest.	
3.	Tulsi Pvt ITI Near Ganesh Temple Vill., Junia Teh. Kekri, Ajmer, Rajasthan MIS Code - PR08001946	1. Electrician - 3(1+1+1) 2. Health Sanitary Inspector - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 14.01.2025 was received from the ITI. 4. Further, a Joint Inspection of the ITI was conducted on 18.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 10.01.2026. 9. In its reply the ITI submitted the following:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection dated 21.04.2026 found: (i) No safety measures in place. (ii) A hostel banner and a banner of a different school (Krishna Public School) displayed on the ITI premises. (iii) No computer running in the IT lab. (iv) Non-working machinery with a 60% shortage of hand tools. (v) Absence of student records and unmaintained Dead Stock and Raw Material Registers. (vi) An expired Building Certificate and an unregistered lease deed valid only up to 13.03.2021.

Signed By: KETANKUMAR
PRAVINBHAI
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(i) No Refusal of Inspection: Denies refusing inspection. On June 17, 2025, the joint team arrived during a symbolic protest/closure by the state ITI association, which was administrative opposition, not deliberate non-cooperation. (ii) Closure Not Intentional: The closure was temporary and situational; the institute operates regularly with all trades, staff, equipment, and infrastructure per DGT norms; training activities are ongoing. (iii) SCN Reply Already Submitted: Response to SCN was provided on January 24, 2025, and should be considered. (iv) De-Affiliation is Harsh: Based on one unusual day; unjust to hundreds of trainees; violates natural justice principles and DGT's policy of opportunity for rectification. (v) Ready for Re-Inspection: Fully prepared for inspection on any date; all records, machinery, staff attendance, biometric/online data,	(vii) Only a single month's electricity bill submitted, and that too not in the institute's name. (viii) Machinery for candy-making found on the premises alongside a hostel banner for SSC/Army coaching and beds, indicating that the premises are being used for purposes unconnected with ITI training. 2. SCAA further noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 30th SCAA. 3. SCAA observed that, in the absence of any explanation, the ITI is in fundamental non-compliance and its premises appear to have been diverted to unrelated commercial use. Therefore, all trade/units of the ITI, namely Electrician - 3(1+1+1) and Health Sanitary Inspector - 2(1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

 15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and training activities will be presented. 10. Request: Remove from de-affiliation recommendation list; grant re-inspection opportunity; continue affiliation in trainees' interest. Assures commitment to DGT/NCVT rules. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. 12. Thereafter, in compliance of Hon'ble court decision dated 23.01.2026, the ITI replied on 17.02.2026. 13. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms. 14. The concerned State Directorate and RDSDE have conducted the Joint	

Signed By: KETANKUMAR
PRAVINBHABHATE
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Inspection on 21.04.2026 and following are the observations of the Joint Inspection committee. (i) Recommended for de-affiliation. (ii) No safety measures are found. (iii) Hostel banner is published in the premises of the institute. Banner of Krishna public school is visible over the ITI building. (iv) No computer is the running in IT lab (v) Machinery are not in working condition and hand tools are in short by percentage 60 (vi) Students record is not found. (vii) Dead Stock Register and Raw Materials Register not maintained. (viii) Machinery are not working in Electrician trade. (ix) Building Certificate valid only for 1 year only expired in present condition. (x) Lease deed is not registered and only for 5 years up to 13 march 2021. (xi) Only one-month bill is submitted and bill is	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			not on the name of institute. (xii) Area of IT lab is also less. (xiii) Some machinery of amla candy making is found with large number of carrat and a banner of girls and boys' hostel for ssc and army preparation is found and some beds are also found in the institute 15. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks: a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 21.04.2026 severe deficiencies were observed, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			remarks of inspection team in column (4). c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. d) The reply must reach to DGT within 21 days from the date of issuance of these Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". e) In case no reply is received within the stipulated period, or if	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. f) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 16. The minutes of 30th SCAA meeting were issued on 22.06.2026. 17. ITI has not submitted reply to SCN	
4.	Sanskar Pvt ITI Arain, Near Petrol Pump, Kisangarh Road, Arain, Ajmer, Rajasthan MIS Code - PR08001462	1. Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official. 5. During the inspection the ITI was found closed and under strike declared by State level ITI Association.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI failed to submit its reply within the stipulated 21-day period granted by the 30th SCAA. The reply was submitted only on 25.07.2026, after expiry of the prescribed timeline, and accordingly cannot be considered as a valid reply to the notice. 2. SCAA further noted that the claims made by the ITI in its belated

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by the way of SCN. 8. The reply to the SCN was received on 07.01.2026. In its reply the ITI submitted the following: (i) The Institute has never refused inspection at any stage. On 17.06.2025, when the Joint Inspection team visited the Institute, a symbolic protest/temporary closure had been declared by the State-level ITI Association as an administrative protest. The said closure was not intended to avoid inspection, nor was there any malafide intention or non-cooperation from the Institute. (ii) The closure of the Institute on that particular day was purely temporary and due to prevailing circumstances. It was	submission do not satisfactorily address the deficiencies recorded during the Joint Inspection. The ITI has claimed compliance with respect to the machinery, IT Lab, biometric attendance and fire safety arrangements; however, the Fire Safety Certificate, photographs of the IT Lab and the relevant registers/documents claimed in the reply have not been furnished/are not available on record. 3. SCAA observed that the photographs available on record indicate that the machinery is not properly mounted/installed and that several machines, tools and equipment are in poor condition and inadequately maintained, which does not demonstrate that the requisite facilities are being maintained in a manner suitable for regular practical training. 4. SCAA observed that the deficiencies recorded during the Joint Inspection, coupled with the absence of satisfactory documentary evidence establishing compliance, indicate

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			not a deliberate act to deny inspection. (iii) The Institute is functioning regularly and smoothly. All trades, staff members, tools, machinery, equipment, and infrastructure are available as per DGT norms. Training activities are being conducted without interruption in accordance with prescribed guidelines. (iv) The Show Cause Notice dated 04.01.2025 was duly replied to by the Institute on 24.01.2025 within the stipulated time. The said reply may kindly be taken into proper consideration before taking any adverse decision. (v) Recommending de-affiliation based on a single day's abnormal and circumstantial situation would be excessively harsh and would adversely affect the future of hundreds of trainees. Such action would be contrary to the principles of natural justice and also against the policy of providing an Opportunity of Rectification as	improper functioning of the ITI and failure to maintain the requisite training infrastructure in accordance with the prescribed norms. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			adopted earlier by the authorities. (vi) The Institute is fully prepared and gives its unconditional consent for re-inspection at any time deemed appropriate by the competent authority. (vii) In view of the above submissions, it is humbly requested that the recommendation for de-affiliation may kindly be reconsidered and an opportunity for re-inspection may be granted in the interest of justice and in the larger interest of the students. 9. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. 10. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was	

Signed By: KETHAN MAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms. 11. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 22.04.2026 and following are the observations of the Joint Inspection committee. (i) Recommended for De-affiliation: (ii) only 7 panel are working condition and rest are required maintenance and parts are also old. (iii) 20% machinery is under maintenance. (iv) washroom is not cleaned properly. (v) As per Map a shop is running at IT Lab location and shifted to first floor. (vi) Fire extinguisher is available although Fire Safety Certificate not available. (vii) biometric attendance of staff and trainees is not available only register is available. (viii) IT lab is partially working. Laptops are available instead of PCs. (ix) De affiliation for 2+2+2 units for electrician trade is proposed.	

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			12. The matter was deliberated in the 30th SCAA meeting. Based on the recommendations of the Joint Inspection Committee, SCAA observed that a) During Joint Inspection dated 24.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4). c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. d) The reply must reach to DGT within 21 days from the date of issuance of Minutes of Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>" e) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 13. The minutes of 30th SCAA meeting were issued on 22.06.2026. 14. ITI has not submitted the show-cause reply within	

Signed By: K. P. K. K. K. K. K.
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the 21-day timeline. The ITI submitted its reply on 25.07.2026.	
5.	Devyani Pvt ITI Agra Road Dausa, tehsil Dausa, Dist Dausa, Rajasthan MIS Code - PR08001581	1. Electrician - 9(3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. The reply dated 04.02.2025 was received from the ITI. 4. Further, a Joint Inspection of the ITI was conducted on 04.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection dated 24.04.2026 recorded serious and consolidated deficiencies, including: (i) Grossly inadequate fire and safety arrangements, with no valid Fire Safety Certificate. (ii) Absence of earthing for nearly 50% of the machinery, posing a risk of electric shock, and about 50% of the machinery non-functional. (iii) A poorly maintained IT lab with only 3 of 6 computers working. (iv) Inadequate basic amenities, including absence of a separate toilet for girls and no drinking water facility. (v) An inadequately equipped drawing hall.

Signed By: K. PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			within a stipulated timeline. 8. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms. 9. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 24.04.2026 and following are the observations of the Joint Inspection committee (i) Both the NCVT and SCVT members observed serious deficiencies in infrastructure, safety, machinery, training activities, record maintenance, and basic amenities during the inspection of the ITI. Based on the observations, the following consolidated deficiencies were noted: (ii) The institute has inadequate fire and safety arrangements. Only two fire extinguishers/fire buckets were available in the entire building, and no valid fire safety certificate was produced during inspection. The fire extinguishers did not display any validity or expiry details.	(vi) No trainees present on the day of inspection and only 5 of 13 sanctioned staff present. (vii) Absence of biometric attendance, incomplete manual registers, and unmaintained Raw Material Consumption and Dead Stock Registers. 2. SCAA further noted that, on the basis of these findings, the Joint Inspection Committee did not recommend continuation of affiliation for any trade/unit of the institute, and that the ITI did not submit any show-cause reply to the final opportunity granted by the 30th SCAA. 3. SCAA observed that, in the absence of any explanation from the ITI, both inspecting members concur that the institute is not fit for continuation in any trade. Therefore, all trade/units of the ITI, namely Electrician - 9(3+3+3), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(iii) Safety measures in the institute were found to be highly inadequate. Earthing was not provided for nearly 50% of the machinery, posing a serious risk of electric current leakage and endangering the safety of trainees and staff. (iv) Around 50% of the machinery/equipment was found to be non-functional, while several other machines were in poor working condition. (v) The IT laboratory was found to be poorly maintained. Out of six computers available, only three were in working condition. The lab also lacked proper cleanliness and adequate seating arrangements. (vi) The institute lacked adequate basic amenities. Only one toilet was available in the entire building, and no separate toilet facility for girls was provided. Drinking water facilities were also not available, and overall cleanliness was found to be unsatisfactory. (vii) The drawing hall was inadequately equipped, with no proper seating	Academic Session 2026-27 onwards.


15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			arrangement or ceiling fans available. (viii) No trainees were present in the institute on the day of inspection, indicating that regular training activities were not being conducted. (ix) Only 5 staff members, including the Principal, were present against the sanctioned/available strength of 13 staff members on the day of inspection. (x) The institute was maintaining only physical attendance registers, and no biometric attendance system was available. Attendance records for the inspection day were also not properly maintained, and class teacher signatures were missing in the attendance register. (xi) Essential institutional records, including the Raw Material Consumption Register and Dead Stock Register, were not maintained by the institute. (xii) Academic and training-related records were also inadequate. Only a partially prepared weekly training programme was available, and no other	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			trainer-related records were produced during inspection. 10. Based on the above serious deficiencies, both the NCVT and SCVT members did not recommend continuation of affiliation for any trade/unit of the institute. 11. The matter was deliberated in the 30th SCAA meeting and SCAA gave following remarks a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 24.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4). c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof	

Signed By: KETANKUMAR
PRAVINBHAKTAR
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. d) The reply must reach to DGT within 21 days from the date of issuance of Minutes of Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>" e) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 12. The minutes of 30th SCAA meeting were issued on 22.06.2026. 13. ITI has not submitted Show-cause reply within stipulated time period.	
6.	Noble Technology Pvt ITI Pratap Nagar, Agra Road, Dausa , Rajasthan, Pin Code - 303303	1. Electrician - 11(4+3+4) 2. Health Sanitary Inspector - 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection dated

Signed By: KETANK UMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000410		3. The ITI replied to the SCN on 25.01.2025. 4. Further, a Joint Inspection was conducted on 10.09.2025. 5. Accordingly, the Joint Inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: (i) The electrical connection of the ITI is registered in the name of the building owner, instead of the institute management, which is not in compliance with the DGT affiliation norms. (ii) In the trade Health Sanitary Inspector shortage of tools and equipment were observed on the day of inspection. (iii) The machinery available in the ITI for Electrician trade is only for 4(2+2) instead of 8(4+4). (iv) One single hall in the ITI at first floor was designated as Electrician lab but lacks in necessary tools and machinery for the trade. 6. Based on the findings of the Joint Inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has	23.04.2026 recorded several serious deficiencies, including: (i) Non-availability of the Building Completion Certificate. (ii) A significant discrepancy in the physical location of the ITI, which was found approximately 6 km away from its NCVT MIS mapped location. (iii) No attendance being marked and zero trainees present throughout the three-day inspection period from 21.04.2026 to 23.04.2026. (iv) Poor maintenance of classrooms. (v) Missing/non-functional prescribed equipment in both trades, with tools found scattered and in disarray. (vi) Non-production of the Fire Safety Certificate. 2. SCAA further noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 30th SCAA.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation. 7. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct Joint Inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. 8. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a Joint Inspection of the ITI to verify its functioning as per prescribed norms. 9. The concerned State Directorate and RDSDE have conducted the Joint Inspection on 23.04.2026 and following are the observations of the Joint Inspection committee: (i) NCVT Member comments: Trade Recommendation: Not recommended for any unit of the Electrician and HSI trades, specifically Electrician (0,0,0) and HSI (0,0,0).	3. SCAA observed that the significant discrepancy between the mapped and physical location, the complete absence of trainees and attendance during the entire inspection period, the deficiencies in infrastructure, equipment and safety arrangements, and the failure of the ITI to respond to the proceedings indicate that the ITI was not functioning in accordance with the prescribed norms. Therefore, all trade/units of the ITI, namely Electrician - 11(4+3+4) and Health Sanitary Inspector - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(ii) BCC & Location: BCC is not available at the ITI. The physical ITI location is 6 km away from its NCVT MIS mapped location. (iii) Power Supply: The EB connection registered name has been corrected to the ITI's name, and a 15 KW power load is verified as available. (iv) Attendance & Presence: No attendance was marked between April 21 and April 23 (inspection dates). Zero trainees were present during the inspection. (v) Infrastructure: Classrooms are poorly maintained and not in good condition. (vi) Missing Equipment: For the Electrician trade (2+2 units), equipment serial numbers 107, 165, and 166 are missing. For the HSI trade, serial numbers 4, 5, 7, 8, 9, and 10 are missing, and the on-site equipment is in poor condition. (vii) Equipment Status & Maintenance: Electrician items under serial numbers	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			142, 144, 145, and 158 are non-functional. Tools were found scattered and in disarray. (viii) Compliance: The fire safety certificate was not produced/provided (ix) SCVT members comments: ELECTRICIAN – (4+4+4) HSI- (1+1+1). 10. The matter was deliberated in the 30th SCAA meeting and gave following remarks: a) Based on the recommendations of the Joint Inspection committee, SCAA observed that during Joint Inspection dated 23.04.2026 severe deficiencies were observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of MoM). c) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. d) The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 30th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>" e) In case no reply is received within the	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 11. The minutes of 30th SCAA meeting were issued on 22.06.2026. 12. ITI has not submitted Show-cause reply within stipulated time period.	
7.	Vikas Pvt ITI P.N. - 27, Prem Nagar, Digari, District: Jodhpur, Rajasthan, 342015 MIS Code - PU08001811	1. Electrician - 2(1+1) 2. Health Sanitary Inspector - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. 5. During the inspection the owner of the ITI was present and submitted its letter dated 26.06.2025 by stating that the ITI is not ready for inspection and requested to conduct the inspection in further course of time. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection dated 06.05.2026 recorded a NIL recommendation for the ITI and found several serious deficiencies, including: (i) An expired lease deed. (ii) Machinery bills available only for the Electrician trade, with no machinery/items found for the Health Sanitary Inspector trade. (iii) Absence of Dead Stock and Raw Material Consumption Registers, staff appointment information and current-year

Signed By: K. PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: (i) Due to pressure from the ITI College Association's strike decision, they could not allow inspection on June 26, 2025. Informed authorities they are ready for joint inspection post-strike, but none was conducted. 10. Request: Consider the explanations, reject SSDEC Rajasthan's de-affiliation recommendation from its 9th and 10th meetings on September 17-18, 2025 (due to refusal of inspection). Grant admission permission for the 2026-27 session. Assures readiness for future inspections and urges halting de-affiliation in the interest of education and trainees. 11. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to	attendance records. (iv) No trainees, and no trainer/instructor or student study records. (v) A 34% shortage of major shop machinery in the Electrician trade, with several machines non-functional. (vi) Insufficient amenities, a non-functional IT Lab and absence of a Drawing Hall. (vii) Only an expired fire extinguisher, with no Fire Safety Certificate available. 2. SCAA further noted that the ITI did not submit any show-cause reply to the final opportunity granted by the 31st SCAA. 3. SCAA observed that the deficiencies recorded during the Joint Inspection, particularly the complete absence of trainees, staff and essential functioning training infrastructure, indicate that the ITI was not functioning in accordance with the prescribed norms. Therefore, all trade/units of the ITI,

Signed By: K. Pravin Bhai Patel
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			verify its functioning as per prescribed norms. 12. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee: (i) lease deed was available but expired on 31.01.2025. (ii) Machinery bills were available only for electrician trade. No Machinery bills were available for HSI trade. (iii) Dead Stock Register and Raw Material consumption Register were not available. (iv) Staff appointment info not available. (v) old staff attendance records were available but current year attendance records were not available. (vi) Attendance register maintained. However, no trainees were present during inspection. (vii) Students study records not available, no Student present during inspection. (viii) machinery installed but few machines not working in electrician	namely Electrician - 2(1+1) and Health Sanitary Inspector - 2(1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			trade. Tools and equipment were unused and covered with dust. (ix) 34% of major shop machinery not available in electrician trade. and no item found in HSI trade. also 4 major machinery not working in electrician trade. (x) Amenities were not sufficient. (xi) Trainer record not available also, no trainer /instructor available at the time of inspection. (xii) office classroom not as per norms. (xiii) IT lab not functional equipment not available in IT lab. (xiv) Drawing Hall was not available. (xv) Expired fire extinguisher installed only in Electrician workshop does not has validity. (xvi) Nil recommendations by joint inspection committee. 13. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks a) Based on the recommendations of the Joint Inspection	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Committee, SCAA observed that during Joint Inspection dated 06.05.2026 severe deficiencies were observed and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed. c) Furthermore, SCAA also observed that the Fire safety Certificate is not available in the ITI. d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos., Geo-tagged photographs of the institute	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. e) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". f) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 14. The minutes of 31th SCAA meeting were issued on 08.07.2026. 15. ITI has not submitted the show-cause reply.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
8.	Suparshva Private Industrial Training Institute Vill. & Post Fagodiya Wala, Bad Ka Balaji, Ajmer Road, Tehsil Sanganer, Dist. Jaipur-302026 MIS Code - PR08001403	1. Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 18.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 18.09.2025. During the inspection the following deficiencies were observed: (i) A Paramedical college and the ITI are running under same building. (ii) The qualification of superintendent does not match as per norms. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 03.01.2026. 9. In its reply the ITI submitted the following: ED: All facilities of the ITI are fully compliant	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that, despite the 31st SCAA having specifically required the ITI to produce a No Objection Certificate for the operation of a Paramedical College within the same building, no such NOC has been produced by the ITI in its reply dated 20.07.2026. 2. SCAA further noted a material inconsistency in the ITI's own case regarding the relative position of the two institutions within the building: during the initial inspection, the signboard of the Paramedical College was found on the ground floor, whereas in the subsequent inspections and in the ITI's own submissions, the ITI is shown functioning on the ground floor with the Paramedical College on the first floor. 3. SCAA observed that this unexplained shift in the stated floor-wise position of the two institutions during the de-affiliation proceedings raises a serious doubt as to the

Signed By: KETANKUMAR PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			with prescribed norms, as confirmed during inspection. (ii) It is submitted that both institutions are managed by the same society but function independently on separate floors with separate entrances. The ITI operates from the Basement and Ground Floor with a separate gate, whereas the other institute operates from the First Floor with a separate gate. (iii) There is no overlap or interference in academic or administrative functioning, and the arrangement does not adversely affect the quality of training imparted to ITI trainees. (iv) The Institute has been functioning successfully since the academic session 2014-15 without any such objection earlier. (v) Multi-story buildings are commonly used for educational institutions, universities, and offices. The use of upper floors does not violate any norms. (vi) The Institute is ready and willing to	genuineness of the claimed physical separation, and suggests that the arrangement may have been altered during the pendency of the proceedings to meet the objection raised. 4. SCAA observed that, in the absence of the required NOC and in view of the unexplained inconsistency regarding the co-location of the Paramedical College, it is not satisfied that the ITI functions independently and in compliance with the prescribed Affiliation Norms. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			undergo re-inspection at any time to verify compliance. (vii) In view of the above clarifications, it is respectfully requested that the allegation under Point (i) be reconsidered and the Show Cause Notice on this ground be withdrawn. The Institute remains committed to complying with any further directions issued by the competent authority. (viii) In compliance with the updated norms, a new qualified Superintendent has been appointed without any delay. All relevant appointment documents and qualification certificates are enclosed for verification. (ix) The Institute has been contributing significantly to technical education and student welfare since 2014. Adequate infrastructure, qualified staff, and necessary facilities are available as per norms. In light of the above factual clarifications and corrective measures taken, it is humbly	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			requested that the Show Cause Notice be quashed and the matter be decided favorably. (x) The ITI has attached building layout plan of the ITI, ITI Building photos in which the name of the ITI is written, qualification documents of the appointed Principal for ITI 10. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. 11. The concerned State Directorate and RDSDE have conducted the joint inspection on 19.05.2026 and following are the observations of the Joint Inspection committee: (i) Recently added equipment bill not present before inspection team (ii) Dead Stock Register poorly maintained, entries are not verified not any issuer details. (iii) Raw Materials Register not maintained. (iv) Only one CITS qualified instructors	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(v) No trainees physically present on day of inspection (vi) In IT Lab computers were in poor condition without LAN connectivity. (vii) Drawing Hall not available. (viii) According management paramedical College being run on second floor, ground and first floor being used for ITI with separate gate. 12. Joint inspection committee recommended- Electrician 4(2+2). 13. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks: a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 06.03.2026, the following deficiency was again observed which was recorded in earlier Joint Inspection: b) A Paramedical College being run in the same building. c) Earlier during joint inspection dated 18.09.2025, a Paramedical college and the ITI are	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			running under same building. 14. Furthermore, SCAA also observed that the following: (i) Electricity Bill not in the name of ITI. (ii) In IT Lab computers were in poor condition without LAN connectivity. (iii) Drawing Hall not available (iv) No Separate Electricity Connection for the ITI. 15. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4 of MoM) for deficiencies observed. 16. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of NOC obtained for running Paramedical college in the same ITI premises and with geo tagged photos of separate ITI gate and paramedical college gate. Geo-tagged photographs of the institute infrastructure and location, separate Electricity bills for both and any other	

Signed By: K. S. Pravinbhai Patel
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 17. The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". 18. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 19. The minutes of 31th SCAA meeting were issued on 08.07.2026. 20. The ITI's compliance reply was received via email on 20th July, 2026. a) With reference to the Show Cause Notice cited above, a point-wise response and compliance report is hereby submitted on behalf of Suparshva Private ITI, Gram-Phagodia Wala, Post-Bad Ke Balaji, Ajmer	

Signed By: KETANK DUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Road, Jaipur, Rajasthan. b) The institute is managed by "Jai Shree Rama Krishna Shikshan Evam Samajik Vikas Sansthan/Samiti, Jaipur" (registered in 2010) and has been successfully operating since 2014 in full compliance with prescribed guidelines and regulations. c) Equipment Bills: All required training equipment, machinery, and teaching aids were physically present at the institute during the inspection, as verified in the inspection report. The physical equipment along with the original purchase and GST bills are maintained in official records and are enclosed for verification. d) Dead Stock Register: The Dead Stock Register was maintained in the institute's records. All unverified entries have since been fully updated, verified, and duly signed with issuer details. e) Raw Materials Register: Raw material records were	

Signed By: KETANK DWA
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			previously maintained in digital format. Following directions from the inspecting officer, a dedicated physical Raw Materials Register has been prepared and updated up to date. f) CITS Qualified Instructors: As per the initial requirement for operating 4 Electrician units (2+2), a minimum of one CITS-qualified instructor was deployed. Upon instructions from the inspecting officer, an additional CITS-qualified instructor was immediately appointed. g) Trainee Presence on Inspection Day: The inspection took place during the first shift, in which no students were enrolled. Trainees are enrolled exclusively in the second and third shifts, and their attendance is regular (currently undertaking second-year examinations). The attendance register is enclosed. h) IT Lab Condition & Connectivity: The IT Lab is fully functional. All computers have been	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			repaired and restored to optimal working condition, and high-speed LAN/internet connectivity has been re-established. i) Drawing Hall Availability: As per updated NCVT norms, regular classrooms are permitted for Engineering Drawing instruction, or the requirement has been revised. The space was accordingly designated as an extra classroom. However, if explicitly required, the institute assures full compliance to designate or restore a dedicated Drawing Hall immediately. j) Operation of Paramedical College in the Same Building: The society operates two separate institutes within the same building structure, utilizing entirely separate entries and floors: k) Suparshva Private ITI operates exclusively on the Basement Floor and Ground Floor with a Separate Building Front Gate, ensuring no disruption to training quality.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			l) The Paramedical College operates on the First Floor with a Separate Side Staircase Gate. m) Both institutes have been functioning independently and successfully since 2014-15 without mutual hindrance. n) Prayer / Request Considering the availability of all core infrastructure, equipment, and qualified staff, as well as the educational interests of trainees in the region, it is requested that the point-wise clarification be accepted, the inspection team's remarks be resolved, and the proceedings be dropped. The institute remains committed to complying with all official directives.	
9.	Shri Govind Private Industrial Training Institute 302/715 Khora Bisal, The. Amer Benad Road, Dist. Jaipur Rajasthan MIS Code - PR08001364	1. Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted the persistent non-compliance by the ITI. During the Joint Inspection dated 23.06.2025, the ITI was found closed and the

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: (i) ITI was FOUND CLOSED. (ii) The ITI owner refused for inspection. (iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: (i) ITI found closed during inspection: Classes were ongoing with trainees present on 23.06.2025. The main gate was closed due to mandatory directives ("bandh") from the Joint Private ITI Union (Sangh/Yunion).	owner refused to permit the inspection. 2. SCAA further noted that during the Joint Inspection dated 06.05.2026, the land was found to be agricultural land without any conversion certificate, experience certificates of instructors other than the Principal were not available, machinery and equipment were found defective, and Govind Public School was found functioning in the same building as the ITI. The SCVT Member accordingly recommended that no trade/unit be continued and that the ITI be de-affiliated. 3. SCAA noted that the ITI was thereafter granted a final 15-day opportunity, and in its reply dated 25.07.2026 claimed to have obtained a land conversion certificate and Fire Safety Certificate, upgraded the electricity load, repaired the machinery, upgraded the Drawing Hall, and shifted the ITI and Govind Public School to separate buildings with separate entrances. However, on examination of the documents and

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(ii) Owner refused inspection: The owner declined due to the same union-imposed obligations/directives on that date. (iii) School running in the same ITI premises: A school exists on site, but the ITI building/premises is separate from the school's. Attached photos prove the distinct buildings and premises for both. 10. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. 11. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee: (i) Building land is on agricultural land and conversion certificate was not available. (ii) Experienced certificate of all instructors was not available except principal (iii) DC Compound motor with starter and	photographs furnished, SCAA observed that: (i) The land conversion certificate and Fire Safety Certificate have been issued by the Gram Panchayat and not by the competent authority. (ii) The photographs do not establish that the Drawing Hall has been upgraded as per the prescribed norms. (iii) No photograph showing a separate entrance of the ITI has been furnished; the photograph submitted is of the entrance of Govind Public School. Thus, the claim that the ITI and the school function in separate buildings with separate entrances remains unsubstantiated. 4. SCAA observed that the issue of co-location with Govind Public School remains unresolved, the ITI continues to be in non-compliance with the prescribed Affiliation Norms, and the claimed compliance has not

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			switch was not in working (iv) Major machinery working except s.no 142 (v) Some machines were not in working condition. (vi) Govind Public School was running in same building. (vii) The Joint inspection committee not recommended for any trade and units due to following reason: (viii) since electricity bill is not as per norms and land is not as per norms so not recommended for any trade any unit-comment by SCVT member. 12. The matter was deliberated in the 31st SCAA meeting, and SCAA also observed the following based on the joint inspection committee recommendations: a) Building land is on agricultural land and conversion certificate was not available. b) Electricity bill is in the name of Shri Govind Shiksha Samiti (total 7 KW). c) Govind Public school and ITI both are running in the same building.	been substantiated. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			d) Drawing hall available but not as per norms. e) Fire safety Certificate is not available. f) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed and also on the above SCAA observations. g) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			h) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 13. The minutes of 31th SCAA meeting were issued on 08.07.2026. 14. The ITI's compliance reply was received via email on 25th July, 2026. With reference to the Joint Inspection conducted on 08.05.2028 and the subsequent SCAA meeting, please find below the point-by-point replies to the observed deficiencies along with supporting evidence: a) Joint Inspection Committee Points & Responses : 5. Land Conversion: Land falls under	

Signed By: K. PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Gram Panchayat jurisdiction. Land conversion certificate (non-educational to educational) issued by Gram Panchayat Officer is attached. c) Instructor Experience Certificates: All certificates were shown during inspection; geo-tagged photos of all instructors' experience certificates are now attached. d) DC Compound Motor & Starter (S.No. 142): It was under maintenance during inspection. It has been fully repaired and is operational (video proof attached). e) Machinery Status: Except for S.No. 142, all machines were working during inspection. Presently, 100% of machinery is operational (video attached). f) Govind Public School Premise: School and ITI operate in separate buildings with separate entrances. Geo-tagged photographs proving independent facilities are re-attached. g) SCAA Meeting Points & Responses :	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Electricity Connection Load: Sanctioned electricity load has been upgraded from 7 kW to 10 kW (documented proof attached). h) Drawing Hall Norms: The Drawing Hall has been upgraded to strictly meet prescribed norms (geo-tagged photos attached). i) Fire Safety Certificate: Fire Safety Certificate issued by the local Gram Panchayat Officer is attached. j) In view of the complete compliance demonstrated above, ITI has requested to kindly accept this submission and clear the raised points.	
10.	L.J. Private ITI Village Shivadaspora, Chandlai Road, Tehsil-Chaksu, Dist.Jaipur - 303903, Rajasthan MIS Code - PR08001719	1. Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder 06.02.2025. 3. The reply dated 26.01.2025 was received from the ITI.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI had not facilitated a proper Joint Inspection, having refused inspection on 24.06.2025 citing a strike.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. a) During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 5. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 6. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 7. The reply to the SCN was received on 11.01.2026. 8. In its reply the ITI submitted the following: (i) Our college is running as per NCVT rules, still if the department has any kind of objection then they can inspect us, we are ready for it. 9. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint	2. SCAA further noted that the fresh Joint Inspection conducted on 08.05.2026 observed several serious deficiencies, including: (i) Non-availability of the Building Certificate. (ii) Sanctioned electricity load of only 5 kW. (iii) Non-availability of experience certificates of staff, with physical staff attendance records available only up to 2024-25. (iv) Several prescribed machines missing and several others non-functional. (v) Computer lab not conforming to the prescribed norms and absence of a Drawing Hall. (vi) Non-availability of the Fire Safety Certificate. 3. SCAA noted that the Joint Inspection Committee did not recommend continuation of any trade/unit of the ITI, and that despite being granted a final 15-day show-cause opportunity, with a specific requirement to

Signed By: KETANKUMAR
PRAVINBHADRA
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			inspection of the ITI to verify its functioning as per prescribed norms. 10. The concerned State Directorate and RDSDE have conducted the joint inspection on 08.05.2026 and following are the observations of the Joint Inspection committee: (i) Building Certificate not available. (ii) Electricity sanctioned power 5 kw (iii) No experience certificate provided for staff. (iv) Physical staff attendance available till 24-25 (v) Machinery-s.no.147,159,160,161,163,164,165 154, not available (vi) Machinery 140,141,142,143 not in working condition (vii) The computer lab was not as per norms (viii) Drawing hall not available (ix) The joint inspection committee Not recommended for any trade and any unit. 11. The matter was deliberated in the 31st SCAA meeting and SCAA gave following remarks: a) Based on the recommendations of	submit documentary evidence including geo-tagged photographs of operational machinery and infrastructure, the ITI has not submitted any reply. 4. SCAA observed that no explanation or documentary evidence establishing compliance has been furnished and the deficiencies are serious and wide-ranging, affecting the overall functioning of the ITI. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 08.05.2026 severe deficiencies as mentioned observed and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed. c) Furthermore, SCAA also observed that the Fire safety Certificate is not available in the ITI . d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. e) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>” f) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 12. The minutes of 31th SCAA meeting were issued on 08.07.2026.	



Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			13. ITI has not submitted the show-cause reply within stipulated time period.	
11.	Brijpal Private Industrial Training Institute Village- Relu, Kathumer, (Alwar)- 321605 MIS Code - PR08000044	1. Fitter - 2(1+1) 2. Electrician - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed: a) In Electrician and Fitter trades major shortage of tools, equipment and machinery as per syllabus were observed on the day of inspection. Also, some machinery was not in working condition and found rusty in condition. b) The top wooden surface of workbenches found in practical lab and were not suitable for practical purpose as per norms. c) The machinery was found to be not properly earthed.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the fresh Joint Inspection conducted on 13.05.2026 revealed serious deficiencies, including: (i) An expired lease document and non-availability of the Building Completion Certificate. (ii) Abnormally low electricity consumption. (iii) Absence of raw material registers and raw material in the labs, with staff records available only for the Principal and the Electrician instructor. (iv) Most machinery non-functional, hand tools rusted, non-functional electrical panels and a generator in poor condition. (v) Inadequate water facilities and overlapping lab areas.

Signed By: KETANK PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) The Fitter trade has been operational since 2006 as per prescribed norms, and all required machinery is duly installed and functional. Some additional industrial equipment has recently been procured and is being utilized during practical training. The Electrician trade has been operational since 2010 as per DGET norms, and all machines/equipment are installed and operational. Minor issues relating to certain monitors/tools have already been rectified. b) The wood-working surface related deficiency has been rectified. The wood-working surface has	(vi) Complete absence of fire safety and machine safety arrangements, including fire extinguishers, fire buckets, machine safety guards and machine earthing. (vii) Non-availability of the Drawing Hall and Fire Safety Certificate. 2. SCAA further noted that the Joint Inspection Committee did not recommend continuation of any trade/unit of the ITI, and that despite being granted a final 15-day show-cause opportunity, the ITI has not submitted any reply. 3. SCAA observed that no explanation or evidence of compliance has been furnished and the deficiencies are serious and wide-ranging, affecting the overall functioning and safety of the ITI. Therefore, all trade/units of the ITI, namely Fitter - 2(1+1) and Electrician - 2(1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEW
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			been repaired and is now fully functional. A photograph of the repaired surface is enclosed. c) Calibration and proper arrangement of the machinery have been completed. A supporting photograph is enclosed. 10. In view of the above compliance and rectifications, it is respectfully requested that the same may kindly be considered and the matter be resolved. 11. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. 12. The concerned State Directorate and RDSDE have conducted the joint inspection on 13.05.2026 and following are the observations of the Joint Inspection committee. a) lease document validity expired in 4 August 2026, but rent lease member Sh. Bhim Singh is now not currently member of society b) BCC not available	

 15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			c) Very low Electricity consumption in every month d) latest added new tools and machinery bill not available as per new tool list e) raw material registers not available and not available any types of raw material in fitter and electrician lab for practical performed f) only 4 staff details are available only principal and electrician instructor. g) Most of the machineries are not working properly and most of the hand tool are rusted and work bench are not available as per norms h) Mostly machinery are not working and lathe machine attachments for lathe operations are not available and mostly electrical panel not functioning properly. i) DG set generator was in very bad condition. j) Water facilities not available and very poor condition k) Both labs areas are overlapping l) only three laptops are working out of 5 laptops	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			m) All machineries are not working properly and lathe machine are not at all. attachments for lathe machine operations are available. all electrical panel not functioning properly and all hand tools are having n) No fire extinguisher no fire buckets no safety guard on machinery no earthing of machines o) The joint inspection committee not recommended any trade and unit of the ITI. 13. The matter was deliberated in the 31st SCAA meeting and gave following remarks: a) Based on the recommendations of the Joint Inspection Committee, SCAA observed that during Joint Inspection dated 13.05.2026 severe deficiencies as mentioned observed which were not recorded in earlier Joint Inspection and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			defeating the sole objectives of the CTS. b) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team in column (4) for deficiencies observed. c) Furthermore, SCAA also observed that the Drawing Hall and Fire safety Certificate are not available in the ITI. d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			annexures relied upon in the submission. e) The reply must reach to the DGT within 15 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>" f) In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 14. The minutes of 31th SCAA meeting were issued on 08.07.2026. 15. ITI has not submitted the show-cause reply.	
12.	Sahil Private ITI V.P.O. Dhodhsar, Via Govindgarh, Dist. Jaipur-303712 MIS Code - PR08001718	1. Electrician - 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further a joint inspection of the ITI was conducted	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the fresh Joint Inspection conducted on 06.05.2026 recorded severe deficiencies, including:

Signed By: K. Pravin Bhal Patel
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			on 25.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was FOUND CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) The joint inspection scheduled for 25.06.2025 by RDSDE and state-level inspection team could not occur as the institute was closed due to a legitimate strike by the Rajasthan State ITI Union, of which the institute is an active member. b) The closure followed the union's collective decision, not due to any deficiencies, irregularities, or lack of cooperation. c) The strike has ended, and all educational/administrative work resumed.	(i) Absence of the Building Completion Certificate. (ii) An electricity bill submitted in the society's name, which was found to be suspect/fake upon online cross-verification. (iii) Only 3 staff present, with only 1 CITS-trained. (iv) Major machines without electric connection and running only on a DG set; only 3 machines working, with none of the new-syllabus Electrician machines available. (v) Substandard amenities and an unsigned building map. (vi) PCs in the IT lab without electricity connection and no Drawing Hall. (vii) No Fire Safety Certificate, a non-working fire extinguisher, and no staircase railing or shock-proof mats. 2. SCAA further noted that the Joint Inspection Committee did not

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ative activities are now normal. d) Requests rescheduling of the inspection with full cooperation assured. e) Urges reconsideration of any rejection/de-affiliation decision based solely on the missed inspection, in line with natural justice principles. 10. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. 11. The concerned State Directorate and RDSDE have conducted the joint inspection on 06.05.2026 and following are the observations of the Joint Inspection committee. a) BCC was not available. b) 7.50 KW load electric meter available in the name of society. only one-month bill was presented which seems fake after checking same online. c) Only three staff were present only one instructor was CITS trained. academic documents available only three staff	recommend any trade or unit of the ITI, and that despite being granted a final show-cause opportunity of 15 days, the ITI has not submitted any reply at all. 3. SCAA observed that no explanation or evidence of compliance has been furnished and the deficiencies found on inspection are serious and wide-ranging, including the suspect electricity bill. Therefore, all trade/units of the ITI, namely Electrician - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and appointment letters available for 6 staff d) No electric connection on major machines. 3 machines were working with DG set. no name plates or tags on machines and lab also do not have any name plate e) Only three machines were working. new machines added in new syllabus of Electrician were not available. f) Amenities not as per norms. g) Total 500 sqr. original map was not signed by any competent authority h) Only five PCs was available in IT lab without electricity connection i) No drawing hall available j) No Fire safety certificate is available. fire extinguisher not working. no railing on staircase. k) No plastic shock proof mats available in labs for prevention of electric shocks. l) The joint inspection committee not	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended any trade and unit of the ITI. 12. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under: a) SCAA noted that during the earlier Joint Inspection conducted on 25.06.2025, the ITI was found closed. The 27th SCAA, in adherence to the principles of natural justice, granted a final opportunity to the ITI and decided to conduct a fresh Joint Inspection to verify its functioning as per prescribed norms. b) SCAA observed that during the Joint Inspection conducted on 06.05.2026, several deficiencies were observed, which could not be verified earlier as the ITI was found closed during the Joint Inspection scheduled on 25.06.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			c) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed. d) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. e) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice. 13. ITI has not submitted the show-cause reply within the stipulated time period.	
13.	Shri Ganesh Private Industrial Training Institute Bhagwati Nagar, Near Bad Ka Ped, Lalchandpura Road, Jhotwara Dist. Jaipur Rajasthan MIS Code - PR08001444	1. Electrician - 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: a) ITI was FOUND CLOSED. b) No documents produced by ITI	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the fresh Joint Inspection conducted on 07.05.2026 revealed serious deficiencies, including: (i) A lease deed executed at an address different from the ITI's affiliated address. (ii) The electricity bill produced in the name of the ITI which, upon online verification of the K-number, was found to pertain to

Signed By: KETANK PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			representative for inspection. c) The tin-shed workshops were shown only from the outside by the ITI representative. The institute appeared to be non-operational for a long time. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) ITI was FOUND Closed-Surprise inspection occurred when most trainees were at industry for practical training (on-the-job). Invitation letter from industry (Mach Unitech Systems) for trainee training is attached as proof. b) Some staff on leave, but most present; staff attendance register - copy attached. c) No documents produced by ITI	a different institute, namely Ganpati ITI. (iii) Machinery bills available only for old machinery, with none of the machines prescribed under the new syllabus available. (iv) Complete absence of trainee records. (v) Non-availability of the Fire Safety Certificate. 2. SCAA further noted that the Joint Inspection Committee did not recommend continuation of any trade/unit of the ITI, and that despite being granted a final 15-day show-cause opportunity, the ITI has not submitted any reply. 3. SCAA observed that no explanation or documentary evidence establishing compliance has been furnished, and the deficiencies are serious, particularly the mismatch in the lease address and the electricity bill found to pertain to another institute. Therefore, all trade/units of the ITI, namely Electrician - 12(4+4+4), are hereby de-affiliated. No admissions in these

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			representative for inspection-Most requested documents were shown to the inspection team during the visit. Institute is ready to provide any remaining/future required documents. d) Tin-shed workshops shown only from outside; - institute appeared non-operational for long time Representative allowed lab/workshop inspection is continuously operational; recent lab photographs attached as evidence. Ready for future inspection of labs by team. 10. The matter was deliberated in the 27th SCAA meeting which was held on 06.03.2026, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. 11. The concerned State Directorate and RDSDE have conducted the joint inspection on 07.05.2026 and following are the observations of the Joint Inspection committee. a) Attested copy of lease deed in f/o innovative education society is being attached but the address in lease deed is different from the	trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKHUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ITI address. lease is valid for 15 yrs valid till 31 March 2029. b) BCC available for lessor BD memorial Kalyan Sansthan c) Produced bill was in the name of Shri Ganesh ITI but after checking K number online the connection was shown in favor of Ganpati ITI, therefore produced bill seems fake d) Machines bills are available only for old machines e) All available machines as per old syllabus were properly installed but no new machine available as per new syllabus. f) No trainees record available. g) The total built-up area of building is 2620 square meter (including basement plus three additional floors) additional two separate workshops was available apart from total 2620 built up area. h) Drawing Hall available but not shown in map i) The joint inspection committee not recommended any	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			trade and unit of the ITI. 12. The matter was discussed in the 31st SCAA meeting and the SCAA remarks/decision are as under: a) SCAA noted that during the earlier Joint Inspection conducted on 23.06.2025, the ITI was found closed, no documents were produced, and the institute appeared to have been non-operational for a long time. The 27th SCAA, in adherence to the principles of natural justice, granted a final opportunity to the ITI and decided to conduct a fresh Joint Inspection to verify its functioning as per prescribed norms. b) SCAA observed that during the Joint Inspection conducted on 07.05.2026, several deficiencies were observed, which could not be verified earlier as the ITI was found closed during the Joint Inspection scheduled on 23.06.2025. Based on the material facts available on record, it is evident that the concerned ITI has violated the	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. SCAA noted with particular concern that the electricity bill produced by the ITI appeared to be fake, as verification of the K-number online revealed the connection to be in the name of a different entity, and that the address in the lease deed was different from the ITI's affiliated address. c) SCAA also observed that Fire Safety certificate is not available. d) However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team in column (4) for the deficiencies observed. e) The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			equipment with geo-tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. f) The reply must reach the DGT within 15 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 31st SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>". In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.	



Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			13. ITI has not submitted the show-cause reply within stipulated time period.	
14.	Technotime Private Industrial Training Institute Chak S.P.G.M, Anupgarh, District-Ganganagar, Rajasthan-335701 MIS Code - PR08000740	1. Electrician - 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN issued 08.01.2025; ITI replied 23.01.2025. 3. Joint inspection conducted 07.08.2025. IC recommended: Electrician - 2(1+1). 4. Deficiencies: 1) 7 instructors less experience, 3 no experience 2) map incorrect re room sizes, Annexure-III wrong 3) 16 rooms per lease/map, 6 locked/misused 4) not operating per layout 5) undersized infra (IT Lab/Store/Library/Classroom) 6) negligible raw material spending 7) low electricity 8) ED Hall unavailable 9) workshop tin-shed covered 10) >30% machinery deficient, many not working. 5. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1). 6. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(1+1+2). 7. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the joint verification conducted by RDSDE Rajasthan and the State Directorate on 28.07.2026 found that 6 of the 10 deficiencies noted against the ITI remain unresolved or only partially resolved, including: (i) Instructor experience certificates still improper. (ii) Annexure-III still not provided. (iii) The room-count discrepancy and locked rooms persisting. (iv) The IT Lab/Store/Library/Classroom still undersized. (v) Raw material spending still undocumented. (vi) The workshop still covered with a tin shed. 2. SCAA observed that the non-compliance is persistent and substantial despite

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. RDSDE/State remarks (recent communication): 9. Joint verification by RDSDE Rajasthan (28.07.2026). MIXED RESULTS - 6 of 10 items still deficient: a) Instructor experience - STILL DEFICIENT: certificates improper, no dispatch no./date b) Map/Annexure-III - STILL DEFICIENT: Annexure-III not provided c) Room count (16 vs 17), 6 locked - STILL DEFICIENT: discrepancy persists, rooms still locked d) Not operating per layout - RESOLVED: building now per approved map e) Undersized IT Lab/Store/Library/Classroom - STILL DEFICIENT: computers/library materials still missing f) Negligible raw material spending - STILL DEFICIENT: no documents provided g) Low electricity - IMPROVED: DG set, diesel bills, indent book provided h) ED Hall unavailable - PARTIALLY	repeated opportunities. Therefore, all trade/units of the ITI, namely Electrician - 4(2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			RESOLVED: hall available, furniture still missing i) Tin-shed workshop - STILL DEFICIENT: still tin-shed covered j) >30% machinery deficiency - RESOLVED: machines found working 10. CONCLUSION: 6 of 10 deficiencies remain unresolved or only partially resolved.	
15.	Ch Mota Ram Meel Memorial Private ITI Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, District-Ganganagar, Rajasthan-335804 MIS Code - PR08001750	1. Electrician - 2(1+1) 2. Plumber - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN issued 08.01.2025; ITI replied 23.01.2025. 3. Joint inspection conducted 05.08.2025. IC recommended: Electrician - 2(1+1). 4. Deficiencies: 1) all instructors untrained 2) some instructors less experienced 3) undersized infra (Plumber workshop/Principal office/Clerk office/Staff room/ED Hall) 4) 10% machinery missing (Electrician) 5) some machinery not working, 6-30% missing (Plumber) 6) low raw material spending 7) low electricity consumption.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the joint verification conducted by RDSDE Rajasthan found that 5 of the 7 deficiencies noted against the ITI remain unresolved or only partially resolved, including: (i) 2 instructors still without proper documents. (ii) The Plumber workshop still undersized. (iii) Several machinery/tool-list items still unavailable in both the Electrician and Plumber trades.



Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			5. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1). 6. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for Electrician-1(0+0+1) & Plumber-3(1+1+1). 7. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA. 8. RDSDE/State remarks (recent communication): 9. Joint verification by RDSDE Rajasthan. MIXED RESULTS - 5 of 7 items still deficient: a) Untrained instructors - PARTIALLY RESOLVED: 4 now trained; 1 Electrical + 1 Plumber instructor still lack documents b) Instructor experience - RESOLVED: confirmed per norms c) Undersized infrastructure - PARTIALLY RESOLVED: most areas per norms, but Plumber workshop still undersized (115 sqm vs required 120 sqm) d) 10% machinery missing (Electrician) - STILL DEFICIENT: Tool List items 78, 79, 101, 119 still unavailable	(iv) Raw material spending still undocumented. 2. SCAA observed that the non-compliance is persistent and substantial despite repeated opportunities. Therefore, all trade/units of the ITI, namely Electrician - 2(1+1) and Plumber - 2(1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			e) Machinery shortage (Plumber) - STILL DEFICIENT: Tool List items 17, 55, 56, 58, 63, 67, 68 still unavailable f) Low raw material spending - STILL DEFICIENT: no supporting documents provided g) Low electricity - RESOLVED: consumption increased, bill attached 10. CONCLUSION: 5 of 7 items remain unresolved or only partially resolved.	
16.	Smt Ganga Dixit Pvt. ITI Anoopgarh, Road, Gurunagar, Srivijaynagar, District-Ganganagar, Rajasthan-335704 MIS Code - PU08001906	1. Electrician - 4(2+2) 2. HSI - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN issued 08.01.2025; ITI replied 24.01.2025. 3. Joint inspection conducted 08.08.2025. IC recommended: Electrician - 2(1+1). 4. Deficiencies: 1) >40% machinery missing 2) many machines not working 3) raw material/electricity negligible 4) undersized infra (principal room/library/office) 5) ED Hall/furniture unavailable 6) 2nd floor tin-shaded, poor condition 7) lease/agreement not proper dated 8) Annexure III filled 9)	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that HSI - 2(0+1+1) trade/units already stand de-affiliated vide DGT order dated 17.01.2025, and that the ITI has, in any event, submitted a voluntary self-closure request for the HSI trade on 27.07.2026, which SCAA accepts. 2. As regards the Electrician trade, SCAA noted that the joint verification conducted by RDSDE Rajasthan found that 10 of the 11 deficiencies noted against the ITI remain

Signed By: KETANKUMAR
PRAVINBHAWANI
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			instructors less experienced, non-CITS 10) Principal/2 instructors docs not attached 11) DD not given for HSE affiliation, >90% HSI machinery NA. 5. HSI - 2(0+1+1) already de-affiliated vide DGT order dated 17.01.2025. 6. 10th SSDEC (23.09.2025): recommended Electrician - 2(1+1). 7. 25th SCAA: ITI to remove deficiencies; SSDEC to clarify no recommendation for remaining Electrician-4(1+1+2) & HSI-1(1+0). 8. 11th SSDEC (10.06.2026): SCN reply not satisfactory; proposal for de-affiliation forwarded to SCAA. 9. RDSDE/State remarks (recent communication): 10. Joint verification by RDSDE Rajasthan. ALMOST ENTIRELY UNRESOLVED - 10 of 11 items still deficient: a) >40% machinery missing - STILL DEFICIENT: items 127,134,135,165,166 unavailable b) Machines not working - STILL DEFICIENT: items 140,143,146,153 not working c) Raw material/electricity negligible - STILL DEFICIENT:	entirely unresolved, including: (i) Missing/non-working machinery. (ii) Negligible raw material spending and electricity consumption. (iii) Undersized infrastructure, absence of the Engineering Drawing Hall and an unrepaired tin-shaded second floor. (iv) Absence of a valid lease/registered rent agreement. (v) Annexure-III not provided at all. (vi) Absence of CITS documents for instructors and missing documents for the Principal and instructors. 3. SCAA observed that the non-compliance is near-total and persistent despite repeated opportunities. Therefore, the Electrician - 4(2+2) trade/units of the ITI are hereby de-affiliated, and the ITI stands de-affiliated in its entirety. No admissions shall be permitted in the

Signed By: KETANKUMAR PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			registers missing; electricity still negligible d) Undersized infra - STILL DEFICIENT: IT lab/library still missing (only workshops/theory rooms adequate) e) ED Hall/furniture unavailable - STILL DEFICIENT: no improvement f) 2nd floor tin-shaded, poor condition - STILL DEFICIENT: no repair done (video attached) g) Lease/agreement not proper dated - STILL DEFICIENT: no valid lease/registered rent agreement h) Annexure III wrongly filled - STILL DEFICIENT: not provided at all i) Instructors non-CITS - STILL DEFICIENT: CITS documents not provided j) Principal/2 instructors docs missing - STILL DEFICIENT: none provided k) DD not given for HSE; >90% HSI machinery NA - ITI submitted self-closure request for HSI trade (27.07.2026)	institute from the Academic Session 2026-27 onwards.

Signed By: KETANK GUPTA
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			11. CONCLUSION: 10 of 11 deficiencies remain unresolved; only HSI resolved via voluntary closure.	
17.	Carrier Develop Pvt. ITI G-151, Brij Industrial Area, Bharatpur-321001 MIS Code - PR08001018	1. Electrician - 4(2+2) 04 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Welder - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a) Mechanic Diesel trade: Shortage of tools equipment and machines as per latest trade tool list. b) Welder trade: Shortage of tools equipment and machines as per latest trade tool list. 5. However, inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) 04 and Fitter – 4 (2+2) 6. Based on the findings of the joint inspection, the SSDEC, in its 9 th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 4 (2+2) and Fitter – 4 (2+2) and not	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the joint verification conducted by RDSDE Rajasthan on 27.07.2026 confirmed that the required tools, equipment and machinery for the Welder trade were available as per the standard tools list. 2. SCAA further noted that the tools, equipment and machinery against Sr. Nos. 70, 71, 72, 73, 90, 91, 92, 122, 123, 166, 175, 178, 179, 180, 181, 184, 188, 190, 191, 197, 198, 200 and 201 of the Mechanic Diesel trade were not available, and that RDSDE has accordingly recommended continuation of Welder - 1(1+0) and has not recommended continuation of Mechanic Diesel - 2(1+1). 3. SCAA decided to allow the ITI to admit trainees for the Academic Session 2026-27 in Welder - 1(1+0)

Signed By: K. ANAND
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended for affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). 7. Thereafter, the matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 wherein SCAA decided the following : a) SSDEC to provide reasons for de-affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). b) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 8. RDSDE/State remarks (recent communication): 9. Joint verification by RDSDE Rajasthan (27.07.2026). The details of joint verification status are as below: a) Tools, equipment and machinery of Welder trade are available as per standard tools list. b) Tools, equipment and machinery of Mechanic Diesel trade as per standard tools list Sr.no 70,71,72,73,90,91,92, 122,123,166,175,178, 179,180,181,184,188, 190,191,197,198,200,	trade/units. Therefore, the Mechanic Diesel - 2(1+1) trade/units of the ITI are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR,
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and 201 were not available . 10. RDSDE report explicitly recommends Welder 1(1+0) for continuation and not recommended Mechanic Diesel-2(1+1) due to shortage of above tools, equipment and machinery in the trade.	


15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026