

DGT-Aff011/4/2026-O/o DIR (TC) [E-file 79811]

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,

चाणक्यपुरी, नई दिल्ली – 110023,

दिनांक : 15 अक्टूबर 2026

To

The State Director (Dealing with Craftsmen Training)
Madhya Pradesh.

Subject: Issuance of De-Affiliation Order of Private ITIs of Madhya Pradesh, as discussed in 35th Standing Committee on Accreditation and Affiliation in its meeting held on 20.08.2026 and 21.08.2026- regarding.

Madam/Sir,

The de-affiliation matters for the trades & units for the ITIs of **Madhya Pradesh** State were discussed as Agenda Item No.2 of the Meeting.

2. Based on the State Skill Development and Entrepreneurship Committee's (SSDEC) recommendations and joint inspection reports, the 35th SCAA recommended de-affiliation of trades/units of ITIs w.e.f. session 2026-27, and same has been approved by the Competent Authority. The details of the ITIs are attached at **Annexure - 1**.

3. The recommendation of de-affiliation of trades & units of ITIs, as mentioned in attached list must be read in conjunction with the Minutes of 35th SCAA meeting issued on 21.09.2026.

4. The Madhya Pradesh State Skill Development and Employment Generation Board, vide letter No. 5404 dated 08.10.2026, has reported that 1,666 trainees have been admitted in 16 of the 18 ITIs listed at **Annexure - 1**. Accordingly, Those ITIs who have admitted trainees in the concerned trade(s)/unit(s) during the current academic session, as on the date of issuance of this de-affiliation order, shall be permitted to continue training, subject to compliance with the applicable rules, norms and directions issued by DGT from time to time.

5. However, no fresh admissions shall be permitted in the de-affiliated trade(s)/unit(s) with immediate effect. Any admission made in the said trade(s)/unit(s) on or after the date of issuance of this office order shall not be recognised by DGT, and the trainees so admitted shall not be eligible to appear in the All India Trade Test (AITT). Upon completion of the prescribed examinations of all trainees already admitted and enrolled in the said trade(s)/unit(s), the respective ITIs shall be made inactive on the concerned portal.

This issues with the approval of Competent Authority.

Encl.: As mentioned

भवदीय,

Digitally signed by KETANKUMAR
PRAVINBHAI PATEL

Date: 2026.10.15 16:29:59 +05'30'

(केतन पटेल)


निदेशक, टी . सी अनुभाग

Copy for information to: -

1. Sr.PPS to DG, DGT, Delhi.

Signed By:KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

2. PPS to DDG (Affiliation).
3. DGT MIS Portal in-charge, DGT HQ, New Delhi, with the request to upload this order on DGT MIS Portal & update the data as recommendation please.
4. The Regional Director, RDSDE, Madhya Pradesh.
5. Concerned ITIs.




(अरुण कुमार गुप्ता)

उपनिदेशक टी . सी अनुभाग


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	Manthan Private ITI, Sehore Amlaha, District- Sehore, Madhya Pradesh- 466113 MIS Code - PR23000479	1. Electrician - 9(3+3+3) 2. Computer Operator and Programming Assistant - 3(1+1+1) 3. Draughtsman (Civil) - 3(1+1+1) 4. Welder - 3(1+2) 5. Fitter - 7(2+2+3) 6. Mechanic Diesel - 3(1+1+1)	1. The de-affiliation proceedings were initiated due to complaint regarding withdrawal of scholarship by submitting fake documents by the ITI. 2. SCN was issued to the ITI by the State Directorate on 09.05.2025 and the ITI replied to the SCN. 3. Thereafter, the complaint was inquired by a committee constituted by State Directorate and an inquiry dated 26.02.2025 was conducted by the Inspecting Members. 4. Further, the matter was discussed in 11 th SSDEC in its meeting held on 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 5. Accordingly, the Joint Inspection was conducted by RDSDE and State Directorate officials on 18.11.2025 in which following deficiencies were observed: a) The Joint Inspection revealed serious deficiencies across all key areas: essential statutory documents such as land records and Building Completion Certificate were not available; infrastructure and utilities were non-	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI was granted a final opportunity, vide 29 th SCAA dated 08.05.2026, to show cause as to why it should not be de-affiliated, based on the deficiencies observed during the Joint Inspection dated 18.11.2025 and the recommendation of the 12 th SSDEC, including: (i) Absence of essential statutory documents (land records, Building Completion Certificate). (ii) Non-compliant infrastructure with a single shared low-load electricity connection. (iii) Missing machinery bills, stock registers, staff appointment and attendance records. (iv) Absence of trainees and non-functional training activity. (v) Machinery not installed / not as

Signed By: KETANKUMAR,
PRAVINBHAI PATE
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			compliant, with a single low-load electricity connection shared with other institutions; critical records including machinery bills, stock registers, staff appointments, and student attendance were entirely missing; no Trainees were present and training activities appeared non-functional despite claims of online classes; most machinery across trades was either not installed, not as per revised syllabus, or found rusted and non-operational; workshop areas were below prescribed norms with structural issues like wall cracks, and facilities such as drawing hall and IT lab were absent; the campus was shared with other institutions, further violating norms; and basic safety requirements were unmet, with no fire safety certificate and non-functional extinguishers- collectively indicating that the ITI is largely non-operational and in serious violation of affiliation standards.	per revised syllabus / rusted and non-operational across most trades. (vi) Undersized workshops with structural defects. (vii) Absence of a drawing hall and IT lab. (viii) Campus shared with other institutions. (ix) Absence of a valid fire safety certificate, with non-functional extinguishers. 2. SCAA observed that the ITI did not avail the opportunity granted by the 29th SCAA. The deficiencies collectively establish that the ITI is largely non-operational and in serious violation of the prescribed Affiliation Norms. Therefore, all trade/units of the ITI, namely Electrician - 9(3+3+3), Computer Operator and Programming Assistant - 3(1+1+1), Draughtsman (Civil) - 3(1+1+1), Welder - 3(1+2), Fitter - 7(2+2+3) and Mechanic Diesel - 3(1+1+1), are hereby de-affiliated. No admissions in these

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The Joint Inspection Committee recommended the ITI for de-affiliation of all trades of ITI as ITI is not running as per norms. 7. SCN dated 03.12.2025 was issued to the ITI. 8. The ITI replied to the SCN on 13.12.2025. 9. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the reply of the ITI was considered but found unsatisfactory due to which the SSDEC recommended de-affiliation of the ITI for following reasons: a) Deficiencies reported by Joint Inspection Committee indicate that ITI is not imparting training to the Trainees. b) The reply from ITI is not satisfactory in various aspects such as sanctioned electricity load and unit electricity consumption, tools and equipment as per revised syllabus, as well as machineries and infrastructure etc. 10. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the marks of inspection team	trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: K. K. Kulkarni
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and the recommendations of the 12th SSDEC. 11. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 12. However, the ITI did not avail the opportunity given by 29th SCAA.	
2.	Shri Vishwakarma Private ITI, Gwalior O-4/152 Shatabdi Puram, D.D. Nagar, Gwalior (M.P.)- 474020 MIS Code - PU23000955	1. Electrician - 6(2+2+2) 2. Computer Operator and Programming Assistant - 2(1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI. 2. SCN was issued to the ITI by the State Directorate on 04.08.2025 followed by reminder dated 03.09.2025. Then the ITI replied to the reminder SCN. 3. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 4. Accordingly, the Joint Inspection dated 02.01.2026 was conducted by RDSDE and State officials. During the Joint Inspection, the ITI was not found at the location, hence the Joint Inspection Committee recommended de-affiliation of the ITI. 5. SCN dated 05.01.2026 followed by reminder SCN dated 19.01.2026 were	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that during the Joint Inspection dated 02.01.2026, the ITI was not found at the declared location, on the basis of which the Joint Inspection Committee had recommended its de-affiliation. 2. SCAA further noted that the ITI, in its earlier reply, had submitted an image of a different institute, namely Ramji Private ITI, Gwalior, as if it were its own workshop. 3. SCAA observed that despite claiming in its reply dated 21.06.2026 to have submitted geo-tagged photographs, videography of classrooms/laboratories /workshops, machinery photographs/videos,

Signed By: KETANKUMAR
PRAVINBHADRA
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			issued to the ITI by RDSDE. 6. The ITI replied to the SCN reminder on 21.01.2026. 7. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended de-affiliation of the ITI for following reasons: a) ITI in its reply has submitted image of other ITI i.e. Ramji Private ITI Gwalior Workshop. b) Also, ITI has not submitted any supporting document/s which explicitly proves the existence of ITI. This implicates that ITI does not exist. Therefore, SSDEC recommends for de-affiliation. 8. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 9. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its	electricity bills, staff list and attendance sheets, none of these key documents, including the electricity bill, land lease document and Building Completion Certificate, are in fact attached. Only a few photographs of machinery, a classroom and the principal's room have been furnished, and even the entrance of the ITI is not visible in the photograph submitted. 4. SCAA observed that the ITI has, on more than one occasion, failed to establish its existence and functioning at the declared location and has furnished misleading material in support of its case. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2) and Computer Operator and Programming Assistant - 2(1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: K. V. PATEL
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			reply on or before 23.06.2026. 10. The ITI replied to the SCN vide email dated 21.06.2026. In its reply the ITI submitted the following: a) The ITI stated that it has been operational since 2017 and has undergone regular inspections, during which it claims to have been found compliant with the applicable affiliation norms. b) Regarding the alleged denial of joint inspection dated 28.11.2025, the ITI submitted documentary evidence in support of its compliance, including: (i) Geo-tagged photographs of the institute building and infrastructure. (ii) Videography of classrooms, laboratories and workshops. (iii) Photographs/videos of tools and machinery, including their operation. (iv) Electricity bills to substantiate	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the use of machinery and equipment. (v) List of faculty/staff employed by the institute. (vi) Student attendance sheets. c) The ITI claimed that the submitted documents establish the proper functioning of the institute and assured that any further documents required would be furnished. d) It requested that the de-affiliation proceedings, if initiated, be dropped; alternatively, an opportunity of hearing may be provided before any adverse decision.	
3.	Sai Anushasan Private ITI, Jabalpur Near Sai Mandir Pushpak Nagar Adhartaal Jabalpur, Madhya Pradesh-482002 MIS Code - PU23000840	1. Computer Operator and Programming Assistant - 3(1+1+1) 2. Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1)	1. The de-affiliation proceedings were initiated due to complaint received against the ITI in DGT which was forwarded to State Directorate. 2. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN. 3. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA considered the reply dated 21.06.2026 furnished by the ITI in response to the final opportunity granted by the 29th SCAA, along with the explanations and documents submitted, with reference to the deficiencies observed during the Joint

Signed By: KETANKUMAR
PRAVINBHAI
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the ITI based on the reply submitted by the ITI. 4. Accordingly, the Joint Inspection dated 28.03.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed: a) ITI found closed at the time of Inspection. b) ITI was having COPA and Steno Hindi Trades. Below the name of ITI, Fitter, Electrician (both overpainted to hide) COPA and Steno & Secretarial (Hindi&English) was written. 5. The SCN dated 09.06.2025, followed by reminder SCN dated 14.07.2025 were issued to the ITI by RDSDE. 6. The ITI has submitted a copy of e-mail sent to RDSDE MP on 18.07.2025 regarding closure of the ITI at the time of inspection. 7. The committee has been informed that the trades were mentioned for their other ITI advertisement which they have overpainted. 8. Thereafter, again Joint Inspection of the ITI was conducted on 15.10.2025 where in following were observed:	Inspection dated 15.10.2025. 2. SCAA observed that the following deficiencies have not been satisfactorily explained and/or addressed: (i) The registered land lease document, which is mandatory as per the prescribed norms, has not been produced; only a 30-year rent agreement dated 14.10.2025 and an affidavit seeking to correct the area mentioned therein have been submitted. (ii) The electricity bills indicate monthly consumption of approximately 77–137 units (average about 115 units) during December 2025 to May 2026, and the maximum demand recorded is substantially lower than the sanctioned demand of 12 kW, which is not commensurate with the claimed regular functioning of the ITI with 46 trainees, including

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) Land Registration documents were not available, rent agreement dated 14.10.2025 for 30 years is available, however, area mentioned is 260 sqft meter. which is not valid. b) The committee has observed that the current power load consumption is significantly lower than what is required as per NCVT affiliation norms. c) Many bills are not having GST. d) The registers are not being properly maintained and authenticated. In the COPA trade register, there is no entry after 2016. e) Trainers are not having experience and CITS qualification as per DGT Norms. One COPA trainer having CITS qualification is appointed on 14.10.2025. f) The committee has observed that biometric attendance machine is available for the staff, however, the institute is not using it. The institute has been maintaining	38 trainees in COPA. (iii) The bill with GST details submitted pertains to equipment purchased after the Joint Inspection and does not address the deficiency regarding bills without GST details. (iv) Subsequent updating and authentication of the COPA register does not explain the absence of entries since 2016, nor establish that the records were maintained contemporaneously. (v) The Structural Stability Certificate furnished in place of the BCC raises concerns regarding its proper authentication and integrity, as the signatures are placed on a separate page and the signature of the counter-signing authority is placed above that of the issuing authority. (vi) Only the application for

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			attendance records manually through registers. g) The committee has observed that biometric attendance machine is available for the trainees; however, it is not being used. The institute has been maintaining attendance records manually through registers, however, registers are also not properly maintained. h) All the machineries were installed; however, wiring is not proper. i) The computers were not installed properly - dates were showing as 2014, no antivirus, no Ethernet connection. UPS is not connected to all the systems. j) Principal Office and Library were having 8.165 sqm area which is very less as per DGT Norms. In the name of library, only one almirah having old books were available. k) The BCC is not available and the building plan layout is not approved by Competent Authority.	issuance of the Fire Safety Certificate has been submitted; the requisite Fire Safety Certificate has not been produced. 3. SCAA observed that the ITI has not established compliance with the prescribed Affiliation Norms in respect of the matters remaining unresolved. Therefore, all trade/units of the ITI, namely Computer Operator and Programming Assistant - 3(1+1+1) and Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Visibility is very less in some areas. l) Teacher Records are not maintained properly. m) Safety measures: Fire safety certificate not available. n) The committee has made the following additional observations: o) The trainers and trainees were not present as per their shift. p) T&E bills and records are not maintained properly. q) Many desktops and CPUs were kept inside the almirah. r) Sanitary facilities: The committee observed that the basic amenities as drinking water and toilet is not in usable condition. 9. The Joint Verification Committee recommends for the de-affiliation of the ITI. 10. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) Deficiencies reported by Joint verification committee indicate	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation. 11. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 12. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 13. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following: a) The ITI has submitted the comprehensive reply with attached photos and documents such as- copy of electricity bill, affidavit copy for correcting the area related deficiency, photos of IT lab, trainees and trainers' records, fire safety certificate request letter, Copy of BCC, Building plan layout,	

Signed By: KETANK PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			etc with all clarifications.	
4.	New Anushasan Private ITI, Jabalpur Near Ravan Park , Near Chawla Dairy , Ranjhi Jabalpur (M.P.)-482011 MIS Code - PU23000946	1. Stenographer & Secretarial Assistant (English) - 3(1+1+1) 2. Fitter - 6(2+2+2)	1. The de-affiliation proceedings were initiated due to complaint received against the ITI in the DGT which was forwarded to State Directorate. 2. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN. 3. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI. 4. Accordingly, the Joint Inspection dated 27.03.2025 was conducted by RDSDE and State officials. During the Joint Inspection, the following were observed: a) The inspection revealed multiple deficiencies: the address in the rent agreement and electricity bill does not match the actual site; mandatory approvals such as Building Completion Certificate and approved layout plan are not available; electricity consumption is below prescribed norms with address discrepancies in bills; machinery	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA considered the reply dated 21.06.2026 furnished by the ITI with reference to the deficiencies observed during the Joint Inspection dated 16.10.2025 and observed that the reply does not satisfactorily address the following material deficiencies: (i) The rent agreement contains overwriting and repeatedly mentions “Sai ITI” instead of “New Anushashan Private ITI”; the affidavit subsequently furnished does not rectify the discrepancy in the underlying document, which goes to the identity of the ITI. (ii) The electricity bills indicate average monthly consumption of approximately 232 units during September 2025 to April 2026, and an average Maximum

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			bills are outdated (only from the time of affiliation); inventory and academic records, including dead stock, raw materials, student attendance, and student/teacher records, are either not maintained properly or unauthenticated; staff qualifications do not meet prescribed norms and biometric attendance is absent; required tools and equipment for Fitter trade are not available as per revised syllabus, with many tools found packed and essential facilities like UPS and projector non-functional; infrastructure is below norms, including inadequate library, IT lab (without internet), principal and staff rooms, and drawing hall lacking basic equipment; and safety compliance is poor, with no fire safety certificate and improper refill documentation—indicating significant non-compliance with affiliation standards. 5. The Joint Inspection Committee Disagree for continuation of affiliation	Demand of approximately 2.41 kW (range 1.672 kW to 3.392 kW) against a connected load of 17 kW, which has not been satisfactorily explained. (iii) The records submitted include lesson plans of the Electrician trade, which is not affiliated with this ITI, bearing the name of 'Anushashan Pvt. ITI', a separate ITI having the same owner. Such documents do not establish proper maintenance and authentication of the records of this ITI and are liable to mislead the authority. (iv) The Structural Stability Certificate furnished in place of the BCC raises concerns regarding its proper authentication and integrity, as the signatures are placed on a separate page and the signature of the counter-signing authority is placed

Signed By: KEFANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			due to mismatch in address and deficiencies observed 6. The SCN dated 14.05.2025, followed by reminder SCN dated 18.06.2025 were issued to the ITI by RDSDE. 7. Thereafter, again Joint Inspection of the ITI was conducted on 16.10.2025 wherein following were observed: a) The committee observed that while the address mentioned in the rent agreement and electricity bills is consistent, the rent agreement contains overwriting and repeated mention of "Sai ITI." b) Electricity consumption remains significantly below NCVT norms despite correct address details. c) Newly procured machinery as per revised syllabus is available and installed; however, wiring is improper. d) Registers have started being maintained but lack proper authentication. e) Instructors do not possess the required experience certificates and CITS qualification.	above that of the issuing authority. (v) The application dated 19.06.2025 for the Fire Safety Certificate is the same application earlier submitted in reply to the SCN; the requisite Fire Safety Certificate has not been furnished despite considerable time having elapsed. 2. SCAA observed that mere submission of applications or subsequent rectification measures does not, by itself, establish compliance, and that material deficiencies relating to the authenticity and adequacy of institutional records, utilisation of infrastructure, building safety documentation and fire safety continue to remain unaddressed. The deficiencies, considered cumulatively, establish non-compliance with the prescribed requirements. Therefore, all trade/units of the ITI, namely Stenographer & Secretarial Assistant (English) - 3(1+1+1) and Fitter - 6(2+2+2), are hereby


Signed By: KETANKUMAR,
PRAVINBHAI PATE
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			f) Biometric attendance systems for both staff and trainees are available but not in use, with attendance being recorded manually. g) Infrastructure is inadequate, with the library (5.24 sqm) and IT lab (16.81 sqm) areas falling short of prescribed norms; the IT lab also lacks proper Ethernet connectivity and wiring. Essential academic records such as lesson plans and check sheets are not properly maintained. h) The Building Completion Certificate and approved building plan are still not available, though an updated application without proper letterhead has been submitted to the Nagar Palika Nigam. i) Fire safety compliance is also lacking, with no certificate available despite a similar incomplete application; however, a fire extinguisher refill bill with GST has been submitted.	de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.


Signed By: KEYANK SHARMA
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

Serious irregularities were noted, including


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			presence of a trainee in a non-sanctioned Electrician trade and advertisement of non-approved trades (COPA and Electrician). k) Additionally, basic amenities such as drinking water and toilets were found to be in unusable condition. 8. The Joint Verification Committee recommends for the de-affiliation of the ITI. 9. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation. 10. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. The Minutes of the 29th SCAA were issued on 15.10.2026	

Signed By: K. K. Kulkarni
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 12. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following: a) The ITI has submitted the comprehensive reply with attached photos and documents such as- copy of electricity bill, affidavit copy for correcting the name related deficiency, photos of IT lab, trainees and trainers' records, fire safety certificate request letter, Copy of BCC, Building plan layout, etc with all clarifications.	
5.	Anushasan Private ITI, Jabalpur Plot No. 1203/20Near Sai Mandir,Pushpak Nagar Adhartaal Jabalpur M.P-482001. MIS Code - PU23000495	1. Fitter - 3(1+1+1) 2. Electrician - 3(1+1+1)	1. The de-affiliation proceedings were initiated due to complaint received against the ITI in the DGT which was forwarded to State Directorate. 2. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN. 3. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA considered the reply dated 21.06.2026 furnished by the ITI with reference to the deficiencies observed during the Joint Inspection dated 14.10.2025 and observed that the following deficiencies have not been satisfactorily addressed:

Signed By: KETAN KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the ITI based on the reply submitted by the ITI. 4. Accordingly, the Joint Inspection dated 26.03.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed: a) The inspection revealed major deficiencies: absence of key approvals (unsigned building plan, no BCC), incomplete rent agreement, and low electricity consumption; lack of updated tools and equipment as per revised syllabus; poorly maintained and unauthenticated records; absence of CITS-qualified and Employability Skills trainers; no biometric attendance system; inadequate machinery installation with unsafe wiring and operation; substandard infrastructure with insufficient space and poor visibility; deficient IT and drawing lab facilities; and non-compliance with safety norms, including absence of a fire safety certificate. 5. The Joint Inspection Committee Disagree for	(i) The electricity bills indicate monthly consumption ranging from 64.79 to 391 units (average approximately 210.67 units) during December 2025 to May 2026, with an average Maximum Demand of approximately 3.04 kW. The explanation regarding use of hand tools, periodic operation of heavy machinery and natural daylight/ventilation does not satisfactorily explain the low utilisation for an ITI running Electrician and Fitter trades. (ii) The ITI has acknowledged that certain records required additional signatures and verification seals. Subsequent updating, stamping and cross-verification by the Principal, and the subsequently implemented SOP, do not establish

Signed By: KETANKUMAR
PRAVINBHARTE
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			continuation of affiliation based on the deficiencies observed during inspection. 6. The SCN dated 14.05.2025, was issued to the ITI by RDSDE. 7. Thereafter, again Joint Inspection of the ITI was conducted on 14.10.2025 wherein following were observed: a) The committee noted that despite a revised rent agreement and partial compliance such as procurement of machinery and recruitment of an Employability Skills trainer, major deficiencies persist: low power consumption, incomplete and unauthenticated records, non-use of biometric attendance, insufficient CITS-qualified trainers, improper wiring and partial installation of equipment, absence of BCC and approved building plan, inadequate IT and drawing lab facilities, lack of fire safety certification, and poor basic amenities. In view of these continued shortcomings, de-affiliation of the ITI is recommended.	that the records were being properly maintained and authenticated contemporaneously. (iii) Subsequent activation of the biometric attendance system does not address its non-use observed during the Joint Inspection, and the screenshots do not establish proper attendance records for the period under consideration. (iv) The Structural Stability Certificate furnished in place of the BCC raises concerns regarding its proper authentication and integrity, as the signatures are placed on a separate page and the signature of the counter-signing authority is placed above that of the issuing authority. (v) The application dated 19.06.2025 for the Fire Safety Certificate is the same application earlier submitted

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The Joint Verification Committee recommends for the de-affiliation of the ITI. 9. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation. 10. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 11. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 12. The ITI replied to SCN vide email dated 21.06.2026. in its reply the ITI submitted the following: a) The ITI has submitted the comprehensive	in reply to the SCN; the requisite Fire Safety Certificate has not been furnished despite considerable time having elapsed. 2. SCAA observed that these deficiencies, particularly those relating to utilisation, records, attendance, structural documentation and fire safety, considered cumulatively, establish non-compliance with the prescribed requirements. Therefore, all trade/units of the ITI, namely Fitter - 3(1+1+1) and Electrician - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: K. ANKUR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			reply with attached photos and documents such as- copy of electricity bill, , photos of IT lab, trainees and trainers records, fire safety certificate request letter, Copy of BCC , Building plan layout, etc with all clarifications .	
6.	Sanskar Bharti Private ITI Siddhi Vinayak Tower, Near Sacheti Petrol Pump AB, District: Gwalior, M.P- 474010. MIS Code - PU23000680	1. Electrician - 3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on CPGRAM portal on 11.09.2025. 2. The SCN was issued by the RDSDE on 30.09.2025 to the ITI. Then ITI replied to the reminder SCN. 3. Thereafter, the Joint Inspection dated 21.11.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed: a) The inspection revealed critical deficiencies: absence of land and building documents, disconnected electricity, and non-availability of machinery bills, records, and staff details; the ITI remained closed for three years with no Trainees present; machinery is not installed as per norms	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection dated 21.11.2025 found that the ITI has been closed for the past three years, with no trainees present, and that the electricity connection was disconnected, due to which the machinery could not even be tested. 2. SCAA further noted that the ITI had no land or building documents, no machinery bills, no proper records and no staff details; there were no classrooms, IT lab or drawing hall; basic amenities and safety measures were missing; and the premises were found shared with a school. 3. SCAA observed that the ITI did not reply to the SCN dated 03.12.2025 or the reminder SCN

Signed By: KETANKUMAR PRAVINBHAI PATEL
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and could not be tested due to lack of power; infrastructure is inadequate with no classrooms, poor workshop conditions, and absence of IT lab and drawing hall; basic amenities and safety measures are largely missing; and the premises are shared with a school—indicating the institute is non-functional and grossly non-compliant. 4. The Joint Inspection committee recommended for de-affiliation of the ITI. 5. The SCN dated 03.12.2025 followed by reminder SCN dated 18.12.2025 were issued to the ITI by RDSDE. 6. The ITI did not reply to the both SCN and reminder SCN. 7. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) Deficiencies reported by Joint verification committee indicate that ITI is not functional. 8. Further, ITI did not submit any reply/representation. Therefore, SSDEC	dated 18.12.2025, and did not avail the final opportunity granted by the 29th SCAA. The ITI has given no explanation or evidence at any stage and has been non-functional for three years. Therefore, all trade/units of the ITI, namely Electrician - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: K. PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommends for de-affiliation. 9. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 10. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 11. The ITI did not avail the opportunity provided by 29th SCAA.	
7.	Vaidehi Private ITI Vaidehi Private I.T.I., Nasirabad Road, Babai, Dist: Narmadapuram , M.P-461661 MIS Code - PU23000368	1. Electrician - 6(2+2+2)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on 29.09.2025. The reason for the complaint were as follows: a) There is no infrastructure/building of this ITI. b) ITI is operational only on papers. c) Trainees are admitted in this ITI But they are sent to Other ITI which is a violation of NCVT norms and is harmful for the future of trainees.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the complaint against the ITI alleged absence of any infrastructure/building, that the ITI is operational only on paper, and that trainees admitted in the ITI are in fact sent to another ITI for training, in violation of NCVT norms and to the detriment of the trainees' interests.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			2. The SCN was issued by the RDSDE on 30.09.2025 followed by reminder dated 31.10.2025 to the ITI. 3. The ITI did not reply to the both SCN and reminder SCN. 4. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) No reply has been submitted by ITI to the SCN as well as its reminder. It appears that ITI has nothing to submit in its support. b) Therefore, SSDEC recommends for de-affiliation. 5. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 6. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026.	2. SCAA further noted that the ITI did not reply to the SCN dated 30.09.2025 or the reminder SCN dated 31.10.2025, and that the only submission on record is a grievance filed on the online portal on 25.06.2026, which was itself a delayed submission. 3. SCAA observed that, in the absence of any timely reply or explanation from the ITI at any stage of the proceedings, the serious allegations against the ITI remain uncontroverted. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.


15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. The ITI did not avail the opportunity provided by 29 th SCAA.	
8.	Maa Narmada Private ITI, Raisen Ward No, 2, Near Galla Mandi Bypass Road Begumganj, Dist: Raisen , M.P-464881 MIS Code - PR23000968	1. Electrician - 12(4+4+4) 2. Computer Operator and Programming Assistant - 3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due an inquiry report forwarded by MPSSDEGB in respect of complaint received against the ITI for change of owner ship. 2. The State Directorate vide their letter dated 15.12.2025 informed the following in respect of the complaint against the ITI : 3. Maa Narmada Private ITI, Begumganj (PR23000968) was previously operated under Jan Paras Shiksha Samiti Sagar, which was registered on June 10, 2010. 4. However, the ITI is currently being functional under Jai Swami Welfare Society, Gairatganj, Raisen, which was registered on October 7, 2020. 5. The inquiry was conducted by Principal Govt. ITI based on the Complaint. 6. As per the inquiry report, ITI ownership was transferred from Jan Paras Shiksha Samiti, Sagar to Jai Swami Welfare Society Gairatganj Raisen. 7. Thereafter, the SCN dated 16.12.2025 was issued to the ITI as well as the Society.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that as per the inquiry report and the State Directorate's letter dated 15.12.2025, the ITI, originally registered and operated under Jan Paras Shiksha Samiti, Sagar (registered 10.06.2010), is now being operated under Jai Swami Welfare Society, Gairatganj, Raisen (registered 07.10.2020), indicating a change of ownership/management society. 2. SCAA further noted the conflicting replies received on the SCN dated 16.12.2025 — one from Dr. Jai Narayan Yadav alleging that the ITI was being run without the permission of the District Education Committee and that a police complaint has already been lodged, and another from Sh. Anil Jain, Secretary, on the same society's letterhead, claiming that the society has not changed — which confirms that the affairs of the ITI and its

Signed By: KETANKUMAR
PRAVINBHADRA
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. Dr. Jai Narayan Yadav, Jan Paras Shiksha Samiti, Sagar stated in his reply that "The Jan Paras Shiksha Samiti Sagar had previously informed you through a letter that the Maa Narmada ITI in Begumganj should be de-affiliated because it was being operated without the permission of the District Education Committee, which was unconstitutional. Mr. Niranjana Lodhi was operating the ITI illegally, and legal action should be taken against him, and he should be given the strictest possible punishment. I have already applied to the Station House Officer of Begumganj Police Station regarding this matter. 9. However, reply has been received in the letterhead of Jan Paras Samiti, Sagar. Sh. Anil Jain, Secretary (also the complainant) in which it has been stated that the society has not been changed. 10. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) As change in ownership is not allowed as per Affiliation norms.	ownership are in a state of dispute. 3. SCAA observed that a change of ownership/management society is not permitted under the Affiliation Norms, and that the concerned party is free to apply afresh in accordance with the norms. The ITI also did not avail the final opportunity granted by the 29th SCAA. Therefore, all trade/units of the ITI, namely Electrician - 12(4+4+4) and Computer Operator and Programming Assistant - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Further, concerned ITI may be informed to apply as per Norms. 11. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 12. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 13. The ITI did not avail the opportunity provided by 29th SCAA.	
9.	Shree Pratap Private ITI, Gwalior Near Utila bypass, Gram-Rai, Badagaon, Morar, District-Gwalior, M.P.-474006. MIS Code - PU23000935	1. Electrician - 6(2+2+2) 2. Health Sanitary Inspector - 2(1+1) 3. Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has address been changed without inspection/request. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has, on two occasions — 13.03.2025 and 12.11.2025 — denied the Joint Inspection sought to be conducted, on both occasions citing the pendency of a petition before the Hon'ble Court. 2. SCAA emphasised that an ITI cannot deny a Joint Inspection on this or any other ground, as

Signed By: K. ANAND
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 13.03.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending. 5. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, it was apprised that the 2nd Joint Inspection of the ITI is pending, therefore, SSDEC directed to conduct the pending Joint Inspection of the ITI at the earliest. 6. Accordingly, Joint Inspection of the ITI was conducted on 12.11.2025, wherein ITI again denied for inspection. 7. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons: a) The ITI has given sufficient opportunity. b) The ITI denied the both joint inspections. c) There are no specific directions from Hon'ble Court(s) There are no specific directions from Hon'ble Court(s)	DGT, RDSDE and the State Directorate are fully authorised to conduct a Joint Inspection of an ITI at any time to ascertain the quality of training being imparted, and that this authority is not taken away merely because a petition is pending before a Court, in the absence of any specific order restraining such inspection. 3. SCAA considered the ITI's reply dated 19.06.2026, which relies upon an inspection report of 2021 that found the institute "suitable" and on the pendency of WP 13125/2025 before the Hon'ble High Court of Madhya Pradesh, Gwalior Bench, and observed that a report of 2021 does not establish the ITI's present compliance and functioning, particularly when the ITI has since twice refused a fresh Joint Inspection and no order of the Hon'ble Court restrains such inspection. 4. SCAA observed that, by repeatedly denying inspection, the ITI has itself prevented verification of the quality of training presently being

Signed By: KETANKUMAR,
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 8. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 9. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026 10. The ITI replied to SCN vide email dated 19.06.2026. in its reply the ITI submitted the following: ITI's reply (05.06.2026) — brief points: 11. Same complaint was already inspected by RDSDE in 2021, which found the institute "Suitable" at its approved location. 12. DGT's own RTI reply (25.11.2021) confirms this report was on record and forwarded for consideration.	imparted and cannot rely on older findings as a substitute for current verification. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), Health Sanitary Inspector - 2(1+1) and Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			13. 29th SCAA's recommendation appears to have overlooked this favorable report, making the action arbitrary and against natural justice. 14. Matter is pending before MP High Court, Gwalior Bench (WP 13125/2025); adverse action during pendency would prejudice the institute. 15. No fresh proceedings should be initiated on the same complaint once already inspected and found suitable. 16. Institute claims full cooperation with all authorities at all times. 17. Prayer: Take the 2021 report and RTI reply on record; reconsider and drop the de-affiliation proposal; no coercive action during pendency of the writ petition; grant a personal hearing before any final decision.	
10.	The National Private ITI, Datia Gwalior Road Indergarh, District-, Datia, M.P-475675 MIS Code - PR23000767	1. Electrician - 6(2+2+2)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has been shifted to another place without approval. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has, on two occasions — 12.03.2025 and 11.11.2025 — denied the Joint Inspection sought to be conducted, on both occasions citing the pendency of a

Signed By: KETANKUMAR
PRAVINBHADRA
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending. 5. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, it was apprised that the 2nd Joint Inspection of the ITI is pending, therefore, SSDEC directed to conduct the pending Joint Inspection of the ITI at the earliest. 6. Accordingly, Joint Inspection of the ITI was conducted on 11.11.2025, wherein ITI again denied for inspection. 7. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons: (i) The ITI has given sufficient opportunity. (ii) The ITI denied the both joint inspections.	petition before the Hon'ble Court. 2. SCAA emphasised that an ITI cannot deny a Joint Inspection on this or any other ground, as DGT, RDSDE and the State Directorate are fully authorised to conduct a Joint Inspection of an ITI at any time to ascertain the quality of training being imparted, and that this authority is not taken away merely because a petition is pending before a Court, in the absence of any specific order restraining such inspection. 3. SCAA considered the ITI's reply dated 18.06.2026, which relies on the address having earlier matched NCVT records, past inspections said to have found the institute "suitable", reactivation of the NCVT MIS portal on 27.08.2021, and the pendency of the jointly filed WP No. 13125/2025 before the Hon'ble High Court of Madhya Pradesh, Gwalior Bench (the same petition as in the matter of Shree Pratap Private ITI, Gwalior). 4. SCAA observed that such past findings do not establish the ITI's present compliance and

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(iii) There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 8. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 9. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026 10. The ITI replied to SCN vide email dated 18.06.2026. in its reply the ITI submitted the following: Denies non-cooperation; MP State Directorate found the institute's address matches NCVT records, institute was inspected multiple times, always cooperative, and found "Suitable." a) Principal met Deputy Director on 19.08.2021 with documents; NCVT	functioning, particularly when the ITI has since twice refused a fresh Joint Inspection and no order of the Hon'ble Court restrains such inspection. By repeatedly denying inspection, the ITI has itself prevented verification of the quality of training presently being imparted. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKU PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			MIS portal was re-activated on 27.08.2021, said to prove compliance. b) Matter sub judice — WP No. 13125/2025 (joint petition with Shree Pratap ITI, Case 18) pending before MP High Court, Gwalior Bench. c) Cites natural justice grounds (Maneka Gandhi, Mohinder Singh Gill, Kranti Associates) — says decision arbitrary without considering the inspection report. d) Prayer: Consider the inspection report; set aside de-affiliation; no adverse action pending High Court case.	
11.	Shri Sai Private ITI, Singrauli Main Road, Tali, Waidhan, Singrauli, District- Singrauli, M.P MIS Code - PR23000174	1. Electrician - 2(1+1)	1. The Joint Inspection was conducted on 20.06.2023. During the Joint Inspection it was observed that ITI was not adhering to NCVT norms as there were various infrastructural deficiencies such as – machinery was not in working condition, tools and equipment's for affiliated trades were not as per norms, classroom and workshops were not safe, only few documents of ITI were provided by the ITI. 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted the long history of this matter, spanning multiple Joint Inspections since 2023, including a split finding at the inspection dated 14.03.2024, where the NCVT member recommended de-affiliation while the SCVT member recommended affiliation, which was resolved by the 8th SSDEC in favour of the

Signed By: KETANKUMAR
PRAVINBHAI
DGT New Delhi
15.10.2026

 15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the Joint Inspection of those ITIs whosoever response to the SCN. 3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN. 4. Thereafter, the 2nd Joint Inspection was conducted on 11.09.2023 in which the ITI was found closed. 5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI. 6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided that as 'Principle of natural justice' one more opportunity is provided to the ITI and conduct Joint Inspection again. 7. In compliance with the decision of the 12th SCAA, the Joint Inspection was again conducted on 14.03.2024 and NCVT member recommended the ITI for de-affiliation due to following deficiencies: a) The old lease document (dated 02/12/2010) provided by ITI was not visible	senior NCVT member's report recommending de-affiliation. 2. SCAA further noted that when a joint verification was attempted on 15.01.2026, the ITI's Principal refused to permit it, stating that the ITI had already been inspected thrice without the reports being shared with him and that he would allow inspection only as directed by the Hon'ble High Court, notwithstanding that no stay order restrains such verification. 3. SCAA reiterated that an ITI cannot deny a Joint Inspection or verification citing the pendency of a petition before the Hon'ble Court or any other reason, as the concerned RDSDE/State are fully entitled to inspect and evaluate the ITI's performance at any time to safeguard the interests of trainees. 4. SCAA took note of the ITI's reply dated 20.06.2026, including its submissions regarding the proprietor's visual impairment, placement of trainees with reputed employers, and that the institute now appears to be in a basement only

Signed By: KETANK PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			on the day of inspection. Therefore, ITI has made the lease document on current date. b) BCC was not available during inspection. c) CITS trained instructor was not available in the ITI. d) Biometric attendance of staff and Trainees were not available on the day of inspection. e) Except toilet other amenities were not available in the ITI. f) Drawing hall was available but not as per norms. g) IT lab of the ITI was not as per norms. h) The SCVT member recommended the ITI for affiliation. 8. The matter was again discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint Inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter. 9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 15.12.2024. In view of the	on account of subsequent road-elevation works by the Municipal Corporation. However, these submissions do not address the ITI's repeated refusal to permit verification, nor the following deficiencies recorded during the inspection dated 14.03.2024: (i) Absence of a valid contemporaneous lease document. (ii) Absence of a Building Completion Certificate. (iii) Absence of a CITS-trained instructor. (iv) Absence of biometric attendance. (v) Missing basic amenities other than toilets. (vi) Drawing hall and IT lab not meeting the prescribed norms. 5. SCAA observed that the deficiencies persist and the ITI has repeatedly refused verification of its present functioning, in the absence of any order of the Hon'ble Court restraining inspection. Therefore, all trade/units of the

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI. 10. Thereafter, the matter was discussed in 21st SCAA in its meeting dated 28.04.2025, wherein SCAA in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 14.03.2024, and to submit its reply to the RDSDE within 20 days from the date of issue of 21st SCAA MoM. 11. Accordingly, the joint verification of the ITI was conducted on 15.01.2026 and the remarks of the joint verification committee are as follows: a) The committee has reported that the principal of Shri Sai Private ITI, Singrauli refused for conducting the joint verification stating that the inspection of the said ITI has already been conducted thrice till date and the reports have not been shared	ITI, namely Electrician - 2(1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			to him. Also, as the matter is in the Hon'ble High Court for consideration, he will allow the inspection as per the direction of Hon'ble High Court. b) Also, the committee observed that the ITI is running in the basement and there is no stay order from the Hon'ble High Court for not conducting verification. Joint Verification could not be conducted on 15.01.2026 and deficiencies could not be verified. c) The committee agrees with the remarks of earlier inspection committee and 21st SCAA meeting and recommends for de-affiliation of the ITI. 12. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons: a) There is no stay order from Hon'ble Court in respect of Petitions filed by these ITIs explicitly stating that no inspection by the Controlling Authority shall be carried out until the final adjudication of the	

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			said Petition. ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason. b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms. In view of above, SSDEC recommends for De-affiliation of ITI. 13. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to grant a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the 12th SSDEC. 14. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026 15. The ITI replied to SCN vide email dated 20.06.2026. in its reply the	

Signed By: KETAN KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ITI submitted the following: a) The institute has submitted that it has been functioning since 2011 and was compelled to suspend admissions in 2023, resulting in substantial financial losses. It states that the proprietor is a 100% visually impaired person who personally manages the institute and has made continuous efforts to maintain its operations. The institute claims that its trainees have secured employment in reputed organizations, including NTPC, Coal India and other leading companies, demonstrating the quality of training imparted. It further submits that the institute is operational with the required infrastructure and has furnished photographs and videos in support of its claims. The institute has requested the competent authority to consider its submission sympathetically, permit continuation of its affiliation, and provide an opportunity to	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			continue imparting skill training in the interest of the trainees. b) The institute also submits that the matter of the ITI is under sub judice and the ITI will compliance as per Hon'ble court order when the order will come. c) In addition to the above, the ITI submit that the ITI is functioning as per affiliation since 2011. from that time the institute was situated at the same level as the main road. However, due to continuous road construction and elevation work undertaken by the Municipal Corporation, the level of the main road gradually increased. Consequently, the institute now appears to be located in a basement, although it was originally constructed at ground level. d) It has been also submitted that earlier many times the de-affiliation proceedings of the ITI was initiated without any evidences.	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
12.	Banke Bihari Private ITI, Gwalior Mau Road Gram Bhadroli Dist. Gwalior, Madhya Pradesh: 474010 MIS Code - PR23001080	1. Electrician - 6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 02.05.2025 wherein, the ITI denied for inspection. 5. Then again, the Joint Inspection was conducted on 08.07.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending. 6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons: a) The ITI has given sufficient opportunity. b) The ITI denied the both joint inspections.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that, pursuant to the decision of the 29th SCAA to conduct a joint verification of the ITI, RDSDE submitted its joint verification report dated 15.07.2026, which records that the ITI once again denied the verification, citing the pendency of WP No. 13126/2026 before the Hon'ble Court and Grievance No. 1701/2028 on the NIMI portal, despite there being no stay order restraining such verification. 2. SCAA reiterated that an ITI cannot deny a Joint Inspection or verification citing the pendency of a petition or grievance, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time. 3. SCAA further noted that the ITI's location was found to be 4 km away from its geo-tagged location recorded on the SIDH portal, that the ITI's representative refused to sign the verification report, and that this was

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			directions from Hon'ble Court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to showcause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The ITI replied to the SCN on 23.03.2026. 9. The institute, in its reply, submitted that 10. the allegation relating to denial of entry for joint inspections conducted on 02.05.2025 and 15.09.2025 is not correct. 11. The institute has also submitted certain documents/materials, including geo-tagged photographs and video footage of the institute premises, classrooms and workshops; photographs/videos of tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records.	the third occasion — after the inspections dated 02.05.2025 and 08.07.2025 — on which the ITI has refused to permit inspection/verification. The joint verification team has recommended de-affiliation of the ITI. 4. SCAA observed that the ITI has repeatedly refused verification of its compliance, has not explained the discrepancy in its geo-tagged location and has refused to sign the verification report. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2) and Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			12. Further, the institute requested that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for personal hearing in the event of any adverse decision and expressed willingness to furnish any additional documents/information, if required. 13. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms. 14. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026 15. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 15.07.2026 the following observations were recorded: a) ITI denied for inspection citing that the W.PC 13126/2026 is pending in Hon'ble Court and grievance	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			1701of 2028 on NIMI portal is also pending . b) The ITI location is 4 Km from Geotag location on SIDH portal. The current location of the ITI is Mau road Bhardoli. c) There is no stay order from the court for the ITI. d) ITI representative did not signed. 16. The joint verification team recommended for de-affiliation.	
13.	Shri Vijay Private ITI College, Gwalior Shri Vijay Pvt.ITI, Near Govt.High School, Maheshp, Dist: Gwalior, Madhya Pradesh-474001 MIS Code - PU23000388	1. Electrician - 3(1+1+1)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection. 5. Then again, the Joint Inspection was conducted	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that, pursuant to the decision of the 29th SCAA to conduct a joint verification of the ITI, RDSDE submitted its joint verification report dated 17.07.2026, which records that the ITI once again denied the verification, citing the pendency of WP No. 8117/2025 before the Hon'ble Court and a grievance pending on the NIMI portal, despite there being no stay order restraining such verification. 2. SCAA reiterated that an ITI cannot deny a Joint Inspection or

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			on 02.07.2025 wherein, the ITI denied for inspection. 6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons: a) The ITI has given sufficient opportunity. b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting. 8. The ITI replied to the SCN on 25/26.03.2026. a) The institute submitted that it has been affiliated since 2013 and has been conducting vocational training activities	verification citing the pendency of a petition or grievance, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time. 3. SCAA further noted that this was the third occasion — after the inspections dated 12.03.2025 and 02.07.2025 — on which the ITI has refused to permit inspection/verification, and that the joint verification team has recommended de-affiliation of the ITI. 4. SCAA observed that the ITI has repeatedly refused verification of its compliance despite the absence of any restraining order from the Hon'ble Court. Therefore, all trade/units of the ITI, namely Electrician - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANK
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			under the CTS framework. b) The institute further submitted its response with reference to the observations relating to denial of joint inspections conducted on 02.05.2025 and 15.09.2025. c) The institute also submitted certain documents/materials, including geo-tagged photographs of the institute premises situated near Govt. High School, Maheshpura, Gwalior; videography/photographs of classrooms, workshops, tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records, for consideration by the competent authority. d) Further, the institute requested that its reply be taken on record and that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for hearing before any adverse final decision is taken. 9. Thereafter, the matter was discussed in 29th SCAA in	

Signed By: K. HANU
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms. 10. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 17.07.2026 the following observations were recorded: a) ITI denied for inspection citing that the W.PC 8117/2025 is pending in Hon'ble Court and grievance on NIMI portal is also pending . b) There is no stay order from the court for the ITI. c) The joint verification team recommended for de-affiliation	
14.	Sket ITI Balaghat Main Road,Dulapur,P.O: Badgao,The Lanji, District: Balaghat, Madhya Pradesh- 481222. MIS Code - PR23001090	1. Electrician - 6(2+2+2)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that, pursuant to the decision of the 29th SCAA to conduct a joint verification of the ITI, RDSDE submitted its joint verification report dated 14.07.2026, which recorded the

Signed By: K. R. PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 3. Thereafter the Joint Inspection was conducted on 07.03.2025 wherein, the following deficiencies were observed: a) The Building Completion Certificate is not in accordance with the prescribed norms. b) The electricity bills indicate a shortage of power supply. c) Information regarding staff appointments is incomplete. d) Records of staff and student attendance are not available. e) Student records are incomplete. f) Details regarding machinery installation are improper and incomplete. g) The working status of machinery is not as per norms, and some motors were found to be under repair. h) Detailed information about the buildings reveals the presence of an asbestos-roof structure, as seen in the workshop photograph, which is not as per norms.	following extensive and serious deficiencies: (i) Absence of a valid land ownership document in the name of the lessor and an unmarked land boundary. (ii) A Building Completion Certificate signed by a sub-engineer on the basis of an undated layout drawing not showing the land boundary, issued despite the architect's registration having expired in 2022. (iii) An electricity bill whose name, address and meter number do not match the physical meter installed at the ITI, with negligible monthly consumption indicating no actual training activity. (iv) Complete absence of NCIC/CITS-qualified instructors, with the instructor present being unable to answer basic questions about the institute or even identify

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i) The IT laboratory is not available as per norms, and there is no provision of internet connectivity, LAN, or Wi-Fi. j) The Drawing Hall/Electrical Lab lacks essential safety measures, such as proper earthing and earth-proof flooring, and several open-ended wires were observed. 4. The SCN dated 01.05.2025 followed by reminder dated 09.06.2025 were issued to the ITI but ITI did not reply. 5. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI has nothing to submit in its support. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The ITI replied to the SCN on 25.03.2026(26.03.2026) 8. In its reply the ITI submitted the following:	and operate the machinery. (v) Absence of student attendance and biometric records. (vi) Machinery kept uninstalled, with missing foundation bolts and broken wiring. (vii) A poorly functioning IT lab with only two working computers, no UPS or air conditioning, and roof seepage. (viii) Absence of a valid Fire Safety Certificate and an expired fire extinguisher. (ix) Serious safety hazards, including loose and temporary wiring, cracks in the walls and roof, rat and snake holes in the floor, and an overhead high-voltage electricity line passing through the ITI premises. 2. SCAA further noted that the joint inspection committee has recorded that the ITI is not in a condition to conduct training as per the prescribed norms.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) For Recent Compliance the ITI stated that Following the 26th SCAA Minutes notice dated March 5, 2026, the ITI is submitting all required information lists via email as of March 25, 2026 to RDSDE M.P. b) The ITI has attached all the ITI related document and photographs with its reply. 9. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms. 10. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 14.07.2026 the following observations were recorded: a) The land ownership document in the name of lesser not available. The plot number not displayed in the address. land border not marked on layout drawing.	3. SCAA observed that the ITI did not reply to the SCN dated 01.05.2025 or the reminder dated 09.06.2025, and its subsequent reply dated 25/26.03.2026 was a general submission of documents without addressing the specific deficiencies, which the joint verification has now shown to be far more serious, including hazards to the safety of trainees. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) BCC is signed by sub engineer. Layout drawing is not as per norms, date not mentioned, land boundary not shown, architect registration expired in 2022.BCC is signed in 2025. c) The name and address of ITI mentioned on the ECB does not match with other document and number, do not match with physical meter installed in the ITI. Also, the monthly Electricity bill negligible indicating no training. d) None of the instructor possess NCIC. Instructors do not know ITI details like number of trainees admitted, shift timing, etc. No proof of salary payment to staff. e) Students attendance records not available as per norms. Unavailability of biometric attendance with lack of student study records indicate no training. f) Many machines and equipment were kept uninstalled. Foundation bolts are missing for some machines. Machines not connected, wiring	

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026



15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			broken. Not available as per norms. g) The electrician trade instructor present on the day of inspection could not identify and operate machines. Many machines not connected or not working. h) Only 02 computers working in ITI lab, no air conditioner, no UPS, open wires. Seepage from roof, IT lab is in very poor condition. i) Fire safety certificate not available, fire extinguisher validity was expired. j) Wires hanging loose. Temporary wiring observed. Cracks in walls and roofs. rat, snake holes observed in floor, dangerous for trainees. overhead high voltage electricity line passing through the ITI. k) The joint inspection committee mentioned in the report that ITI is not in a condition to conduct training as per norms.	
15.	Technocrat Private ITI Anand Nagar, Near Sagartall Road, Distt:- Gwalior, 474001	1. Electrician - 6(2+2+2)	1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of Signed By: K. K. N. MAHAPRAVINBHAI PATEL DGT New Delhi 15.10.2026	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under:


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU23000764		illegal use of ITI login on NCVT MIS portal. 2. SCN was issued to the ITI on 15.09.2021 by DGT. 3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. 4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a Joint Inspection of the ITI in coordination with the State Directorate. 5. Thereafter, a Joint Inspection of the ITI was conducted on 08.07.2025, wherein the ITI denied for inspection by stating that ITI has filed the petition which is pending before the Hon'ble Court. 6. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the	1. SCAA noted that, pursuant to the decision of the 29th SCAA to conduct a joint verification of the ITI, RDSDE submitted its joint verification report dated 16.07.2026, which records that the ITI once again denied the verification, citing a pending grievance (No. 1719 of 2026) and requesting that the inspection be postponed or suspended until the grievance is decided. 2. SCAA reiterated that an ITI cannot deny a Joint Inspection or verification citing a pending grievance, a pending Court petition or any other reason, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's performance at any time. 3. SCAA further noted that this was the second occasion — after the inspection dated 08.07.2025 — on which the ITI has refused to permit inspection/verification, and that the verification report additionally recorded that the ITI's address is not specific and that its geo-tagged location is approximately 600

Signed By: K. PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of Meeting. 8. The ITI replied to the SCN on 26.03.2026. 9. In its reply the ITI submitted the following: a) Operational History: The ITI has been running since 2014 after obtaining affiliation and claims to be in full compliance with all NCVT and ITI norms. b) Inspection Clarification: The document addresses the claim that the institute denied joint inspections on May 2, 2025, and September 15, 2025. c) Maintenance of Norms: The applicant asserts that the institute has undergone regular inspections previously and has always been found to be running in accordance with affiliation standards. d) Compliance Submission: In response to a letter dated March 11, 2026, the ITI is submitting this comprehensive explanation supported	metres away from the ITI. 4. SCAA observed that the ITI has repeatedly refused verification of its compliance and the discrepancy in its declared location remains unresolved. Therefore, all trade/units of the ITI, namely Electrician - 6(2+2+2), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			by documentary evidence to prove it is a functional entity. e) Infrastructure Evidence: The institution confirms it is operating from its designated building in Gwalior and has included geo-tagged photographs and location data as "Annexure A/1" to verify the premises. f) The Principal requests that the provided response be taken on record and that the de-affiliation proceedings be dropped in the interest of justice. They also explicitly request an opportunity for a formal hearing before any adverse final decision is made. 10. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms. 11. The RDSDE submitted its joint verification report vide email dated 20.07.2026. As per joint inspection report dated 16.07.2026 the following	

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			observations were recorded: a) ITI denied for inspection citing that pending grievance no 1719 of 2026 stating that inspection to be postponed or suspended till decision of Grievance. b) ITI address not specific. geotag location appr 600 m from ITI.	
16.	Raj Uttam Pvt ITI Near Army School Badagaon chauraha Morar Gwalior, District: Gwalior, Madhya Pradesh-, 474006. MIS Code - PR23001028	1. Electrician - 3(1+1+1) 2. Fitter - 3(1+1+1)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 03.03.2025 wherein, the following deficiencies were observed: 5. The land document was manipulated.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that, pursuant to the decision of the 29th SCAA to conduct a joint verification of the ITI, RDSDE submitted its joint verification report dated 04.08.2026, which records that the ITI once again denied the verification, citing a pending W.P.(C) No. 8117 of 2025 before the Hon'ble Court. 2. SCAA reiterated that an ITI cannot deny a Joint Inspection or verification citing a pending grievance, a pending Court petition or any other reason, as the concerned RDSDE and State are fully entitled to inspect and evaluate the ITI's

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The BCC was not as per norms. 7. The recent electricity bill was not provided by the ITI, only Dec 2024 bill provided in which 0 units consumed in Oct & Nov 2024. 8. The machinery was not procured as per the revised syllabus for both trades. 9. Trades instructors were not present as per the appointment letters and the ITI not provide their Qualification & experience certificates. 10. Staff & Student Attendance were taken physical attendance and also not properly maintained by the ITI. 11. Student records were not provided. 12. In Fitter trade machinery was not installed. 13. In Electrician trade the machinery was partially installed. Not available as per revised syllabus. 14. Since instructors were not available in the ITI, therefore machinery working condition was not checked during inspection. 15. The ITI and drawing labs were not as per norms. 16. Other activities such as owner family was staying in the ITI premises. Private school board in the ITI premises were found.	performance at any time. 3. SCAA further noted that this was the second occasion — after the inspection dated 04.08.2026 — on which the ITI has refused to permit inspection/verification. 4. SCAA observed that the ITI has repeatedly refused verification of its compliance. Therefore, all trade/units of the ITI, namely Electrician - 3(1+1+1) and Fitter - 3(1+1+1), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETAN KUMAR
PRAVINBHARTE
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			17. The SCN was issued to the ITI on 01.05.2025 and the ITI replied to the SCN. 18. Based on ITI reply, the joint verification dated 11.06.2025 was conducted to verify the removal of deficiencies were observed, but ITI not allowed for Joint Inspection by stating that the ITI will get inspected through the Hon'ble Court and do not want the inspection to be done now. 19. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI the deficiency removal by the ITI cannot be verified since ITI did not allow joint inspection. 20. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 21. The ITI replied to the SCN on 24.03.2026. 22. In its reply the ITI submitted the following: 23. Operational Background 24. The ITI has been affiliated since 2018 and claims	


15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			consistent compliance with vocational training norms. 25. Inspection-Related Submissions 26. In response to allegations of denial of inspections on 02.05.2025 and 15.09.2025, the institute has submitted a detailed reply citing principles of natural justice and asserting that it is functional. 27. Infrastructure & Location 28. The institute is located near Army School, Badagaon Chauraha, Morar, Gwalior. 29. Geo-tagged photographs have been submitted to verify the location of the building (Annexure A/1). 30. Workshops & Equipment 31. Videography and photographs of classrooms, practical labs (Fitter and Electrician), and the computer lab have been provided to demonstrate availability and functionality of tools and machinery (Annexures A/2 and A/3). 32. Staffing & Attendance 33. Faculty list (Annexure A/5) and student attendance records (Annexure A/6) have been submitted to indicate ongoing academic activities. 34. Electricity Usage 35. Electricity bills (Annexure A/4) have been furnished	

Signed By: KETANKUMAR
PRAVINBHATPATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			as supporting evidence of operational activity. 36. Consumer name: Uttam Private ITI; Service address: Badagaon, Morar. 37. Sanctioned load: 14.0 KW (Three-phase connection). 38. Consumption: 338 units recorded in the bill dated 14.03.2025. 39. Visual Evidence (Geo-tagged) 40. Classroom photographs dated 23.03.2026 show availability of benches. 41. Exterior geo-tagged images confirm the frontage of "Raj Uttasm Private ITI College." 42. Request 43. The Principal has requested that de-affiliation proceedings be dropped based on the submitted evidence. 44. A request has also been made for an opportunity of personal hearing before any adverse decision is taken. 45. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.	

Signed By: K. PANKAJ KUMAR
PRAVINBHARTEI
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			46. The RDSDE submitted its joint verification report vide email dated 11.08.2026. As per joint inspection report dated 04.08.2026 the following observations were recorded : 47. ITI denied citing pending WP 8117/2025 in Hon'ble Court and grievance. 48. No stay order. 49. The joint inspection committee recommended for de-affiliation of the ITI.	
17.	OM Pvt ITI, Morena Lala,Kapura, Ater Road, Porsa, District-Morena, Madhya Pradesh-476115 MIS Code - PR23001088	1. Electrician - 12(4+4+4)	1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 17.04.2025 wherein, the ITI denied for inspection. 5. Then again, the Joint Inspection was conducted on 03.07.2025 wherein, the ITI denied for inspection.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that, pursuant to the decision of the 29th SCAA, the RDSDE scheduled the Joint Inspection/Verification of the ITI on 05.08.2026. However, on the scheduled date, the ITI once again requested postponement of the inspection to 10.08.2026, citing annual examinations, vacation period and non-availability of staff, and stated that the relevant records would be made available on 10.08.2026. 2. SCAA reiterated that an ITI cannot deny or seek to indefinitely defer a Joint

Signed By: K. Anand Kumar
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSSEC recommended de-affiliation of the ITI due to following reasons: 7. The ITI has given sufficient opportunity. 8. The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 9. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting. 10. The ITI furnished a delayed reply to the SCN on 28.03.2026 11. The institute submitted that a) Joint inspections conducted on 17.04.2025 and 03.07.2025 could not be carried out due to administrative constraints and staff availability. b) The institute further submitted that it is conducting training in	Inspection/Verification on the ground of staff availability, examinations, vacation or any other reason, particularly when the inspection has been directed by the competent authority, as the concerned RDSDE and State Directorate are duly empowered to inspect and evaluate the compliance and functioning of the ITI. 3. SCAA further noted that the ITI had earlier denied Joint Inspections on 17.04.2025 and 03.07.2025 and, despite being granted repeated opportunities, again failed to facilitate the Joint Verification on the scheduled date of 05.08.2026. 4. SCAA observed that the ITI has repeatedly failed to facilitate the Joint Inspection/Verification and continues not to cooperate in the verification of its compliance. Therefore, all trade/units of the ITI, namely Electrician - 12(4+4+4), are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATE
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			the Electrician trade with 6 units (2+2+2) under the CTS framework. c) The institute also submitted certain documents/materials relating to infrastructure, workshops, classrooms, tools and machinery, safety arrangements, training activities, faculty details, and geo-tagged photographs/videos of the institute premises and workshops, for consideration by the competent authority. d) Further, the institute requested that the de-affiliation proceedings may be dropped and cited principles of natural justice in support of its request. 12. Thereafter, the matter was discussed in 29th SCAA in its meeting dated 08.05.2026 and decided to de-affiliate the ITI as the delayed reply was submitted by the ITI 13. After that a corrigendum dated 14.07.2026 was issued by the DGT in which joint inspection decision was taken as the reply was inadvertently not taken in the 29th SCAA meeting.	

Signed By: KETANK KUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14. Accordingly RDSDE conducted the joint inspection on 05.08.2026 and submitted its joint verification report vide email dated 11.08.2026. 15. As per joint inspection report dated 05.08.2026 the following observations were recorded : 16. The ITI requested postponement of the joint inspection scheduled on 05.08.2026 to 10.08.2026, citing the ongoing annual examinations and pre-scheduled vacation period. 17. It stated that academic/administrative staff were on leave and regular staff attendance would resume from 10.08.2026, while regular student classes would commence from 17.08.2026. 18. The ITI further informed that the relevant Society records/documents were kept at the Society office and would be made available at the Institute by 10.08.2026, with the concerned officer/staff present to facilitate the inspection. 19. Accordingly, the ITI requested that the joint inspection be rescheduled from 05.08.2026 to 10.08.2026.	
18.	Pt. Brij Kishore Pvt ITI	1. Electrician 5(2+2+1)	- 1. The de-affiliation proceeding of the ITI was	The matter was discussed in the SCAA meeting and the

Signed By: K. Pravinbhai Patel
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026


15/10/26


Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Gram Besra Tehsil Malthone Distt -Sagar Madhya Pradesh-470441 MIS Code - PR23000904	2. Computer Operator and Programming Assistant - 2(1+1) 3. Stenographer & Secretarial Assistant (Hindi) - 2(1+1) 4. Fitter - 3(1+1+1)	initiated due to less grading. 2. The due procedure was followed during de-affiliation proceedings. 3. The matter was discussed in its 4 th SSDEC meeting dated 18.09.2023 and as principle of natural justice, 4 th SSDEC decided to conduct joint inspection of the ITI. 4. The joint inspection of the ITI was conducted and joint inspection committee recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi). 5. Based on joint inspection the 5 th SSDEC in its meeting dated 22.05.2024 recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi). 6. The matter was discussed in 26 th SCAA in its meeting dated 06.03.2026 and SCAA decided that RDSDE to provide clarification regarding deficiencies in COPA trade. 7. Thereafter, RDSDE forwarded the matter to DGT to de-affiliate COPA Trade of the mentioned Pvt ITI as per 5 th SSDEC recommendations. 8. The matter was discussed in the 29 th SCAA meeting held on 08.05.2026,	SCAA remarks/decision are as under: 1. SCAA noted that the ITI was granted sufficient opportunity, vide 29 th SCAA dated 08.05.2026, to address the deficiencies observed in the COPA trade during the Joint Inspection dated 13.09.2023 and to submit a comprehensive, duly supported reply within 21 days. 2. SCAA further noted that the ITI's reply, received on 29.06.2026, was submitted beyond the stipulated 21-day period and is a belated submission. 3. SCAA observed that the reply does not deny the deficiencies but merely states that they are 'being rectified' and that the required infrastructure is 'under development', effectively admitting that the deficiencies persist despite the considerable time already afforded to the institute. Therefore, the Computer Operator and Programming Assistant - 2(1+1) trade/units of the ITI are hereby de-affiliated. No admissions in this

Signed By: KETANKUMAR
PRAVINBHANU
DGT New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			wherein the ITI was granted an opportunity to represent itself against the deficiencies observed during the joint inspection dated 13.09.2023, namely: no software license available, 03 Air conditioners not available, 03 KVA Online UPS not available, LAN Tester not available, and Revolving Computer chair not available. 9. The Minutes of the 29th SCAA were issued on 01.06.2026 and communicated to the ITI on 02.06.2026, and the ITI was required to submit its reply on or before 23.06.2026. 10. Thereafter, the reply of the ITI was received vide email dated 29.06.2026. However, the said reply was submitted beyond the stipulated time and is, therefore, a belated submission. In its reply, the ITI submitted the following: a) The deficiencies observed during inspection are being rectified and that the required infrastructure, including laboratories and classrooms, is under development. It has assured that all deficiencies will be removed in compliance with the	trade shall be permitted from the Academic Session 2026-27 onwards.

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT, New Delhi
15.10.2026


15/10/26

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	35 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			prescribed norms before the commencement of the Academic Session 2027-28 and has requested that the proposed de-affiliation be withdrawn, permitting the continuation of the COPA trade while undertaking to adhere to all regulatory requirements in future.	


15/10/26

Signed By: KETANKUMAR
PRAVINBHAI PATEL
DGT New Delhi
15.10.2026