

①

BY Speed post / Most Urgent
(Time Bound)

DGE&T-6/4/16/2013-TC
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi Dated: 06/05/2015

To,

The Principal,
Mahnar Private ITI,
Chamahara Jagadish nagar,
Mahnar Road RS,
Distt- Vaishali Bihar-844507

Subject: Conducting Compliance Verification Inspection of ITIs accredited by QCI- regarding.

Sir,

Your kind attention is invited to the report received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the status of infrastructural facilities as per NCVT norms.

2. The committee has reported that your institute was found closed/locked, while the committee visited your institute and a prior intimation was sent to you by the state Directorate for conducting the inspection.

3. You may, therefore, explain the reasons within three weeks after the receipt of this letter, for not letting the institute inspected by the committee. In case of non-receipt of any communication from your end by three weeks: your Institute will be listed for de-affiliation. This may be treated as most urgent.

Yours faithfully,

|
(Punita Bhatia)
Deputy Director of Training

Copy to:

1. The Director, Directorate of Employment & Training New Secretariat, Vikas Bhawan, Bailey Road, Punaichak, Distt. Patna, for Information only.
2. Sh. S.P Rewaskar, ADT of ATI-EPI, Ramanthpur Hyderabad- 500013
3. Link File: - MSDE-6/CVIR/QCI-Affl./2015-TC

Punita Bhatia
6/5/15
(Punita Bhatia)
Deputy Director of Training

2

BY Speed post/Most Urgent
(Time Bound)

DGE&T-6/4/103/2014-TC
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi Dated: 06/05/2015

To,

The Principal,
Bharat Private ITI,
Nayaka Tola, Jagdispur,
Distt. Bhojpur Pin-802138
Bihar

Subject: Conducting Compliance Verification Inspection of ITIs accredited by QCI- regarding.

Sir,

Your kind attention is invited to the report received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the status of infrastructural facilities as per NCVT norms.

2. The committee has reported that your institute was found closed/locked, while the committee visited your institute and a prior intimation was sent to you by the state Directorate for conducting the inspection.

3. You may, therefore, explain the reasons within three weeks after the receipt of this letter, for not letting the institute inspected by the committee. In case of non-receipt of any communication from your end by three weeks: your Institute will be listed for de-affiliation. This may be treated as most urgent.

Yours faithfully,

(Punita Bhatia)
Deputy Director of Training

Copy to:

1. The Director, Directorate of Employment & Training New Secretariat Vikas Bhawan, Bailey Road, Punaichak, Distt. Patna, for Information only.

2. Sh. M. Subbarayudu, Deputy Director of Training, ATI, Vidyanagar, Shivam Road, Hyderabad, Andhra Pradesh.

3. Link File: - MSDE-6/CVIR/QCI-AFFL/2015-Tc

Punita Bhatia
6/5/15

(Punita Bhatia)
Deputy Director of Training

No. DGET- 6/ 4 /105/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training

Shram Shakti Bhawan, Rafi Marg,
New Delhi Dated: 06/05/2015

To,
The Principal
Maitreyi Pvt. ITI, Basant Vihar ,
Mehsaul, Dumra, Sitamarhi,
Bihar

Subject: Conducting Compliance verification Inspection of it is accredited by QCI- regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report(CVIR) of your institute, received from the committee (CVIC) that inspected your institute to verify the status of infrastructural facilities as per NCVT norms.

2. The Institute is in compliance with NCVT norms.
3. However the observation of the verifying team, is not supported by videography (Ref. no. 6/Gen/QCI/Affl/2013-TC dt 09.12.2014).
4. In this regard you are requested to submit video recorded CD of above Inspection, within three weeks of the receipt of this letter. This may be treated as most urgent.

Yours faithfully,

(Punita Bhatia)
Deputy Director of Training

Copy to:-

1. The Director & joint Director Vikas bhawan, Bailey Road, punaichak, Distt. Patna, for Information Only. (*Directorate of Employment & Prog.*)
2. Sh. S.P. Rewaskar/ADT, ATI-EPI Ramanthpur, Hyderabad-50001
3. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC

(Punita Bhatia)
Deputy Director of Training

**DGE&T-6/4/23/2013-TC
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training**

Shram Shakti Bhawan, Rafi Marg,
New Delhi Dated: 06/05/2015

To,

The Principal,
Janakveer Private ITI,
P.O & P.S, Daniawan
Patna Bihar-801304

Subject: Conducting Compliance Verification Inspection of ITIs accredited by QCI- regarding.

Sir,

Your kind attention is invited to the report received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the status of infrastructural facilities as per NCVT norms.

2. The committee has reported that your institute was found closed/locked, while the committee visited your institute and a prior intimation was sent to you by the state Directorate for conducting the inspection.

3. You may, therefore, explain the reasons within three weeks after the receipt of this letter, for not letting the institute inspected by the committee. In case of non-receipt of any communication from your end by three weeks: your Institute will be listed for de-affiliation. This may be treated as most urgent.

Yours faithfully,


(Punita Bhatia)
Deputy Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training New Secretariat, Vikas Bhawan, Bailey Road, Punaichak, Distt. Patna, for Information only.

2. Sh. C. Chandrasekhar, JDT of ATI-EPI Ramanthpur Hyderabad- 500013

3. Link File: - MSDE-6/CVIR/QCI-AFFL/2015-Tc


(Punita Bhatia)
Deputy Director of Training

5

**BY Speed post
Most Urgent
(Time Bound)**

**No. DGET- 6/ 4 /64/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training**

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 11/05/2015

To,

The Principal
Chandrakala Pvt. ITI,
At. Singhaila
Distt- Muzaffarpur,
Bihar

Subject: Conducting Compliance verification Inspection of it is accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the committee (CVIC) that inspected your institute to verify the status of infrastructural facilities as per NCVT norms.

The following observations have been made in the furnished by inspecting committee report:-

1. 12nos of Instructional staffs were not available at the time of Inspection.
2. Observation of verifying officer supported by videography, D.V.D/C.D is not enclosed.

In this regard you are requested to submit video recorded C.D of above Inspection, within three weeks of the receipt of this letter. This may be treated as most urgent.

Yours faithfully,


(Punita Bhatia) 13/5/15

Deputy Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training New Secretariat, Vikas Bhawan, Bailey Road, Punaichak, Distt. Patna, for Information only.
2. Sh. C. Chandrasekhar, JDT of ATI-EPI, Ramanthpur Hyderabad-500013
3. [Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.](#)

(Punita Bhatia)
Deputy Director of Training

6

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /77/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal
Sengar Pvt. ITI,
Panda Road,
Near Hotel Mashal, Rau,
Distt- Indore-453331
Madhya Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Staff and Trainees were not available on the day of inspection.
2. DG set not available in Electrician Trade workshop.
3. Consumption of electricity was found very low.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,




(S.C. Sharma)

Joint Director of Training

Copy to:-

1. Director, Directorate Skill Development, (M.P) Narmda Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. D.L. Meena, ADT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad Haryana-121001.
3. Sh. R.N. Thakur, Joint Director, Directorate Skill Development, Indore, Madhya Pradesh.
4. Link File -MSDE-6/CVIR/QCI-Aff/2015-TC





(Punita Bhatia)

Deputy Director of Training

OTC

7

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /105/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal
Vikramaditya Pvt. ITI,
Near Lord Krishna,
College Road, Unnao Road,
Distt- Datia, Madhya Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Shortage in area of classroom.
2. Shortage in tool, equipment and machinery in fitter and electrician trade.
3. ITIs running in the same campus where some industry is running.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,



12-6-15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. Director, Directorate Skill Development, (M.P) Narmada Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. Ishwar Singh, JDT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad, Haryana-121001
3. Sh. R. K. Sharma, principal, W ITI Gwalior, MP
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC


12/6/15
(Punita Bhatia)

Deputy Director of Training



oll

8

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /89/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal
Nachiketa Pvt. ITI,
Bhedaghat Chowk
NH-12 Main Road
Distt.- Jabalpur, Madhya Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Construction of boundary wall is incomplete.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

S.C. Sharma
Yours faithfully,
12/6/15
(S.C. Sharma)
Joint Director of Training

Copy to:-

1. Director, Directorate Skill Development, (M.P) Narmada Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. A.K. Tyagi, ADT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad Haryana-121001.
3. Sh. R.K. Dwivedi, Joint Director, Directorate Skill Development, Jabalpur, M.P.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC

Punita Bhatia
(Punita Bhatia) 12/6/15
Deputy Director of Training

olc



9

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 24 /63/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal
Jai Shri Krishna Pvt. ITI,
Village-Kandola, Teh-Hapur,
Distt.-Ghaziabad-245301,
Uttar Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Some of the instructors were not present at the time of inspection.
2. Appointment letter and experience documents not shown to the inspection committee.
3. Meter sealing report signed during assessment by QCI, not shown.
4. Insufficient books in library.
5. Insufficient infrastructure in IT Lab.
6. Deficiency in Tool & Equipment in Electrician trade.
7. Only few trainees were present in Fitter and Electrician Trade at the time of inspection.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,

S.C. Sharma
12/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training, Guru Govind Singh Marg, Lucknow-226004, U.P.
2. Sh. R.C. Mandal, ADT, ATI Udyog Nagar, Kanpur, Uttar Pradesh-208022.
3. Joint Director, Meerut Division, Govt. ITI, Saket, Meerut, U.P.
4. Link File:-MSDE-6/CVIR/QCI-Att/2015-TC.



Punita Bhatia
12/6/15

(Punita Bhatia)

Deputy Director of Training

ole

10

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /86/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,
The Principal
Aadrash Pvt. ITI,
Village-Badora Athner Road,
Distt- Betul, Madhya Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Some of the Staff & Instructors were not available at the time of inspection.
2. Some machinery & Equipment in Electrician trade not in working condition.
3. Power consumption found very low.
4. There was shortage in Tool & Equipment for Fitter trade.
5. DG set is very old and out dated.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,


12-6-15


(S.C. Sharma)

Joint Director of Training

Copy to:-

1. Director, Directorate Skill Development, (M.P) Narmada Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. D.L Meena, ADT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad Haryana-121001.
3. Sh. D.S Thakur Joint Director, Directorate Skill Development, Bhopal, Madhya Pradesh.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.




12/6/15

Deputy Director of Training

etc

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /37/2013-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,
The Principal
Daksh Pvt. ITI,
1-B/C Royal Estate, Kanadiya Road,
Indore-452016
Madhya Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Workshop area not as per NCVT norms.
2. IT labs, classrooms etc. having tin shed roof.
3. Toilets temporarily constructed & no separate ladies toilets.
4. DG set not available.
5. Instructors and staff shortage.
6. Although, ITI is having 6 units affiliated, but trainees' strength found only in one unit.
7. Electricity consumption found very low.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,

S.C. Sharma
12-6-15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. Director, Directorate Skill Development, (M.P) Narmada Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. D.L Meena, ADT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad Haryana-121001.
3. Sh. R.N. Thakur, Joint Director, Directorate Skill Development, Indore, Madhya Pradesh.
4. Link File:-MSDE-6/CVIR/QCI/Aff/2015-TC.



Punita Bhatia
12/6/15
(Punita Bhatia)
Deputy Director of Training

12

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 13 /77/2009-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi Dated: 12/06/2015

To,
The Principal
Kothale Pvt. ITI,
Dahegaon Saoner Road,
Distt- Nagpur,
Maharashtra

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.


Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Staff salary not paid through bank.
2. Digital IC trainer in electrician trade found deficient.


In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,

12/6/15
(S.C. Sharma)
Joint Director of Training

Copy to:-

1. Director, Directorate of Vocational Education & Training, Mahapalika Marg, Dhobi Talao, Mumbai-400001.
2. Sh. D.L. Meena, ADT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad Haryana-121001.
3. Sh. K.D. Burade, Principal, ITI, Gadchiroli, Maharashtra.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.




12/6/15
(Punita Bhatia)
Deputy Director of Training

etc

13

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /19/2009-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal,
Deeksha Pvt. ITI,
5-B Indra Nagar Mangal Bazar
Mandideep, Distt- Raisen
Madhya Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. IT lab not available.
2. Machinery not installed in electrician trade.
3. Salary to the staff not paid through the bank.
4. Few trainees were available on the date of inspection.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,


12/6/15
(S.C. Sharma)
Joint Director of Training

Copy to:-

1. Director, Directorate Skill Development, (M.P) Namda Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. D.S Thakur Joint Director, Directorate Skill Development, Bhopal, Madhya Pradesh.
3. Sh. D.L Meena, ADT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad Haryana-121001.
4. Link File:-MSDE-6/CVIR/QCI-Aff/2015-TC.




12/6/15
(Punita Bhatia)
Deputy Director of Training

ok

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 18 /2/2013-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi Dated: 12/06/2015

To,
The Principal
Netaji Private ITI,
Langana, P.O. Motta,
P.S.-Jankia. Distt.- Khurda,
Odisha-752020

Subject: Conducting Compliance verification Inspection of ITIs accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Shortage of Staff, and instructors.
2. No Time table followed for classes.
3. Instructors and Trainees were not available at the time of inspection.
4. Tool, equipment and machinery Shortage in electrician and fitter trade.
5. No provisions for safety & fire prevention etc.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.


Yours faithfully,


12/6/15
(S.C.Sharma)
Joint Director of Training

Copy to:-

1. Director, Directorate of Technical Education & Training, Killa Maidan, Odisha, Cuttack-753001.
2. Sh.Vidyanand, DDT, ATI, Shivam Road, Vidyanagar, Hyderabad-500007, Andhra Pradesh.
3. Sh. J. Satapathy, Principal, Govt. ITI, Bhubaneswar, Odisha.
4. Link File:-MSDE-6/CVIR/QCI-Aff/2015-TC.




12/6/15
(Punita Bhatia)
Deputy Director of Training

Deputy Director of Training

etc

15

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 4 /81/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

✓ To,

The Principal
Gauri Shankar Pvt. ITI,
Bypass Road, Near Sanichara Baba,
Buxar, Bihar-802101

15

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Few Instructors were not available at the time of inspection.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,



15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

- ✓ 1. The Director, Directorate of Employment & Training New Secretariat, Vikas Bhawan, Distt. Patna, (for Information only).
- ✓ 2. Sh. C. Chandrasekhar, Joint Director, ATI EPI, Ramanthapur, Hyderabad-500013, Andhra Pradesh.
- ✓ 3. The Principal, Govt ITI, Buxar, Bihar.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.


12/6/15

(Punita Bhatia)

Deputy Director of Training



BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 24 /108/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

TS

To,
The Principal
Dr. GPRD Patel Institute of Tech. &
Management Pvt. ITI,
Araul, G.T. Road,
Kanpur-209202,
Uttar Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Building documents & electric connection not in the name of ITI.
2. ITI is running engineering college in the same building namely Dr. GPRD Patel Institute of Technology & Management, G.T. Road Araul, Kanpur.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,

[Signature]
15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training, Guru Govind Singh Marg, Lucknow-226004, U.P.
2. Sh. R.R. Mannewar, Director, ATI, Udyog Nagar, Kanpur, Uttar Pradesh-208022.
3. Joint Director, Kanpur Division, Pandu Nagar, Kanpur, U.P.
4. Link File:-MSDE-6/CVIR/QCI-Aff/2015-TC.

[Signature]
12/6/15

(Punita Bhatia)

Deputy Director of Training



17

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 24 /53/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

15

To,
The Principal
Jai Ram Singh Pvt. ITI,
P.O.- Bilram,
Distt.-Kasganj-207124,
Uttar Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Principal, Chairman and instructors were not present at the time of inspection.
2. Latest electricity bill was not shown to the inspection committee.
3. Most of the tool and equipment were kept packed in the cartons.
4. Instructors were not available for workshop calculation, engineering drawing & employability skills.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,



15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training, Guru Govind Singh Marg, Lucknow-226004, U.P.
2. Sh. P.K. Srivastava, Deputy Director, ATI, Udyog Nagar, Kanpur, U.P-208022.
3. Joint Director, Bareilly Division, 29th Civil Line, Bareilly, U.P.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.


12/6/2015

(Punita Bhatia)

Deputy Director of Training



18

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 24 /114/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

15

To,

The Principal
Sant Ramkrishna Pvt. ITI,
Manoharpur, Balkeshwar Road,
Distt.-Agra,
Uttar Pradesh


Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The inspection committee has informed that your institute is in compliance with NCVT norms.

Yours faithfully,


15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training, Guru Govind Singh Marg, Lucknow-226004, U.P.
2. Sh. P.K. Srivastava, Deputy Director, ATI, Udyog Nagar, Kanpur, U.P.-208022.
3. Joint Director, Bareilly Division, 29 Civil Lines, Bareilly, U.P.
4. Link File:-MSDE-6/CVIR/QCI-Affil/2015-TC.


12/6/15

(Punita Bhatia)

Deputy Director of Training



19

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 12 /22/2013-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

15

To,

The Principal
New Radiant Pvt. ITI,
Gram Kakarwaya,
CRPF Road, Shivpuri
Madhya Pradesh-473551

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Shortage in Tool, Equipment and machinery in Fitter trade.
2. Electric meter not found.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,

S.C. Sharma
15/6/15

(S.C. Sharma)

Joint Director of Training


Copy to:-

1. The Director, Directorate Skill Development, (M.P) Narmada Road I/F Sai Mandir, Jabalpur (M.P).
2. Sh. Ishwar Singh, JDT, RDAT, 3rd Floor, 'A' Wing, New CGO Building, NH-4, Faridabad, Haryana-121001
3. Sh. C.L. Katare, Principal, Govt. ITI, Shivpuri, Madhya Pradesh.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.

Punita Bhatia
12/6/15

(Punita Bhatia)

Deputy Director of Training



20

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 4 /64/2013-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,
The Principal
Mahadev Pvt. ITI,
Vill-Bijubanpar, P.O. Mahanandpur,
Bihar Sharif, Nalanda,
Bihar

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. The ITI could not be verified.
2. ITI was closed.
3. Principal, Staff and Trainees were not present.
4. Documents not provided to inspecting team.

In this regard, you are requested to explain the reason within three weeks after the receipt of this letter. In case of non-receipt of any communication from your end by three week, your institute will be listed for De-affiliation. This may be treated as most urgent.

Yours faithfully,

[Signature]
15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training New Secretariat, Vikas Bhawan, Distt. Patna, (for Information only).
2. Sh. M. Subbarayudu, Deputy Director, ATI, Vidyanagar, Shivam Road, Hyderabad-500044, Andhra Pradesh.
3. Sh. Suman Kumar, Principal, Govt. ITI, Kalyan Bigha, Nalanda, Bihar.
4. Link File:-MSDE-6/CVIR/QCI-Affl/2015-TC.

[Signature]
12/6/15
(Punita Bhatia)

Deputy Director of Training



21

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 4 /35/2013-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal
Bhawani Prasad Singh Janta Pvt. ITI,
Vill & Post- Sehra Jalalpur
Ambedkar Nagar,
Uttar Pradesh-224231

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,

Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Toilets were not available.
2. Power connection not available and no documents shown to the committee in this regard.
3. Society registration had expired by the date of inspection.
4. Shortage in tool, machinery & equipment in Electrician Trade.
5. Trainees' records were not available.
6. Documents in support of appointment letter, qualification and experience of staff, Instructors and Principal not shown to the inspection team.
7. Original Land documents were not shown to the inspection team.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,


S.C. Sharma
15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training, Guru Govind Singh Marg, Lucknow-226004, U.P.
2. Sh. R.N. Dohare, Deputy Director, ATI, Udyog Nagar, Kanpur, U.P.-208022.
3. Joint Director, Faizabad Division, Govt. ITI, Faizabad, U.P.
4. Link File:-MSDE-6/CVIR/QCI-Affil/2015-TC.



Punita Bhatia
12/6/15

(Punita Bhatia)

Deputy Director of Training

BY Speed post
Most Urgent
(Time Bound)

No. DGET- 6/ 24 /135/2014-TC
Government of India
Ministry of Skill Development & Entrepreneurship

Shram Shakti Bhawan, Rafi Marg,
New Delhi, Dated: 12/06/2015

To,

The Principal
B.K. Pvt. ITI,
Badaun-Chandausi Road,
Raharhia Police Chowki,
Saidpur, Badaun,
Uttar Pradesh

Subject: Conducting Compliance verification Inspection of ITI's accredited by QCI-regarding.

Sir,


Your kind attention is invited to the Compliance Verification Inspection Report (CVIR) of your institute, received from the Compliance Verification Inspection Committee (CVIC) that inspected your institute to verify the infrastructural facilities as per NCVT norms.

The following observations have been made by the inspection committee:-

1. Latest electricity bills not furnished to the committee.
2. Most of the tools and equipment of fitter and electrician trade were kept packed in cartons.
3. Chairman, Principal and Instructors were not present at the time of inspection.
4. Only few trainees were present at the time of inspection
5. The name of trainees was not matching with the names in the attendance register.
6. Documents of Land Registry, Society registry, QCI Affiliation were not shown to the committee.

In this regard, you are requested to rectify above mentioned deficiencies and inform compliance report within three weeks after the receipt of this letter. This may be treated as most urgent.

Yours faithfully,


15/6/15

(S.C. Sharma)

Joint Director of Training

Copy to:-

1. The Director, Directorate of Employment & Training, Guru Govind Singh Marg, Lucknow-226004, U.P.
2. Sh. P.K. Srivastava, Deputy Director, ATI, Udyog Nagar, Kanpur, U.P.-208022.
3. Sh. M.P. Singh, Joint Director, Bareilly Division, 29th Civil Line, Bareilly, U.P.
4. Link File:-MSDE-6/CVIR/QCI-Aff/2015-TC.




12/6/15

(Punita Bhatia)

Deputy Director of Training